1965

18

GEOPHYSICAL ABSTRACTS

INDEX

Numbers

216-

227

March 3, 1849

UNITED STATES DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

QE
500
U5
no. 216-227
Index
NIC

GEOPHYSICAL ABSTRACTS

1965 Index to numbers 216–227

By JAMES W. CLARKE, DOROTHY B. VITALIANO, VIRGINIA S. NEUSCHEL, *and others*

GEOLOGICAL SURVEY

U. S. DEPARTMENT OF THE INTERIOR
March 3, 1849

Abstracts of current literature pertaining to the physics of the solid earth and to geophysical exploration

---

UNITED STATES GOVERNMENT PRINTING OFFICE, WASHINGTON : 1967

UNITED STATES DEPARTMENT OF THE INTERIOR

STEWART L. UDALL, *Secretary*

GEOLOGICAL SURVEY

William T. Pecora, *Director*

For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D. C. 20402. Price 35 cents (single copy), index 75 cents. Subscription price: $4.25 a year (12 monthly issues and index); $1.00 additional for foreign mailing. Use of funds for printing this publication approved by the Director of the Bureau of the Budget (March 14, 1962).

INDEX TO GEOPHYSICAL ABSTRACTS 216-227, 1965

1127-1

By James W. Clarke and others

AUTHOR INDEX

A

Abstract

Ab, E. A., Andrianova, G. M., Plotnikov, R. I., and Khutsishvili, L. A. Portable X-ray tubes for geophysical apparatus ---------- 216-308
Abdullayev, D. See Umarov, S. U.
Abdullayev, R. A., and Dzhafarov, Kh. D. Theory and practice of the interpretation of geophysical observations ---------- 221-110
See also Tsaturyants, A. B.
Abrahamsen, N. See Saxov, S.
Abramov, Ye. P. See Ul'st, V. G.
Abramovici, F. See Pekeris, C. L.
Abrashev, K. K. See Rozhkov, I. S.
Abubakar, Iya. Buried moving sources in an elastic halfspace ---- 219-121
— Magneto-elastic SH-type of motion ---------- 227-82
— SH motion due to moving sources in an elastic halfspace ------- 222-88
Academia Republicii Populare Romîne. Problems of geophysics --- 222-111
Acharya, H. K. Seismicity of the Galapagos Islands and vicinity --- 225-68
Aczél, Etelka. On secular variation of deflection of the vertical --- 224-210
Aczél, Etelka, and Suloky, István. Secular variation of the geomagnetic field in Hungary between 1950 and 1963, on the basis of measurements on the secular network ---------- 222-224
See also Pintér, Anna.
Adair, T. W., III. See Southwick, S. H.
Adám, Antal. On the calculation of magnetotelluric (MT) anisotrophy ---------- 216-61
— Some hypotheses concerning the upper mantle structure in Hungary ---------- 223-196
— The electrical structure of the crust and upper mantle in Hungary on the basis of magnetotelluric and relative frequency sounding ---------- 225-110
Adám, Antal, and Verö, Josef. On the causes of the earth current distribution in Hungary, with particular consideration of the geology of the country ---------- 225-45
Ádám, Antal, Wallner, Ákos, and Wiese, Horst. Electrical conductivity anisotropies of the ground reflected by magnetotelluric and geomagnetic measurements ---------- 222-45
Adam, N. V. Reduction of mean daily geomagnetic field values to mean monthly values at middle latitudes ---------- 222-248
Adam, N. V., Ben'kova, N. P., Orlov, V. P., Osipov, N. K., and Tyurmina, L. O. Analytical representation of secular variation - 227-275
— Synthesis of the geomagnetic field from spherical harmonic coefficients ---------- 218-240
— Vertical distribution of the geomagnetic field ---------- 227-276
— Western drift of the geomagnetic field ---------- 222-242
Ádám, Oszkár. Frequency analysis of seismic records ---------- 224-331
Ádám, Oszkár, and Kilényi, Éva. Determination of the approximate velocity function from refraction traveltime curves ---------- 218-300
See also Pintér, Anna.
Adamcik, J. A. See Draper, A. L.
Adams, E. W. See O'Keefe, J. A. S.
Adams, J. A. S. See Heier, K. S.
Adams, L. H. See Davis, B. L.
Adams, R. D. Thickness of the Earth's crust beneath the Pacific-Antarctic Ridge ---------- 220-251

Abstract

Adams, R. D., and Randall, M. J. The fine structure of the Earth's core ---- 217-269
See also Healy, James.
Adams, W. M., and Chang, C.-P. Wave propagation phenomena at an irregular infinite interface—Pt. 1, Theory ---- 220-121
Adams, W. M., Schlesinger, Ernest, and Schubel, E. K. Wave propagation phenomena at an irregular infinite interface—Pt. 3, Rigid boundary ---- 220-123
Adams, W. M., Schubel, E. K., and Schlesinger, Ernest. Wave propagation phenomena at an irregular infinite interface—Pt. 2, The free surface ---- 220-122
Ade-Hall, J. M. The magnetic properties of some submarine oceanic lavas ---- 221-231
Ade-Hall, J. M., Wilson, R. L., and Smith, P. J. The petrology, Curie points and natural magnetizations of basic lavas ---- 223-276
Adie, R. J. See Robin, G. de Q.
Adler, Gerhard, and Lehmann, Martin. The geomagnetic survey of East Thuringia, Vogtland, and West Erzgebirge ---- 221-258
Adler, Lawrence. Discussion of "A three dimensional photoelastic study of stress fields around room and pillar mines openings" by J. J. Scott ---- 217-348
Adlung, Alfred. A contribution to the problem of seismic wave fronts ---- 224-93
Adzhimamudov, E. B., and Shirinyan, K. G. Interrelations between latest volcanicity and the geophysical fields of Armenia ---- 226-349
Aeckerlein, G., and Vogt, W. Insight into structure through radioactivity measurements in boreholes ---- 221-277
Afanas'yev, A. A. On a procedure of interpreting temperature anomalies in the producing zone of gas wells ---- 225-218
Afanas'yev, G. D. On the necessity for promoting investigatory work in the fields of magmatism, radiogeology, and metallogenesis ---- 218-109
—— Properties of micas and feldspars important for geochronology -- 217-5
Afanas'yev, G. D., Bagdasaryan, G. P., Borovikov, L. I., Vinogradov, A. P., Harris, M. A., Gerling, E. K., Zykov, S. I., Kazakov, G. A., Keller, B. M., Komlev, L. V., Krylov, A. Ya., Monich, V. K., Obruchev, S. V., Ovchinnikov, L. N., Polevaya, N. I., Polovinkina, Yu. I., Rubinshteyn, M. M., Semenenko, N. P., Semenova, T. P., Starik, I. Ye., Tugarinov, A. I., Firsov, L. V., Khamrabeyev, I. Kh., Shanin, L. L., and Shcherbakov, D. I. Geochronological scale in absolute age calculation according to data of laboratories of the U.S.S.R. as of April 1964, taking into account foreign data ---- 226-68
Afanas'yev, G. D., Ivanov, I. B., and Shanin, L. L. Age of Upper Tertiary igneous rocks, determined by the potassium-argon method ---- 226-60
Afanas'yev, N. L. Determination of the depth of a magnetized body from the Z anomalies ---- 221-244
Afanas'yev, N. S., Zhebrovskaya, T. F., and Pavlovskiy, V. I. Study of acoustic velocity in rocks ---- 216-114
Afanas'yeva, V. I. Solar corpuscular and geomagnetic storm families during the flight of "Mariner-2" ---- 218-225
—— Solar corpuscular streams and families of geomagnetic storms at the time of the flight of Mariner 2 (preliminary communication) -- 217-287
Afanas'yeva, V. I., and Kalinin, Yu. D. Results of investigations of magnetic activity at the time of the IGY ---- 220-282
Afanas'yeva, V. I., Kalinin, Yu. D., and Mogilevskiy, E. I. Some elements of the theory of magnetic storms ---- 227-273
Afanas'yeva, V. I., Mogilevskiy, E. I., and Kalinin, Yu. D. Dependence of the energy of a magnetic storm on the distance to the corpuscular stream Preliminary communication ---- 222-249

Abstract

Afonin, V. G. On the efficient shape of the explosive charge in deep seismic sounding ---------- 226-314

Agamirzovey, R. A. See Ismail-Zade, T. A.

Aganova, G. V. See Udintsev, G. B.

Agarwal, R. G. See Wane, M. T.

Agger, H. E., and Carpenter, E. W. A crustal study in the vicinity of the Eskdalemuir seismological array station ---------- 221-187

Aghassi, Badri. See Hawkins, G. S.

Agostinelli, Cataldo. On magnetohydrodynamic explanation of the existence of the geomagnetic field and of the general use of the stars ---------- 218-196

Agrawal, D. P., Kusumgar, S., and Lal, D. Tata Institute radiocarbon date list III ---------- 226-34

Agrawal, D. P., Kusumgar, S., and Sarna, R. P. Radiocarbon dates of archaeological samples ---------- 216-22

Agul'nik, I. M., and Sharlovskaya, L. A. Attempt to use high precision gravimetry for prospecting gas deposits in the West Siberian Lowland ---------- 227-200

Aharoni, E. Litho-electric correlation of the "Kurnub-Group" (Lower-Cretaceous) in the northern Negev ---------- 220-158

Ahrens, L. H. Notes on Na-K fractionation in chrondrites ---------- 219-26

— Observations on the Fe-Si-Mg relationship in chrondrites ---------- 227-44

Ahrens, R. H. See Collett, L. S.

Ahrens, T. J., and Gregson, V. G., Jr. Shock compression of crustal rocks—Data for quartz, calcite, and plagioclase rocks ---------- 217-138

Airinei, Ştefan. Considerations on application of topographic reduction to gravity measurements in the Subcarpathians of eastern Muntenia ---------- 227-195

— Geological structure of the eastern Subcarpathians in Muntenia as reflected by the structure of the gravity anomaly ---------- 227-193

— Note on detailed magnetic measurements of Iacobdeal and Dealul of Manole ---------- 227-310

Airinei, Ştefan; Boisnard, Marcel; Botezatu, Radu; Georgescu, Lia; Suciu, Petre; and Visarion, Marius. Map of the ΔZ magnetic anomaly of Moldavia (Rumania) ---------- 223-285

Airinei, Ştefan; Botezatu, Radu; Dumitru, Stelian; Popovici, Dorin; and Stoenescu, Scarlat. The use of the gravimeter for salt dome finding in the Rumanian People's Republic ---------- 220-228

Airinei, Ştefan, and Codarcea, F. New geologic data on the gravimetric anomaly of Runculete Metaliferi Mountains ---------- 222-165

Airinei, Ştefan, and Murgeanu, G. Geophysical data on the structure of the basement of the bend of the eastern Carpathians ---------- 220-227

Airinei, Ştefan, and Stoenescu, Scarlat. Relations concerning the compilation of the gravimetric map of the Rumanian Peoples Republic (Bouguer anomaly) on a scale of 1:500, 000 ---------- 227-194

Airinei, Ştefan, and Scueava, Mircea. Note on the gravimetric-magnetic anomaly of the area of Sinoe Lake (Dobrogea) ---------- 227-196

See also Stoenescu, Scarlat.

Aithal, V. S. A note on oil exploration by radiometric survey ---------- 217-319

Akademiya Nauk SSSR, Biblioteka Instituta Fiziki Zemli. Structure of the crust and upper part of the mantle of the Earth according to geophysical data; bibliographic index, 1937-61 ---------- 217-267

Akasofu, S.-I. A source of the energy for geomagnetic storms and auroras ---------- 216-233

See also DeWitt, R. N., and Haurwitz, M. W.

Akhalbedashvili, A. M.; and Sikharulidze, D. I. Some results of the operation of the long-period seismograph in Tbilisi ---------- 220-103

Akhmadeyeva, B. N. Use of gamma logs for correlation of the geologic section by means of non-cored drillholes in the central part of Turkemenia ---------- 216-305

Akhmatov, P. G., and Mel'kanovitskiy, I. M. Physical properties of Paleozoic age in the southern zone of the Tien Shan ---------- 221-236

Abstract

Akhmenov, G. A. See Ali-zade, A. A.

Akhundov, I. D. Test of the use of the method of controlled direction reception of seismic waves in marine seismic surveying ---------- 223-315

Akimoto, Syun-iti, and Fujisawa, Hideyuki. Demonatration of the electrical conductivity jump produced by the olivine-spinel transition ---------- 219-253

— Phase transformation in mantle minerals—Recent results of high pressure, high temperature experiments in the Institute for Solid State Physics, University of Tokyo ---------- 219-256

Akimoto, Syun-iti, Fujisawa, Hideyuki, and Katsura, Takashi. The olivine-spinel transition in Fe_2SiO_4 and Ni_2SiO_4 ---------- 222-188

See also Ozima, Mituko.

Akishev, T. A., and Nasyrkhanov, A. N. Attempt to use electrical surveying in prospecting for fissure and karst waters in central Kazakhstan ---------- 220-151

Aksel'rod, S. M. Development of a procedure and apparatus in induction logging and results of testing the method in the conditions of Azerbaijan oilfields ---------- 224-162

Aksenovich, G. I., and Serdiy, B. A. Some auxiliary devices of the KSE seismic stations ---------- 216-94

— The ASSPMZ automatic seismic station with intermediate magnetic recording ---------- 216-91

Aksent'yeva, Z. N. On the work of the Poltava gravimetric observatory during the time between the 4th and 5th All-Ukrainian conferences to consider the results of the IGY-IGC ---------- 220-107

Aksent'yeva, Z. N., and Dychko, I. A. Preliminary results of observations of gravity variations with the GA-11 gravimeter at Poltava ---------- 220-108

Albee, A. L. See Lanphere, M. A., and Wasserburg, G. J.

Al'bov, S. V. On tectonic phenomena in the formation of the mountain ridges in Crimea ---------- 222-112

Albright, J. C. See Matthews, R. R.

Alcaraz, Arturo. Progress in geology and geophysics in the Philippines since 1920 ---------- 217-190

Alder, Bernhard. See Langway, C. C., Jr.

Aldrich, L. T., Hart, Stanley R., Tilton, G. R., Davis, G. L., Rama, S. N. I., Steiger, R., Richards, J. R., and Gerken, J. S. Isotope geology ---------- 224-17

See also Steinhart, J. S., Tilton, G. R., and Tuve, M. A.

Aleksandrov, A. Yu., Karasev, A. N., Mitrofanov, K. P., Polak, L. S., and Sorokin, A. A. The Mõssbauer effect and possibility of its use in nuclear geophysics ---------- 219-331

Aleksandrov, K. S. See Ryzhova, T. V.

Aleksandrov, N. I. See Kholodok, Ye. D.

Aleksandruk, V. M. See Sobotovich, E. V., and Starik, I. Ye.

Alekseyev, A. S., Vol'vovskiy, I. S., Yermilova, N. I., Krauklis, P. V., and Ryaboy, V. Z. Problem of the physical nature of some waves registered during deep seismic sounding, Pt. 3 ---------- 218-301

See also Matveyeva, N. N.

Alekseyev, F. A., and Dakhnov, V. N. Basic problems in the field of scientific research work on the development of methods of nuclear geophysics ---------- 219-321

Alekseyev, G. P., Davydov, V. M., and Tslav, L. Z. An example of the testing of electrical well surveying for outlining oil- and gas-bearing structures ---------- 227-124

Alekseyev, V. A., King, N. V., Matveyeva, O. V., and Troitskiy, S. L. New data on the absolute chronology of the Late Pleistocene and Holocene of Siberia ---------- 223-16

Alekseyev, V. V. See Mustafabeyli, M. A.

Aleshin, V. M. See Tsygankov, A. V.

Alessio, Marisa, Bella, Francesco, Bachechi, F., and Cortesi, C. University of Rome Carbon-14 dates III ---------- 226-28

Abstract

Alexander, J. B. Review of progress in geological work since 1920 in the Federation of Malaya ---- 217-188
Alfano, Luigi. An analytical method of gravimetric interpretation ---- 225-188
— On the form and amplitude of the refracted impulse ---- 225-306
— The correction for the anomalous vertical gradient in gravimetry ---- 225-187
Alferov, V. V., Gil'bershteyn, P. G., Posternak, Ya. I., and Umnov, V. F. A device for feeding seismic information into computers ---- 224-342
Alferov, V. V., Plyušnin, M. I., and Serdinov, A. I. Apparatus for induction logging of ore boreholes ---- 224-161
Alfimov, N. N., Matuzov, N. I., and Yagovoy, P. N. Results of investigations of the activity of air and waters in the Atlantic Ocean, Black, and Caspian Seas ---- 220-309
Alford, D. L. See Mock, S. J.
Alfors, J. T. See Putnam, G. W.
Alfvén, Hannes. On the formation of celestial bodies ---- 224-61
— On the origin of the asteroids ---- 224-60
— Origin of the Moon ---- 222-37
Alfvén, Hannes, Danielsson, L., Fälthammer, C.-G., and Lindberg, L. On the penetration of interplanetary plasma into the magnetosphere ---- 227-255
Alger, R. P. See Millican, M. L., and Wahl, J. S.
Algermissen, S. T. See Costain, J. K.
Ali, Mohammad. See Farah, Abul.
Alifov, S. K. See Plyushch, A. M.
Aliverti, Giuseppina. Glaciology ---- 217-225
Aliyev, A. M. See Ragimov, Sh. S.
Ali-zade, A. A., Akhmenov, G. A., and Kulikov, V. I. Deep structure of Azerbaijan according to geologic and geophysical data ---- 227-139
Allakhverdov, O. L. On the efficiency of the vertical electrical sounding (VEZ) method in studying the geology of the Surkhan-Dar'ya valley ---- 221-111
Allan, T. D. A magnetic survey off the coast of Portugal ---- 225-284
— A preliminary magnetic survey in the Red Sea and Gulf of Aden ---- 217-312
Allan, T. D., Charnock, H., and Morelli, Carlo. Magnetic, gravity and depth surveys in the Mediterranean and Red Sea ---- 220-163
Alldredge, L. R., and Fitz, J. C. Submerged stabilized platform ---- 221-216
See also Ostenso, N. A.
Allègre, Claude. On the extension of the Concordia method of graphic calculation of absolute ages made by means of radioactive inequilibrium. Case of secondary uranium mineralizations ---- 221-1
Allègre, Claude; Deschamps, Norbert; Faucherre, Jacques; and Hanotel-Monstard, Monique. Contribution to geochronology by the rhenium-osmium method ---- 224-18
Allègre, Claude; Doussaint, Louis; Mechler, Pierre; and Proust, François. Contribution on a seismologic study of the volcanism of Herault and of Causses ---- 225-305
Allègre, Claude, and Michard, Gil. On the discordances of the ages obtained by the strontium and argon methods ---- 221-2
Allen, C. R. See Biehler, Shawn.
Allen, Frank. The logarithmic order of the planets and their satellites ---- 216-58
Allen, J. D. See Leighton, R. B.
Allen, J. R. L. The Nigerian continental—Bottom sediments, submarine morphology and geological evolution ---- 218-340
Allen, L. S., Caldwell, R. L., and Mills, W. R. Borehole models for nuclear logging ---- 227-325
Allen, L. S., Mills, W. R., and Caldwell, R. L. The effects of fluid invasion in pulsed neutron logging ---- 225-294, 226-286
Alley, C. O., Bender, P. L., Dicke, R. H., Faller, J. E., Franken, P. A., Plotkin, H. H., and Wilkinson, D. T. Optical radar using a corner reflector on the Moon ---- 223-33
Allingham, J. W. See Henderson, R. G.

Abstract

Allsopp, H. L. Rubidium-strontium ages from the western Transvaal 219-10

— Rb-Sr and K-Ar age measurements on the Great Dyke of Southern Rhodesia 220-7

Alonso, R. M., Jr. Earth-resistivity survey for the Tortuguero nuclear plant project 222-104

Al'pin, L. M. Device for electrical logging 216-132

— On the calculation of asymptotic values of apparent resistivity in electrical well logging 224-156

— Solution of the fundamental problem of the theory of resistivity logging 218-92

Alsop, L. E. Excitation of free oscillations of the Earth by the Kurile Islands earthquakes of 13 October 1963 217-125

Alsop, L. E., and Kuo, J. T. The characteristic numbers of semidiurnal earth tidal components for various Earth models 217-132

See also Takeuchi, Hitoshi.

Alterman, Z., and Kornfeld, P. Propagation of an SH-torque Pulse in a sphere 226-127

— Shallow focus explosion in a liquid sphere 222-81

See also Pekeris, C. L.

Altevogt, G. See Lotze, Franze.

Al'tshuler, L. I., Mal'tseva, K. A., Chuguryan, Z. S., and Shlyakhtina, A. P. World magnetic maps for epoch 1960 227-278

Alvarez, M. G. de. The excentric octupole 224-266

Ambach, W., and Eisner, H. Radioactivity measurements for the determination of the accumulation of firn of an Alpine glacier 224-322

Ambraseys, N. N. The seismic history of Cyprus 224-68

Ambroggi, Robert. The earthquake of Agadir (February 29, 1960, 11:41 p.m.) in its geologic framework 223-61

American Geophysical Union, and U. S. Geological Survey. Bouguer gravity anomaly map of the United States (exclusive of Alaska and Hawaii) 220-210

Amstutz, D. E. See Nowlin, W. D., Jr.

Amurskiy, G. I., Vasil'yev, V. G., Vol'vovskiy, I. S., Garetskiy, R. G., and Gabrielyants, G. A. Fundamental tectonic elements of the western part of central Asia 225-142

Anan'in, I. V. On the seismic effect of near earthquakes in the East Caucasus 221-52

Anashin, Yu. F., Gavel'ya, A. P., Kirillov, V. N., and Tychkova, T. V. Geophysical investigations in hydrogeologic prospecting in the desert and semiarid regions of Kazakhstan 227-143

Ancion, N. See Gilot, E.

Andel, Tjeerd, H. Van, Bowen, Vaughan T., Sachs, Peter L., and Siever, Raymond. Morphology and sediments of a portion of the Mid-Atlantic Ridge 223-341

Anderle, R. J. Observations of resonance effects on satellite orbits arising from the thirteenth- and fourteenth-order tesseral gravitational coefficients 223-164

Anders, Edward. Origin, age, and composition of meteorites 223-25

Anders, Edward, DuFresne, E. R., Hayatsu, Ryoichi, Cavaillé, Albert, DuFresne, Ann, and Fitch, F. W. Contaminated meteorite 218-24

See also Lipschutz, M. E., and Monster, Jan.

Anders, W. Contributions to the application of induced polarization to problems of geological research 221-113

— On apparent induced polarization in the two-layer case, when variable frequency a-c current is used 221-116

Andersen, C. A. See Keil, Klaus, Short, J. M., and Lovering, J. F.

Andersen, Frede. Record of observations at Baker Lake Magnetic Observatory, 1959 224-285

See also Evans, A. E.

Anderson, A. R., Jr. See Svec, H. L.

Abstract

Anderson, D. L., Ben-Menahem, Ari, and Archambeau, C. B. Attenuation of seismic energy in the upper mantle 222-59
See also Kovach, R. L.
Anderson, G. M. See Keith, M. L.
Anderson, L. A., and Keller, G. V. A study in induced polarization 216-117
Anderson, O. L. Conditions for a density minimum in the upper mantle 222-186
— Lattice dynamics in geophysics 226-227
Anderson, O. L., and Nafe, J. E. The bulk modulus-volume relationship for oxide compounds and related geophysical problems 227-81
Anderson, O. L., and Schreiber, Edward. The relation between refractive index and density of minerals related to the Earth's mantle 222-187
Anderson, Robert; Björnsson, Sveinbjörn; Blachard, D. C.; Gathman, Stuart; Hughes, James; Jonasson, Sirureir; Moore, C. B.; Survilas, H. J.; and Vonnegut, Bernard. Electricity in volcanic clouds 223-351
Andrássy, László, and Sebestyén, Károly. Some results of experiments concerning gamma-gamma logging technique and interpretation 224-324
See also Sebestyén, Károly.
Andreasen, G. E., Grantz, Arthur, Zietz, Isidore, and Barnes, D. F. Geologic interpretation of magnetic and gravity data in the Copper River Basin, Alaska 217-242
Andreyev, B. A. Gravimetry in regional geology 227-203
Andreyev, B. A., Ryabkova, M. S., and Sytina, N. M. Regional magnetic anomalies of the Far East 223-302
Andreyev, S. S. On methods of interpreting near earthquakes 216-89
Andreyev, V. A. See Mikov, D. S.
Andreyev, V. I. Electromagnetic field in the wave zone of a horizontal low-frequency electrical dipole for a three-layered medium 224-154
Andreyev, V. I., and Mel'nikov, L. A. Magnetic logging device for measuring the magnetic susceptibility of rocks and ores 226-274
Andreyeva, M. G. See Grinenko, L. N.
Andreyeva, O. L., Bukha, V. V., and Petrova, G. N. Laboratory determination of the magnetic stability of rocks of the Bohemian massif 224-303
See also Khramov, A. N.
Andrianova, G. M. See Ab, E. A.
Angenheister, Gustav, and Turkowsky, C. The distribution of the induced and natural remanent magnetization in several basalt sheets of the Vogelsberg 220-287
Anger, C. D. See Clark, T. A.
Anglin, F. M., and Beck, A. E. Regional heat flow pattern in western Canada 227-217
Anishchenko, A. M. See Mitropol'skiy, A. S.
Anishchenko, G. N. Inversion of vertical electrical sounding curves 227-118
Anpilogov, A. P. Change in the shape of the SP curve with deep penetration of drilling mud 218-95
Anpilogov, A. P., Galyavich, A. Sh., and Zeydan, Selim. Changes in geophysical logging characteristics during the opening and development of producing formations 223-129
Anstey, N. A. Correlation—A review 220-175
Antoine, J. W., and Harding, J. L. Structure beneath continental shelf, northeastern Gulf of Mexico 220-315
Antoine, J. W., and Henry, V. J., Jr. Seismic refraction study of shallow part of continental shelf off Georgia coast 227-337
Antonenko, A. N., and Popov, A. A. Features of the wave pattern and some results of deep seismic sounding in northern Kazakhstan 219-348
Antonenko, E. M. See Kazanli, D. N.

Abstract
Antonov, Yu. N., Doil'nitsyn, Ye. F., and Klyarovskiy, V. M. Apparatus for determining the amount of radiogenic argon in rocks and minerals 227-10
Aoki, Ken-Ichiro. Clinopyroxenes from alkaline rocks of Japan 217-258
Aparin, V. P., and Vlasov, A. Ya. On the Devonian-Carboniferous contact according to paleomagnetic data 221-241
Apostol, Ecaterina. See Costa-Foru, Alexandru, and Pătraşcu, S.
Apparao, Krishna. A mechanism for the injection of very low energy particles into the magnetosphere 224-272
Arakelyants, M. M. See Tugarinov, A. I.
Araki, Tohru. See Namikawa, Tomikazu.
Archambeau, C. B. See Anderson, D. L.
Arenal, R. del. See Stretta, E. J. P.
Ariake Coal Mine Prospecting Section. Prospecting of the enclosed coal field north of Ariake Bay 218-324
Arias de Greiff, Jorge. The gravitational potential of the Earth 220-184
Arkhangel'skaya, V. M. The session of the Committee on Seismology of the Academy of Sciences of the U.S.S.R. in Moscow 227-73
Arkhangel'skiy, V. T. On the parameters of the natural motion of an electrodynamic seismograph with galvanometric recording 219-113
Arkhangel'skiy, V. T., and Daragen, S. K. On the problem of the practical use of electromechanical filters in electrodynamic seismographs with galvanometric recording 219-115
Arkhangel'skiy, V. T., and Kirnos, D. P. Broad-band seismographs of common type 219-101
Armstrong, J. E., Crandell, D. R., Easterbrook, D. J., and Noble, J. B. Late Pleistocene stratigraphy and chronology in southwestern British Columbia and northwestern Washington 223-5
Arnold, J. R. The origin of meteorites as small bodies, Chap. 23 219-36
— The origin of meteorites as small bodies—Pt. 2, The model 225-23
— The origin of meteorites as small bodies—Pt. 3, General considerations 225-24
Arnold, K. C. Aspects of the glaciology of Meighen Island, Northwest Territories, Canada 222-7
Aronov, V. I. Calculation of plumbline deflection from Δg observations in a mountainous region 223-192
Aronovich, Z. I. Energy characteristics of seismic phenomena in Crimea 220-99
Aronowitz, L., and Milford, S. A. Magnetic shielding of the lunar surface from the solar wind as a function of lunar magnetic moment 219-48
Arslanov, Kh. A. See Starik, I. Ye.
Artemov, Yu. M. See Ustinov, V. I.
Artem'yev, A. V., and Radziyevskiy, V. V. On the origin of the axial rotation of the planets 223-42
Artem'yev, M. Ye. Disruption of isostatic equilibrium and directionality of vertical movements of the Earth's crust 223-159
— On the relation between disturbances of isostatic equilibrium and recent and contemporary tectonic movements 217-210
Artsybashev, V. A. Investigation of some factors affecting density variations by the method of scattered γ-radiation 221-288
— Optimal sonde for sampling ores by the gamma-gamma method 217-320
Asada, Toshi. The crustal structure of Honshu, Japan 218-170
Asanuma, Toshio. See Hotta, Hiroshi.
Ashour, A. A. See Chapman, Sydney.
Askarov, F. A. See Khamrabayev, I. Kh.
Assur, Andrew, and Weeks, W. F. Growth, structure, and strength of sea ice 218-330, 225-335
Astakhov, N. Ye. Neotectonic zoning of the central part of the Caucasian Isthmus (within the Georgian S.S.R.) 225-169
Astrakhantsev, G. V., and Ulitin, R. V. On the problem of the electrical properties of rocks and ores at low frequencies 224-167
Atherton, Elwood. See Bradbury, J. C.
Atkinson, R. d'E. An introduction to the eclipse Moon 225-37

Abstract

Atluri, C. R. See Cowan, Clyde.

Aubert, Maurice. Interpretation of magnetic maps by means of charts for cylindrical structures 217-310

— Optical integrator for gravimetric and magnetic interpretation 216-184

Aubert de la Rüe, Edgar. Remarks on a phase of activity of the Piton de la Fournaise (Réunion Island) 223-357

Aubouin, Jean. The tectonics of the middle Mediterranean and the earthquakes 223-71

Auld, D. R. See Caner, B.

Austin, C. F., and Pringle, J. K. Comments on explosively formed fractures in rock 217-347

See also Goldsmith, Werner, and Slawson, W. F.

Austin, G. S. See Sims, P. K.

Australasian Petroleum Company Proprietary Ltd. Addendum to Geological results of petroleum in western Papua, 1937-1961 222-327

Avagimov, A. A. See Mil'shteyn, D. M.

Avchyan, G. M. Apparatus for demagnetizing rock samples 225-274

Avchyan, G. M., and Matveyenko, A. A. The effect of saturating fluids on the velocity of propagation of longitudinal waves in sedimentary rocks at high pressures and temperatures 223-101

Avdonin, A. N., and Molchanov, O. N. Magnetic logging apparatus for diamond drill holes 226-276

Aveline, Mònique; Baudran, André; Habib, Pierre; Isnard, Pierre; Leymarie, Pierre; and Morlier, Pierre. Experimental results on the relation between microfissuration and speed of propagation of ultra-sounds in the granites of Sidobre (Tarn) 226-131

Avery, O. E. Geomagnetic and bathymetric profiles across the North Atlantic Ocean 223-342

Averyev, V. V. Some quantitative indications of a recent hydrothermal process in volcanic areas 226-220

Avrov, P. Ya., Dal'yan, I. B., Zamarenov, A. K., and Posadskaya, A. S. New data on the deep structure of the Dzhusinsk fold in the Aktyubinsk area in the Utal foothills 220-159

Avsyuk, Yu. N. Isostasy and deformations of the Earth's crust (after the example of the Arctic) 217-211

Avsyuk, Yu. N., and Koptev, V. I. Results of magnetic observations along the Pionerskaya-Pole of Relative Inaccessibility traverse 225-261

Avzyanov, V. S., Barsukov, O. A., and Nikulin, A. K. Surveying mineral resources by the method of delayed coincidence 219-339

Axford, W. I. Some aspects of the structure and dynamics of the terrestrial magnetosphere 227-254

Axford, W. I., Petschek, H. E., and Siscoe, G. L. Tail of the magnetosphere 221-208

Aymon, Jean. See Claracq, Paul.

Ayvazishvili, I. V., and Papalashvili, V. G. On the problem of estimating the magnitude of Caucasus earthquakes 220-101

Ayzman, Yu. A. See Melamud, A. Ya.

B

Baadsgaard, Halfdan, Folinsbee, R. E., and Cumming, G. L. Peace River meteorite 216-29

Baag, C. G. Report on geologic and magnetic investigations and on diamond drilling results at Seongdong iron mine, Pocheon-gun Kyonggi-do, Korea 227-312

Babadzhanov, P. B., Kashcheyev, B. L., Kramer, Ye. N., and Tsesevich, V. P. Meteor investigations at the time of the IGY 220-27

Babushnikov, M. S. Annual course of the elements of terrestrial magnetism at Lvov during the IGY-IGC (1957-1959) 220-273

Bachechi, Francesco. See Alessio, Marisa.

Abstract

Bachin, A. P., Bekzhanov, G. R., Brodovoy, V. V., Gol'dshmidt, V. I., Zhivoderov, A. B., Zlavdinov, L. Z., Ivanov, O. D., Klenchin, I. N., Kolmogorov, Yu. A., Kotlyarov, V. M., Kuz'min, Yu. I., Kuminova, M. V., Kunin, N. Ya., Lyubetskiy, V. G., Melent'yev, M. I., Morozov, M. D., Tret'yakov, V. G., Tychkova, T. V., Tsaregradskiy, V. A., and Eydlin, R. A. Schematic geophysical map of Kazakhstan (main results of regional geophysical operations in Kazakhstan) ---------- 227-138
Bachman, C. H. See Friedman, Howard.
Bachynski, M. P. See Osborne, F. J. F.
Back, William. See Hanshaw, B. B.
Backus, G. E. Possible forms of seismic anisotropy of the uppermost mantle under oceans ---------- 226-124
See also Gilbert, Freeman.
Backus, M. M., Burg, J. P., Baldwin, Dick, and Bryan, Ed. Wide-band extraction of mantle P waves from ambient noise---------- 216-74
See also Schneider, W. A.
Bacon, L. O. Induced-polarization logging in the search for native copper ---------- 223-124
Baczyk, Josef. Genese of the Hel Peninsula on the basis of the development of the Gulf of Gdansk (Danzig)---------- 216-19
Bader, Henri. Criteria for measurement of strain rates in deep bore holes in polar glaciers ---------- 224-196
Bádonyi, Géza, Fábián, András, and Kovács, Béla. Theoretical considerations in designing seismic equipment with magnetic tape recording, Pt. 1 ---------- 222-331
Baedecker, P. A., and Ehmann, W. D. The distribution of some noble metals in meteorites and natural materials ---------- 222-25
Baerreis, D. A. See Bender, M. M.
Bagdasaryan, G. P., and Gukasyan, R. Kh. Investigations concerning the working out of geochronological datums for the absolute geologic time scale (according to data of the Institute of Geological Sciences of the Academy of Sciences of the Armenian S.S.R.) ---------- 226-59
See also Afanas'yev, G. D., and Baratov, R. B.
Baginskaya, Ye. N. See Nesmeyanov, D. V.
Bagrova, Z. A. On manifestations of recent tectonic movements in the north of the Russian platform ---------- 223-162
Bagushin, G. K. See Borisevich, Ye. S.
Bailey, D. K. Temperature and vapor composition in carbonatite and kimberlite ---------- 223-359
Bailey, D. K., and Schairer, J. F. The peralkaline residua system—Na_2O-Al_2O_3-Fe_2O_3-SiO_2 ---------- 223-210
Bailey, J. T., Evans, S., and Robin, G. de Q. Radio echo sounding of polar ice sheets ---------- 218-77
Bailey, L. F. See Zetler, B. D.
Baillet, P. Relative importance of the various radioactive inclusions and the distribution of uranium and thorium in the granitic rocks ---------- 227-317
— The consequences of heterogeneity of distribution of radioactive elements in the rocks---------- 227-318
Bain, G. W. Climatic zones throughout the ages---------- 220-191
Baker, B. H. Geochronology of the intrusive rocks and general conclusions as to their origin ---------- 220-9
— Prospecting---------- 218-154
Baker, D. M. See Davies, Kenneth.
Baker, M. J. See Callow, W. J.
Baker, P. E., Gass, I. G., Harris, P. G., and LeMaitre, R. W. The volcanological report of the Royal Society Expedition to Tristan da Cunha, 1962—Pt. 2, The geology of the Tristan da Cunha Group-- 218-347
— The volcanological report of the Royal Society Expedition to Tristan da Cunha, 1962—Pt. 3, The 1961 eruptive center---------- 218-348
Bakhryshin, A. B. See Ostrovskiy, A. Ye.
Bakhvalov, A. N. See Ponomarev, V. N.

Abstract

Bakradze, Ye. I. Effect of dynamic rigidity of a building on its seismic stability ---- 227-103

Balakina, L. M. Some results of study of the focuses of the earthquakes of May 4 and June 18, 1959, on the basis of instrumental data ---- 219-90

Balakrishna, S., and Lakshmi, B. R. M_2 component at Hyderabad - 218-68

Balakshin, G. D. On the search for diamond fields by geophysical methods ---- 218-105

Balashev, V. N., Nozhenkin, Yu. V., and Spitsyn, V. L. Spectral distribution of scattered gamma-radiation in crushed ore ---- 216-288

Balashov, V. I. See Kholodok, Ye. D.

Balashova, E. L., and Gran, B. V. Review of investigations concerning the measurement of the vertical gravity gradient ---- 221-169

Balasubrahmanyan, V. K., Ludwig, G. H., McDonald, F. B., and Palmeira, R. A. R. Results from the Imp 1 GM counter tele-experiment ---- 223-245

Balavadze, B. K., Karmaleyeva, R. M., Kartvelishvili, K. Z., and Latynina, L. K. Observations of tidal deformations of the Earth using a horizontal extensometer at Tbilisi ---- 224-96

Balavadze, B. K., and Kartvelishvili, K. Z. Observations on tidal variations of gravity at Tbilisi ---- 220-112

Balavadze, B. K., and Mindeli, P. Sh. Earth's crust structure of the Black Sea basin from geophysical evidence ---- 220-250

— Structure of the Earth's crust in the Black Sea and Sea of Azov basins ---- 221-190

Baldwin, A. D. See Dellwig, L. F.

Baldwin, Dick. See Backus, M. M.

Baldwin, R. B. Lunar crater counts ---- 216-55

Balenko, V. G., and Yevtushenko, Ye. I. Comparison of Pertsev's methods of harmonic analysis of 50- and 29-day series of observations of tidal variations of gravity ---- 222-74

Balkay, Bálint. Structure of the Earth's crust in Hungary ---- 218-166

Balsley, J. R., and Bromery, R. W. Aeromagnetic map of parts of the Bolton Landing, Glens Falls, and Whitehall quadrangles, Warren and Washington Counties, New York, and Rutland County, Vermont ---- 222-285

— Aeromagnetic map of parts of the Elizabethtown and Port Henry quadrangles, Essex County, New York ---- 222-282

— Aeromagnetic map of part of the Lowville quadrangle, Lewis County, New York ---- 222-284

— Aeromagnetic map of parts of the Paradox Lake and Ticonderoga quadrangles, Essex and Warren Counties, New York ---- 222-283

— Aeromagnetic map of the McKeever quadrangle and part of the Port Leyden quadrangle, north-central New York ---- 222-286

— Aeromagnetic map of the Big Moose quadrangle, Herkimer and Hamilton Counties, New York ---- 222-281

— Aeromagnetic map of the Number Four quadrangle, Herkimer and Lewis Counties, New York ---- 222-279

— Aeromagnetic map of the Old Forge quadrangle and part of the West Canada Lakes quadrangle, Herkimer and Hamilton Counties, New York ---- 222-278

— Aeromagnetic map of the Raquette Lake quadrangle, Hamilton County, New York ---- 222-280

Banerjee, S. See Ganguly, D.

Banerjee, S. L., and Venkateswarlu, V. Geophysical investigations at Sharavati Valley Hydroelectric Project sites, Mysore ---- 217-341

Banerji, Partha, and Chatterjee, S. D. Radon content of rainwater - 219-318

Banno, Shohei. See Miller, J. A.

Banthia, B. S., King, M. S., and Fatt, Irving. Ultrasonic shear-wave velocities in rocks subjected to simulated overburden pressure and internal pore pressure ---- 221-77

Banwell, C. J. Thermal energy from the Earth's crust—Pt. 2, The efficient extraction of energy from heated rock ---- 220-244

See also Healy, James.

Barani, I. See Sabo, Ya.

	Abstract
Baronov, P. M., and Veselov, L. G. On joint use of airborne and ground magnetic surveys as an aid in geologic mapping	222-276
Baranov, V. I., Karus, Ye. V., Kuznetsov, I. V., Tikhomirov, V. V., Trusov, Yu. P., and Shcherbakov, D. I., eds. Reciprocity of the sciences in the study of the Earth	221-137
Baranov, V. I., and Khristianova, L. A. On the problem of the age of the bottom sediments of the Pacific Ocean	223-9
Baranov, V. I., Khristianov, V. K., Karasev, B. V., and Panov, G. I. Neutron boron assaying of outcrops and open-pit mines	218-281
See also Romankevich, Ye. A.	
Baranskiy, L. N. Attempt to calculate the statistical spectrum and instantaneous power spectrums of telluric currents	222-47
— Induction pick-up of magnetic variations	225-56
Baranskiy, L. N., and Gerasimovich, Ye. A. Use of induction coils for recording magnetic variations	222-227
See also Laurent, G.	
Baratov, R. B., Bagdasaryan, G. P., Mel'nichenko, A. K., and Gukasyan, R. Kh. On the absolute age of the biotites of the porphyritic granites of the Barsov River basin (southern Hissar)	218-21
Barbu, Alexandrina. See Pomîrleanu, V. V.	
Barcus, J. R., and Rosenberg, T. J. Observations on the spatial structure of pulsating electron precipitation accompanying low frequency hydromagnetic disturbances in the auroral zone	222-211
See also Brown, R. R.	
Barnes, David F. The U.S. Geological Survey's program of Alaskan gravity observations	222-161
Bardin, J. L. See Barnard, G. R.	
Bardin, V. I. Glaciation in Queen Maud Land	217-26
Barnard, G. R., Bardin, J. L., and Hempkins, W. B. Underwater sound reflection from layered media	218-74
Barnes, D. F. See Andreasen, G. E.	
Barnes, I. L. See Naughton, J. J.	
Barnes, R. A., Jr. See Leonard, R. S.	
Barozzi, Rolando. See Casertano, Lorenzo.	
Barr, K. G. A rapid method for calibrating Willmore seismographs	217-130
See also Robson, G. R.	
Barr, K. W. The structural framework of the Caribbean region	220-247
Barringer, Brandon. Daniel Moreau Barringer (1860-1929) and his Crater (The beginning of the Crater Branch of Meteoritics)	222-32
Barron, K., and Toews, N. A. Deformation around a mine shaft in salt	222-343
Barsukov, O. M., and Rivin, Yu. R. Calibration of apparatus registering short-period variations of earth currents	225-57
See also Troitskaya, V. A.	
Barta, György. Energy transformations occurring in the course of secular variations of the Earth	222-191
Barta, György, and Flórián, Endre. An interesting magnetic and ionospheric disturbance in Hungary (1) Interesting magnetic disturbance in Tihany Observatory; (2) Ionospheric disturbance simultaneous with magnetic disturbance)	218-233
Bartels, Julius. Alleged effects of the Moon on geomagnetic perturbation and its statistical background	218-192
— Statistical backgrounds for geophysical synchronization study and criticism of the presumed lunar effects on the geomagnetic activity	220-270
Bascio, A. Lo. See Imbò, Giuseppe.	
Basharin, A. K. See Kosygin, Yu. A.	
Basharina, L. A. Exhalations of the secondary craters of the volcano Klyuchevskaya spoka at different stages of lava cooling	218-354
Basharina, N. P. See Kosygin, Yu. A.	
Bashmanov, A. P. Study of recent vertical movements of the Earth's surface in the Odessa area	219-189
Basin, Ya. N., Berman, L. B., and Neyman, V. S. On the possibility of distinguishing cavernous and jointed limestones by geophysical logging methods	217-176

Abstract

Basinski, Z. S. See Nabarro, F. R. N.
Bassett, W. A. See Takahashi, Taro.
Basurto Garcia, Jesús. Use of multiple detectors in seismic exploration 217-321
Bateman, P. C. See Hurley, P. M., and Kistler, R. W.
Bates, R. G. Natural gamma aero-radioactivity of the National Reactor Testing Station area, Idaho 217-317
Bath, G. D., Schwartz, G. M., and Gilbert, F. P. Aeromagnetic and geologic map of east-central Minnesota 219-303
— Aeromagnetic and geologic map of northeastern Minnesota 226-265
— Aeromagnetic and geologic map of northwestern Minnesota 225-280
— Aeromagnetic and geologic map of west-central Minnesota 227-297
Båth, Markus, and Crampin, Stuart. High modes of seismic surface waves—Relations to channel waves 223-76
Båth, Markus, and Duda, S. J. Earthquake volume, fault plane area, seismic energy, strain, deformation and related quantities 220-85
Baudran, André. See Aveline, Monique.
Bauer, P. S. Surtsey 221-353
Bayrachenko, I. V. See Kruchinenko, V. G.
Bayrock, L. A. See Folinsbee, R. E.
Bayuk, Ye. I. See Volarovich, M. P.
Bazhenov, A. S. A new magnetic weight for rapid measurement of the vertical component of geomagnetic field intensity 216-251
— Attachment for recording variations of the geomagnetic field by magnetometers of Fanselau type 216-252
— Small-size impulse radio range-finder 216-145
Beals, C. S., and Innes, M. D. S. The identification of ancient meteorite craters 217-52
See also Dence, M. R.
Bé, A. W. H. See Sackett, W. M.
Beck, A. E. See Anglin, F. M., and Nwachukuwu, S. O.
Beck, M. E., Jr. Paleomagnetic and geological implications of magnetic properties of the Triassic diabase of southeastern Pennsylvania 224-299
Beck, M. E., Jr., and Mattick, R. E. Interpretation of an aeromagnetic survey in western Pennsylvania and parts of eastern Ohio, northern West Virginia, and western Maryland 221-252
Becker, Alex. Gravity investigations—Interim report 221-159
Becker, Alex, and Telford, W. M. Spontaneous polarization studies 227-105
Becker, R. O. See Friedman, Howard.
Beckmann, Petr. Radar backscatter from the surface of the Moon 223-31
Bedford, B. See Schmidt, R. A. M.
Behrendt, J. C. Time variations in the magnetic field observed on an Antarctic traverse 226-249
Beiser, E. See Pinson, W. H., Jr.
Beiser, Germaine. The story of the Earth's magnetic field 219-289
Bekzhanov, G. R. See Bachin, A. P.
Béland, J. See Poole, W. H.
Belash, V. A. Interpretation of the results of observations by the induced polarization method over vertical and steeply dipping plates 221-109
Belelovskiy, M. L. See Orlovskiy, A. S.
Belichenko, A. I. Selective amplification in the AERI-2 apparatus 225-122
See also Blazhkevich, B. I., and Kuzovkin, S. K.
Belikov, B. P. See Laverov, N. P.
Belinskaya, L. A. New cartographic data on West Antarctica 226-183
Bell, Henry, III. See Sundelius, H. W.
Bell, J. D. See Moorbath, S.
Bell, P. M. High-pressure melting relations for jadeite composition 223-224
Bella, Francesco. See Alessio, Marisa.
Bello, O. G. An application of geophysics to engineering geology 227-111
Belonosova, A. V. See Van'yan, L. L.
Belotelov, V. L., and Kondorskaya, N. V. The spectra of body waves from Kamchatka earthquakes 218-59

Abstract
Belousov, I. M. On the relief of the floor of the northwestern part of the Indian Ocean 224-350
Belousov, V. V. On the crust and upper mantle of the continents 224-244
— The origin of folding in the Earth's crust 219-171
— The upper mantle and its influence on the development of the Earth's crust 221-195
— The Upper Mantle Project, Chap. 21 224-243
Belousov, V. V., and Gzovskiy, M. V. Experimental tectonics 221-152
Belousov, V. V., and Silkin, B. I. The upper mantle of our planet—Investigation of the deep underground below the Earth's crust 226-235
Belshé, J. C. Archaeomagnetism—An indirect study of geomagnetic secular variation 225-273
Belsky, L. See Hawkins, G. S.
Bélteky, Lajos. Recent data on geothermal investigations in Hungary 219-235
Belyankin, F. P. Tectonic processes in the Earth's crust under the gravitational influence of the Moon and Sun 222-135
Belyayevskiy, N. A., and Borisov, A. A. Deep structure of the northwestern part of the Pacific Ocean mobile belt 219-252
Belyayevskiy, N. A., and Fedynskiy, V. V. Deep drilling for crust investigations in the U. S. S. R. 226-230
Bemmelen, R. W. van. Appendix to the contribution by G.B.Engelen on the origin of the Bermuda Rise 222-129
— Geodynamic phenomena—Pt. 1, On a global scale (geonomy); Pt. 2, On the scale of the Earth's crust (geotectonics); Pt. 3, On the scale of the Alpine orogenesis 227-165
— The evolution of the Atlantic mega-undation (causing the American continental drift) 225-161
Bendefy, László. Geokinetic and crustal structure conditions of Hungary as recorded by repeated precision levelings 223-156
Bender, M. L. Sackett, W. M.
Bender, M. M., Bryson, R. A., Baerreis, D. A. University of Wisconsin radiocarbon dates I 226-40
Bender, P. L. See Alley, C. O.
Benderskiy, V. I. See Zav'yalov, V. D.
Benderskiy, V. Ya., Gurevich, B. L., Rapoport, M. B., Raykher, L. D., and Chervonskiy, M. I. Attempt to use seismic surveying to study subsalt formation in the Dnieper-Donets basin 221-323
Beneš, Konrād, and Palas, Miroslav. Manifestations of radioactive metamorphism of coal in the Czechoslovakian part of the Lower Silesian coal basin 222-304
Benevolenskiy, I. P. Features of the magnetic fields on the rare-metal stockworks of central Kazakhstan, related to contact metamorphic rocks 219-308
Ben'kova, N. P., Zagulyayeva, V. A., Katsyashvili, N. A., Martynova, K. V., and Marderfel'd, B. Ye. L-variations of the geomagnetic field and of the ionosphere according to data from Soviet stations 222-245
See also Adam, N. V.
Ben'kovich, S. L. See Tsaregradskiy, V. A.
Ben-Menahem, Ari. Mode-ray duality 217-142
— Spectral response of an elastic sphere to dipolar point-sources 217-143
Ben-Menaham, Ari, Smith, S. W., and Teng, T.-L. A procedure for source studies from spectrums of long-period seismic body waves 225-58
See also Anderson, D. L., Töksöz, M. N., and Wu, F. T.
Bennett, Hugh. See Roethlisberger, Hans.
Bennett, R. R. See Cooper, H. H., Jr.
Benseman, R. F. The components of a geyser 226-221
Bentley, C. R. The structure of Antarctica and its ice cover, Chap. 14 224-173
See also Roethlisberger, Hans.
Benyukh, V. V. See Sandakova, Ye. V.
Beránek, Břetislav. Quantitative interpretation of fields derived by approximate transformations of gravity anomalies 221-164

Abstract
Beránek, Břetislav. Some notes on the formulas for calculating second derivaties of gravity --- 220-225
Beránek, Břetislav, and Kadlecik, J. Some features of geophysical research in the region of the Neogene Carpathian basins of Czechoslovakia --- 224-169
Beránek, Břetislav, and Zounková, Milada. Evaluation of geophysical measurements in the vicinity of the Nesvačilka-1 borehole --- 220-172
Berbitskiy, T. Z. See Petkevich, G. I.
Berdichevskiy, M. N. Geological interpretation of the results of telluric current surveys, Chap. 7 --- 225-43
— Magnetotelluric profiling in the main and extended frequency ranges --- 226-101
— Treatment of telluric observations in the case of quasi-linear polarization --- 218-42
See also Bezruk, I. A.
Berezhnova, O. F. On the calculation of regional corrections to averaged traveltime curves --- 221-57
Berezkin, V. M. Calculation of density of the intervening layer from gravimetric data by solving the system of equations by the Kock method --- 225-205
— On the use of gravity surveying for prospecting for oil and gas pools --- 226-201
Berezkin, V. M., Budanov, V. G., Gerenblat, N. M., and Yevdokimov, Yu. S. High-accuracy gravity survey over oil- and gas-bearing structures of the North Caucasus --- 218-148
Berezkin, V. M., and Mikhaylov, I. N. On the correlational relationship between the density of rocks and their velocities of elastic wave propagation for the central and eastern regions of the Russian platform --- 224-116
Berg, C. A. Deformation of fine cracks under high pressure and shear --- 226-323
— Lunar erosion and Brownian motion --- 219-52
Berg, Eduard. The Alaskan earthquake, its location and seismic setting --- 225-64
— The Alaskan earthquake of March 1964 --- 219-65
See also Wohlenberg, J.
Berg, G. V. The Skopje, Yugoslavia, earthquake July 26, 1963 --- 227-65
Berg, J. W., Jr., and Papageorge, G. E. Erratum to: "Elastic displacement of primary waves from explosive sources" --- 225-93
Berg, J. W., Jr., Rinehart, Wilbur A, and Dehlinger, Peter. Gravitational studies in Oregon --- 222-155
Berg, J. W., Jr., and Thiruvathukal, J. V. Gravity base station network, Oregon --- 226-197
See also Cook, K. L., Dehlinger, Peter, Odegard, M. E., and Rinehart, W. A.
Bergan, R. A. See Youmans, A. H.
Berger, I. Relationship between grain size analysis and micromagnetics in the Zingst region --- 220-300
Berger, J., Blanchard, J. E., Keen, M. J., McAllister, R. E., and Tsong, C. F. Geophysical observations on sediments and basement structure underlying Sable Island, Nova Scotia --- 227-338
Berger, Rainer, Fergusson, G. J., and Libby, W. F. UCLA radiocarbon dates IV --- 226-38
See also Orr, P. C.
Berglund, B. E. The post-glacial shore displacement in eastern Blekinge, southeastern Sweden --- 224-20
Berman, L. B., and Neyman, V. S. On the calculation of the coefficient of water saturation of shaly reservoirs impregnated with low-salinity waters, by the resistivity method --- 226-172
See also Basin, Ya. N.
Bernabini, M. Further considerations concerning the topographic correction in geo-mineral gravity surveys --- 217-230
Bernard, F. P., Duplan, R. J., and Vincent, R. F. Discovery and development of the petroleum fields in the Neocomian of the Paris Basin --- 220-313

Abstract

Bernstein, R., and Bowin, C. O. Real-time digital computer acquisition and computation of gravity data at sea 218-140

Berry, D. S. A discussion of the "stochastic" theory of ground movement 220-340

Bersenev, A. F. See Udintsev, G. B.

Bertin, François, Papet-Lépine, Jacques, and Vassy, Étienne. Geographic distribution of the total electron content during a magnetic storm 221-220

Bertrand, Jean; Chessex, Ronald; Delaloye, Michel; Laurent, Roger; and Vaugnat, Marc. "Total lead" age determinations on the zircons of the Alpine chain, 3d series 227-29

Berzin', L. E. See Ul'st, V. G.

Berzin, N. A. See Kosygin, Yu. A.

Berzon, I. S. Developing the physical fundamentals of seismic prospecting methods 219-343

Best, Adolf, and Lehmann, Martin. Geomagnetic surveys of the VEB Geophysik with Fanselau-type band balances 220-299

Beynon, W. J. G. International Years of the Quiet Sun 218-238

Bezruk, I. A. Use of natural high-frequency electromagnetic fields for geophysical investigations of ore deposits 224-130

Bezruk, I. A., Berdichevskiy, M. N., Klyuchkin, V. N., and Kulikov, A. V. Application of the theory of random functions to analysis of the magnetotelluric field 217-71

Bezrukov, P. L. Sedimentation in the northern and central parts of the Indian Ocean 224-351

Bezverkhov, B. D. See Garkalenko, I. A.

Bezvoda, Václav. See Gruntorád, Jan.

Bhattacharji, J. C. Gravity tables and charts for free-air, Bouguer, Modified Bouguer and Hayford isostatic reductions 217-236

— Investigation of the vertical gradients of gravity measured inside the Earth 217-237

Bhattacharyya, B. K. Electromagnetic fields of a small loop antenna on the surface of a polarizable medium 216-115

Bhimasankaram, V. L. S. A preliminary investigation on the paleomagnetic directions of the charnockites of Andhra Pradesh 216-262

— Paleomagnetic directions of the Deccan traps of Rajahmundry, Andhra Pradesh, India 222-271

See also Rao, B. S. R.

Bibanov, V. I., Goncharov, L. A., Konstantinov, B. B., Krasnikov, N. D., and Tishchenko, V. G. Experimental investigations of the vibration of massive concrete blocks on a sandy foundation 221-87

See also Khristoforov, V. S.

Bibikova, Ye. V., Tugarinov, A. I., and Zykov, S. I. On the determination of the age of sedimentary rocks by the uranium-lead method 226-76

See also Tugarinov, A. I.

Bible, J. L. Gravity for the geologist, Pt. 2 216-197

Bicker, A. R., Jr., and Mellen, F. F. Well logging by Mississippi Geological Survey 221-121

Biehler, Shawn, Kovach, R. L., and Allen, C. R. Geophysical framework of northern end of Gulf of California structural province 225-185

Bien, G. S. See Hubbs, C. L.

Bierschenk, W. H. Geohydrological and geophysical investigations near Izmir, Turkey 219-144

Bigeleisen, Jacob. Chemistry of isotopes 219-275

Biggs, W. P. See Tixier, M. P.

Bilinskiy, A. I. On the problem of studying the causes of wandering of the Earth's pole 220-196

Binaghi Pagés, A. C. F., and Linzuain, E. G. Form index for identification of geomagnetic pulsations 220-269

Bingham, E. See Schmitt, R. A.

Abstract

Biot, M. A. Theory of similar folding of the first and second kind -- 222-337

— Theory of viscous buckling and gravity instability of multilayers with large deformation -- 222-338

Biot, M. A., and Odé, H. Theory of gravity instability with variable overburden and compaction -- 223-148

Birch, Francis. Density and composition of mantle and core -- 216-216

— Megageological considerations in rock mechanics -- 225-230

— Speculation on the Earth's thermal history -- 222-169

— Velocity of compressional waves in serpentinite from Mayagüez, Puerto Rico -- 216-105

Bird, J. M., and Frost, Noel. Formation productivity evaluation from temperature logs -- 226-224

See also Wise, D. U.

Birss, R. R. Symmetry and magnetism, V. 3 of Selected topics in solid state physics -- 223-278

Bishop, W. D. See Youmans, E. C.

Bissell, H. J. Wasatch Fault of the south-central Wasatch Mountains -- 222-68

Bisztricsány, Ede. Magnitude determination on the basis of surface wave duration -- 218-51

— Magnitude equation for Budapest -- 218-50

Bisztricsány, Ede, and Kiss, Zoltan. Dispersion of surface waves on crossing crustal sections of different thickness -- 225-232

Bisztricsány, Ede, Kiss, Zoltan, and Molnár, K. Investigations on surface-waves generated by explosion -- 224-103

Bixby, William. Waves-Pathways of energy -- 217-162

Bjerkan, Morten. Measurement and control of stress in rock and construction design by new optical methods -- 221-339

Björnsson, Sveinbjörn. See Anderson, Robert.

Black, D. J. See Ostenso, N. A.

Black, Maurice, Hill, M. N., Laughton, A. S., and Matthews, D.H. Three non-magnetic seamounts off the Iberian coast -- 224-308

Black, R. A. See Jordan, J. N.

Blake, W., Jr. See Dyck, W.

Blanchard, D. C. See Anderson, Robert.

Blanchard, J. E. See Berger, J.

Blanchard, R. L. U^{234}/U^{238} ratios in coastal marine waters and calcium carbonates -- 227-246

Blanchard, R. L., and Oakes, Duke. Relationships between uranium and radium in coastal marine shells and their environment -- 224-253

See also Thurber, D. L.

Blavoux, Bernard; Glangeaud, Louis; Lévêque, Paul; and Olive, Philippe. Hydrodynamics and tritium content of the waters of the Evian basin -- 221-203

Blazhkevich, B. I., and Kuzovkin, S. K. The generator frame and coordinating block of the AERI-2 apparatus -- 225-119

Blazhkevich, B. I., Kuzovkin, S. K., and Belichenko, A. I. The AERI-2 apparatus for airborne electrical surveying by the induction method -- 225-118

Blinova, N. M., and Yakubson, K. I. Approximate modeling of the process of transmission of gamma-rays in rocks -- 219-328

Blitzer, Leon. Equilibrium positions and stability of 24-hour satellite orbits -- 227-181

Blížkovský, Milan, and Odstrčil, Josef. Interpretation of gravity measurements in the southern part of the Carpathian foreland depression -- 225-199

Blokh, I. M. On one method of studying electrical fields over complexly joined geoelectrical profiles -- 223-120

Blokh, I. M., and Shemyakin, Ye. A. On a means of classifying anomalies of electrical conductivity -- 224-152

Blondeau, Alphonse; Cavelier, Claude; and Pomerol, Charles. Indications of recent tectonics affecting the southeast end of the Pays de Bray -- 227-168

Abstract

Bloom, A. L. Peat accumulation and composition in a Connecticut coastal marsh 217-9

Blue, D. M. See Paitson, L.

Blumenthal, M. M., and Kaaden, G. van der. Catalogue of the active volcanoes of the world including Solfatara fields—Turkey 225-358

Blundell, D. J. Orientated dolerite sample from Dronning Maud Land 218-260

—— Palaeomagnetism of some recent volcanic rocks from Tristan da Cunha 218-255

Blyummer, G. N., Vakhromeyev, G. S., and Fomin, M. M. Attempt to use geophysical methods in seeking and prospecting carbonatite deposits 221-130

Bobier, Claude, and Lepvrier, J.-C. Some results of a detailed paleomagnetic study of the massif of Sancy 227-286

Bobriyevich, A. P. Toward knowledge of the mineralogic composition of the ultrabasic layer of the Earth on the basis of study of inclusions of pyrope-containing ultrabasic rocks in kimberlites 226-237

Bochorishvili, N. Z. See Chelishvili, M. L.

Boer, Jelle de. The geology of the Vicentinian Alps (NE-Italy)—With special reference to their paleomagnetic history 218-257

Boganik, G. N. Calculation of the error in the determination of effective velocities from reflection data 224-341

—— Determination of effective velocities from single traveltime curves in the computer processing of reflection observations 224-340

Bogard, D. D., Rowe, M. W., Manuel, O. K., and Kuroda, P. K. Noble gas anomalies in the mineral thucholite 219-272

Bogayevskiy, L. B. See Garkalenko, I. A.

Bogdanoff, J. L., Goldberg, J. E., and Schiff, A. J. The effect of ground transmission time on the response of long structure 225-91

Bogdanov, A. A., and Vlasov, A. Ya. Domain structure on a single crystal of magnetite—Change of the domain structure under the influence of an external magnetic field 225-267

See also Vlasov, A. Ya.

Bogdanovich, Ye. A., and Nedostup, G. A. Apparatus for gamma-ray spectrometry in boreholes 219-335

Bogolepov, L. V. See Kosygin, Yu. A.

Bogolyubov, A. N., Kunitsyna, R. V., and Sochevanov, N. N. Use of a combination of geophysical methods in exploration of the Dzhety-Oguz mineral waters 221-128

Boichenko, I. G. See Udintsev, G. B.

Bois, Pierre, and Hémon, Charles. Condition which should fulfill a function for representing an impulsional seismogram of multiple reflections, whatever may be the coefficient of reflection at the surface 222-326

Bois, Pierre, Hémon, Charles, and Mareschal, N. Effect of the width of the spacing of samples for continuous velocity logging on synthetic seismograms with multiples 222-320

Boisnard, Marcel. See Airinei, Ştefan.

Boldizsár, Tibor. Terrestrial heat flow in the Carpathians 218-155

Bolfa, Joseph. See Coppens, René, and Zeller, Claude.

Bollinger, G. A. See Stauder, William.

Bollo, Robert, and Jacquemin, M. The investigation of phosphate by airborne radiometry 222-315

Bolotnikov, A. N. On the effect of ore emanation on the results of radiometric bulk sampling 216-286

Bol'shakov, A. S., Solodovnikov, G. M., and Skovorodkin, Yu. P. The causes of reverse magnetization in the early Quaternary lavas of Armenia, Pt. 1 218-245

Bol'shakova, O. V., and Zybin, K. Yu. Investigation of amplitude regularities of micropulsations of the geomagnetic field 222-257

—— On the dependence of the number of cases of occurrence of micropulsations on the sensitivity of the apparatus 222-259

—— Pc micropulsation activity and fluctuations of polar disturbance type 222-260

Abstract

Bol'shakova, O. V., and Zybin, K. Yu. Stability and frequency spectrum of micropulsations of the geomagnetic field 222-258

Bolt, B. A. Gradients of travel-time curves from deep-focus earthquakes 226-116

Bolt, B. A., and Niazi, M. Dispersion of Rayleigh waves across Australia 221-194

Bolt, B. A., and O'Neill, M. E. Times and amplitudes of the phases PKiKP and PKIIP 222-83

Boltneva, L. I., Vasilenko, V. N., Dmitriyev, A. V., Ionov, V.A., Kogan, R. M., Kuznetsova, Z. V., Nazarov, I. M., and Yagodovskiy, I. V. An experiment for studying the radioactivity of granitic intrusions by airborne gamma spectrometry 222-314

Bolychevskiy, Yu. M. See Ivankin, V. P.

Bolyubakh, K. A. See Lebedev, T. S.

Bombolakis, E. G. Photoelastic investigation of brittle crack growth within a field of uniaxial compression 226-325

Bonasia, V. See Imbò, Giuseppe.

Bonatti, Enrico, and Nayudu, Y. R. The origin of manganese nodules on the ocean floor 220-345

Bonchkovskiy, V. F. Results of an annual cycle of measurements of slow movements of the upper layers of the Earth by geophysical methods 219-193

Bondarenko, A. T. See Parkhomenko, E. I., and Volarovich, M. P.

Bondarenko, I. G. On the relation of intensity of negative magnetic anomalies to sulfide ore manifestations in effusives 226-263

Bondarenko, V. M., Kovalenko, N. D., Mudretsova, Ye. A., and Tarkhov, A. G. Underground geophysical surveying 227-116

Bondarev, V. I. Estimation of the accuracy of determination of the direction of particle displacement in azimuth seismic observation depending on angular errors of the mounting 218-66

Bondarev, V. M., Gubanov, V. G., Korovin, P. K., Ovchinnikov, A. K., and Khaykovich, I. M. Gamma-assaying of uranium ores in place 221-280

Bonestell, Chesley. See Richardson, R. S.

Bonhomme, Michel, and Montpeyroux, J. Age by the strontium method on two clays of the Lias of the Department of Lot 227-20

Books, K. G. Natural gamma aeroradioactivity map of parts of the San Francisco region, California 224-318

Bordet, Pierre; Krummenacher, Daniel; Mouterde, René; and Rémy, J.-M. On absolute dating by the K-Ar method of the series that crop out in the valley of the Kali Gandaki (central Nepal) 227-33

Borisevich, Ye. S., and Bagushin, G. K. The seismic electrograph type N-001(SEO) 219-110

Borisevich, Ye. S., Kastorskiy, S. A., and Mosyagina, M. S. The modernized seismic oscillograph OSB-VI-M 219-106

— The type OSB-VI seismic oscillograph 216-95

Borisevich, Ye. S., Preobrazhenskiy, V. B., and Stepanov, V. V. The N-002 three-channel pen-writing seismic recording instrument 219-104

— The PP-6 six-channel pen-writing recording device 219-108

Borisov, A. A. Geologic factors creating gravity anomalies and isostatic disturbances 217-212

Borisov, A. A., and Fedynskiy, V. V. Geophysical characteristics of geosynclinal regions 222-131

Borisov, A. A., and Novarchuk, A. D. Procedures of interpreting magnetic anomalies brought out by an aeromagnetic survey 223-288

See also Belyayevskiy, N. A.

Borisov, S. I. Determination of the shape of the gimbals for a cycloidal pendulum 224-213

Borns, H. W., Jr. See Stuiver, Minze.

Borodayeva, N. M., and Solov'yev, O. A. Interpretation of the magnetic anomalies in the method of artificial magnetic biasing 219-139

Borodulin, M. I. On the problem of the solution of the three-dimensional problem for the case of diffraction of direct waves from a horizontal line 221-303

Abstract

Borovik, N. S. See Pshennikov, K. V.
Borovikov, A. M. See Kosygin, Yu. A.
Borovikov, L. I. See Afanas'yev, G. D.
Borrello, A. V. Types of tectonic regeneration in the geosynclinal process 224-185
Borreswara Rao, C. Sphalerite geothermometry 224-227
Borrmann, H.-G. On a trapezium-shaped electrode-sonde configuration 216-118
Borsoukov, A. M., and Ponsot, C. Essential characteristics of the structure of pearl oscillations in conjugate geomagnetic regions 223-262
Bose, R. N. See Simha, K. R. M.
Bose, S. K. A wave-theory for the generation of T-waves 218-70
— Generation of Lg-waves and S-velocity distribution in the crust 221-80
— SOFAR and microseisms from storms over deep sea 222-299
— The vertical component of Lg and Rg 220-126
Boshkov, S. See Wane, M. T.
Bostick, F. X. See Komack, R. L., and Orange, A. S.
Bostrom, C. O., Zmuda, A. J., and Pieper, G. F. Trapped protons in the South Atlantic magnetic anomaly, July through December 1961—Pt. 2, Comparisons with Nerv and Relay 1 and discussion of the energy spectrum 223-247
See also Pieper, G. F., and Zmuda, A. J.
Boström, Rolf. A model of the auroral electrojets 218-204
Botezatu, Radu. See Airinei, Ştefan.
Bott, M. H. P. Formation of oceanic ridges 227-162
— Gravity measurements in the north-eastern part of the Irish Sea 217-245
— The upper mantle beneath Iceland 222-190
Bourcart, Jacques. Problems raised by the geography of the bottom of the Mediterranean 227-350
Boutcher, S. M. A., Davis, G. L., and Moorhouse, W. W. Potassium-argon and uranium-lead ages from two localities 223-7
Bovin, V. P. See Posik, L. N.
Bowen, E. G. Lunar and planetary tails in the solar wind 218-202
Bowen, R. G. See Rinehart, W. A.
Bowen, V. T. See Andel, T. H., van.
Bowers, R. A. Atmospheric refraction effects in space vehicle tracking 220-177
Bowin, C. O. See Bernstein, R.
Bowling, S. A., and Wilson, C. R. Polarization of sudden impulses in the geomagnetic field 218-211
Bowman, A. L. See Östlund, H. G.
Boyd, F. R., and England, J. L. The system enstatite-pyrope 223-220
Boyd, F. R., and MacGregor, I. D. Ultramafic rocks 223-219
See also Ringwood, A. E., and Skinner, B. J.
Boyko, V. L., Makukhina, A. A., and Zaydas, B. B. New data on the absolute age of the metamorphic rocks of the Bazavluk structural zone of the Ukrainian crystalline shield 226-64
See also Semenenko, N. P.
Boynton, G. R., and Gilbert, F. P. Aeromagnetic map of the Cupsuptic quadrangle Oxford and Franklin Counties, Maine 218-263
— Aeromagnetic map of the Oquossoc quadrangle, Oxford and Franklin Counties, Maine 218-264
— Aeromagnetic map of the Phillips quadrangle, Franklin County, Maine 218-265
— Aeromagnetic map of the Rangeley quadrangle and part of the Kennebago Lake quadrangle, Franklin and Oxford Counties, Maine 218-266
Bozozuk, M. The modulus of elasticity of Leda Clay from field measurements 218-326
Brace, W. F. Brittle fracture of rocks 225-336
— Some new measurements of linear compressibility of rocks 219-351
Bradbury, J. C., and Atherton, Elwood. The Precambrian basement of Illinois 225-7

Abstract

Bradford, D. C. See Dycus, R. D.

Bradley, R. S., Jamil, A. K., and Munro, D. C. The electrical conductivity of olivine at high temperatures and pressures ------ 219-149

Bradner, Hugh, and Dodds, J. G. Comparative seismic noise on the ocean bottom and on land ------ 216-282

Braduchan, Yu. V. See Nesmerov, I. I.

Braginskiy, S. I. Kinematic models of the Earth's hydromagnetic dynamo ------ 227-274

Brancazio, P. J. Convection in the Earth's mantle, Chap. 2------ 227-219

Brandorf, V. G. See Kalashnikov, N. I.

Brandt, G. The method of controlled direction reception of seismic waves ------ 221-297

Brandt, S. B., and Voronovskiy, S. N. Dehydration and diffusion of radiogenic argon in micas ------ 218-15

Branley, F. M. Exploration of the Moon ------ 216-56

Brannian, R. E. See Schneider, W. A.

Brannock, W. W. See Kistler, R. W.

Branson, C. C. Irazú, an active volcano ------ 220-354

Brant, A. A. A review and discussion of present geophysical methods applied in mining exploration ------ 227-153

Bredehoeft, J. D. See Cooper, H. H., Jr.

Breitenbach, E. A. A new technique for approximating drilling fluid filtration ------ 226-160

— The universal log interpretation computer program ------ 226-161

Bretschneider, C. L., and Le Méhauté, B. J. Physical oceanography, Chap. 3 ------ 221-345

Brett, Robin. See Duke, M. B.

Brew, D. A. See Lanphere, M. A.

Brewer, M. C. Temperature-measurements studies ------ 217-252

Brice, Neil. Electron density and path latitude determination from v. l. f. emissions ------ 224-263

Bridgwater, D., and Walton, D. J. Tectono-magmatic evolution of the Svecofennid chelogenic cycle in South Greenland ------ 216-152

Briggs, M. H. Meteorites and planetary organic matter------ 220-45

Briker, K. A. See Gurevich, V. F.

Brisbin, W. C. Regional gravity studies in southern California ------ 222-158

Brix, F. E., Götzinger, K. G. H., Kröll, A. J., and Logigan, St. D. New results of exploration in the molasse-zone of lower Austria ------ 220-165

Broch, O. A. Age determination of Norwegian minerals up to March 1964 ------ 225-14

Brodie, J. W., and Dawson, E. W. Morphology of the North Macquarie Ridge------ 227-352

Brodovoy, V. V. See Bachin, A. P.

Brodzinski, R. L., and Conway, D. C. Decay of rhenium-187 ------ 225-293

Broecker, W. S., and Kaufman, Aaron. Radiocarbon chronology of Lake Lahontan and Lake Bonneville—Pt. 2, Great Basin ------ 225-8

Broecker, W. S., and Thurber, D. L. Uranium-series dating of corals and oolites from Bahamas and Florida Key limestones ------ 225-6

See also Kaufman, Aaron, and Thurber, D. L.

Bromery, R. W. Aeromagnetic map of the Albany-Newport area, Oregon, and its geologic interpretation ------ 220-294

Bromery, R. W., and Griscom, Andrew. A gravity survey in the Mayagüez area of southwest Puerto Rico ------ 216-202

Bromery, R. W., and McCaslin, W. E. Aeromagnetic map of Findlay, Ohio, and vicinity ------ 219-302

Bromery, R. W., and Natof, N. W. Aeromagnetic map of the Forks quadrangle, Piscataquis and Somerset Counties, Maine ------ 216-272

Bromery, R. W., Petty, A. J., and Gilbert, F. P. Natural gamma aeroradioactivity map of Bel Air and vicinity, Harford, Baltimore, and Cecil Counties, Maryland ------ 216-303

Bromery, R. W., and Snavely, P. D., Jr. Geologic interpretation of reconnaissance gravity and aeromagnetic surveys in northwestern Oregon ------ 216-201

Abstract

Bromery, R. W. See Balsley, J. R.

Brookins, D. G., and Hurley, P. M. Rb-Sr geochronological investigations in the middle Haddam and Glastonbury quadrangles, eastern Connecticut 219-4

Broshnivskiy, Ya. O. Device for installing the source in radioactive well logging 226-296

Brovar, V. V. Fundamental haromic functions and their features on a section, and the solution of external boundary value problems 220-231

Brown, Harrison, and Goddard, Irene. A study of some non-random aspects of the frequency of meteorite falls, Chap. 24 219-37
 See also Nichiporuk, Walter.

Brown, H. C., Khan, M. A., and Stacey, F. D. A search for flow structure in columnar basalt using magnetic anisotropy measurements 219-291

Brown, H. D. See Salisch, H. A.

Brown, Jerry. Radiocarbon dating, Barrow, Alaska 224-14

Brown, J. S. Oceanic lead isotopes and ore genesis 220-257

Brown, P. E., York, Derek, Soper, N. J., Miller, J. A., MacIntyre, R. M., and Farrar, E. Potassium-argon ages of some Dalradian, Moine and related Scottish rocks 227-28
 See also Fitch, F. J.

Brown, R. J. E. See Johnston, G. H.

Brown, Robena. See Rose, H. J., Jr.

Brown, R. R., Barcus, J. R., Reid, J., and Parsons, N. R. Observations of long-period pulsations of electron precipitation in conjugate regions of the auroral zone 221-210

Brownlow, A. E., Hunter, W., and Parkin, D. W. Cosmic dust collections at various latitudes 223-29

Brueckmann, J. E. See Buhle, M. B.

Bruemmer, J. L. See Kays, M. A.

Brundage, H. T. Making geophysics meaningful to geologists 218-108

Brune, J. N. Travel times, body waves, and normal modes of the Earth 220-71

Bryan, Ed. See Backus, M. M.

Bryant, Bruce. See Reed, J. C., Jr.

Bryunelli, B. Ye. Magnetotelluric profiling in conditions of horizontally inhomogeneous media 224-64

Brylkin, Yu. L., and Leont'yev, Ye. I. Some problems of the interpretation of micrologs 218-94

Bryner, C. G. An Earth's-crust-displacement measuring project, in the Wasatch Fault zone in north central Utah 222-71

Bryson, R. A., Irving, W. N., and Larsen, J. A. Radiocarbon and soil evidence of former forest in the southern Canadian tundra 219-5
 See also Bender, M. M.

Bryunelli, B. Ye., Kovtun, A. A., Kuznetsov, N. S., Raspopov, O. M., Chicherina, N. D., and Yanoviskiy, B. M. Study of the structure of the region of the Central Russian basin by the method of magnetotelluric sounding 223-49
 See also Yanovskiy, B. M.

Buben, Jiří, and Rudajev, V. On the investigation of an earthquake swarm in the Erzgebirge, September 1962 225-72

Buch, Arne. See Sorgenfrei, Theodor.

Bucha, Václav, Krs, Miroslav, and Nairn, A. E. M. Discussion of problems and applications of paleomagnetism 218-254

Buchbinder, G. G. R. PcP from the nuclear explosion BILBY, September 13, 1963 224-107

Buchheim, Wolfgang. Principles for the IP method with frequency variation 221-115

Buchwald, Vagn. Heat-treated iron meteorites in museum collections 224-40

Bucker, H. P., Whitney, J. A., and Keir, D. L. Use of Stoneley waves to determine the shear velocity in ocean sediments 218-295

Buckner, G. O. Field digital recording of well log data 226-155
 — Numerical application of neutron lifetime interpretation 226-290

Abstract

Budanov, V. G. See Berezkin, V. M.
Budanova, L. Ya. See Udintsev, G. B.
Buffington, E. C. Structural control and precision bathymetry of La Jolla Submarine Canyon, California 218-335
See also Dietz, R. S.
Bugaylo, V. A., Segal', Z. Ya., and Toporkov, D. D. Results of geophysical and geological exploration work on the magnetites in the Turgay depression 217-247
Bugaylo, V. A., and Umantsev, D. F. On the problem of estimating the density contrast between unconsolidated and crystalline complexes 217-249
Bugrov, Yu. N. See Lyubalin, V. D.
Buhle, M. B., and Brueckmann, J. E. Electrical earth resistivity surveying in Illinois 220-131
Bukha, V. V. See Andreyeva, O. L.
Bukhnikashvili, A. V., Gugunava, G. Ye., and Kebuladze, V. V. Some results of a study of deep geological structure in the region of eastern Georgia by methods of long-period earth-current variations and magneto-telluric sounding 225-44
Bulakh, G. I. See Yun'kov, A. A.
Bulakh, Ye. G., and Yevsīkova, L. G. Curves of the relative aspect of gravity anomalies for dome structures bounded along the vertical 225-210
— Theoretical curves of gravity anomalies over dome structures 226-207
Bulanov, N. A., and Khomenyuk, Yu. V. Noises of automatic compensators and their prevention 218-87
Buldyrev, V. S., and Lanin, A. I. Interfering waves at the surface of an elastic inhomogeneous sphere 226-126
Buldyrev, V. S., and Yanson, Z. A. Interference phenomena in mediums having spherical interfaces 226-129
Bulin, N. K. On the study of the relationships between manifestations of tectonic processes in near-surface and deep parts of the Earth's crust 221-310
Bulina, L. V. Regionalization of the basement in the eastern part of the Siberian platform according to aeromagnetic survey data 221-262
Bull, Colin. Measurement of the surface velocity of inland parts of the Antarctic ice sheet by an aerial triangulation method 225-172
Bullard, E. C. The flow of heat through the Earth 221-183
Bullen, K. E. Models for the density and elasticity of the Earth's lower core 222-193
— On compressibility and chemical inhomogeneity in the Earth's core 222-192
— Seismic travel-time power-series expansions involving terms in Δ^2, etc. 222-86
Bullen, K. E., Smith, T. J., and Lomnitz, C. Theoretical seismology 224-90
Bullerwell, W. Summary of progress of the Geological Survey and Museum for 1963—Geophysical department 218-104
Bulmasov, A. P. Characteristics of the geophysical fields and their interpretation 224-172
Bülow, Kurd von. Contributions to selenogeology, Pt. 4 223-40
Bunch, T. E., and Cohen, A. J. Shock deformation of quartz from two meteorite craters 219-353
See also Cassidy, W. A., and Reid, A. M.
Bune, V. I. Attempt to predict the recurrence of strong earthquakes in the Vakhsh area of Tadzhikistan 221-51
See also Medvedev, S. V.
Bunescu, L., Oncescu, M., and Soroiu, M. On the accuracy and sensitivity of the method for the determination of radiogenic argon, elaborated at the Institute for Atomic Physics 223-12
Bungenstock, Herwald; Closs, Hans; and Hinz, Karl. A geophysical survey of the southern part of the North Sea 220-169
Bungenstock, Herwald, and Hinz, Karl. Reflection seismic work in the southern North Sea 226-302

Abstract

Bunker, C. M. Radioactivity- and density-measuring devices for oceanographic studies 221-275
See also Moxham, R. M.
Buravas, Saman. Progress in geology and geophysics in Thailand since 1920 217-191
Burckle, L. H. See Nikovich, Dragoslav.
Burg, J. P. Three—dimensional filtering within an array of seismometers 216-75
See also Backus, M. M., and Schneider, W. A.
Burk, C. A. See Hedberg, H. D.
Burke, M. D. See Vozoff, Keeva.
Burkser, Ye. S., and Kotlovskaya, F. I. Use of amphiboles for dating geologic formations 226-72
Burman, Shibdas. The Earth in space—An essay on the origin of the Solar system 220-41
Burns, E. A., and Lyon, R. J. P. Reply (to discussion of paper "Errors in the measurement of the lunar temperature") 220-33
Burns, R. E. Sea bottom heat-flow measurements in the Andaman Sea 217-255
Burova, N. G. See Grunshinskiy, N. P.
Burridge, R., and Knopoff, Leon. Body force equivalents for seismic dislocations 220-118
Burridge, R., Palwood, E. R., and Knopoff, Leon. First motions from seismic sources near a free surface 220-119
Burroughs, E. R., Jr., Hughes, S. P., Hicks, B. L., and Haupt, H. F. Geophysical exploration in watershed studies 222-96
Burrows, K., and Hall, S. H. Rocket measurement of the geomagnetic field above Woomera, South Australia 223-249
Burša, Milan. On the problem of determining the direction of the minor axis of the reference ellipsoid and geodetic prime meridian from observations of artificial Earth satellites 220-183
Burshtar, M. S., Varushchenko, S. I., and Polkanova, L. P. Recent tectonics of lowland Crimea 224-188
Burtman, V. S. The Talaso-Fergana fault and the San Andreas fault 217-220
Burtman, V. S., Luk'yanov, A. V., Peyve, A. V., and Ruzhentsev, S. V. Horizontal displacements along faults and some methods of studying them 217-219
Bur'yanov, V. B. See Krasovskiy, S. S.
Bush, Boyd, and Schwarz, S. D. Report on geophysical investigations for reconstruction studies, Anchorage, Alaska 217-337
Bushuyev, A. V. Plasticity and isostatic equilibrium of an ice sheet 219-217
Buss, W. R., and Peterson, Dallas. The Wasatch fault in Weber and Davis Counties 222-70
Bustamente, J. I. Response spectra of earthquakes on very soft clay 216-78
Butkovich, T. R. Calculation of the shock wave from an underground nuclear explosion in granite 220-129
Butler, A. P. See Rosholt, J. N.
Butler, C. P. See Cook, C. S.
Butler, L. W. See Dietz, R. S.
Butomo, S. V. Radiocarbon dating in the Soviet Union 226-29
Byerly, Perry. History of the Seismological Society of America 220-54
Byerly, P. E. Convolution filtering of gravity and magnetic maps 223-166
— Geothermal surveys in sedimentary rocks near Grants and Laguna, New Mexico 225-214
Byers, F. H. See Hawkins, G. S.
Byl, Jörg. Results of harmonic analysis of gravimeter records in Potsdam from the year 1962 219-223
See also Wirth, Hans.
Byrne, J. V. Bathymetry of Crater Lake, Oregon 223-350

C

Abstract

Cahen, Lucien. See Monteyne-Poulaert, G.
Cahill, L. J., Jr. See Maynard, N. C.
Cain, J. C., Daniels, E. W., and Hendricks, S. J. An evaluation of the main geomagnetic field, 1940-1962 — 227-249
Cain, J. C., and Hendricks, Shirley. Comments on the Vanguard 3 magnetic field data and analysis — 216-230
Calderwood, K. W. See Schmidt, R. A. M.
Caldwell, R. L. See Allen, L. S.
California Division of Mines and Geology. Potassium-argon age dates for some California localities — 225-9
California Institute Technology Jet Propulsion Laboratory. Ranger VII photographs of the Moon—Pt. 1, Camera "A" series — 222-38
Callender, Edward. See Reid, J. R.
Callow, W. J., Baker, M. J., Hassall, G. I. National Physical Laboratory radiocarbon measurements III — 226-20
Calvit, H. H. See Davids, Norman.
Cameron, A. G. W. Interpretation of xenon measurements, Chap. 10 — 227-50
  See also Stolov, H. L.
Cameron, R. L. Glaciological studies at Wilkes Station, Budd Coast, Antarctica — 219-219
Camichel, H., Hugon, M., and Rösch, J. Measurement of the diameter of Mercury by the Hertzsprung method on November 7, 1960 — 221-46
Caminiti, Richard. See Warburton, Fred.
Campbell, W. C. See Jizba, Z. V.
Campbell, W. H. A study of geomagnetic effects associated with auroral zone electron precipitation observed by balloons — 218-216
Canadian Mining and Metallurgical Bulletin. Aeromagnetic survey reveals major magnetic anomaly in James Bay lowlands — 224-307
— Unusual structure off Nova Scotia coast — 217-243
Canadian Petro Engineering. Laser light cleans up seismic sections — 222-322
— "Systems approach" to exploration — 218-297
— What's new in formation testing tools? — 224-155
Caner, B., Auld, D. R., and Kissinger, D. V. Record of observations at Victoria Magnetic Observatory for 1960 — 216-240
Cann, J. R. See Matthews, D. H.
Cannaday, F. X. Modulus of elasticity of a rock determined by four different methods — 217-350
Cannon, R. T. Age of the transition in the Pre-Cambrian atmosphere — 221-28
Cantwell, T., Galbraith, J. N., Jr., and Nelson, P. Deep resistivity results from New York and Virginia — 216-123
Cantwell, T., Nelson, P., Webb, J., and Orange, A. S. Deep resistivity measurements in the Pacific Northwest — 222-94
Cantwell, T., and Orange, A. S. Further deep resistivity measurements in the Pacific Northwest — 227-109
  See also Galbraith, J. N., Jr., and Komack, R. L.
Capdevila, Raymond, and Vialette, Yves. First measurements of absolute age made by the strontium method on the granites and mica schists of Lugo province (northwest Spain) — 227-18
Capitant, Mathieu. See Ricq, J.-C.
Caputo, Michele. On the shape, gravity field, and strength of the Moon — 227-53
— Some space gravity formulas and the dimensions and the mass of the Earth — 219-161
— The minimum strength of the Earth — 220-246
  See also Slichter, L. B.
Card, K. D. Metamorphism in the Agnew Lake area, Sudbury district, Ontario, Canada — 217-257
— The Croker Island Complex, North Channel of Lake Huron — 226-267

Abstract

Carder, D. S. Travel times from central Pacific nuclear explosions and inferred mantle structure ---------- 220-252
Cardús, J. O. Note concerning solar, geomagnetic, and ionospheric activity (January-March, 1963) ---------- 221-221
Carey, S. W. Folding ---------- 219-170
Carey, W. W. See Heinrich, W. E., Jr.
Carissimo, L., D'Agostino, O., Loddo, C., and Pieri, M. Petroleum exploration by AGIP Mineria and new geological information in central and southern Italy from the Abruzzi to the Taranto Gulf ---------- 220-166
Carlisle, Donald. Sliding friction and overthrust faulting ---------- 224-181
Carlson, R. H., and Jones, G. D. Distribution of ejecta from cratering explosions in soils ---------- 222-92
Carpenter, D. L., and Dunckel, N. A dispersion anomaly in whistlers received on Alouette 1 ---------- 227-250
Carpenter, E. W. Explosion seismology ---------- 219-70
See also Agger, H. E.
Carpenter, J. R. See Osmond, J. K.
Carroll, Dorothy. Ion-exchange capacity of sediments from the experimental Mohole, Guadalupe site ---------- 217-355
Carron, M. K. See Rose, H. J., Jr.
Carrozzo, M. T. Comparison between the methods of calculation of the second derivative of gravity ---------- 216-177
Carrozzo, M. T., Mongelli, F., Mosetti, Feruccio, and Segre, A. G. Gravimetric, geomagnetic, and geologico-morphologic aspects of the Vulture region in Lucania—Pt. 1, Geophysics ---------- 216-203
Carrozzo, M. T., and Morelli, Carlo. Depth determination through linear combinations of gravity anomalies ---------- 220-214
Carsola, A. J. See Dietz, R. S.
Carter, G. F., and Hilgendorf, C. G. Illustrations of rock-pressure effects at McIntyre Porcupine Mines Limited ---------- 222-342
Carter, N. L., Christie, J. M., and Griggs, D. T. Experimental deformation and recrystallization of quartz ---------- 220-336
See also Christie, J. M.
Cartron, Suzanne. See Lebeau, André.
Cartwright, Keros, Swinderman, J. N., and Gimlett, J. I. Extension of the East Range Fault by gravity exploration ---------- 221-158
Casaverde, M. See Schmucker, Ulrich.
Case, J. E. The U.S. Geological Survey's gravity program in Arizona, Colorado, New Mexico, and Utah ---------- 222-160
Case, J. E., and Gair, J. E. Aeromagnetic map of parts of Marquette, Dickinson, Barage, Alger, and Schoolcraft Counties, Michigan, and its geologic interpretation ---------- 224-305
Casertano, Lorenzo. Some reflections on the fumarolic manifestations of the Los Copahues Crater ---------- 226-337
Casertano, Lorenzo, and Barozzi, Rolando. Information on the volcanic system of Láscar ---------- 225-357
Cassidy, W. A., Villar, L. M., Bunch, T. E., Kohman, T. P., and Milton, D. J. Meteorites and craters of Campo del Cielo, Argentina ---------- 227-41
Catanzaro, E. J. See Morton, R. D.
Caudle, R. D. See Clark, G. B.
Caulfield, D. D., Hoskins, Hartley, and Nowak, R. T. Improvements in the continuous seismic profiler ---------- 221-295
See also Hersey, J. B.
Cavaillé, Albert. See Anders, Edward.
Cavallo, Raimondo, and Penta, Francesco. Some lessons drawn from the Irpinia earthquake of 1962 ---------- 224-69
Cavelier, Claude. See Blondeau, Alphonse.
Cazeau, C. J., Du Bar, J. R., and Johnson, H. S., Jr. Notes on marine geology off the mouth of the North Edisto River, South Carolina ---------- 216-353
Čekan, Viktor. See Šutor, Augustin.

Abstract

Cerei, M. See Soroiu, M.

Chakrabarty, S. K., Choudhury, G. C., and Choudhury, S. N. R. Magnification curves of electromagnetic seismographs 217-129

Chakrabarty, S. K., and Choudhury, S. N. R. Response characteristics of electromagnetic seismographs 217-128

Chalov, P. I. See Musin, Ya. A., and Tuzova, T. V.

Chamalaun, F. H. Origin of the secondary magnetization of the Old Red Sandstones of the Anglo-Welsh cuvette 216-254

Chamberlain, T. K. See Shepard, F. P.

Chang, C. C. See Lee, H. K.

Chang, C.-P. See Adams, W. M.

Ch'ang, Hsi. See Guberman, Sh. A.

Chanturishvili, L. S. On the nature of induced polarization 220-146

— Topographic correction in measurements of the electrical potential gradient in the bottom of a valley 220-144

Chao, C.-S., and Ziangirov, R. S. On the second-order seismoelectric effect in unconsolidated soils 223-103

Chapman, R. H. The California Division of Mines and Geology gravity program 222-157

Chapman, Sydney, and Ashour, A. A. Meteor geomagnetic effects 225-264

Charakhch'yan, A. N., and Charakhch'yan, T. N. Decrease in cosmic-ray intensity in the stratosphere during geomagnetic storms 222-241

Charakhch'yan, T. N. See Charakhch'yan, A. N.

Charnock, H. See Allan, T. D.

Chatterjee, N. D. Paleomagnetic investigations on the Ladinian eruptives of the western Dolomites, northern Italy 222-274

Chatterjee, S. D. See Banerji, Partha.

Chatters, R. M. See Crosby, J. W. III.

Chaudhari, N. M. See Scheidegger, A. E.

Chayka, L. A. On the interrelationship of the chemistry and physical properties of rocks 223-234

Chebanenko, I. I. On a number of cause-and-effect relationships between types of tectonic movement of the crust and the character of isostatic anomalies 227-167

— The problem of the folded belts of the Earth's crust 220-206

Chedzhemov, G. Kh. An integral method of determining radiogenic argon in minerals using a mass spectrometer 227-9

Chekin, B. S. On the effect of slight inhomogeneity of a refracting medium on a head wave 223-97

— On the reflection of elastic, spherical waves from an inhomogeneous half-space 223-95

Chekunov, A. V. On the Perekop transverse uplift in northern Crimea 226-206

Chekunov, A. V., and Pustovalova, G. M. Use of subcritical reflections in deep seismic sounding on the south flank of the Ukrainian shield 218-318

See also Kalyuzhnaya, L. T., Sollogub, V. B., and Subbotin, S. I.

Chelidze, T. L. On the problem of dispersion of resistivity and dielectric permeability of rocks 224-166

Chelishvili, M. L., Bochorishvili, N. Z., and Pachuashvili, R. I. Investigation of the magnetic properties of the manganese ores of the Chiatursk deposit 219-293

Cheminée, J.-L. See Coron, Suzanne.

Chemnykh, G. P. The earthquake near the shores of Kamchatka, May 4, 1959 219-88

Chenevert, M. E., and Gatlin, Carl. Mechanical anisotropies of laminated sedimentary rocks 226-326

Cherdyntsev, V. V., and Kolesnikov, Ye. M. The argon of ancient sedimentary rocks 218-17

See also Kazachevskiy, I. V.

Cheremenskiy, G. A. On the problem of the geothermal conditions of the region of the ultradeep borehole site in the Baltic shield 221-185

Abstract

Cherepanov, P. S. See Mitroshin, V. I.
Chernozemova, V. G. See Yegorov, Yu. M.
Chernyavskiy, G. A. See Gugunava, G. Ye.
Chernyshev, I. V., and Shanin, L. L. On the effect of the representativeness of samples on the accuracy of age determination by the potassium-argon method ---------- 226-46
See also Gol'tsman, Yu. V.
Chertkova, E. I. See Kirillova, I. V.
Chervonskiy, M. I. See Benderskiy, V. Ya.
Chessex, Ronald. Determinations of the age of zircons in the rocks of the Alps and the Apennines by the method of "radiation damage" ---------- 217-19
Chessex, Ronald, Delaloye, Michel, Krummenacher, Daniel, and Vuagnat, Marc. New determinations of "total lead" ages on some Alpine zircons ---------- 217-20
— On the age of granitic rocks of the Palamos-Palafrugell region (Costa-Brava, Spain) ---------- 227-19
See also Bertrand, Jean.
Chiburis, E. F. See Dehlinger, Peter, and Rinehart, W. A.
Chicherina, N. D. See Bryunelli, B. Ye., and Yanovskiy, B. M.
Chichinin, I. S. On asynchronous accumulation of seismic signals-- 224-335
Chico, R. J. Detection of caves by gravimetry ---------- 226-198
Chikhradze, Sh. G. See Makarenko, F. A.
Chilton, F. See Eisler, J. D.
Chirvinskaya, M. V. See Subbotin, S. I.
Cho, K. J., and Seo, J. H. The report of the electrical prospecting on the Bongmyong graphite mine ---------- 227-119
Chodos, A. A. See Schmitt, R. A.
Choudhury, G. C. See Chakrabarty, S. K.
Choudhury, S. N. R. See Chakrabarty, S. K.
Choquette, P. W. See Harms, J. C.
Christensen, D. M. A theoretical analysis of wave propagation in fluid filled drill holes for the interpretation of the 3 dimensional velocity log ---------- 226-319
Christensen, R. W. See Wu, T. H.
Christie, J. M., Griggs, D. T., and Carter, N. L. Experimental evidence of basal slip in quartz ---------- 220-337
See also Carter, N. L.
Christie, N. J. Exploration geophysics' own case history— A guide to the future ---------- 221-132
Christie, R. L. Diabase-gabbro sills and related rocks of Banks and Victoria Islands, Arctic Archipelago ---------- 218-5
Christoffel, D. A., and Ross, D. I. Magnetic anomalies south of the New Zealand plateau ---------- 224-315
Christoph, H. J. Investigations of the coals and carbonaceous artillites of the Dohlener Basin with particular consideration of coals containing radioactive substances ---------- 223-305
Chuguryan, Z. S. See Al'tschuler, L. I.
Chukhrov, F. B., Shanin, L. L., and Yermilova, L. P. On the possibility of determining the absolute age of potassium-bearing manganese minerals ---------- 221-21
Chukin, V. T., Mel'nikov, A. G., and Shakhmardanov, Sh. M. On the effect of inequality of the potential electrodes of the sonde on the results of three-electrode lateral logging ---------- 217-174
Churinova, I. M. See Kulinkovich, A. Ye.
Churlin, V. V. See Kononkov, V. F.
Claracq, Paul; Couraud, Guy; and Aymon, Jean. The Lower Devonian of the Fort Polignac basin, a typical Devonian field of the C.R.E.P.S.—Zarzaitine ---------- 220-325
Clark, A. H. Iron-deficient low-temperature pyrrhotites ---------- 224-225
— Preliminary study of the temperatures and confining pressures of granite emplacement and mineralization, Panasqueira, Portugal-- 224-226

Abstract

Clark, G. B., and Caudle, R. D. Failure of homogeneous rock under dynamic compressive loading 225-340
Clark, J. F. Magnetic results, 1948-1961 216-245
Clark, L. A. Geology and geothermometry of the Marbridge nickel deposit, Malartic, Quebec 227-215
Clark, S. P., Jr. Variation of density in the Earth and the melting curve in the mantle 217-261
Clark, S. R. See Milne, A. R.
Clark, T. A., and Anger, C. D. Geomagnetic and ionospheric observations associated with auroral activity during the total solar eclipse of July 20, 1963 221-213
Clarke, D. B. See Wilson, J. T.
Clarke, W. B., and Thode, H. G. Isotope anomalies in xenon from meteorites and xenon from natural gases, Chap. 28 220-24
Claus, George, and Suba-C, E. A. Organized element distribution in relation to size in the Orgueil meteorite 217-48
— Interpretation of micro-structures in carbonaceous meteorites 223-28
Clay, C. S., and Rona, P. A. Studies of seismic reflections from thin layers on the ocean bottom in the western North Atlantic 220-314
Clayton, D. D. Implications of the solar-system abundances near atomic weight 90 218-35
Clayton, R. N. See O'Neil, J. R., and Schwarcz, H. P.
Cleary, J. R., Doyle, H. A., and Moye, D. G. Seismic activity in the Snowy Mountains region and its relationship to geological structures 222-64
Clément, J. Preliminary results of the geophysical reconnaissance in the "Arras et Avesnes" research permit area of the French Shell Company P. C. R. B. -SAFREP—Objectives of the Jeumont-Marpent No. 1 deep drilling 220-323
Clement, W. G. Complete Bouguer gravity map of the northern part of the San Francisco Bay area and its geologic interpretation 220-211
Clerc, G., and Gilbert, D. The reaction of flux applied to the coils of a magnetic nucleus utilized for registration of rapid variations of the magnetic field 223-263
Cleverly, W. H. See McCall, G. J. H.
Clifford, P. M. Palaeozoic flood basalts in northern Newfoundland and Labrador 226-9
Closs, Hans, Korner, H. J., and Sengupta, S. N. Geophysical exploration in the eastern Gangetic Plains 218-323
See also Bungenstock, Herwald.
Cloud, P. E., Jr. Marine geology 225-348
Cloud, W. K. See Lander, J. F., and Townshend, J. B.
Coast and Geodetic Survey. Magnetograms and hourly values, Byrd Station, Antarctica, 1960 218-229
Coates, D. F. Classification of rocks for rock mechanics 225-331
Codarcea, Alexandru. See Stoenescu, Scarlat.
Codarcea, F. See Airinei, Ştefan.
Coen, Elliott. An introduction to the study of Volcano Irazu 227-356
Coffeen, T. See Gehrels, T.
Coffin Otero, José, and Salmon H., Miguel. Comparison between old and recent seismic surveys in the Northeast District—Refinement of the interpretations for the use of most perfect techniques and the coordination of seismic and geologic data 222-325
Cohen, A. J. See Bunch, T. E., and Reid, A. M.
Cole, K. D. Stable auroral red arcs, sinks for energy of D_{st} main phase 222-210
Cole, V. B., Merriam, D. F., and Hambleton, W. W. Activities of the Kansas Basement Rocks Committee in 1963 and additional Precambrian wells 221-5
Coleman, J. M., and Smith, W. G. Late Recent rise of sea level 217-11
Coleman, P. J., Jr. See Smith, E. J.
Colin, Felix, and Roche, Alexandre. On the magnetization of the lavas of the Aubrac 227-284

Abstract

Colin, W. T. Interpretations of two associated magnetic anomalies in the Shaunavon area, Saskatchewan ---- 227-308

Colinvaux, P. A. Pollen from Alaska and the origin of ice ages ---- 220-207

Collett, L. S., and Ahrens, R. H. Frequency rejection filter for use in DC resistivity surveys ---- 218-86

Collette, B. J. Charts for determining the gravity effect of two- and three-dimensional bodies bounded by arbitrary polygons ---- 223-168

Collette, B. J., Lagaay, R. A., and Ritsema, A. R. Depth of the Mohorovičić-discontinuity under the North Sea Basin ---- 221-186

Colley, B. B. Libya—Petroleum geology and development ---- 220-164

Collinson, D. W. Origin of remanent magnetization and initial susceptibility of certain red sandstones ---- 222-264

Collver, M. M. See Dehlinger, Peter.

Colombo, U., Gazzarrini, F., Sironi, G., Gonfiantini, R., and Tongiorgi, E. Carbon isotope composition of individual hydrocarbons from Italian natural gases ---- 223-235

Comitato Geofisico Internazionale. International geophysical calendar for the Years of the Quiet Sun 1964-1965 ---- 218-239

Compston, W. See Heier, K. S., and McDougall, Ian.

Compton, P. A. Recent changes of sea-level along the northeast coast of Brodeur Peninsula, Baffin Island, N.W.T., Canada ---- 222-132

Cone, R. A., Neidell, N. S., and Kenyon, K. E. The natural history of the Hardangerfjord—Pt. 5, Studies of the deep-water sediments with the continuous seismic profiler ---- 218-316

Connolly, E. T. Resume and current status of the use of logs in production ---- 226-162

Conolly, J. R. See Nikovich, Dragoslav.

Constantinescu, Liviu. Geophysical prospecting, V. 1—Natural field methods ---- 223-139

Constantinescu, Liviu, and Enescu, Dumitru. Energy-magnitude-intensity relations for the Carpathian earthquakes—Parameters of the seismic regime of the Vrancea region ---- 223-62

— Parameters of the seismic regime of the Vrancha district ---- 223-65

Constantinescu, Liviu; Soare, Andrei; and Soare, Alexandra. Characterization of geomagnetic activity in 1961 according to records of the Surlari Geophysical Observatory ---- 227-270

Conway, D. C. See Brodzinski, R. L.

Coode, A. M., and Runcorn, S. K. Satellite geoid and the structure of the Earth ---- 221-155

Coode, A. M., and Tozer, D. C. Low-velocity layer as a source of the anomalous vertical component of geomagnetic variations near the coast ---- 220-268

Cook, A. B. Record of observations at Meanook Magnetic Observatory 1959-60 ---- 216-242

— Record of observations at Meanook Magnetic Observatory 1961 and 1962 ---- 216-244

See also Cook, H. E.

Cook, A. H., Marussi, Antonio, and Rowley, W. R. C. A laser strain gauge for seismology ---- 222-66

Cook, C. S. Mass of the Canyon Diablo meteoroid ---- 219-32

Cook, C. S., and Butler, C. P. Origin of the Goose Lake meteorite ---- 224-41

Cook, H. E., and Cook, A. B. Record of observations at Meanook Magnetic Observatory 1956 ---- 216-246

See also Jackson, W. E. W.

Cook, K. L., Halverson, M. O., Stepp, J. C., and Berg, J. W., Jr. Regional gravity survey of the northern Great Salt Lake Desert and adjacent areas in Utah, Nevada, and Idaho ---- 216-200

See also Costain, J. K., and Robson, R. M.

Cook, N. G. W., and Hodgson, K. Some detailed stress-strain curves for rock ---- 225-103

See also Jaeger, J. C.

Abstract

Coons, R. L., Mack, J. W., and Strange, W. Least-square polynomial fitting of gravity data and case histories 216-198

Cooper, H. H., Jr., Bredehoeft, J. D., Papadopulos, I. S., and Bennett, R. R. The response of well-aquifer systems to seismic waves 227-68

Cooper, J. A., Richards, J. R., and Webb, A. W. Some potassium-argon ages in New England, New South Wales 222-17
 See also Richards, J. R.

Cope, R. N. See Truswell, J. F.

Coppens, René, and Bolfa, Joseph. Study of the radioactivity of the granite of Ploumanac'h (Côtes-du-Nord) 227-319

Corbató, C. E. A least-squares procedure for gravity interpretation 223-165
 — Thickness and basal configuration of lower Blue Glacier, Washington determined by gravimetry 227-188
 See also Harrison, J. C.

Cordey, J. G. On the structure of the collision-free bow shock wave 221-211

Cormier, R. F., and Kelly, A. M. Absolute age of the Fisset Brook formation and the Devonian-Mississippian boundary, Cape Breton Island, Nova Scotia 226-7

Coron, Suzanne; Glangeaud, Louis; Letolle, René; Olive, Philippe; and Cheminée, J.-L. Six gravimetric profiles in the Mont Dore massif 221-160

Cortesi, C. See Alessio, Marisa.

Costa-Foru, Alexandru, Pătraşcu, S., and Apostol, Ecaterina. Paleomagnetic research on rocks of Mesozoic age in Rumania 223-280
 See also Pătraşcu, S.

Costain, J. K., Cook, K. L., and Algermissen, S. T. Corrigendum to amplitude, energy, and phase angles of SV waves and their application to earth crustal studies 224-108

Cotecchia, Vincenzo, and Tongiorgi, E. Natural tracing by seasonal variation of O-18/O-16 ratio in a ground water research 221-201

Cotten, J. T. The electroscanner—Automatic well chart digitizer 226-185

Couraud, Guy. See Claracq, Paul.

Covaci, S. See Micloveanu, D.

Cowan, Clyde, Atluri, C. R., and Libby, W. F. Possible anti-matter content of the Tunguska meteor of 1908 226-88

Cowan, Margaret, and Robertson, E. I. Principal pendulum and airport gravity stations in New Zealand 220-233

Cox, A. V., and Doell, R. R. Long period variations of the geomagnetic field 220-264
 — Review of paleomagnetism 215-264

Cox, A. V., Doell, R. R., and Thompson, George. Magnetic properties of serpentinite from Jayaguez, Puerto Rico 216-260
 See also Dalrymple, G. B., and Doell, R. R.

Cox, D. C. Effects of the May 1960 tsunami in Hawaii and other Polynesian Islands 217-103
 — Status of tsunami knowledge 217-96
 — The tsunami research program of the Hawaii Institute of Geophysics 217-107

Cox, K. G. See Gass, I. G.

Cox, M. J. G. Seismic refraction measurement in Bransfield Strait 218-325

Coyne, G. V. Differential colors on the Moon 221-38

Craig, B. G. Notes on moraines and radiocarbon dates in northwest Baffin Island, Melville Peninsula, and northeast District of Keewatin 226-10

Craig, Harmon. Petrological and compositional relationships in meteorites, Chap. 26 219-39

Crampin, Stuart. Higher modes of seismic surface waves 217-124
 — Higher modes of seismic surface waves—Preliminary observations 221-63
 See also Båth, Markus.

Abstract

Crandell, D. R., and Miller, R. D. Post-hypsithermal glacier advances at Mount Rainier, Washington ---------- 221-8
Crandell, D. R., Mullineaux, D. R., and Waldron, H. H. Age and origin of the Puget Sound trough in western Washington ---------- 224-12
See also Armstrong, J. E.
Crane, H. R., and Griffin, J. B. University of Michigan radiocarbon dates X ---------- 226-18
Crary, A. P. Recent U. S. scientific research in Antarctic—Pt. 1, Activities and preliminary findings of field programs during austral summer 1963-64 ---------- 219-153
— Recent U. S. scientific research in the Antarctic—Pt. 2, Activities and preliminary findings of year-round programs through the winter of 1964 ---------- 219-82
Crawford, Nancy; Herrin, Eugene; Ricker, Dianna; and Taggart, James, eds. English guide to the Atlas of the earthquakes of the Union of Societ Socialists Republics ---------- 219-87
Crawford, R., and Ward, H. S. Determination of the natural periods of buildings ---------- 220-55
Creer, K. M. An expanding Earth? ---------- 221-143
— Palaeomagnetism and the time of the onset of continental drift---------- 227-159
— The volcanological report of the Royal Society Expedition to Tristan da Cunha, 1962—Appendix 3, Palaeomagnetic measurements on lavas from Tristan and Inaccessible Islands ---------- 218-256
Creer, K. M., Miller, J. A., and Smith, A. G. Radiometric age of the Serra Geral formation ---------- 227-160
Cremers, Adrien, and Laudelot, Henri. Electrical conductivity of argillaceous gels as a function of temperature ---------- 222-109
Crenn, Yvonne. See Godivier, Raymond.
Cressy, P. J., Jr., and Shedlovsky, J. P. Cosmogenic radionuclides in the Bondoc meteorite ---------- 225-19
Creytz, Dietrich von. The effect of tides and air pressure in the Flooded Reichenberg mine ---------- 216-99
Cristescu, Traian; Romanescu, Dragomir; Soare, Andrei; and Ştefănescu, Aurelian. Some results of magnetometric explorations in the Rumanian People's Republic ---------- 220-301
Cromie, W. J. Why the Mohole—Adventures in inner space---------- 217-268
Crompton, Wilfred. Aeromagnetic survey of the Brahmaputra Valley, Assam ---------- 218-273
Crosby, J. W., III, and Chatters, R. M. New techniques of water sampling for carbon 14 analysis ---------- 225-4
Crowell, J. C. The San Andreas Fault zone from the Tremblor Mountains to Antelope Valley, southern California ---------- 222-72
Csókás, János, and Takács, Ernő. Magnetotelluric measurements on the Great Hungarian Plain ---------- 225-50
Csomor, Dezső, and Gálfi, János. Crustal structure in the Hungarian Basin according to data of the Nógrád earthquake of February 20, 1951 ---------- 219-248
Cudjoe, J. E. Geophysical surveys ---------- 223-286
Cullington, A. L., and Hanley, A. Magnetic surveys of the coasts of New Zealand ---------- 220-304
Cumming, G. L., and Kanasewich, E. R. Seismic arrivals from the Earth's upper mantle ---------- 223-229
See also Baadsgaard, Halfdan, and Kanasewich, E. R.
Curray, J. R. Structure of the continental margin off central California ---------- 227-339
Curray, J. R., and Moore, D. G. Facies delineation by acoustic-reflection—Northern Gulf of Mexico ---------- 217-335
— Pleistocene deltaic progradation of continental terrace, Costa de Nayarit, Mexico ---------- 225-304
Currie, J. B. See Nwachukwu, S. O.
Currie, K. L. The geology of the New Quebec Crater ---------- 226-93
Curtis, R. See Williams, C. E. F.

Abstract
Cushing, E. J. Redeposited pollen in late Wisconsin pollen spectra from east-central Minnesota ---------- 217-12
Čuta, Jiří; Mísař, Zdeněk; and Válek, Rostislav. Interpretation of the gravity field of the northeastern margin of the Bohemian massif ---------- 220-226
Cutshall, Norman. See Jennings, David.
Cuttitta, Frank. See Rose, H. J., Jr.
Czyszek, W. Hel three-hour-range indices K and magnetic character figures C for January to March, 1964 ---------- 218-232
— Hel three-hour-range indices K and magnetic character figures C for July to September, 1964 ---------- 225-252

D

Dąbrowski, Adam. Main geophysical elements of the basement of western Poland ---------- 221-165
D'Agostino, O. See Carissimo, L.
Dakhkil'gov, T. D. See Itenberg, S. S.
Dakhnov, V. N. Geologic interpretation of geophysical logging data by use of punched cards ---------- 223-141
Dakhnov, V. N., and Lebedev, A. P. Karstogenic reservoirs and their commercial value in petroleum geology ---------- 223-131
See also Alekseyev, F. A.
Dalrymple, G. B. Cenozoic chronology of the Sierra Nevada, California ---------- 217-13
— Potassium-argon dates of three Pleistocene interglacial basalt flows from the Sierra Nevada, California ---------- 216-6
Dalrymple, G. B., Cox, A. V., and Doell, R. R. Potassium-argon age and paleomagnetism of the Bishop Tuff, California ---------- 226-5
See also Lanphere, M. A.
Dalseide, Helge. See Gjellestad, Guro.
Dal'yan, I. B. See Avrov, P. Ya.
Dam, J. C. van. A simple method for the calculation of standard-graphs to be used in geo-electrical prospecting ---------- 223-122
D'Amico, Claudio. Comagmatic relations between volcanism and plutonism of Cima D'Asta—The magmatic province of late-Hercynian Trentino ---------- 226-42
Damnjanović, Konstantin. Conversion of the direction of polarization ---------- 221-250
Damon, P. E. Pleistocene time scales ---------- 224-1
See also Mauger, R. L.
Daneš, Z. F. A new steam vent on Mt. Rainier, Washington ---------- 222-354
Daniels, E. W. See Cain, J. C.
Danielsson, L. See Alfvén, Hannes.
Danilova, L. Yu. See Lykova, A. K.
Daniş, A. See Soroiu, M.
Daragen, S. K. See Arkhangel'skiy, V. T.
Darker, W. R. Record of observations at Alert Magnetic Observatory 1961-1962 ---------- 216-243
Darnley, A. G. Uranium-thorium-lead age-determinations with respect to the Phanerozoic time-scale ---------- 227-6
Daskam, Robert. Computer delineation of stratigraphic traps in sand-shale sequences ---------- 226-153
Datsuk, Ye. M. See Kharikov, B. A.
Dattner, J., and Fischler, J. Calculations of oxygen isotope abundance ratios in a mass spectrometer ---------- 225-238
Dauvillier, Alexandre. Cosmic dust ---------- 218-30
Davids, Norman, and Calvit, H. H. Some dynamical application of shock wave propagation in solids ---------- 224-110
Davidson, M. J. Average diurnal characteristics of geomagnetic power spectrums in the period range 4.5 to 1,000 seconds ---------- 218-210
Davidson, T. W., and Martyn, D. F. A supposed dependence of geomagnetic storminess on lunar phase ---------- 216-232

Abstract

Davidson, T. W., and Martyn, D. F. A supposed dependence of meteor rates on lunar phase --- 216-45
Davies, David, and Francis, T. J. G. The crustal structure of the Seychelles Bank --- 221-319
See also Munk, W. H.
Davies, G. L. Robert Hooke and his conception of earth-history --- 222-119
Davies, Kenneth, and Baker, D. M. Ionospheric effects observed around the time of the Alaskan earthquake of March 28, 1964 --- 223-56
Davis, B. L., and Adams, L. H. Kinetics of the calcite-aragonite transformation --- 219-240
Davis, B. T. C. The system diopside-forsterite-pyrope at 40 kilobars --- 223-223
See also Lindsley, D. H.
Davis, C. W. See Miesch, A. T.
Davis, E. M. See Pearson, F. J., Jr.
Davis, G. A. Role of fluid pressure in mechanics of overthrust faulting—Discussion --- 223-150
Davis, G. L. See Aldrich, L. T., Boutcher, S. M. A., and Tilton, G. R.
Davis, Leverett, Jr. See Smith, E. J.
Davis, T. M. See Van Voorhis, G. D.
Davis, T. N. Seismic history of Alaska and the Aleutian Islands --- 216-66
Davis, T. N., Stolarik, J. D., and Heppner, J. P. Rocket measurements of Sq currents at mid-latitude --- 227-251
Davis, W. E., Kinoshita, W. T., and Robinson, G. D. Bouguer gravity, aeromagnetic, and generalized geologic map of the western part of the Three Forks Basin, Jefferson, Broadwater, Madison, and Gallatin Counties, Montana --- 227-187
Davydov, V. M. See Alekseyev, G. P., and Van'yan, L. L.
Dawson, E. W. See Brodie, J. W.
Day, J. G. Cave detection by geoelectrical methods—Pt. 1, Resistivity --- 222-95
Dayev, D. S. Modeling of low-frequency electromagnetic fields in mediums of finite conductivity --- 224-121
See also Karandeyev, K. B., and Kaufman, A. A.
Dearnley, R. Orogenic fold belts and continental drift --- 225-158
— Orogenic fold-belts, convection and expansion of the Earth --- 225-159
de Boer, Jelle. Paleomagnetic indications of megatectonic movements in the Tethys --- 220-200
Debrabant, P. On the determination of the absolute age of some clay mineral extracts of sediments of the Hassi-Messaoud region --- 222-8
de Bremaecker, J. C. Detection of small arrivals --- 220-73
— Microseisms from hurricane "Hilda" --- 224-317
De Carli, P. S., and Milton, D. J. Stishovite synthesis by shock wave --- 219-44
Dechow, E., and Jensen, M. L. Sulfur isotopes of some central African sulfide deposits --- 227-243
Decker, R. W. Status of geophysical investigations in Indonesia --- 217-186
Degens, E. T. See Epstein, Samuel.
Dehlinger, Peter. Reliability at sea of gimbal-suspended gravity meters with 0.7 critically damped accelerometers --- 218-139
Dehlinger, Peter, and Berg, J. W., Jr. The Portland earthquake of November 5, 1962 --- 223-54
Dehlinger, Peter, Chiburis, E. F., and Collver, M. M. Local traveltime curves and their geologic implications for the Pacific Northwest states --- 225-221
Dehlinger, Peter, and Jones, B. R. Free-air gravity anomaly map of the Gulf of Mexico and its tectonic implications—1963 edition --- 221-157
Dehlinger, Peter, Rinehart, W. A., and Berg, J. W., Jr. Oregon State University sea gravity investigations --- 222-156
See also Berg, J. W., Jr.
de Keyser, F. The Palmerville fault—A "fundamental" structure in North Queensland --- 222-134

Abstract

deLaeter, J. R., and Jeffery, P. M. The isotopic composition of terrestrial and meteoritic tin 225-18

Delafosse, Remy. See Roubault, Marcel.

Delaloye, Michel. See Bertrand, Jean, and Chessex, Ronald.

Delibrias, Georgette, Guillier, M. T., and Labeyrie, Jacques. Saclay natural radiocarbon measurements II 226-31

Delibrias, Georgette, Nonn, Henri, and Van Campo, Madeleine. Age and flora of a periglacial deposit resting on the Cantabrian "rasa" near Burela (Galicia), Spain 221-19

Dellwig, L. F., and Baldwin, A. D. Ice-push deformation in northeastern Kansas 227-179

Delmelle, Michel. See Gérard, André.

Demenko, A. A. See Sandakova, Ye. V.

Demenitskaya, R. M. Main features of the structure of the Earth's crust in the Antarctic 225-234

Demenitskaya, R. M., Karasik, A. M., and Kiselev, Yu. G. Structure of the Earth's crust in the Arctic 224-242

Dement'yev, L. F. See Lykova, A. K.

Dement'yev, V. S., and Syromyatnikov, N. G. On the form of occurrence of thorium isotopes in ground waters 222-205

Demidenko, S. G. See Ivantishin, M. N., and Shcherbak, N. P.

Demidenko, Yu. B. Nomogram for calculation of ray diagrams and theoretical traveltime curves of reflected waves using average velocities 218-309

— Vertical seismic profiling 221-301

Demidovtsev, A. S., and Sidorov, V. A. Attempt to use low-frequency inductive methods of electrical surveying for the purpose of prospecting for chalcopyrite deposits in the southern Urals 224-133

Dem'yanenko, V. I., Terent'yeva, A. K., and Sherbaum, L. M. Orbits of meteoritic bodies according to photographic observations in 1957-58 222-31

Dence, M. R. A comparative structural and petrographic study of probable Canadian meteoritic craters 222-35

Dence, M. R., Innes, M. J. S., and Beals, C. S. On the probable meteoritic origin of the Clearwater Lakes, Quebec 225-27

Den Hartog, S. L. See Ostenso, N. A.

Denisenko, Ye. A. On the determination of the activation energy of radiogenic argon 221-3

Denison, R. E. See Ham, W. E.

Denisov, Ye. P. On the Pait'oushan Volcano (Paektu-san) 221-357

Dennis, L. S., and Gunn, C. L., Jr. Aeromagnetic survey of the Mayagüez area, Puerto Rico 216-278

See also Geddes, W. H.

DeNoyer, John. High frequency microearthquakes recorded at Quetta, Pakistan 220-72

Denton, G. H. See Stuiver, Minze.

Depireux, Joseph. See Duchesne, Jules.

Deresiewicz, H., and Wolf, B. The effect of boundaries on wave propagation in a liquid-filled porous solid—Pt. 8, Reflection of plane waves at an irregular boundary 217-149

Derham, C. J., Geake, J. E., and Walker, G. Luminescence of enstatite achondrite meteorites 216-37

Desbrandes, R. See Schwaetzer, Tomi.

Deschamps, Norbert. See Allègre, Claude.

Desio, Ardito. The Antarctic and scientific research 217-199

de Sitter, L. U. Variation in tectonic style 216-153

Dessler, A. J. Length of magnetospheric tail 216-229

See also Michel, F. C.

de Swardt, A. M. J., and Drysdall, A. R. Precambrian geology and structure in central Northern Rhodesia—Age determinations 217-18

Deutsch, E. R. Polar wandering and continental drift—An evaluation of recent evidence 220-186

Abstract

Deutsch, Sarah, and Shauris, Louis. Age of some foliated and granitic formations of the Pays de Léon (Finistère) 223-10
Deutsche Akademie der Wissenschaften zu Berlin. See Liegeois, R.
de Villiers, S. B. Correlation of zones in the Lower Griquatown Stage with the help of electrical resistivity logs 222-106
Dewart, Gilbert. Investigation of the Earth's crust in Antarctica 225-235
DeWitt, R. N., and Akasofu, S.-I. Dynamo action in the ionosphere and motions of the magnetospheric plasma—Pt. 1, Symmetric dynamo action 220-266
D'Hoeraene, J. See Kunetz, Géza.
Dibble, R. R. A portable slow motion magnetic tape recorder for geophysical purposes 220-95
Dicke, R. H. See Alley, C. O., and Murphy, C. T.
Dickinson, W. R., and Vigrass, L. W. Pre-Cenozoic history of Supplee-Izee district, Oregon—Implications for geosynclinal theory 218-155
Dickson, J. H. See Holdgate, M. W.
Diehl, C. H. H., and Jones, G. H. S. A tracer technique for cratering studies 219-132
Diekmann, E. The neutron log in underground storage, for the investigation of gas-water interfaces 224-323
Dieterlé, G., and Peterschmitt, Élie. Seismic sounding in Queen Maud Land—Belgium Antarctic Expedition 1959 221-326
Dietrich, R. V. Igneous activity in the Southern Appalachians 220-198
Dietz, R. S., and Butler, L. W. Shatter-cone orientation at Sudbury, Canada 219-45
Dietz, R. S., Carsola, A. J., Buffington, E. C., and Shipek, C. J. Sediments and topography of the Alaskan Shelves 218-337
Die Umschau. First sifting of the Moon photos from Ranger VII 226-96
— Meteorites in the geologic past 226-85
— New findings on the state of the material in the Earth's core 226-239
— The potassium-argon age of the Bosumtwi crater in Ghana 226-41
Dikmarova, L. P. Parameters of the primary field of two coincident magnetic dipoles 226-141
Dillon, William. See Edgerton, H. E.
Diment, W. H. Comments on paper by E. A. Lubimova, "Heat flow in the Ukrainian shield in relation to recent tectonic movements" 223-193
— Thermal conductivity of serpentinite from Mayagüez, Puerto Rico and other localities 216-208
Diment, W. H., Raspet, R., Mayhew, M. A., and Werre, R. W. Terrestrial heat flow near Alberta, Virginia 220-236
Diment, W. H., and Weaver, J. D. Subsurface temperatures and heat flow in the AMSOC core hole near Mayagüez, Puerto Rico 216-207
Dix, C. H. Triggering of some earthquakes 218-55
— Use of the function sin x/x in gravity problems 217-238
Dizioğlu, Mehmet. A method for determining true chargeabilities of vertical discontinuities and its application to some types of lead-zinc ores in Turkey 227-114
Dmitriyev, A. N. Physical features of the process of accumulation of solar energy by the crystalline matter of the Earth 219-175
Dmitriyev, A. V. See Boltneva, L. I.
Dmitriyev, N. K. Magnetic survey of the Schirmacher Ponds area 226-273
Dmitriyev, V. I. A method of calculating the magnetotelluric field in a nonhomogeneous layer with arbitrary curvature of the lower surface 225-114
Dobar, W. I., Tiffany, O. L., and Gnaedinger, J. P. Simulated extrusive magma solidification in vacuum 223-34
Dobeš, Miroslav, and Polanský, Jindřich. Remarks on the evaluation of points for the construction of charts of topographic corrections 220-223
Dobrokhotov, Yu. S. Differential barograph with photographic recording of the readings 216-195

Abstract

Dobrovol'skiy, L. A. Attempt to carry on electrical surveys to prospect for ground water in complex geologic conditions ------- 220-150

Dodd, R. T., Jr., and Van Schmus, Randall. Significance of the unequilibrated ordinary chondrites ------- 227-37

Dodds, J. G. See Bradner, Hugh.

Dodson, H. W., Hedeman, E. R., and Stewart, F. L. Solar activity during the first 14 months of the International Years of the Quiet Sun ------- 223-260

Doe, B. R., Tilton, G. R., and Hopson, C. A. Lead isotopes in feldspars from selected granitic rocks associated with regional metamorphism ------- 222-197

Doell, R. R., and Cox, A. V. Measurement of the remanent magnetization of igneous rocks ------- 220-288

— Paleomagnetism of Hawaiian lava flows ------- 226-257

See also Cox, A. V., and Dalrymple, G. B.

Doil'nitsyn, Ye. F. See Antonov, Yu. N.

Dolbilkina, N. A., and Korchagina, O. A. Features of the formation and propagation of microseisms in the Barents Sea and the Sea of Okhotsk ------- 222-301

Doležal, Jindřich. Quantitative interpretation of gravity profiles in the western Carpathian Flysch ------- 225-198

Dolivo-Dobrovol'skiy, A. V. See Palitsyn, N. D.

Domen, Haruo. A paleomagnetic study of some Tertiary and Quaternary rocks of Yamaguchi Prefecture, Japan ------- 219-299

Domenico, S. N. Phase-distortionless filtering ------- 221-292

Donabedov, A. T., and Sidorov, V. A. On the relationships between recent vertical movements of the Earth's crust, geophysical fields, and geostructural elements in the territory of the European part of the U. S. S. R. ------- 219-199

Donata, R. J., and O'Brien, P. N. S. The refracted pulse in seismic prospecting ------- 220-327

Donath, F. A. Fundamental problems in dynamic structural geology ------- 216-338

— Strength variation and deformational behavior in anisotropic rock- 225-339

Donn, B. D. See Donn. W. L.

Donn, W. L. Pleistocene climate ------- 217-223

Donn, W. L., Donn, B. D., and Valentine, W. G. On the early history of the Earth ------- 222-118

Donn, W. L., and Posmentier, E. S. Ground-coupled air waves from the great Alaska earthquake ------- 218-45

See also Ewing, Maurice.

Donskikh, V. V., and Kronidov, I. I. On the relationship of local negative magnetic anomalies to remnants of Upper Paleozoic volcanoes in Central Kazakhstan ------- 221-264

Dooley, Donald. Observations on the deformation of ice at low stresses ------- 219-355

Dooley, J. R., Jr. See Rosholt, J. N.

Dopp, S. Application of communication network theory to the electromagnetic seismograph ------- 217-131

— Surface waves in seismology ------- 223-77

Döring, Tilo. Remarks on a definition and classification of rock mass structures with regard to theoretical investigations of problems of rock mechanics ------- 221-332

Dott, R. H., Jr. Mobile belts, sedimentation and orogenesis ------ 226-189

Doussaint, Louis. See Allègre, Claude.

Douze, E. J. Signal and noise in deep wells ------- 216-309

Dowling, John, and Nuttli, Otto. Travel-time curves for a low-velocity channel in the upper mantle ------- 220-63

Downs, A. M. Centrifugal effects of the flow of plasma round the geomagnetic hallow ------- 222-217

Doyle, H. A., and Everingham, I. B. Seismic velocities and crustal structure in Southern Australia ------- 222-185

See also Cleary, J. R.

Abstract

Dozortsev, R. N. See Kukhlev, Yu. M.

Dragašević, Tihomir. Interference waves in the "Orlovat" structural region ---------- 221-317

Dragicević S., Mateo. Interpretation of gravity profiles—Arica, Antofagasta and Valparaiso-Mar de Plata ---------- 218-145

— Interpretation of the gravimetric anomalies of central Chile ---------- 218-144

Dragicević S., Mateo, Kausel, E., Lomnitz, Cinna, Meinardus, H., and Silva, L. Gravimetric survey of Chile ---------- 225-186

Drake, A. A., Jr., Stern, T. W., and Thomas, H. H. Radiometric ages of zircon and biotite in quartz diorite, Eights Coast, Antarctica ---------- 221-27

Drake, C. L., and Woodward, H. P. Appalachian curvature, wrench faulting, and offshore structures ---------- 217-217

See also Le Pichon, Xavier.

Draper, A. L., Adamcik, J. A., and Gibson, E. K. Comparison of the spectra of Mars and a goethite—hematite mixture in the 1 to 2 micron region ---------- 224-55

Droschak, D. M. See Gardner, G. H. F.

Drozdov, A. A. Automatic variation of mixing filtering for registration of reflected waves ---------- 218-310

Druzin, M. N. Attempt to use the method of seismic "hardnesses" for seismic microregionalization ---------- 227-336

Drysdall, A. R. See de Swardt, A. M. J., and Snelling, N. J.

Du Bar, J. R. See Cazeau, C. J.

Dube, A. See Murthy, M. V. N.

Dubinchik, E. Ya., and Magud, M. Sh. The physical properties of rocks of the crystalline basement of the Leningrad district and regularities of their change in relation to weathering and granitization ---------- 221-95

DuBois, R. L. Paleomagnetic directions from Hawaiian lava flows, 1840-1960 ---------- 219-297

Dubourdieu, Georges. On geologic forces ---------- 221-149

Dubrovskiy, V. G. See Mil'shteyn, D. M.

Duchesne, Jules; Depireux, Joseph; and Litt, Clotilde. Free organic radicals in the Mighei and Nogoya meteorites ---------- 221-33

— On the nature of the free radicals of the Cold Bokkeveld meteorite 216-44

Duda, S. J. The stress around a fault according to a photoelastic model experiment ---------- 223-107

See also Båth, Markus.

Dudley, W. W., Jr., and McGinnis, L. D. Seismic-refraction and earth-resistivity investigation of hydrogeologic problems in Humboldt River Basin, Nevada ---------- 221-311

Due Rojo, Antonio. Meteoric geology ---------- 219-20

DuFresne, Ann. See Anders, Edward.

Duke, M. B. Metallic iron in basaltic achondrites ---------- 222-20

Duke, M. B., and Brett, Robin. Metallic copper in stony meteorites ---------- 224-28

See also Taylor, H. P., Jr.

Dumitrashko, N. V., and Liliyenberg, D. A. Recent tectonics of the Caucasus ---------- 219-202

Dumitru, Stelian. See Airinei, Ştefan, and Stoenescu, Scarlat.

Dunayev, V. A. See Ovchinnikov, L. N.

Dunckel, N. See Carpenter, D. L.

Dungey, J. W. The length of the magnetospheric tail ---------- 222-213

Dunham, A. C. See Clark, A. H., and Sawkins, F. J.

Dunkin, J. W. Computation of modal solutions in layered, elastic media at high frequencies ---------- 224-102

Duplan, R. J. See Bernard, F. P.

Durand, G. L. Measurements of ages of minerals of the Massif Central by the lead isotope method ---------- 227-21

— Study of the age of uraniferous mineralizations of the Limouzat, Bois-Noirs Massif ---------- 220-10

Ďuratný, Stanislav, and Krs, Miroslav. Contribution to quantitative interpretation of anomalies of low frequency electromagnetic fields - 218-80

Abstract

Dürr, Fritz. Progress in geology and geophysics in El Salvador since 1920 217-185

Dury, G. H. Australian geochronology—Checklist 1 220-15

Durynin, Yu. F. Use of the ultrasonic method in the study of the ice cover of Antarctica 225-107

Dutt, Sudhir K. On the abnormally high natural remanent magnetization of certain lavas 227-282

Dutta, Subhas. Rayleigh wave propagation in a two-layer anisotropic media 227-91

Duvall, G. E. Propagation of plane shock waves in a stress-relaxing medium 224-111

Du Toit, A. Our wandering continents 216-163

D'yachkova, A. Ya. Registration of later arrivals of elastic waves in seismic logging (according to modeling data) 226-137

Dyad'kin, I. G., Lisenenkov, A. T., and Zverev, G. N. Mathematical experiment for solution of some geophysical problems 218-284

D'yakonov, D. I. Geothermal investigations in oil and gas regions 227-210

— Some regularities of distribution of the natural thermal field and possibilities of using geothermy 223-199

D'yakonova, M. I. Chemical composition of seven stony meteorites of the collection of the Committee on Meteorites of the Academy of Sciences of the USSR 217-38

Dyce, R. B. See Pettengill, G. H.

Dychko, I. A. See Aksent'yeva, Z. N.

Dyck, W., and Fyles, J. G. Geological Survey of Canada radiocarbon dates III 218-6

Dyck, W., Fyles, J. G., and Blake, W., Jr. Geological Survey of Canada radiocarbon dates IV 226-13

Dycus, R. D., and Bradford, D. C. The origin of meteors inferred from orbital elements 223-27

Dyer, K. R. See Early, K. R.

Dymek, Feliks. The state of tension in the elastic semi-plane with application to problems of mechanics of rocks masses 216-343

Dzhafarov, Kh. D. See Abdullayev, R. A.

Dzhafarov, R. D. See Ragimov, Sh. S.

Dzhanuzakov, K. Concerning the relation between intensity, areal distribution of earthquakes, and their energy in relation to depth of foci 223-73

Dzhanuzakov, K. D. See Vvedenskaya, N. A.

Dzhibuti, S. S. Geothermal conditions of ground water in the Western Turkmenia oil and gas basin 216-209

Dzhugov, P. P., and Sarantsev, A. P. A rectifier for the power supply of the SG-65 and RA-69 auto-gamma radiometers 226-295

E

Early, K. R., and Dyer, K. R. The use of a resistivity survey on a foundation site underlain by karst dolomite 220-133

Easterbrook, D. J. See Armstrong, J. E.

Eaton, F. M. See Tixier, M. P.

Eaton, J. P. On the standardization of geophysical observations at volcanoes 226-353

Eberhardt, A. See Houtermans, F. G.

Eberhardt, Peter, Eugster, O., and Marti, K. A redetermination of the isotopic composition of atmospheric neon 224-248

Eberhardt, Peter, and Geiss, Johannes. Meteorite classes and radiation ages, Chap. 27 219-40

See also Signer, Peter.

Eckelmann, W. R. See Sackett, W. M.

Eckermann, Harry von. Distribution of radioactivity in minerals and rocks of the Alnö alkaline area 216-284

Edgerton, H. E. Sub-bottom penetration in Boston Harbor, Pt. 2 224-330

Edgerton, H. E., Payson, Harold, Yules, John, and Dillon, William. Sonic probing in Narragansett Bay 217-334

Abstract

Edgerton, H. E. See Hersey, J. B., and Yules, J. A.
Edwards, G., and McLaughlin, W. A. Age of granites from the tin province of Indonesia ---------- 224-25
Edwards, J. Reversals of natural magnetization within the Iron Grit of Sussex ---------- 223-277
Edwards, Lyman. See Gamson, B. W.
Edwards, L. M., and Shane, L. E. Some human-electrical factors of a quality logging service ---------- 226-165
Eguía Huerta, Armando. Seismic and geologic correlation ---------- 217-322
Egyed, László. Ellipticity, viscosity and expansion of the Earth---- 227-163
— On the internal constitution of the Earth ---------- 224-245
— On the problem of secular variations ---------- 222-225
— Satellite geoid and the structure of the Earth ---------- 221-155
Egyed, László, and Stegena, Lajos. On the physical basis of the Earth's expansion ---------- 218-114
Egyed, László, and Szemerédy, Pál. A device for the mechanical determination of the distribution of fault directions and its use --- 218-110
Ehhalt, D. See Vogel, J. C.
Ehmann, W. D. On some tantalum abundances in meteorites and tektites ---------- 220-23
See also Baedecker, P. A., and Vogt, J. R.
Eiby, G. A. The Northland earthquakes of 1963 November-December and the seismicity of Northland ---------- 220-97
Eiby, G. A., and Muir, M. G. Tables to facilitate the study of near earthquakes ---------- 221-64
See also Vere-Jones, D.
Eichler, R. See Keith, M. L.
Eimer, M. Lunar environment, Chap. 2 ---------- 226-95
Einarsson, T. See Thorarinsson, Sigurdur.
Einarsson, Thorleifur. Carbon-14 datings of Quaternary deposits in Iceland—Pollen zonation and radiocarbon datings ---------- 218-10
— Carbon-14 dating of subfossil shells ---------- 218-9
Eisler, J. D., and Chilton, F. Spalling of the Earth's surace by underground nuclear explosions ---------- 218-76
Eisner, H. See Ambach, W.
El Goresy, Ahmed. Baddeleyite and its significance in impact glasses ---------- 226-92
— The ore minerals in the Ries and Bosumtwi crater glasses and their genetic significance ---------- 219-46
Elisson, G. See Thorarinsson, Sigurdur.
Ellis, R. M. See Vozoff, Keeva.
Ellyett, C. D., and Keay, C. S. L. Meteors—An unexpected increase in 1963 ---------- 218-28
Elofson, R. M. See Schulz, K. F.
Elorduy Téllez, Ernesto. See Pérez Ruiz, Guadalupe.
Elphick, J. O., and Suggate, R. P. Depth rank relations of high-volatile bituminous coals ---------- 220-245
Elskens, I., Tazieff, Haroun, and Tonani, Franco. A new method for volcanic gas analysis in the field ---------- 226-346
Elvers, D. See Peter, G.
Emery, C. L. Strain energy in rocks ---------- 225-338
Emery, K. O. See Hand, B. M., and Merrill, A. S.
Emiliani, Cesare. Precipitous continental slopes and considerations on the transitional crust ---------- 219-245
Endo, E. T. See Koyanagi, R. Y.
Endo, Yusin. See Muramatu, Ikuei.
Enenshteyn, B. S. Electromagnetic frequency sounding of geologic structures ---------- 225-54
Enescu, Dumitru. Determination of the question of generation of the longitudinal and transverse waves with the help of explosions ---- 223-79
See also Constantinescu, Liviu.
Engdahl, E. R. See Flinn, E. A.
Engel, A. E. J., and Engel, C. G. Igneous rocks of the East Pacific Rise ---------- 216-213

Abstract

Engel, A. E. J., Engel, C. G., and Havens, R. G. Chemical characteristics of oceanic basalts and the upper mantle ---------- 227-222

Engel, C. G. See Engel, A. E. J.

Engelen, G. B. A hypothesis on the origin of the Bermuda Rise ---- 222-347

Engelhardt, Wolf von, and Hörz, Friedrich. Ries glasses and moldavites ---------- 225-30

Engineering and Mining Journal. Partial list of world geophysical discoveries ---------- 217-200

England, J. L. See Boyd, F. R.

Engstrand, L. G. Stockholm natural radiocarbon measurements VI - 226-33

Enright, R. J. New seismic exploration tool being used by oil hunters ---------- 223-331

Epstein, H. M., and Klingensmith, R. W. Detection and identification of nuclear bursts ---------- 217-161

Epstein, Samuel, Graf, D. L., and Degens, E. T. Oxygen isotope studies on the origin of dolomites, Chap. 13 ---------- 218-187

Epstein, Samuel, Sharp, R. P., and Gow, A. J. Six-year record of oxygen and hydrogen isotope variations in South Pole firn ------- 222-199

See also Reuter, J. H., and Taylor, H. P., Jr.

Erd, R. C. See Murata, K. J.

Erdelyi, M. Tracing of the subsurface structure and fault line on sedimentary lowlands by using indirect geological methods ------ 222-175

Erentöz, Cahit, and Kurtman, Fikret. Report on the earthquake of Manyas that occurred in 1964 ---------- 227-66

Erickson, A. J., Jr. Temperatures of calcite deposition in the Upper Mississippi Valley lead-zinc deposits ---------- 227-214

Ericson, D. B., Ewing, Maurice, and Wollin, Goesta. The Pleistocene epoch in deep-sea sediments ---------- 217-8

Ericson, D. B., and Wollin, Goesta. The deep and the past ------- 222-352

Erkel, András, Király, Ernő, and Szabadváry, László. The GE-type geoelectrical resistivity meter series ---------- 224-118

Erkel, András, Hobot, József, and Szabadváry, László. Combined geoelectrical exploration of the basin in the southern Transdanubia area ---------- 222-98

Erlank, A. J., and Willis, J. P. The zirconium content of chondrites and the zirconium-hafnium dilemma ---------- 219-23

Eshleman, V. R. See Fjeldbo, G.

España Instituto Geológico y Minero. Geophysics ---------- 221-126

Etingof, I. M. See Kononov, Yu. V.

Eugster, O. See Eberhardt, Peter.

Evans, A. E., Loomer, E. I., and Andersen, F. Summary of observations at Baker Lake Magnetic Observatory 1960-1962 ------ 221-215

See also Ross, W. E.

Evans, C. R. Geochronology of the Lewisian basement near Lochinver, Sutherland ---------- 227-26

Evans, C. R., and Park, R. G. Potassium-argon age determinations from the Lewisian of Gairloch, Ross-shire, Scotland ------ 221-17

Evans, C. R., and Tarney, J. Isotopic ages of Assynt dykes ------ 219-12

Evans, H. B. GRAPE—A device for continuous determination of material density and porosity ---------- 226-288

— The universal log interpretation computer program—Nuclear log evaluation ---------- 226-287

Evans, R. D. See Schroeder, G. L.

Evans, S. See Bailey, J. T.

Everhart, G. M. See Pepper, J. F.

Everingham, I. B. See Doyle, H. A.

Evernden, J. F., and James, G. T. Potassium-argon dates and the Tertiary floras of North America ---------- 216-3

Evrard, L. Geomagnetic survey in the metamorphic region of Remagne ---------- 216-280

Evrard, Pierre, and Jones, Louis. Geophysics and volcanology---- 227-358

Ewing, J. I., and Zaunere, Roger. Seismic profiling with a pneumatic sound source ---------- 217-343

Abstract

Ewing, J. I. See Ludwig, W. J.
Ewing, Maurice. Marine geology, Chap. 11 ---------- 221-346
Ewing, Maurice, and Donn, W. L. Polar wandering and climate --- 220-190
See also Donn, W. L., Ericson, D. B., Langseth, M. G., Ludwig, W. J., and Talwani, Manik.
Eydlin, R. A. See Bachin, A. P.
Eygenson, M. S. Fluctuating (discretely active) Sun and heliogeophysical fluctuation ---------- 220-279
— On the problem of partial solar control of irregularity of the Earth's rotation ---------- 220-110
— The IGY and the secular cycle of solar activity ---------- 220-277
Eygenson, M. S., and Mandrykina, T. L. On the index of corpuscular geoactivity of the Sun ---------- 220-278
Eytingon, L. G., and Mikhaylova, N. G. Attempt to use controlled directional reception for distinguishing simple and multiple reflections ---------- 225-314

F

Fábián, András. See Bádonyi, Géza.
Facca, Giancarlo, and Tonani, Franco. Theory and technology of a geothermal field ---------- 226-222
Fail, J. P., Grau, G., and Layotte, P. C. Improvement of the signal-to-noise ratio by means of fan filtering. Study of a concrete case ---------- 217-323
Fairbairn, H. W., Hurley, P. M., and Pinson, William, Jr. Initial Sr-87/Sr-86 and possible sources of granitic rocks in southern British Columbia ---------- 217-15
— Re-examination of Rb-Sr whole-rock ages at Sudbury, Ontario --- 226-6
See also Faure, G., Hurley, P. M., and Pinson, W. H., Jr.
Fairhurst, C. Measurement of in situ rock stresses, with particular reference to hydraulic fracturing ---------- 220-339
Faller, J. E. Results of an absolute determination of the acceleration of gravity ---------- 227-180
See also Alley, C. O.
Fälthammer, C.-G. See Alfvén, Hannes.
Fan, Yun'-Fey. See Gol'tsman, F. M.
Fanale, F. P., and Schaeffer, O. A. Helium-uranium ratios for Pleistocene and Tertiary fossil aragonites ---------- 225-2
Fang, Wei-Ch'ing. See Volarovich, M. P.
Fanselau, Gerhard. A new field recording station ---------- 226-251
Fanselau, Gerhard, Kautzleben, Heinz, Lucke, Otto, Mauersberger, Peter, and Sellien, Kurt. The representation of the geomagnetic potential for epoch 1945.0 by means of a spherical harmonic development to the 15th order ---------- 219-278
Fara, H. D. A new catalog of earthquake fault plane solutions ----- 217-91
Faradzhev, A. S. On the filtering of industrial interference in the telluric current and dipole sounding method ---------- 218-43
Faradzhev, A. S., Mamedov, R. A., and Manafly, N. I. The areal method of treatment of tellurograms ---------- 218-41
Farah, Abul, and Ali, Mohammad. Gravity base stations in West Pakistan ---------- 227-197
Farrar, E., Macintyre, R. M., York, Derek, and Kenyon, W. J. A simple mass spectrometer for the analysis of argon at ultra-high vacuum ---------- 219-1
See also Brown, P. E., and Harris, P. M.
Farrell, P. J. See Schneider, W. A.
Fatkullin, M. N. Estimate of the vertical density distribution of Sq-currents ---------- 222-244
— The nature of irregular fluctuations in daily magnetic variations- 218-223
Fatkullin, M. N., and Fel'dshteyn, Ya. I. Relationship between S_q variations and ionospheric parameters (preliminary communication) ---------- 227-279

Abstract
Fatt, Irving. See Banthia, B. S., and Khan, A. M.
Faucherre, Jacques. See Allègre, Claude.
Faure, G., Fairbairn, H. W., Hurley, P. M., and Pinson, W. H., Jr. Whole-rock Rb-Sr age of norite and micropegmatite at Sudbury, Ontario -------- 220-6
Faure, G., Hurley, P. M., and Powell, J. L. The isotopic composition of strontium in surface water from the North Atlantic Ocean -------- 222-203
See also Powell, J. L.
Fawcett, J. J. The muscovite-chlorite-quartz assemblage -------- 223-206
— Upper stability limits of magnesian chlorites -------- 223-205
Fay, C. H. See Goodell, R. R.
Faytel'son, A. Sh. Genetic classification of platform tectonic structures and paleotectonic reconstructions according to geophysical data on block structure of the basement -------- 224-214
Fedchun, M. S. The bright bolide of June 5, 1960 -------- 216-33
Fedorenko, A. N. Magnetic seismic recording -------- 223-326
Fedorov, A. A. See Mikov, D. S., and Sokolov, M. M.
Fedorov, O. I. See Gasanenko, L. B.
Fedorov, Ye. P., and Yatskiv, Ya. S. On the causes of the seeming "bifurcation" of the period of free nutation of the Earth -------- 217-136
See also Markowitz, William.
Fedorov, Yu. V. See Khursik, V. Z.
Fedoseyev, G. S. See Puchkov, Ye. R.
Fedotov, S. A. See Gostev, M. A.
Fedynskiy, V. V. Exploration geophysics -------- 224-177
See also Belyayevskiy, N. A., Borisov, A. A., Komarov, S. G., and Vartanov, S. P.
Fel'dman, I. I. Distinguishing boron-bearing horizons of saline series and mineralogical differentiation of potassium-magnesium salts by radioactivity logging methods -------- 218-286
Fel'dshteyn, Ya. I. Auroral morphology—Pt. 2, Aurorae and geomagnetic disturbances -------- 217-280
See also Fatkullin, M. N.
Fergusson, G. J. See Berger, Rainer.
Fernandez, J. C. Geophysical investigation of Lammin iron deposits, Piddig, Ilocos Norte -------- 219-310, 226-272
Ferraes, S. G. A method to investigate earthquake mechanism using S wave data -------- 224-85
Ferreira, M. P., and Turner, F. J. Microscopic structure and fabric of Yule Marble experimentally deformed at different strain rates -------- 220-338
Ferris, C. S., Jr., and Krueger, H. W. New radiogenic dates on rocks from the southern Laramie Range, Wyoming -------- 218-3
Ferris, Craig. Gravimetrics are key to Ohio's Trempealeau -------- 223-172
— Look for more reefs in East Wapella -------- 223-171
Ferris, G. A. J., and Price, A. T. Electric currents induced in an anisotropic ionosphere -------- 223-259
Ferris, R. H. See Hurdle, B. G.
Feruglio, Gb. See Mosetti, Feruccio.
Fesenkov, V. G. Meteorites and the origin of the solar system -------- 217-69
— On the orbit of the Tunguska meteorite -------- 217-40
Feyling-Hanssen, R. W. Shoreline displacement in central Spitsbergen -------- 225-15
Feytel'man, N. G. Economic efficiency of the use of the methods of nuclear geophysics in surveying and developing some mineral resources -------- 219-338
Field, W. O. See Ragle, R. H.
Fielder, Gilbert. A case of convection in the Moon -------- 217-67
Figueroa Abarca, Jesús. Seismic history and earthquake statistics of the western coast of Mexico -------- 216-68
— Seismologic activities during the IGY -------- 217-81
Figueroa Huerta, Santos. Discovery of the third section of the reef of the "Belt of Gold" within the Gulf of Mexico -------- 220-317

Abstract

Filippov, Ye. M. On the possibility of aerial prospecting for mineral resources with a neutron generator ---------------------- 227-321
See also Vakhtin, B. S.
Filippova, V. N. Attempt to use separate radiometric analysis for determining the rare earth mineral content in ore -------------- 221-282
Findlay, D. C., and Smith, C. H. The Muskox drilling project (Canadian contribution to the International Upper Mantle Project No. 40) -- 222-180
Finklea, E. E. Current status of the art of machine data processing of logging information -------------------------------------- 226-159
Fin'ko, Ye. A. See Rantsman, Ye. Ya., and Sentunskaya, L. Ye.
Fireman, E. L., and Langway, C. C., Jr. Search for aluminum-26 in dust from the Greenland ice sheet ------------------------- 220-31
See also Schaeffer, O. A.
Firsoff, V. A. Selenological studies—Pt. 2, The Theophilus-Altai region --- 225-33
Firsov, L. V. Absolute age of granites of the Taygonos Peninsula-- 225-16
— Absolute age of phlogopites from Aldan deposits -------------- 226-51
— Recent data on the age of the Aldan phlogopites --------------- 224-23
Firsov, L. V., and Sobolev, N. V. On the absolute age of an eclogite xenolith from the "Obnazhennaya" kimberlite pipe (Yakutia) - 223-17
See also Afanas'yev, G. D.
Fischer, W. A., Moxham, R. M., Polcyn, F., and Landis, G. H. Infrared survey of Hawaiian volcanoes ----------------------- 216-357
Fischer, W. G. How rock mechanics is applied to specific mining problems at the Westvaco mine ------------------------------ 220-341
Fischler, J. See Dattner, J.
Fisher, D. E. Anomalous Ar-40 contents of iron meteorites------- 224-29
Fisher, R. L. See Rusnak, G. A.
Fitch, F. J. The development of the Beerenberg Volcano, Jan Mayen -- 218-350
Fitch, F. J., and Miller, J. A. Major cycles in the history of the Earth --- 225-157
— Surface relief of Mars ------------------------------------- 227-56
— The geological significance of radiometric age studies on volcanic and hypabyssal rocks ------------------------------------- 227-5
Fitch, F. J., Miller, J. A., and Brown, P. E. Age of Caledonian orogeny and metamorphism in Britain ------------------------ 216-16
Fitch, F. W. See Anders, Edward.
Fitz, J. C. See Alldredge, L. R.
Fjeldbo, G., and Eshleman, V. R. The bistatic radar-occulation method for the study of planetary atmospheres ---------------- 226-97
Flamm, E. J., and Lingenfelter, R. E. Lunar luminescence ------ 223-38
Flanders, P. J., and Remeika, J. P. Magnetic properties of hematite single crystals -- 225-266
Fleischer, R. L., Naeser, C. W., Price, P. B., Walker, R. M., and Marvin, U. B. Fossil particle tracks and uranium distributions in minerals of the Vaca Muerta meteorite --------------- 223-22
Fleischer, R. L., Naeser, C. W., Price, P. B., Walker, R. M., and Maurette, M. Cosmic ray exposure ages of tektites by the fission-track technique ------------------------------------ 222-36
Fleischer, R. L., and Price, P. B. Decay constant for spontaneous fission of U-238 --------------------------------------- 217-7
— Techniques for geological dating of minerals by chemical etching of fission fragment tracks --------------------------------- 219-3
Fleischer, R. L., Price, P. B., and Walker, R. M. Effects of temperature, pressure, and ionization on the formation and stability of fission tracks in minerals and glasses ---------------- 222-18
— Fission-track ages of zircons ------------------------------ 217-6
— On the simultaneous origin of tektites and other natural glasses - 221-37
— Spontaneous fission tracks from extinct Pu-244 in meteorites and the early history of the solar system ------------------------ 224-30
— Tracks of charged particles in solids ----------------------- 226-3

	Abstract
Fleischer, R. L., Price, P. B., Walker, R. M., and Leakey, L. S. B. Fission-track dating of Bed I, Olduvai Gorge	222-9
Flinn, Derek. Coastal and submarine features around the Shetland Islands	218-116
Flinn, E. A. Confidence regions and error determinations for seismic event location	226-115
Flinn, E. A., and Engdahl, E. R. A proposed basis for geographical and seismic regionalization	226-114
Florenskiy, K. P. See Vronskiy, B. I.	
Florensov, N. A. On the problem of earthquake prediction	224-76
— Seismotectonics	224-75
Florensov, N. A., and Solonenko, V. P., eds. The Gobi-Altay earthquake	224-70
Florensov, N. A., Treskov, A. A., and Solonenko, V. P. On M.V. Gzovskiy's paper "Use of recent contemporary tectonic movements in a new type of detailed seismic regionalization	221-56
Flórián, Endre. See Barta, György.	
Florin, Sten. Earth movements in Sweden during late Quaternary time	216-161
Florin, Sten, and Olsson, I. U. The discovery of a boat from Viking times in peat soil under the Town Hall in Nyköping	224-22
Florkowski, Tadeusz. The application of radioactive X-ray sources in industrial absorption and fluorescence analysis	225-296
Flowers, E. C., and Viebrock, H. J. Solar radiation—An anomalous decrease of direct solar radiation	222-359
Flowers, K. D. See Hurdle, B. G.	
Floys, J. R. Effect of secondary crystalline phases on dielectric losses in high-alumina bodies	220-160
Flügel, Helmut. Attempt at a geologic interpretation of some absolute age determinations from the East Alpine crystallines	219-15
Folinsbee, R. E., and Bayrock, L. A. The Peace River meteorite: fall and recovery	217-29
See also Baadsgaard, Halfdan, and Krouse, H. R.	
Fomin, M. M. See Blyummer, G. N.	
Fonarev, G. A., and Novysh, V. V. Some results of telluric current measurements on the North Pole-10 station in 1963	223-47
See also Novysh, V. V.	
Fons, Lloyd. See Muir, D. M.	
Fontaine, Maxime; LeBorgne, Eugène; LeMouël, Jean; and Rossignol, Jean-Claude. The transitory variations of intensity of the terrestrial magnetic field on the territory of continental France	221-219
Fookes, R. A. See Warburton, J. A.	
Foote, R. S. See Moxham, R. M.	
Forbes, R. B. The comparative chemical composition of eclogite and basalt	222-181
Forbush, S. E. The geomagnetic field of the equatorial ring current, its solar cycle and seasonal variations, and application for investigating secular change of the Earth's magnetic field	224-254
See also Schmucker, Ulrich.	
Forjaz, V. H. Topography and temperatures of Capelinhos Volcano (September 1962)	220-356
See also Machado, Frederico.	
Forsyth, J. L. Age of the buried soil in the Sidney, Ohio, area	227-11
See also Garner, Dale.	
Fotiadi, E. E. Crustal structure of Siberia and the Far East according to geophysical data	227-132
Fotiadi, E. E., and Kuznetsov, G. F. New ideas of the deep geologic structure of the western part of the Siberian platform according to the data of geophysical investigations, and its oil and gas possibilities	222-291
Fotiadi, E. E., and Moiseyenko, F. S. Main features of the tectonic structure of Siberia and the Far East in the light of geologic and geophysical data	224-171

Abstract

Fougere, P. F. Spherical harmonic analysis—Pt. 2, A new model derived from magnetic observatory data for epoch 1960.0 ------- 223-251
Fournier, H. G. On the subject of the observable periods of the oscillations of the terrestrial telluric and magnetic fields and their use for magnetotelluric prospecting ------- 220-50
Fournier, Hugo. Direction spectrography in magnetotellurics ------ 225-52
Fowler, W. A. See Hoyle, Fred.
Francis, T. J. G. A long range seismic-recording buoy ------- 216-355
See also Davies, David.
Frank, L. A. A survey of electrons E>40 kev beyond 5 earth radii - 222-208
Frank, L. A., and Van Allen, J. A. A survey of magnetospheric boundary phenomena ------- 218-200
— Measurements of energetic electrons in the vicinity of the sunward magnetospheric boundary with Explorer 14 ------- 218-198
Franken, P. A. See Alley, C. O.
Frantov, G. S. See Polyak, M. K.
Frantti, G. E. Attenuation of Pn from offshore Maine explosions -- 224-105
Frantti, G. E., and Leverault, L. A. Auditory discrimination of seismic signals from earthquakes and explosions ------- 222-60
Franzgrote, Ernest. See Patterson, J. H.
Fraser, B. J. See Tepley, L. R.
Fraser, D. C. Magnetic fields of ocean waves ------- 224-262
Fraser, D. C., Keevil, N. B., Jr., and Ward, S. H. Conductivity spectra of rocks from the Craigmont ore environment ------- 216-116
Fraser, Donald. Geomagnetic activity at high latitudes ------- 221-214
Fraser, Ronald. The habitable Earth ------- 227-220
Fredriksson, Kurt. Chondrules and the meteorite parent bodies ---- 217-28
Fredriksson, Kurt, and Keil, Klaus. The iron, magnesium, calcium, and nickel distribution in the Murray carbonaceous chondrite ------- 222-21
Fredriksson, Kurt, and Reid, A. M. A chondrule in the Chainpur meteorite ------- 227-40
See also Keil, Klaus.
Freeman, R. N. Oil exploration in the western Great Artesian Basin ------- 223-132
Fremd, V. M. A piezoelectric method of galvanometric recording - 219-112
— Automatic installation with electrostatic memory and visual recording for registering strong earthquakes ------- 219-109
Frenkel', K. Sh. Microvoltmeter for low-frequency methods of electrical surveying ------- 226-149
Friedman, Howard, Becker, R. O., and Bachman, C. H. Psychiatric ward behavior and geophysical parameters ------- 223-274
Friedman, Irving. Interstitial water from deep sea sediments ----- 227-235
Friedman, Irving, Smith, R. L., Levin, Betsy, and Moore, Arthur. The water and deuterium content of phenocrysts from rhyolitic lavas, Chap. 15 ------- 218-183
See also Ragatzkie, R. A.
Friedman, Melvin. Petrofabric techniques for the determination of principal stress directions in rocks ------- 225-345
Friese-Greene, T. W., and Pert, G. J. Velocity fluctuations of the Bersāekerbrāe, East Greenland ------- 227-174
Friesen, D. D. See Hawkins, G. S.
Frits, József. The Vegardo thermal line ------- 218-156
Fritz, Peter. O-18/O-16 isotope analyses and paleotemperature determinations on belemnites from the Swabian Jura ------- 226-237
Frohlich, Friedrich. Developmental trends in rock research ------ 223-230
— The physical state of rocks and its effects on the magnetic behavior of the Earth's crust ------- 216-256
Frohlich, Friedrich, and Stiller, Heinz. The significance of phenomenological consideration for the interpretation of results of rock magnetism investigations ------- 216-258
Fröhlich, Lothar. Some possibilities of application of electrical survey methods in investigating dam foundations ------- 220-135

Abstract

Frolov, A. D. Semiconductor apparatus and procedure of radiowave mapping 224-148

Frolov, A. I. Dependence of gravity anomalies in Antarctica on altitude 223-188

— Gravimetric operations of the GAISh in the Third Soviet Antarctic Expedition of 1957-58 223-175

— Gravimetric operations of the GAISh in the Fifth Soviet Antarctic Expedition of 1959-60 223-176

Frolov, A. I., and Koryakin, Ye. D. Investigation by the gravimetric method of subglacial relief in the Lazarev Station region 225-354

See also Gladun, V. A., Stroyev, P. A., Tsukernik, V. B., and Ushakov, S. A.

Frolov, P. P. On the asymptotic behavior of the transient of the magnetic field in a layered medium 225-112

Frolov, V. Kh. A way of using estimated data in graphic interpretation of electrical sounding curves 226-143

Frolovich, G. M. On the correspondence of vertical resistivity sounding curves in the Upper Kama basin and Kama arch areas 217-167

Frolovich, G. M., and Ignat'yev, P. S. Attempt to construct the structural scheme on an electrical marker horizon using the coincidence of vertical electrical resistivity curves 217-168

Frolovich, G. M., Levchenko, V. K., and Vetchinkin, V. E. On correlational tracing of reflections from pre-Devonian horizons in the eastern part of the Upper Kama basin (Ocherskiy region) 217-339

Fromm, Erik. Absolute chronology of the late Quaternary Baltic—A review of Swedish investigations 216-18

Frondel, Clifford, and Klein, Cornelis, Jr. Ureyite, $NaCrSi_2O_6$—A new meteoritic pyroxene 227-39

Frost, Noel. See Bird, J. M.

Fryxell, Roald. A radiocarbon limiting date for scabland flooding 216-7

— Mazama and Glacier Peak volcanic ash layers—Relative ages 221-9

Fuchs, Karl. Investigation on the wave propagation in wedge-shaped media 223-94

See also Peterschmitt, Elie.

Fujii, Shoji. The development of the Kurobe fan and the submarine forests around Toyama Bay 227-169

Fujisawa, Hideyuki. See Akimoto, Syun-iti.

Fujita, Kazuo. See Hayakawa, Masami.

Fujiwara, Yoshiki. See Gorai, Masao, and Minato, Masao.

Fukushima, Naoshi, and Kawashima, Nobuki. Model experiment and natural phenomenon of interaction of solar plasma stream with geomagnetic field 225-257

See also Kawashima, Nobuki.

Fulford, Margaret. Continental drift and distribution patterns in the leafy Hepaticae 220-193

Fuller, M. D. On the magnetic fabrics of certain rocks 219-290

Fuller, M. D., and Kobayashi, Kazuo. Identification of the magnetic phases carrying natural remanent magnetization in certain rocks 216-253

Funnell, B. M. See Harrison, C. G. A., and Riedel, W. R.

Furneaux, Rupert. Krakatoa 221-361

Furuhashi, Hiroshi. See Kumazawa, Mineo.

Furuzawa, Tamotsu. See Wada, Tatsuhiko.

Fye, P. M. A major discovery 222-349

Fyfe, W. S. Experiment and the crust of the Earth—Problems and approaches 217-262

Fyles, J. G. See Dyck, W.

G

Gabert, G. M. Groundwater-level fluctuations in Alberta, Canada, caused by the Prince William Sound, Alaska, earthquake of March, 1964 226-108

Abstract

Gabrielyants, G. A. See Amurskiy, G. I.
Gabriyelyan, A. A. Recent tectonics and seismicity of the Armenian S.S.R. and adjacent parts of the Anti-Caucasus ---------- 219-174
Gadd, N. R. Moraines in the Appalachian region of Quebec ---------- 221-11
Gagel'gants, A. A. See Vartanov, S. P.
Gaines, J. E. See Heinrichs, W. E., Jr.
Gair, J. E. See Case, J. E.
Galanopoulos, A. G. Note on strain release variation with depth ---------- 220-84
Galbraith, J. N., Jr., Simpson, S. M., and Cantwell, T. Computer application in geophysical modeling ---------- 222-117
See also Cantwell, T.
Galdin, N. Ye. See Volarovich, M. P.
Gálfi, János, and Stegena, Lajos. A generalized method for establishing crustal thickness by means of P_P- and P_S-type converted waves ---------- 219-249
See also Csomor, Dezső.
Galimov, E. M., and Grinenko, V. A. The age effect in the isotopic composition of the carbon of stalactite rings in the Crimea Highlands ---------- 227-238
— On the effect of surface leaching processes on the isotopic composition of the carbon in secondary calcite ---------- 220-260
Gal'perin, Ye. I. Detailed study of a velocity model of the upper part of a section under conditions of weak velocity differentiation ---------- 218-306
— On the problem of the effect of the surface and upper part of the section on the nature and structure of seismograms ---------- 217-332
Galushko, P. Ya. On isostasy and isostatic compensation ---------- 221-176
Galyavich, A. Sh. See Anpilogov, A. P.
Gaman, B. A. Prediction of the water content of the rocks of the crystalline basement from combined profiling data (in an area of development of rocks of the Bug-Dnieper gneiss series in the vicinity of Zvenigorodki ---------- 221-107
Gamow, George. Matter, Earth, and sky, 2d ed ---------- 226-184
Gamson, B. W., Stephenson, T. B., Edwards, Lyman, and Shane, Lee. Nuclear magnetism logging field results ---------- 221-272
Ganguly, D., and Banerjee, S. Some studies on elastic wave velocity and attenuation in Indian rocks ---------- 217-158
Ganopole, G. See Schmidt, R. A. M.
García, José. See Schoff, S. L.
García Rojas, Antonio, and Gutiérrez G., Daniel. The Fourier transform and its application to the study of seismological equipment ---------- 222-324
Gardner, G. H. F., Wyllie, M. R. J., and Droschak, D. M. Effects of pressure and fluid saturation on the attenuation of elastic waves in sands ---------- 221-79
— Hysteresis in the velocity-pressure characteristics of rocks ---------- 221-76
Garetskiy, R. G., Kolesnikov, Ye. M., Murav'yev, V. I., and Shlezinger, A. Ye. On the absolute age of the folding of the basement in Central Usturt ---------- 223-14
Garetskiy, R. G., Kuryuknin, L G., and Plechsheyev, I. S. Structure and oil and gas possibilities of Northern Ustyurt ---------- 225-143
Garetskiy, R. G., and Yanshin, A. L., eds. Young platforms, their structure, and oil and gas prospects ---------- 227-144
See also Vasil'yev, V. G.
Garkalenko, I. A., Bogayevskiy, L. B., and Bezverkhov, B. D. Some data on the geologic structure of the northwestern part of the Black Sea ---------- 226-312
See also Sollogub, V. B.
Garland, G. D., ed. Canadian Geophysical Bulletin, v. 16 ---------- 216-141
Garland, G. D., and Ward, John. Magnetic variation measurements in Iceland ---------- 220-48
See also Rankin, D.
Garner, Dale, and Forsyth, J. L. A radiocarbon date from the Hartwell Moraine, Warren County, Ohio ---------- 224-6

Abstract

Garner, E. L. See Rosholt, J. N., and Shields, W. R.
Garoutte, S. K. The gravity program of the U. S. Naval Oceanographic Office ---- 222-151
Garrard, P. See Swardt, S. M. J. de.
Garutt, V. E. See Heintz, A. E.
Gasanova, K. D. See Ismail-Zade, T. A.
Gasanenko, L. B. On the problem of calculating the normal field of a raised magnetic dipole ---- 223-112
Gasanenko, L. B., and Fedorov, O. I. Modeling of frequency sounding layer with nonhorizontal lower boundary ---- 223-109
Gasanenko, L. B., Molotkova, M. N., and Sapozhnikov, B. G. The normal field of an infinite rectilinear cable (the field in air) ---- 223-110
Gasanenko, L. B., and Sholpo, M. Ye. On the theory of the induction method ---- 223-114
Gaskell, T. F. Measurements from offshore drilling platforms ---- 227-349
— Sideways facing asdic ---- 227-348
Gasparini, Paolo; Leone, Franca; and Pirajno, Franco. Gamma spectrometry of the lava of Ischia Island ---- 225-240
See also Vittozzi, Pio.
Gasparis, A. De, Napoleone, G., Panizza, A., and Pinna, E. General direction of the magnetic anomaly of the "Gran Cono Vesuviano" ---- 225-288
Gass, I. G. The volcanological report of the Royal Society Expedition to Tristan da Cunha, 1962—Pt. 1, General introduction ---- 218-346
— Vulcanicity and uniformatarianism ---- 227-359
Gass, I. G., Mallick, D. I. J., and Cox, K. G. Royal Society Volcanological Expedition to the South Arabian Federation and the Red Sea ---- 221-354
See also Baker, P. E.
Gassaway, G. S. Method using ellipses to interpret seismic reflection data ---- 218-290
Gassmann, Fritz. Introduction to seismic travel time methods in anisotropic media ---- 219-342
— Status and problems of geodetic gravimetry in Switzerland ---- 216-149
Gast, P. W. Terrestrial ratio of potassium to rubidium and the composition of the Earth's mantle ---- 220-253
See also Hills, Allan, and Tilton, G. R.
Gat, J. R. See Harpaz, Y.
Gathman, Stuart. See Anderson, Robert.
Gatlin, Carl. See Chenevert, M. E.
Gault, D. E. See Moore, H. J.
Gauntt, J. C., Jenkins, R. E., Koepf, E. H. Core-analysis and electric-log data gang up on formation-evaluation—Pt. 4, Mid-continent case histories ---- 223-126
Gavel'ya, A. P. See Anashin, Yu. F.
Gavrilov, A. M. See Grinenko, L. N.
Gay, S. P., Jr. Discussion of "The interpretation of magnetic anomalies due to dykes" ---- 217-309
Gaynanov, A. G. Pendulum determinations of gravity during the first Antarctic voyage of the "Ob'" ---- 225-212
— On some results of gravimetric investigations in the Sea of Okhotsk, Kurile-Kamchatka basin, and adjacent parts of the Pacific Ocean ---- 223-179
— On the nature of the magnetic anomalies of the transition zone of the Pacific Ocean ---- 221-267
Gaynanov, A. G., and Ushakov, S. A. Isostasy and deep structure of the transition zone from the Asiatic continent to the Pacific Ocean in the region of the Kurile-Kamchatka basin ---- 217-265
Gazzarrini, F. See Colombo, U.
Geake, J. E. Lunar luminescence ---- 219-53
See also Derham, C. J.
Geddes, W. H., and Dennis, L. S. Preliminary report on a special aeromagnetic survey of the Puerto Rico Trench ---- 216-277
See also Watkins, J. S.

Abstract

Gehrels, Thomas. A model of the lunar surface ---- 221-43

Gehrels, Thomas, Coffeen, T., and Owings, D. Wavelength dependence of polarization—Pt. 3, The lunar surface ---- 220-36

Geijer, Per. The supposed meteorite fall at Karlstad ("Carlstadt") in Sweden, 1822 ---- 216-31

Geiss, Johannes. See Eberhardt, Peter, Signer, Peter.

Gel'chinskiy, B. Ya., and Krauklis, L. A. On a machine algorithm of the process of correlation of seismic waves ---- 218-63

Gemael, Camil. Form and dimensions of the Earth ---- 221-142

Genca, M. See Sanlav, F.

Gendrin, Roger, See Troitskaya, V. A.

Geneslay, Raymond, and Michon, D. Marine seismic exploration and its evolution ---- 227-331

Genko, G. A. An example of the use of geophysical methods for mapping a metamorphic rock complex ---- 221-102

Gennesseaux, Maurice. See Muraour, Pierre.

Gentner, W. See Lippolt, H. J.

Geological Survey of Finland. Geophysics department ---- 219-307

Geological Survey of Japan. O-Shima Volcano—Guidebook for excursion 2 ---- 223-358

Geophysical Institute. Progress in research ---- 216-235

Georgescu, Lia. See Airinei, Ştefan.

Gérard, André, and Delmelle, Michel. Mössbauer effect and ionic character of the iron atoms in the Orgeuil and Cold Bokkeveld meteorites ---- 216-43

Gerasimov, Yu. G. Character of the boundaries and thickness of the rocks of the Ovruch series according to geophysical and geological data ---- 226-182

Gerasimovich, Ye. A. See Baranskiy, L. N.

Geraybekov, Ch. A. See Ismail-Zade, T. A.

Gerenblat, N. M. See Berezkin, V. M.

Gerken, J. S. See Aldrich, L. T.

Gerling, E. K., Kol'tsova, T. V., Petrov, B. V., and Zul'fikarova, Z. K. Investigation of the suitability of amphiboles for the determination of absolute age of rocks by the K-Ar method ---- 223-1

Gerling, E. K., and Matveyeva, I. I. The age of basic rocks determined by the potassium-argon method ---- 226-70

Gerling, E. K., and Shukolyukov, Yu. A. Use of spontaneous fission for geochronological purposes ---- 226-71

Gerling, E. K., Yashchenko, M. L., and Gorokhov, I. M. On the development and application of the rubidium-strontium method of determining the age of geological formations ---- 226-74
 See also Afanas'yev, G. D.

German Research Group for Explosion Seismology. Crustal structure in western Germany ---- 218-164

Gershanik, Simon. Theoretical relations between epicentral distance and emergency angles for rays of the upper mantle ---- 227-87

Gershanovich, D. Ye. Recent sediments of the Gulf of Alaska ---- 224-353

Gershanovich, I. M. Ground water exploration of Jurassic deposits in the Podobass-Tutuyas depression in the Kuznets basin by geophysical methods ---- 224-164

Gèze, Bernard. On the classification of volcanic dynamisms ---- 226-340

Ghosh, M. L. On a possible explanation of the P_F phase ---- 217-145

— On leaking modes of shear-coupled Love waves ---- 216-80

Gibson, E. K. See Draper, A. L.

Giese, G. S. See Zeigler, J. M.

Giese, Peter. Some results of seismic refraction work in the Gepatsch Glacier in the Oetztal Alps ---- 225-174

Giesecke, A. A. See Schmucker, Ulrich.

Gil'bershteyn, P. G. See Alferov, V. V.

Gilbert, D. See Clerc, G.

Gilbert, F. P. See Bath, G. D., Boynton, G. R., and Bromery, R. W.

Abstract

Gilbert, Freeman, and Backus, G. E. The rotational splitting of the free oscillations of the Earth—Pt. 2 --- 226-113
Giles, B. F. See Schneider, W. A.
Giletti, B. J. See Mauger, R. L.
Gill, E. D. Quaternary shorelines in Australia --- 220-14
—— Radio-carbon dating of australite occurrences, microliths, fossil grasstree and humus podsol structures --- 226-94
Giller, V. G. See Skorik, L. A.
Gilluly, James. Volcanism, tectonism, and plutonism in the western United States --- 223-149
Gilot, E., Ancion, N., and Capron, P. C. Louvain natural radiocarbon measurements III --- 226-17
Gilreath, J. A., and Maricelli, J. J. Detailed stratigraphic control through dip computations --- 220-153
Gilvarry, J. J. The origin of lunar maria, and of terrestrial ocean basins and continents --- 216-57
Gimlett, J. I. See Cartwright, Keros, and Slemmons, D. S.
Ginzburg, I. V. See Kvasha, L. G.
Giorgi, Maurizio. International progress in the study of the Earth's mantle (Upper Mantle Project)—Italian program --- 220-254
Giovanelli, R. G. A fluctuation theory of cosmology --- 217-70
Giret, Raoul. Aeromagnetism applied to petroleum investigation at sea --- 227-296
Giret, Raoul, and Malnar, L. A new airborne magnetometer. The cesium vapor magnetometer --- 227-313
Giret, Raoul, and Naudy, Henri. Present methods of interpretation of aeromagnetic studies in petroleum research --- 220-296
Gjellestad, Guro, and Dalseide, Helge. The magnetic station at Dombås (ϕ=62°04'.4 N., λ=9°07'.0 E. Gr.), observations 1962 --- 223-267
Gladkiy, K. V. On automation of computing operations in gravity and magnetic surveying --- 223-184
Gladkiy, K. V., and Serkerov, S. A. Investigation of ways of transforming anomalous fields by using frequency characteristics --- 223-186
Gladun, V. A. Marine gravimetric measurements at the time of the seventh voyage of the "Ob" --- 218-153
Gladun, V. A., Isayev, Ye. N., Koryakin, Ye. D., Stroyev, P. A., Ushakov, S. A., and Frolov, A. I. Results of geophysical investigation of the Earth's crust in Antarctica in the Enderby Land area --- 217-250
Gladun, V. A., Marchuk, G. D., Panteleyev, V. L., and Stroyev, P. A. Gravimetric investigations in the region of the Kurile-Kamchatka basin and northwestern part of the Pacific Ocean in 1958 --- 223-180
Glangeaud, Louis. See Blavoux, Bernard, Coron, Suzanne, and Serruya, Colette.
Glanville, C. R. Large-scale log interpretations of water saturation for two complex Devonian reef reserviors in western Canada --- 226-170
Glaser, G. C. See Norden, J. A. E.
Glaser, P. E., and Wechsler, A. E. Small-scale structure of the lunar surface --- 224-53
Glazunova, A. V. Structure-facies zones of the Paleozoic basement in the territory of Turkmenia (according to geophysical data) --- 221-260
Glazunova, A. V., and Tvorogova, I. A. Determination of the angle of magnetization of plate-shaped bodies, finite along the dip, from magnetic anomalies --- 223-299
Glevasskaya, A. M. See Mikhaylova, N. P.
Glushko, M. F., and Shakhnazaryan, E. A. Mechanical design of logging cable taking into account the transverse pliability of the insulation --- 217-177
Gluskoter, H. J. See Grommé, C. S.
Gnaedinger, J. P. See Dobar, W. I.
Godby, E. A. See Hood, P. J.
Goddard, Irene, See Brown, Harrison.

Abstract

Godivier, Raymond, and Crenn, Yvonne. Equatorial electrojet at Tchad -------- 224-274
Godwin, Harry, Willis, E. H., and Switsur, V. R. Cambridge University natural radiocarbon measurements VII -------- 226-27
Goel, P. S. Chlorine-36 produced by neutron capture in meteorites- 216-41
Goel, P. S., and Honda, Masatake. Cosmic-ray produced iron 60 in Odessa meteorite -------- 220-18
Gofshteyn, I. D. Neotectonics of the Carpathians -------- 223-161
Goguel, Jean. Tectonic data in the study of the upper mantle-------- 221-146
— The program of work on tectonics in the Upper Mantle Project -- 226-191
Goh, Tetsuo. Recurrence tendency of geomagnetic disturbances and its association with the slowly varying component of microwave solar radiation -------- 222-238
Gołab, Stanisław. A simple method of computing the correction for the acceleration of gravity resulting from ground relief -------- 216-178
Gold, T. See Peale, S. J.
Goldberg, E. D., and Griffin, J. J. Sedimentation rates and mineralogy in the South Atlantic-------- 216-13
Goldberg, E. D., Koide, Minoru, Griffin, J. J., and Peterson, M. N. A. A geochronological and sedimentary profile across the North Atlantic Ocean, Chap. 17-------- 218-184
Goldberg, J. E., and Herness, E. D. Vibration of multistory buildings considering floor and wall deformations -------- 222-63
See also Bogdanoff, J. L.
Goldich, S. S. See Shields, W. R.
Gol'din, S. V. Displacement of the zeros and extremums of seismic signals under the influence of interference -------- 222-333
Gol'dshmidt, V. I. See Bachin, A. P.
Goldsmith, Werner, and Austin, C. F. Some dynamic characteristics of rocks-------- 224-112
Golenetskiy, S. I. On the recording of PS waves in the Baikal area - 219-100
Goles, G. G. See Schmitt, R. A.
Golikova, G. V. See Yanovskaya, T. B.
Golizdra, G. Ya. Derivation of numerical methods for analytical continuation of two-dimensional potential fields by means of LaGrange interpolation -------- 218-142
— Numerical methods for the analytical continuation of two-dimensional potential fields by interpolation-------- 223-187
Golovtsyn, V. N., Ivanov, B. N., and Smol'nikov, B. M. Some karstologic-geophysical investigations of zones of shallow holes in the karstified rocks of the Crimean Mountains -------- 221-104
Golovtsyn, V. N., and Smol'nikov, B. M. The charged body method in ground water investigations in the Crimean Mountains -------- 221-106
Gol'tsman, F. M. Statistical models for data processing in seismology and magnetic prospecting-------- 226-300
Gol'tsman, F. M., and Fan, Yun'-Fey. The statistical theory of optimal reception of packets of regular waves -------- 223-96
Gol'tsman, Yu. V., Ivanov, I. B., Chernyshev, I. V., and Shanin, L. L. Some procedural problems of measurement of radiogenic argon-------- 226-45
Golub, D. P. On the structure of the Paleozoic basement of the Aral region -------- 221-261
Golubchina, M. N. See Rabinovich, A. V.
Golubev, A. A. Variation in physical properties of basic and ultrabasic rocks with depth-------- 221-96
Goncharov, L. A. See Bibanov, V. I.
Goncharskiy, V. N., Kalashnikov, N. I., and Nichoga, V. A. Modernization of infinitely-long-cable airborne electrical surveying apparatus -------- 225-128
See also Kalashnikov, N. I.
Gondet, H., and Thellier, Emile. On the construction of an amagnetic and non-inductive furnace for archeo and paleomagnetic research-------- 222-267

Abstract

Gonfiantini, Roberto. Some results on oxygen isotope stratigraphy in the deep drilling at King Baudouin Station, Antarctica --------- 222-200
See also Colombo, U.

Goodacre, A. K. A shipborne gravimeter testing range near Halifax, Nova Scotia --------- 218-138

Goodell, H. G. Marine geology of the Drake Passage, Scotia Sea, and South Sandwich Trench --------- 217-354

Goodell, R. R., and Fay, C. R. Borehole gravity meter and its application --------- 216-185

Goodman, R. E. The resolution stresses in rock using sterographic projection --------- 216-335

Gorai, Masao, and Hoshino, Michihei. Submarine topography, Chap. 26 --------- 226-330

Gorai, Masao; Nomura, Satoshi; Minato, Masao; and Fujiwara, Yoshiki. Palaeomagnetism, Chap. 25 --------- 226-259

Gorai, Masao, and Tamaki, Ituo. Crustal structure, Chap. 23 --------- 226-231
— Seismicity, Chap. 24 --------- 226-119

Gorai, Masao; Yagi, Kenzo; and Katsui, Yoshio. Genetics of the Quaternary volcanic magmas, Chap. 22 --------- 226-360

Gorbachev, Yu. I. Test of the operation of TSP-59-OKS instruments --------- 218-96

Gorbik, G. K., Zundelevich, S. M., and Kulinkovich, A. Ye. Machine interpretation of lateral logging curves --------- 217-172

Gorbunov, L. V. See Guriyev, T. S.

Gorbunova, I. V. Detailed study of the seismicity of the Northern Tien Shan --------- 216-72

Gorbunova, T. M. Preparation of polished slices of large area from iron meteorites --------- 217-43

Gordon, R. B. Diffusion creep in the Earth's mantle --------- 223-153

Gordon, R. B., and Vaišnys, R. J. On the ultrasonic observation of the calcite-aragonite transition --------- 217-139

Gore, J. V. See Osborne, F. J. F.

Gorelov, S. K., Mattskova, V. A., and Martynova, Z. I. Study of recent tectonic movements of the Earth's crust in the region of the three-fold leveling stretch Ternopol-Kursk --------- 219-210

Gorelov, S. K., and Rantsman, Ye. Ya. Quantitative methods of estimating recent movements of the Earth's crust --------- 219-172

Gorin, A. Z. Dependence of the density of coal on ash content --------- 226-292

Gorodnicheva, O. P. See Novysh, V. V.

Gorokhov, I. M. Rb-Sr age of the Bektau-Ata granites (Central Kazakhstan) --------- 216-21

Gorokhov, I. M., and Lobach-Zhuchenko, S. B. Determination of the age of the granites of the Karelides of southwestern Karelia using the Rb-Sr isochron method --------- 218-19
See also Gerling, E. K., and Yashchenko, M. L.

Gorshkov, G. V., Zybkin, V. A., and Tsvetkov, O. S. On the neutron background near the Earth's surface --------- 220-310

Gorskiy, Ya. Ya. Errors in radiometric apparatus occasioned by absorption of charge in the integrating condensers --------- 219-336
— Problems of increasing the reliability and heat resistance of radiometric apparatus in the light of the task of investigating extra-deep boreholes --------- 219-334

Goryachev, A. V. The Kamchatka earthquakes of May 4 and June 18, 1959, and the geologic conditions of their origin --------- 219-91

Gostev, M. A. Tuning and regulating seismic stations by electrodynamic means --------- 216-92

Gostev, M. A., and Fedotov, S. A. Spectral characteristics of foreshocks and aftershocks of the catastrophic earthquake of November 6, 1958 --------- 219-97

Gottikh, R. P. On the problem of the nature of radiometric anomalies over oil and gas deposits --------- 224-320

Götzinger, K. G. H. See Brix, F. E.

Goudas, C. L. A contour map of the Moon --------- 221-42
— Moments of inertia and gravity field of the Moon --------- 221-40

Abstract

Goudas, C. L. Note on the gravitational field of the Moon --------- 218-31

Gough, D. I. See Smit, P. J.

Gouin, Pierre. Some features of the H daily variations at Addis Ababa --------- 218-230

Gow, A. J. See Epstein, Samuel.

Grabovskaya, G. P. See Ismail-Zade, T. A.

Graf, D. L. See Epstein, Samuel.

Grafe, Armin. The separation of the geomagnetic ring current effect into the external and internal part --------- 224-275

— The significance of the departures of the geomagnetic daily mean from the so-called normal value for the analysis of the geomagnetic ring current effect --------- 216-226

Graffham, A. A. Lake Murray meteorite and its probable age ----- 216-26

Graham, K. W. T., and Hales, A. L. Surface-ship gravity measurements in the Agulhas Bank area, south of South Africa ------ 227-191

Gramberg, J. Rock mechanics—The axial cleavage fracture in brittle materials at compressive loading --------- 222-339

Gran, B. V. See Balashova, E. L.

Granberry, R. J., Wilhusen, R. C., and Koepf, E. H. Core-analysis and electric-log data gang up on formation-evaluation problems—Pt. 1, Gulf Coast applications --------- 223-125

— Core-analysis and electric-log data gang up on formation-evaluation problems—Pt. 2, Gulf Coast case histories --------- 223-127

Grandjean, Alice, and Lagrula, Jean. On the seismicity of Algeria- 216-70

Grant, A. C. See Hobson, G. D.

Grant, F. S., and West, G. F. Interpretation theory in applied geophysics --------- 227-148

Grant, J. A. Rubidium-strontium isochron study of the Grenville Front near Lake Timigami, Ontario --------- 217-14

Grantz, Arthur. See Andreasen, G. E.

Grashchenko, S. M. See Sobotovich, E. V.

Grasty, R., Miller, J. A., and Mohr, P. A. Preliminary results of potassium-argon age determinations on some Ethiopian trap series basalts --------- 219-11

Gratsinskiy, V. G. Investigation of elastic wave in models of boreholes --------- 218-303

— The amplitude of sliding waves on the surface of a borehole ----- 222-332

Grau, Gérard. Possibilities and limitations of modern treatment of seismic information --------- 220-326

See also Fail, J. P.

Graulich, J. M., and Koenigsfeld, J. L. Geomagnetic study of the southern part of the Devillian massif of Grand-Halleux (Stavelot massif) --------- 223-284

Grave, M. K., and Yevzerov, V. Ya. Recent and contemporary tectonic movements in the central part of the Kola Peninsula ------- 219-208

Grebnev, S. K., Potemkin, K. N., Kistina, A. I., Il'chenko, R. L., and Poleshko, Ye. S. On methods of determining the magnetite content in iron ores --------- 224-295

Grechin, P. Yu. Improved junction head for the IG-2 gyroscopic inclinometer --------- 226-179

— Improved logging coupling --------- 226-186

— Supply and receiving block of the apparatus of magnetic susceptibility logging (KMV) in operating at 50-cycle frequency --------- 226-275

Grechin, P. Yu., and Lavrenko, I. V. Capillary pen for the PASK-8 potentiometer of the AEKS-900 logging station --------- 226-176

Grechishnikov, G. A., and Nomokonov, V. P. Features of refracted waves generated in a medium containing a vertical layer (according to modeling data) --------- 223-104

Grechukhin, V. V. Geophysical methods of investigation in the Pechora coal basin --------- 227-141

— Geophysical methods of investigation of coal boreholes --------- 224-163

Green, J. H., Harris, Josephine, Neuhaus, J. W. G., Sewell, D. K. B., and Watson, Maureen. University of New South Wales radiocarbon dates I --------- 226-21

Abstract

Greenland, L. P. Gallium in chondritic meteorites 227-38

Greenland, L. P., and Lovering, J. F. The variation of iron and manganese in tektites 224-48

Greensfelder, R. W. The Pg-Pn method of determining depth of focus with applications to Nevada earthquakes 225-76

Greenstein, J. L. See Stawikowski, Antoni.

Gregor, C. B., and Zijderveld, J. D. A. Paleomagnetism and the alpine tectonics of Eurasia—Pt. 1, The magnetism of some Permian red sandstones from northwestern Turkey 227-288

Gregory, A. F., and Horwood, J. L. A spectrometric study of the attenuation in air of gamma rays from mineral sources 227-320

Gregory, A. R. Ultrasonic pulsed-beam transmission and reflection methods for measuring rock properties—Some theoretical and experimental results 226-321

Gregson, V. G., Jr. See Ahrens, T. J.

Greifinger, Carl, and Greifinger, Phyllis. Transmission of micropulsations through the lower ionosphere 223-253

Greifinger, Phyllis. See Greifinger, Carl.

Griffin, J. B. See Crane, H. R.

Griffin, J. J. See Goldberg, E. D.

Griffiths, J. F. See O'Brien, J. J.

Griggs, D. T. See Carter, N. L., and Christie, J. M.

Grigorash, Z. K., and Zaklinskiy, A. B. Experimental investigation of the propagation of a long solitary wave in a strati 225-82

Grigor'yants, B. V. The role of surface structure in the distribution of gravity anomalies in folded regions 217-231

Grigor'yev, D. P. Primary crystallization of minerals and structures of meteoritic chondrules 216-39

Grim, P. J. See Langseth, M. G.

Grin', N. Ye. On the problem of the spectrums of waves reflected from a pinching-out layer 221-300

Grinenko, L. N., Andreyeva, M. G., and Gavrilov, A. M. Some data on the isotopic composition of sulfur of the sulfides of the gold deposits of the Baleysk region (East Transbaikalia) 222-204

Grinenko, V. A. See Galimov, E. M., and Vinogradov, A. P.

Griscom, Andrew. Magnetic properties and aeromagnetic interpretation of serpentinite from southwest Puerto Rico 216-279
See also Bromery, R. W.

Griswold, G. B. How to measure rock pressures—New tools and proved techniques aid mine design 221-328

Grögler, N. See Grünenfelder, Marc.

Grommé, C. S., and Gluskoter, H. J. Remanent magnetization of spilite and diabase in the Franciscan Formation, western Marin County, California 224-297

Grommé, C. S., and Merrill, R. T. Paleomagnetism of Late Cretaceous granitic plutons in the Sierra Nevada, California—Further results 226-256

Gromtsev, Yu. V. Scheme for converting ionization chamber signals in working with multichannel analyzers 216-293

Gross, W. H., and Sijpkens, J. P. The cosmic origin of mineral deposits 224-45

Gross, W. H., and Thode, H. G. Ore and the source of acid intrusives using sulfur isotopes 227-242

Grosset, J. C. See Schlich, Roland.

Grossmann, Walter, and Peschel, H. Determination of the gravity difference between Potsdam and Bad Harzburg with Askania gravimeters 220-217

Groten, Erwin. On the correlation of gravity with tidal anomalies 220-104

Grover, J. C. A brief history of geological and geophysical investigations in the British Solomon Islands, 1881-1961 217-195

Groves, G. W. On dissipation of tsunamis and barotropic motions by tidal currents 219-119

Grozdenskiy, V. A. See Voyutskiy, V. S.

Grudeva, N. P. Problem of the properties of the boundary of the Earth's core 219-265

Abstract

Grudkin, K. A. On the problem of determining the coefficient of water saturation from geophysical logging data ---------- 227-128

Grünenfelder, Marc, Hofmänner, F., and Grögler, N. Heterogeneity of accessory zircons, and the petrographic significance of their uranium-lead decay—Pt. 2, Precambrian zircon formation in the Gotthard massif ---------- 222-11

Gruninger, John, Jr. See Ralph, E. K.

Gruntorád, Jan. Electrical field of charged conductors in an inhomogeneous medium ---------- 217-165

Gruntorád, Jan; Bezvoda, Václav; Knĕz, Jaroslav; and Nový, Zdenĕk. The mean gradient method in reconnaissance surveying of ore deposits ---------- 220-138

Gruntorád, Jan; Knĕz, Jaroslav; and Ruzha, František. Geophysical research by new electrical methods at Moravsky Beroun in the Nízký Jeseník Mountains ---------- 217-72

Gruntorád, Jan, and Skopec, Jiří. Geophysical investigations in the Havlickuv Brod ore district ---------- 220-171

Grushinskiy, N. P. An experiment in the use of a gravimeter with a highly damped system ---------- 225-211

Grushinskiy, N. P., Burova, N. G., and Tarbeyeva, M. I. Construction of a schematic map of thicknesses of the Earth's crust according to relief and Bouguer anomalies ---------- 220-249

Grushinskiy, N. P., and Sagitov, M. U. The role of marine currents in the study of the external gravitational field of the Earth -- 223-183

Gruzinov, V. M. Computation of depth corrections for the deviation of the actual from the computed sound velocity during echo soundings ---------- 222-353

Gryzlov, V. S. Use of radioactivity logging in prospecting and estimating reserves of coal ---------- 216-296

Guardia, Pierre. Tertiary and Quaternary volcanoes of the Province of Gerona and paleomagnetism of their flows ---------- 222-273

Gubanov, V. G., and Lyubavin, Yu. P. On the problem of increasing the stability of photoelectric multiplier tubes ---------- 216-301
  See also Bondarev, V. M.

Gubaydullin, A. M. See Nelidov, N. N.

Guberman, Sh. A. Joint interpretation of geophysical data using an instructing program ---------- 219-327

Guberman, Sh. A., and Ch'ang, Hsi. Investigation of the effect of porosity and gas saturation of carbonate reservoirs on the readings of neutron methods (according to modeling results) ---------- 219-330

Guberman, Sh. A., and Kozhevnikov, D. A. An analytical method of increasing the resolving power of geophysical instruments ---------- 219-337

Guberman, Sh. A., Kozhevnikov, D. A., and Yakubson, K. I. The direct and inverse problems of nuclear geophysics ---------- 219-323

Guberman, Sh. A., Mar'yenko, N. N., and Kholin, A. I. Modeling of the problem of determining the gas saturation of terrigenous reservoirs by neutron methods ---------- 219-329

Guberman, Sh. A., and Ovchinnikova, M. I. Some possibilities for using the statistical characteristics of a geological section ---------- 226-293

Guberman, Sh. A., and Yakubson, K. I. Possibility of using the temperature of thermal neutrons for investigating rocks ---------- 219-332

Gubin, I. Ye. On making macroseismic investigations ---------- 224-88

Gudimovich, N. P. A new seismic prospecting system ---------- 217-346

Gugunava, G. Ye. Choice of frequency of the electromagnetic field reflecting the shape of a marker horizon in the territory of eastern Georgian S. S. R. ---------- 220-143

Gugunava, G. Ye., and Chernyavskiy, G. A. The use of absolute ellipses in analysis of variation of the Earth's natural electromagnetic field ---------- 226-103
  See also Bukhnikashvili, A. V.

Guillier, M. T. See Delibrias, Georgette.

Guillou, R. B. Arguello Area (ARMS-II) ---------- 226-282

Gukasyan, R. Kh. See Bagdasaryan, G. P., and Baratov, R. B.

Abstract

Gul'bel'mi, A. V. On the effect of decay of Alfvén waves in the exosphere on the character of short-period fluctuations of the electromagnetic field of the Earth ---------- 224-278
Gumanyuk, M. N. Remote identification of rocks and coals from the attenuation of non-directional ultrasonic vibrations ---------- 219-344
Gunn, C. L., Jr. See Dennis, L. S.
Gunten, H. R. von, Wyttenbach, A., and Scherle, W. Determination of chlorine in stony meteorites by neutron activation analysis- 224-34
See also Wyttenbach, A.
Gupta, I. N. A note on the Alaska earthquake of July 10, 1958 ----- 220-68
— Discussion of "Source mechanism from spectra of long-period seismic surface waves—3, The Alaska earthquake of July 10, 1948" by A. Ben-Menahem and M. N. Toksöz ---------- 220-69
— Note on the use of reciprocity theorem for obtaining radiation patterns ---------- 224-99
Gupta, N. R. S. See Murthy, M. V. N.
Gupta, P. R. S. Pyrrhotite geothermometry and its application to the sulfide ores of the Mosaboni Mines, Singhbhum, Bihar, India-- 220-243
Gupta, R. N. Reflection of plane waves from a linear transition layer in liquid media ---------- 221-78
Gupta, S. S. Grand Banks earthquake of 1929 and the "instantaneous" cable failures ---------- 219-67
Gupta Sharma, D. A portable electromagnetic (inductive) prospecting instrument ---------- 217-171
— A simple D. C. millivoltmeter for use in earth resistivity and spontaneous polarization measurements ---------- 217-170
Gurariy, G. Z., and Solov'yeva, I. A. Some data on the structure of the upper mantle of the Earth and a general scheme of isostasy- 217-266
Gurevich, B. L. See Benderskiy, V. Ya., and Subbotin, S. I.
Gurevich, G. I. On the fundamental regularities of propagation and attenuation of seismic vibrations, Pt. 2 ---------- 217-152
— On the problem of variations in seismic wave velocity in the region of formation of an earthquake focus ---------- 216-87
Gurevich, V. F., and Briker, K. A. Compensator for electromagnetic interference from electrical transmission lines in seismic surveying ---------- 225-326
Guriyev, T. S., Pleshivtsev, A. S., and Gorbunov, L. V. Geothermal regime of the Sadonskiy polymetallic deposit (Northern Caucasus) ---------- 223-198
Gusakov, N. D. See Nechay, A. M.
Gusev, K. F. See Volarovich, M. P.
Gusev, Yu. M., and Pyatnitskiy, V. K. Calculation of the depth of magnetic bodies from the inflection points of magnetic anomaly curves ---------- 223-298
See also Karatayev, G. I.
Guss, D. E. Distribution of heliographic longitude of flares which produce energetic solar particles ---------- 217-284
Gussow, W. C. Metastasy ---------- 220-194
Gustkiewicz, Jerzy. Ways of applying resistance strain gauges for measuring the deformation of rocks elements ---------- 216-344
Guterch, A. See Wojtczak-Gadomska, B.
Guterman, V. G. Relationship of formation velocities and tectonics of two anticlinal structures of the Dnieper-Donets basin ---------- 226-313
Gutiérrez G., D. Theoretical characteristics of some types of noise and methods for their recognition and elimination ---------- 220-318
See also García Rojas, Antonio.
Gutsalo, L. K. On the genesis of the helium in the ground waters of the Dnieper-Donets basin ---------- 220-307
Guyod, Hubert. An investigation of the factors affecting the SP in soft formations ---------- 226-151
— Factors affecting the responses of Laterlog-type logging systems (LL3 and LL7) ---------- 221-120
— Use of geophysical logs in soil engineering ---------- 219-148

Abstract

Guzanova, I. G., Kozina, Z. K., Komarov, S. G., and Kotov, P. T. The coefficient of resistivity increment of sandstone reservoirs ---------- 226-173
Gvizd', D. I. Study of the geologic structure of the Ust-Yenesei basin by the methods of magnetotelluric profiling and magnetotelluric sounding ---------- 224-153
Gvozdev, A. A. On the direction of displacement in a longitudinal wave propagating along the free boundary of an elastic medium -- 224-115
Gzovskiy, M. V. Geophysical interpretation of data on recent and contemporary deep tectonic movements ---------- 219-179
— Tectonophysics and the study of the upper mantle ---------- 227-223
— Use of recent and contemporary tectonic movements in a new type of detailed seismic regionalization ---------- 219-192
See also Belousov, V. V.

H

Haáz, I. B. Determination of the magnetic characteristics of rocks in magnetic investigations by the Hungarian State "Roland Eötvös" Geophysical Institute ---------- 218-243
— On the determination of a gravimetrically or magnetically disturbing vertical or inclined layer from the anomalies ---------- 224-211
Habib, Pierre. See Aveline, Monique.
Hackett, Peter. The prediction of rock movements by elastic theory compared with in-situ measurements ---------- 221-93
Hackman, R. J. A lunar isotonal map ---------- 217-60
Hadikusumo, Djajadi. See Zen, M. T.
Hadley, J. B. Correlation of isotopic ages, crustal heating and sedimentation in the Appalachian region ---------- 220-4
Hadley, M. L. The continental margin southwest of the English Channel ---------- 221-343
Haefeli, Robert. A numerical and experimental method for determining ice motion in the central parts of ice sheets ---------- 225-178
Hafer, R. A. See Maclure, K. C.
Hagedoorn, J. G. The elusive first arrival ---------- 216-312
Hager, C. L. See Slichter, L. B.
Haggerty, S. E. See Watkins, N. D.
Hagiwara, Yukio. See Uyeda, Seiya.
Haile, N. S. Preliminary report on the oceanographic cruise of H. M. S. Dampier, in the South China Sea 1963—Submarine topography ---------- 220-351
Hakura, Yukio. See Ondoh, Tadanori.
Hales, A. L. See Graham, K. W. T., and Smit, J. P.
Hall, D. H. Converted waves in refraction surveys over markers with variable depth ---------- 216-310
Hall, S. H. See Burrows, K.
Halliday, Ian. Comments on Karl Engel's paper "Diameter-depth relations and origins of lunar craters" ---------- 225-35
— The variation in the frequency of meteorite impact with geographic latitude ---------- 222-22
Halverson, M. O. See Cook, K. L.
Ham, W. E., Denison, R. E., and Merritt, C. A. Basement rocks and structural evolution of southern Oklahoma ---------- 222-2
Hambleton, W. W. See Cole, V. B.
Hamilton, A. C., compiler. Gravity measurements in Canada, January 1, 1960 to December 31, 1962 ---------- 224-203
Hamilton, E. I. Distribution of some trace elements and the isotopic composition of strontium in Hawaiian lavas ---------- 223-240
— The geochemistry of uranium and thorium together with the distribution of radioactivity in the Ilímaussaq intrusion ---------- 217-314
See also Snelling, N. J., and Wager, L. R.
Hamilton, E. L. Consolidation characteristics and related properties of sediments from experimental Mohole (Guadalupe site) ---- 216-351
— Marine geology of the Pacific Basin ---------- 217-193

Abstract

Hamilton, E. L. Sound speed and related physical properties of sediments from experimental Mohole (Guadalupe Site) ---------- 223-89
Hamilton, J. A. See Schmidt, R. A. M.
Hamilton, W. B. Antarctic tectonics and continental drift -------- 220-189
— Origin of high-alumina basalt, andesite, and dacite magmas ---- 216-214
Hamilton, W. B., and Mountjoy, Wayne. Alkali content of alpine ultramafic rocks ---------- 225-229
Hamilton, W. B., and Pakiser L. C. Geologic and crustal cross section of the United States along the 37th parallel—A contribution to the Upper Mantle Project ---------- 222-179
Hammond, D. A. See Naughton, J. J.
Hand, B. M., and Emery, K. O. Turbidites and topography of north end of San Diego Trough, California ---------- 218-334
Handin, John. Strength at high confining pressure and temperature of serpentinite from Mayagüez, Puerto Rico ---------- 216-337
Hanley, A. See Cullington, A. L.
Hanna, S. S. See Sprenkel-Segel, E. L.
Hannon, W. J. An application of the Haskell-Thomson matrix method to the synthesis of the surface motion due to dilatational waves- 220-120
Hanotel-Monstard, Monique. See Allègre, Claude.
Hansen, S. M., Nordyke, M. D., Rawson, D. E., Sherman, W. C., Spruill, J. L., Steinreide, W. L., and Toman, John. Recommended explosion and crater nomenclature ---------- 216-104
Hanshaw, B. B., Back, William, and Rubin, Meyer. Radiocarbon determinations for estimating groundwater flow velocities in central Florida ---------- 222-195
Hanss, R. E. Thermochemical etching reveals domain structure in magnetite ---------- 216-255
Hanuš, Václav, Krs, Miroslav, and Šmíd, Bohumil. Paleomagnetic investigations on hydrothermal ore deposits in the Krušné hory (Erzgebirge) ---------- 220-291
Hanzlík, Jiří; Křivánek, Zdeněk; and Pazdera, František. Geoelectrical apparatus for low-frequency resistivity measurements- 220-139
Hanzlík, Jiří, and Malkovský, Miroslav. Geophysical and geological investigation of the area between Teplice and Duchcov and its results ---------- 225-139
Hanzlík, Jiří, and Mazáč, Oldřich. Contribution to the procedure of geoelectrical investigation in the Bohemian Cretaceous by the telluric current method ---------- 220-51
Hanzlík, Jiří, and Mazáč, Oldřich. Experimental electrical investigations in the Czechoslovakian Cretaceous region ---------- 218-40
— On the interpretation of the method of telluric currents -------- 225-55
Harada, Y. See Utashiro, S.
Haramura, Hiroshi. See Miyashiro, Akiho.
Harding, J. L. See Antoine, J. W., and Nowlin, W. D., Jr.
Hardy, H. R., Jr. New rock mechanics program underway by Canadian government ---------- 219-354
Hardy, R. M., and Hemstock, R. A. Shearing strength characteristics of Athabasca oil sands ---------- 216-339
Harkrider, D. G. See Töksöz, M. N.
Harleman, D. R. F., and Ippen, A. T. Friction and energy dissipation in long wave hydrodynamics ---------- 217-116
Härme, Maunu. On the shear zones and fault lines in Finnish Precambrian strata ---------- 225-164
Harms, J. C., and Choquette, P. W. Geologic evaluation of a gamma-ray porosity device ---------- 226-289
Harpaz, Y., Mandel, S., Gat, J. R., and Mir, A. The place of isotope methods in groundwater research ---------- 216-218
Harper, C. T. Potassium-argon ages of slates and their geological significance ---------- 216-17
Harper, D. R. Observed reflection and diffraction wavelet complexes in two-dimensional seismic model studies of simple faults- 221-74
Harrington, H. J. Deep focus earthquakes in South America and their possible relation to continental drift ---------- 220-188

Abstract

Harris, Josephine. See Green, J. H.
Harris, L. D. The Clinchport thrust fault—A major structural element of the southern Applachian Mountains ---------- 224-184
Harris, M. A. Geochronological scale of the Urals and main stages of its development in the Precambrian and Paleozoic (according to data of the potassium-argon method) ---------- 226-53
Harris, M. A., Kazakov, G. A., Keller, B. M., Polevaya, N. I. and Semikhatov, M. A. Geochronological scale of the Upper Proterozoic (Riphean and Wend) ---------- 226-79
See also Afanas'yev, G. D.
Harris, P. G. The volcanic eruption on Tristan da Cunha in 1961 -- 226-336
See also Baker, P. E., and Reay, A.
Harris, P. M., Farrar, E., MacIntyre, R. M., York, Derek, and Miller, J. A. Potassium-argon age measurements on two igneour rocks from the Ordovician system of Scotland ---------- 221-18
Harrison, A. E. Ice surges on the Muldrow Glacier, Alaska---------- 218-122
Harrison, C. G. A., and Funnell, B. M. Relationship of palaeomagnetic reversals and micropalaeontology in two late Caenozoic cores from the Pacific Ocean ---------- 218-259
Harrison, J. C., and Corbató, C. E. The Mount Wilson calibration range—New geodetic measurements in the western United States and some submarine gravity measurements in the northeastern Pacific Ocean ---------- 222-152
Harrison, J. C., and Mathur, S. P. Gravity anomalies in Gulf of California ---------- 225-184
Harrison, W., Malloy, R. J., Rusnak, G. A., and Terasmae, J. Possible Late Pleistocene uplift, Chesapeake Bay entrance ------ 224-5
Hart, S. R. The petrology and isotope-mineral age relations of a contact zone in the Front Range, Colorado ---------- 218-2
Hart, S. R., and Steinhart, J. S. Heat flow ---------- 224-219
See also Aldrich, L. T., Rama, S. N. I., and Tilton, G. R.
Hartenberger, R. A. See Sax, R. L.
Hartmann, O. See Schmucker, Ulrich.
Hartmann, W. K. Terrestrial and lunar flux of large meteorites in the last two billion years ---------- 225-25
See also Whitaker, E. A.
Harvey, John. The topography of the south-western Faroe Channel - 225-352
Hasegawa, H. S. See Savage, J. C.
Hashimoto, Mitsuo. See Miller, J. A.
Hashimoto, Takasu. Magnetic properties of the solid solutions between $KMnF_3$, $KCoF_3$, and $KNiF_3$ ---------- 217-298
Haskell, N. A. Total energy and energy spectral density of elastic wave radiation from propagating faults ---------- 220-116
Haskin, Larry. See Wildeman, T. R.
Hassall, G. I. See Callow, W. J.
Hatherton, T., and Leopard, A. E. The densities of New Zealand rocks ---------- 220-234
Hatori, Tokutaro, and Takahasi, Ryutaro. On the Iturup tsunami of October 13, 1963, as observed along the coast of Japan ---------- 221-69
Haubrich, R. A. Earth noise, 5 to 500 millicycles per second—Pt. 1, Spectral stationarity, normality, and nonlinearily ---------- 222-297
Haubrich, R. A., and MacKenzie, G. S. Earth noise, 5 to 500 millicycles per second—Pt. 2, Reaction of the Earth to oceans and atmosphere ---------- 222-298
Haupt, H. F. See Burroughs, E. R., Jr.
Haurwitz, M. W., Yoshida, Sekiko, and Akasofu, S.-I. Interplanetary magnetic field asymmetries and their effects on polar cap absorption events and Forbush decreases ---------- 226-244
Havemann, Hans. The Pacific rotation and circumpacific movements ---------- 219-164
Havens, R. G. See Engel, A. E. J.
Hawkes, I. See Roberts, Albert.
Hawkes, J. G., and Smith, P. Continental drift and the age of angiosperm genera ---------- 227-158

Abstract

Hawkins, G. S. The physics and astronomy of meteors, comets, and meteorites 223-19
Hawkins, G. S., Friesen, D. D., Mitchell, P. W., Byers, F. H., Aghassi, Badri, and Belsky, L. Boston University catalog of lunar craters 224-54
Hay, R. J. See Ogden, J. G. III.
Hayakawa, Masami; Mori, Kiyoshi; Kamata, Seikichi; and Fujita, Kazuo. Sonic method survey at Osaka Bay 216-354
Hayatsu, Ryoichi. Optical activity in the Orgueil meteorite 226-90
— Orgueil meteorite—organic mitrogen contents 218-25
See also Anders, Edward.
Hayes, C. E., and Webb, W. W. Dislocations in ice 219-216
Haynes, D. D. Reconnaissance for uranium in the Central Tucano Basin, Bahia, Brazil 224-319
Haynie, R. B. See Matthews, R. R.
Hayre, H. S. Acoustic simulation of lunar echoes 227-51
Hays, E. E. See Hersey, J. B., and Nicholls, G. D.
Heacock, R. R., and Hessler, V. P. Pearl-type micropulsations associated with magnetic storm sudden commencements 221-206
See also Tepley, L. R.
Healy, James. Stratigraphy and chronology of late Quaternary volcanic ash in Taupo, Rotorua, and Gisborne districts, Pt. 1 220-16
Healy, James, Lloyd, E. F., Banwell, C. J., and Adams, R. D. Volcanic eruption of Raoul Island, November 1964 221-359
Healy, J. H., Steinhart, J. S., and Meyer, R. P. Seismic refraction studies in the Transcontinental Geophysical Survey 225-302
Heath, G. R., and Moore, T. C., Jr. Subbottom profile of abyssal sediments in the central equatorial Pacific 227-351
Hedberg, H. D., and Burk, C. A. Drilling the ocean crust 219-243
Hedeman, E. R. See Dodson, H. W.
Hédervári, Péter. Investigations regarding the Earth's seismicity—Pt. 2, The Circumpacifical, Indonesian and Eurasian earthquake belts 221-58
— On the distribution of energy and number of earthquakes in accordance with the focal depth 220-87
— Suggestion for a new classification of earthquakes according to focal depth 220-86
Heezen, B. C., and Johnson, G. L. The South Sandwich Trench 225-353
See also Nikovich, Dragoslav.
Heidecker, E. Flow folding—Discussion 223-334
Heier, K. S., and Adams, J. A. S. Concentration of radioactive elements in deep crustal material 220-306
Heier, K. S., Compston, W., and McDougall, Ian. Thorium and uranium concentrations, and the isotopic composition of strontium in the differentiated Tasmanian dolerites 225-239
Heierli, Werner. One-dimensional inelastic wave propatation in soils—Experimental and theoretical investigations 224-113
Heigold, P. C., McGinnis, L. D., and Howard, R. H. Geologic significance of the gravity field in the DeWitt-McLean County area, Illinois 217-240
Heinrichs, W. E., Jr., Gaines, J. E., Carey, W. W., and Spaulding, J. D. Successful computer application by a small exploration consulting firm 222-142
Heinrichs, W. E., Jr., and Seward, F. A., Jr. Geophysics in ground-water studies in the Southwest 219-155
Heintz, A. E., and Garutt, V. E. Determination of the absolute age of the fossil remains of the mammoth and woolly rhinoceros from the permafrost in Siberia by the help of radio carbon (C-14) 224-24
Heirtzler, J. R. A summary of the observed characteristics of geomagnetic micropulsations 227-260
— Magnetic measurements near the deep ocean floor 221-254
Heirtzler, J. R., and Le Pichon, Xavier. Crustal structure of the mid-ocean ridges—Pt. 3, Magnetic anomalies over the Mid-Atlantic ridge 227-309

Abstract
Heise, Horst. Well logging opens new methods for exploration 227-150
Heiskanen, W. A. Activity of the Columbus geodetic group in physical geodesy since 1960 224-180
— Present problems of physical geodesy 223-146
Heiskanen, W. A., and Moritz, Helmut. Methods of physical geodesy 219-158
Heiskanen, W. A., Moritz, Helmut, and Mueller, I. I. Research directed toward a feasibility study dealing with the integration of gravity data 217-203
Heitowit, E. D. See Moore, H. J.
Heinzelin, J. de. Observations on the absolute chronology of the upper Pleistocene 217-16
Helbig, Klaus. A graphical method for the construction of rays and travel times in spherically layered media—Pt. 1, Isotropic case 225-92
— Refraction seismics with an anisotropic overburden—A graphical method of interpretation 220-320
Hellenthal, W. Magnetic properties of ferromagnetic granulates 220-286
Helmuth, D. N. See Schmidt, R. A. M.
Helsley, C. E. Paleomagnetic results from the Lower Permian Dunkard Series of West Virginia 219-296
Hémon, Charles. See Bois, Pierre.
Hempkins, W. B. See Barnard, G. R.
Hemstock, R. A. See Hardy, R. M.
Henderson, B. C. Advanced degrees to be scarcer 219-157
— Demand by industry for geologists and geophysicists—Supply by colleges and universities in the U.S. and Canada 227-154
Henderson, E. P. Hexahedrites 226-84
Henderson, J. R., and Smith, C. W. Aeromagnetic map of the Old Speck Mountain quadrangle, Franklin and Oxford Counties, Maine 216-273
Henderson, J. R., and Vargo, J. L. Aeromagnetic map of central Iowa 219-304
Henderson, R. G., and Allingham, J. W. The magnetization of an inhomogeneous laccolith calculated on a digital computer 216-276
Hendricks, S. J. See Cain, J. C.
Henoch, W. E. S. Postglacial marine submergence and emergence of Melville Island, N. W. T. 221-147
Henry, V. J., Jr. See Antoine, J. W.
Heppner, J. P. See Davis, T. N.
Herness, E. D. See Goldberg, J. E.
Herrera, I. Contribution to the linearized theory of surface wave transmission 217-137
Herrera, I., and Mal, A. K. A perturbation method for elastic wave propagation—Pt. 2, Small inhomogeneities 220-124
Herrin, Eugene. See Crawford, Nancy.
Hersey, J. B., Knott, S. T., Caulfield, D. D., Edgerton, H. E., and Hays, E. E. Adaption of sonar techniques for exploring the sediments and crust of the Earth beneath the ocean 218-298
See also Richards, A. F.
Hess, H. H. The oceanic crust, the upper mantle and the Mayaguez serpentinized periodotite 217-263
Hessler, V. P. See Heacock, R. R.
Heuring, F. T. The analytic description of the geomagnetic field at satellite altitudes 218-201
Heymann, Dieter. Cosmogenic and radiogenic helium, neon, and argon in amphoteric chondrites 227-35
— Origin of the Canyon Diablo No. 2 and No. 3 meteorites 219-31
See also Schaeffer, O. A.
Hicks, B. L. See Burroughs, E. R., Jr.
Hicks, S. D., and Shofnos, William. The determination of land emergence from sea level observations in Alaska 226-190
Higashi, Akira, Koinuma, Shoichi, and Mae, Shinji. Plastic yielding in ice single crystals 218-331
Hilde, T. W. C. Magnetic profiles across Gulf of California 225-282
Hilgendorf, C. G. See Carter, G. F.

Abstract

Hill, D. P. The U.S. Geological Survey's gravity program in Washington, Idaho, Montana, and Wyoming ---- 222-153

Hill, E. L. See Ruhe, R. V.

Hill, M. N. See Black, Maurice.

Hill, M. W. See Perkins, R. W.

Hills, Allan, and Gast, P. W. Age of pyroxene-hornblende granitic gneiss of the eastern Adirondacks by the rubidium-strontium whole-rock method ---- 216-5

Hilten, Dick van. The ancient radius of the Earth ---- 222-265

Hines, C. O. Hydromagnetic motions in the magnetosphere ---- 224-258

— Wind-induced magnetic fluctuations ---- 222-215

Hings, D. L. "Geomag" applications in geophysics ---- 216-63

Hinz, Karl. See Bungenstock, Herwald.

Hinze, W. J. Regional gravity and magnetic anomaly maps of the Southern Peninsula of Michigan ---- 217-241

Hirasawa, Tomowo, and Stauder, William. On the seismic body waves from a finite moving source ---- 224-97

— Spectral analysis of body waves from the earthquake of February 18, 1956 ---- 220-65

Hirasawa, Tomowo. Elastic waves from a spherical source—Aperiodic solutions for Scholte's model ---- 219-128

See also Kaminuma, Katsutada.

Hirone, Tokutaro. See Sato, Kiyoo.

Hirono, Tokuzo. See Wadati, Kiyoo.

Hirshberg, Joan. A comparison of the different empirical relationships that have been suggested between surface magnetic indices and solar wind velocities ---- 226-247

Hirst, D. M. See Clark, A. H., and Sawkins, F. J.

Hirvonen, R. A. Statistical analysis of gravity anomalies ---- 216-172

Hirvonen, R. A., and Kivioja, L. A. Interpolation of the gravitation field at high elevations ---- 216-169

Hisamoto, S. See Wadati, Kiyoo.

Hobbs, D. W. A simple method for assessing the uniaxial compressive strength of rocks ---- 216-334

— An assessment of a technique for determining the tensile strength of rock ---- 221-329

Hobbs, P. V. The effect of time on the physical properties of deposited snow ---- 227-177

Hobot, József. See Erkel, András.

Hobson, G. D. Geotechnical investigations Red River Floodway, Winnipeg, Manitoba—Pt. 1, Hammer seismic survey ---- 216-329

Hobson, G. D., and Grant, A. C. Tracing buried river valleys in the Kirkland Lake area of Ontario with a hammer seismograph ---- 216-328

See also Surjik, D. L.

Hodge, P. W. The Henbury meteorite craters ---- 225-28

See also Wright, F. W.

Hodgson, J. H., and Stevens, A. E. Seismicity and earthquake mechanism, Chap. 2 ---- 224-84

See also Langill, F. E.

Hodgson, K. See Cook, N. G. W.

Hoek, Evert. Rock mechanics research in South Africa ---- 225-341

Hofmann, R. B., and Wylie, R. W. A magnitude calculation and data handling system ---- 217-90

Hofmann, Walther. Geodetic measurements over the Greenland Ice Cap of the International Glaciological Greenland-Expedition (EGIE) 1959 ---- 225-154

Hofmänner, F. See Grünenfelder, Marc.

Hoka, Teruaki. See Wada, Tatsuhiko.

Holdgate, M. W., Dickson, J. H., and Miller, J. A. The volcanological report of the Royal Society Expedition to Tristan da Cunha, 1962—Appendix 1, The biological work of the Expedition ---- 218-349

Hollis, E. P. Bibliography of engineering seismology, 2d edition -- 216-98

Holt, D. B. See Nabarro, F. R. N.

Abstract

Holzer, F. Measurements and calculations of peak shock-wave parameters for underground nuclear detonations 220-130
Honda, Masatake. See Goel, P. S.
Honkasalo, Tauno. On the use of gravity measurements for investigation of the land upheaval in Fennoscandia 225-196
Hood, P. J. Sea magnetometer reconnaissance of Hudson Bay 218-267
— The ground fluxgate magnetometer—A new versatile prospecting tool 216-270
— The Königsberger ratio and the dipping-dyke equation 220-295
Hood, P. J., and Godby, E. A. Magnetic profile across the Grand Banks and Flemish Cap off Newfoundland 226-268
Hood, P. J., and McClure, D. J. Gradient measurements in ground magnetic prospecting 225-275
Hopkinson, E. C. See Youmans, A. H.
Hopson, C. A. See Doe, B. R.
Horai, Ki-iti. Mantle substance and terrestrial heat flow 219-260
See also Yukutake, Takesi.
Horikawa, Kiyoshi. Evaluation of tsunami protection measures 217-121
Hörnsten, Åke, and Olsson, I. U. A C-14 dating of glacial clay from Lugnik, Angermanland 217-23
Horváth, Josef. Formation of axially symmetrical limit loads around mine roadways of circular section 218-327
Horwood, J. L. See Gregory, A. F.
Hörz, Friedrich. See Engelhardt, Wolf von.
Hoshino, Michihei. See Gorai, Masao.
Hoskins, Hartley. See Caulfield, D. D.
Hospers, J. Gravity field and structure of the Niger Delta, Nigeria, West Africa 223-174
— Gravity field of the Niger Delta 227-190
— Preparation of spherical caps for use on terrestrial globes in investigations of palaeomagnetism and continental drift 216-265
Hossin, A. Calculation of useful porosity in shaly sandstones 219-320, 226-163
Hotta, Hiroshi; Murauchi, Sadanori; Usami, Tatsuo; Shima, Etsuzo; Motoya, Yoshinobu; and Asanuma, Toshio. Crustal structure in central Japan along longitudinal line 139° E. as derived from explosion-seismic observations—Pt. 2, Crustal structure 221-192
Hottman, C. E., and Johnson, R. K. Estimation of formation pressures from log-derived shale properties 226-169
Houtermans, F. G., and Eberhardt, A. Lead of volcanic origin, Chap. 18 218-185
Houtz, R. E. The 1953 Suva earthquake and tsunami 217-84
See also Le Pichon, Xavier.
Hovis, W. A. Discussion of paper by Graham R. Hunt, "Infrared spectral emission and its application to the detection of organic matter on Mars" 223-45
Hovis, W. A., Jr. Infrared reflectivity of $Fe_2O_3 \cdot nH_2O$—Influence on Martian reflection spectra 224-56
Howard, R. H. See Heigold, P. C.
Howell, B. F., Jr. Birth and death of a seismic impulse 223-91
Hoyle, Fred, and Fowler, W. A. On the abundance of uranium and thorium in solar system material, Chap. 30 220-42
Hoyningen-Heune, Ewald von. Deep mapping and geophysics exemplified by the Schraplau quadrangle 226-200
Hoyte, A., Senftle, Frank, and Wirtz, P. Electrical resistivity and viscosity of tektite glass 223-30
Hsu, I.-C. Bouguer gravity anomalies over the Kinmen Island, Fukien 216-206
Hsu, K. J. Isostasy, crustal thinning, mantle changes, and the disappearance of ancient land masses 224-182
Huang, Y.-H. On the frequency spectrum of seismic waves 218-299
Huang, Y.-N. Geomagnetic activity and occurrence of sporadic E in the Far East 221-207
Hubbard, S. J. See Wisecarver, D. W.
Hubbert, M. K. See Davis, G. A.

Abstract

Hubbs, C. L., Bien, G. S., and Suess, H. E. La Jolla natural radiocarbon measurements IV 226-16

Hudson, D. E., and Scott, R. F. Fault motions at the Baldwin Hills reservoir site 222-127

Hudson, J. D. Sedimentation rates in relation to the Phanerozoic time-scale 227-3

Hughes, James. See Anderson, Robert.

Hughes, S. P. See Burroughs, E. R., Jr.

Hugon, M. See Camichel, H.

Hulston, J. R., and Thode, H. G. Variations in the S^{33}, S^{34}, and S^{36} contents of meteorites and their relation to chemical and nuclear effects 226-86

Hunkins, Kenneth, and Kuo, J. T. Surface wave dispersion in the Tonga-Fiji region 222-62

See also Shaver, Ralph

Hunt, G. R. Infrared spectral emission and its application to the detection of organic matter on Mars 223-44

— Reply: Discussion of paper "Infrared spectral emission and its application to the detection of organic matter on Mars" 223-45

Hunt, G. R., and Salisbury, J. W. Lunar surface features 216-54

Hunter, W. See Brownlow, A. E.

Huntley, L. G. Factors affecting acoustic amplitude logs and their evaluation 226-322

Hurdle, B. G., Ferris, R. H., and Flowers, K. D. Effect of transducer velocity on the structure of signals scattered from the ocean bottom 218-296

Hurley, P. M., Batemen, P. C., Fairbairn, H. W., and Pinson, W. H., Jr. Investigation of initial Sr-87/Sr-86 ratios in the Sierra Nevada plutonic province 222-201

Hurley, P. M., Fairbairn, H. W., and Pinson, W. H., Jr. Rb-Sr relationships in serpentinite from Mayagüez, Puerto Rico, and dunite from St. Paul's rocks—A progress report 217-270

See also Brookins, D. G., Fairbairn, H. W., Faure, G., Pinson, W. H., Jr., and Powell, J. L.

Hurley, R. J. Bathymetry of the Straits of Florida and the Bahama Islands—Pt. 3, Southern Straits of Florida 218-333

Hurt, W. R. Recent radiocarbon dates for central and southern Brazil 219-8

Hurtig, Eckart. Investigations of the heat conductivity anisotropy of sandstones, graywackes, and quartzites 227-213

— Investigations on the velocity of propagation of P-waves in sedimentary rock samples 221-91

— On the relationships between acoustic velocity and the petrographic development of sedimentary rocks 226-132

Hurtig, Eckart, and Jacobs, Franz. Experience with geoelectrical measurements in the forefield of open-pit lignite mines 218-88

Hutchinson, D. R. The nature of tektites 217-55

Hyndman, R. D. Gravity measurements on the Devon Island icecap and an adjoining glacier 222-163

Hyyppä, Esa. On the late-Quaternary history of the Baltic Sea 225-166

I

Ibrmajer, Jaroslav, and Mottlová, Ludmila. Interpretation of gravity and magnetic measurements in the Little Danube Plain 220-224

Ice. Radio echo-sounding 222-323

Ignat'yev, P. S. See Frolovich, G. M.

Ihnat, Michael. See Sagan, Carl.

Iida, Kumizi. A relation of earthquake energy to tsunami energy and the estimation of the vertical displacement in a tsunami source 217-123

— Magnitude, energy, and generation mechanisms of tsunamis and a catalogue of earthquakes associated with tsunamis 217-97

— On the estimation of tsunami energy 217-114

Abstract

Iida, Kumizi, and Ohta, Yutaka. On the heights of tsunamis associated with distant and near earthquakes --- 217-105
See also Kumazawa, Mineo.
Iida, Shuichi. See Okada, Takashi, and Tasaki, Akira.
Iijima, T. See Nagata, Takesi.
Ikegami, Ryohei. On the microseisms observed at Koganei, Tokyo, Pt. 1 --- 219-315
Ikola, R. J. See Sims, P. K.
Ilayev, M. G. Magnetic properties of the copper-nickel ores of the Pechenga region and their relation to genetic features of the deposit --- 221-235
Il'chenko, R. L. See Grebnev, S. K.
Il'in, A. V. Geomorphological investigations in the North Atlantic on the research vessel "Mikhail Lomonosov" --- 227-353
— On the problem of the spatial interrelations of forms of submarine topography --- 227-354
Il'in, Yu. T. See Sveshnikov, G. B.
Illies, Henning. Origin of geologic grabens—The upper Rhine graben as a geologic research object and model --- 226-193
Imbò, Giuseppe, Bonasia, V., and Bascio, A. Lo. First results of continuous observations of gravity at the Vesuvius Observatory --- 225-189
Indonesia Ministry of Air Communications. Earthquakes in Indonesia 1957-58 --- 222-51
— Earthquakes in Indonesia 1959 --- 222-52
— Earthquakes in Indonesia 1960 --- 222-53
— Earthquakes in Indonesia 1961 --- 217-83
Inghilleri, Giuseppe. See Solaini, Luigi.
Innes, M. J. S. Recent advances in meteorite crater research at the Dominion Observatory, Ottawa, Canada --- 222-33
See also Beals, C. S., and Dence, M. R.
Inogamov, Kh. Kh. On the problem of the geologic nature of the magnetic anomalies of the territory of Ustyurt --- 224-311
Inogamov, R. Sh., Nakhamkin, S. A., Rudakov, A. G., and Kharitonov, A. I. Use of controlled directional reception with preliminary multi-element grouping in conditions where intensive seismic interference is manifested --- 216-325
International Geophysical Bulletin No. 88. Ranger VII photographic mission to the Moon --- 219-49
International Geophysical Bulletin No. 93. Survey and outlook of solid-earth geophysics --- 222-115
International Geophysical Bulletin No. 95. Years of the Quiet Sun—Status report through the first quarter of 1965, Pt. 1 --- 225-242
International Geophysical Bulletin No. 94. Soviet Antarctic scientific station Vostok --- 225-241
International Geophysical Bulletin No. 96. Current status of the solar cycle and summary of solar-geophysical activity, January 1964-March 1965 --- 225-244
International Geophysical Bulletin No. 96. Years of the Quiet Sun—Status report through the first quarter, Pt. 2 --- 225-243
Investigation Section, Tokyo D. M. O. See Seismological Section, J. M. A.
Iodko, V. K. See Vvedenskaya, N. A.
Ionov, V. A. See Boltneva, L. I.
Ippen, A. T. See Harleman, D. R. F.
Irvin, B. F. Logging and interpretation technique in the Arkoma basin --- 220-155
Irving, Edward. Palaeomagnetic directions and pole positions—Pt. u, Numbers 7/1 to 7/80 --- 222-272
Irving, Edward, and Opdyke, N. D. The palaeomagnetism of the Bloomsburg red beds and its possible application to the tectonic history of the Appalachians --- 222-270
Irving, Edward, Stephenson, P. J., and Major, A. Magnetism in Heard Island rocks --- 226-258
Irving, Edward, and Ward, M. A. A statistical model of the geomagnetic field --- 219-277

Abstract

Irving, W. N. See Bryson, R. A.

Isacks, Bryan, and Oliver, Jack. Seismic waves with frequencies from 1 to 100 cycles per second recorded in a deep mine in northern New Jersey ---------- 220-62

Isayev, Ye. N. See Gladun, V. A.

Ishikawa, Yoshikazu. See Syono, Yasuhiko.

Iskanderova, A. D. See Voskresenskaya, M. N.

Islamov, K. Sh. The earthquake in December 1959 in the settlement of Nasosnyy ---------- 219-94

Ismail-Zade, T. A., Agamirzovey, R. A., Geraybekov, Ch. A., Grabovskaya, G. P., Gasanova, K. D., Karayev, E. M., and Mamedov, S. A. Magnetic properties of the productive complex of Zigil'piri ---------- 224-304

Isnard, Pierre. See Aveline, Monique.

Isono, K. An investigation of seismic regions from seismograms obtained at Tsuruga ---------- 224-80

Isshiki, Naoki. Mode of eruption of Miyake-jima Volcano in historic times ---------- 226-332

Itenberg, S. S. On a procedure of solving regional problems of petroleum geology by a combination of geophysical and geological investigations ---------- 225-151

Itenberg, S. S., Yepifanov, Yu. G., Dakhkil'gov, T. D., and Shnurman, G. A. Estimation of the porosity of the Lower Cretaceous sandy-shaly rocks of the Kuma plain according to SP data ---------- 227-120

Ivanchura, L. I. See Mikov, D. S.

Ivankin, V. P., and Bolychevskiy, Yu. M. Determination of nonlinearity of the apparatus of radioactivity logging ---------- 218-287

Ivanov, A. G. See Udintsev, G. B.

Ivanov, A. I. See Satpayev, K. I.

Ivanov, A. P., Nikitina, V. N., and Shugarevskaya, O. A. Spectral interpretation of electromagnetic field build-up curves ---------- 219-136

Ivanov, B. N. Deep karst in the Ukrainian S.S.R. and modern possibilities of studying it ---------- 220-173

See also Golovtsyn, V. N., and Nazarov, G. N.

Ivanov, I. B. See Afanas'yev, G. D., Gol'tsman, Yu. V., Laverov, N. P., and Yablokov, K. V.

Ivanov, K. G. Map of distribution of the sign of the Z-component of the SSC field over the Earth's surface ---------- 227-280

Ivanov, K. G., and Mikerina, N. V. Horizontal inhomogeneities of the Earth's electrical conductivity and predominant directions of Sq variations of earth currents ---------- 227-61

— Some results of comparison of sudden commencements as recorded on magnetograms and tellurograms during the IGY period - 222-254

See also Mishin, V. M.

Ivanov, O. D. See Bachin, A. P.

Ivanov, V. I., and Kostomarov, D. P. Computation of electric currents induced in the sea by S_q variations ---------- 217-73

Ivanova, L. A. Experimental data on the suppression of multiple reflections using frequency selection ---------- 225-312

Ivanova, L. A., and Mikhaylova, N. G. Change in the character of multiply and simply reflected waves over an area ---------- 225-311

Ivanova, T. G., and Vasil'yev, Yu. I. Selection of optimum characteristics of apparatus for recording head waves from the crystalline basement ---------- 219-313

Ivanova, Z. S., Keylis-Borok, V. I., Levshin, A. G., and Neygaus, M. G. Love waves and the structure of the upper mantle ---------- 221-62

Ivantishin, M. N., Kuts, V. P., Yeliseyeva, G. D., Kotlovskaya, F. I., and Demidenko, S. G. Absolute age of the crystalline rocks of the Azov area according to data of the lead-isotope and argon methods ---------- 226-62

Ivantishin, M. N., Ladiyeva, V. D., Zaydas, B. B., and Vetshteyn, V. Ye. The Katarchean of the Ukraine according to absolute age data ---------- 226-63

See also Semenenko, N. P.

Abstract

Ivashchenko, T. F. Possibility of using gamma logging for estimating reserves of loparite, exemplified by one deposit ---------- 216-304

Ives, P. C. See Levin, Betsy.

Ivochkin, V. G. Electrical profiling using the "Zemlya-2" apparatus in prospecting for highly conducting sulfide ores under the conditions of the Kola Peninsula ---------- 223-118

— Electromagnetic profiling in geologic mapping ---------- 227-117

Iwasaki, Iwaji; Yoshida, Minoru; Makino, Ichiro; and Yonehara, Norinobu. A model experiment on the formation of the volcanic sublimates from the magmatic emanation ---------- 218-356

Iwasaki, Masao. See Miller, J. A.

Izokh, E. P. See Polevaya, N. I.

Izyumov, I. F. On the basis for three-coil induction logging sondes- 218-91

See also Kaufman, A. A.

J

Jack, R. Magnetometer survey, Hampshire iron ore deposit---------- 222-292

Jackson, A. Oil exploration—A brief review with illustrations from south Sumatra ---------- 221-131

Jackson, David. See Press, Frank.

Jackson, P. L. Analysis of variable-density seismograms by means of optical diffraction ---------- 221-291

— Directional and wide-band velocity filtering ---------- 222-316

Jackson, W. E. W., Cook, H. E., and Madill, R. G. Record of observations at Meanook Magnetic Observatory 1940-41 ---------- 216-236

Jackson, W. E. W., and Ross, W. E. Record of observations at Agincourt Magnetic Observatory 1940-41 ---------- 216-237

— Record of observations at Agincourt Magnetic Observatory 1942-1943-1944 ---------- 216-238

Jackson, W. H. See Pakiser, L. C.

Jacobs, Franz. See Hurtig, Eckart.

Jacobs, J. A. Comments on paper by Leroy R. Alldredge and Louis Hurwitz, "Radial dipoles as the sources of the Earth's main magnetic field" ---------- 217-273

— Geophysics in Western Canada since 1920 ---------- 217-184

— Micropulsations of the Earth's electromagnetic field in the frequency range 0.1-10 cps ---------- 227-259

Jacobs, J. A., and Watanabe, Tomiya. Micropulsation whistlers -- 216-231

Jacobshagen, V., and Münnich, K. O. Carbon-14 age determination and other isotope investigations on hot salt-water springs of the Ruhr Carboniferous ---------- 219-16, 221-20

Jacquemin, M. See Bollo, Robert.

Jaeger, J. C., and Cook, N. G. W. Theory and application of curved jacks for measurement of stresses ---------- 225-343

Jaeger, J. C., and Thyer, R. F. Geophysics in Australia ---------- 217-183

Jäger, Emilie, and Niggli, Ernst. Rubidium-strontium isotope analyses of minerals and rocks of the Rotondo granites and their geologic interpretation ---------- 217-21

Jäger, F. W. Solar magnetic fields and their significance for geophysics ---------- 225-248

Jäger, Wolfgang. Contribution to geomagnetic investigations in the western Erzgebirge ---------- 222-289

Jain, Sudhir. A method of quantitative interpretation of the electrical fields of infinitely long sinks and horizontal circular cylindrical bodies ---------- 217-163

James, G. T. See Evernden, J. F.

Jamil, A. K. See Bradley, R. S.

Janák, František. Paleomagnetism and its significance ---------- 219-295

Jankowski, Jerzy. Short-period variations of the Earth's magnetic field on Polish territory and their connection with the structure of the deep substratum ---------- 227-59

Jankowski, Jerzy, Kiełek, W., and Romaniuk, W. The TMP-1 transistorized proton magnetometer---------- 225-250

See also Pożaryski, Władysław.

Abstract

Janssen, T. See Wohlenberg, J.
Jarosch, H. See Pekeris, C. L.
Jebe, E. H., and Willis, D. E. An application of the discriminant function technique to seismic records 223-82
Jedwab, J. Natural radioactivity damage in some uraniferous asphaltic materials—Pt. 2, Asphaltized fossil wood from Temple Mountain (Utah) 216-283
Jefferson, C. F., and West, R. G. Magnetic properties of ilmenite hematite solid solutions 220-285
Jeffery, P. M. See deLaeter, J. R., and McCall, G. J. H.
Jeffreys, Harold. Note on Fourier analysis 217-147
— The Moon's principal librations in rectangular co-ordinates 225-31
See also Vicente, R. O.
Jeffries, F. S. Demand for log analysts to increase spectacularly 227-152
— Wireline logs have untapped potential 218-100
— Wireline logs—The infant oil finding technique 227-151
Jenkins, R. E. See Gauntt, J. C.
Jennings, David; Cutshall, Norman; and Osterberg, Charles. Radioactivity—Detection of gamma-ray emission in sediments in situ 222-302
Jenschke, V. A., and Penzien, J. Ground motion accelerogram analysis including dynamical instrumental correction 220-70
Jensen, M. L. See Dechow, E., and Nakai, Nobuyuki.
Jérémine, Elisabeth, Orcel, Jean, and Sandréa, A. P. Mineralogic and structural study of the Chassigny meteorite 224-42
Jespersen, Anna. Aeromagnetic interpretation of the Globe-Miami Copper district, Gila and Pinal Counties, Arizona 221-253
Jotel, Jan. Relation between the temperature and CO_2-content of the mineral waters in the Sokolov Basin in West Bohemia 221-362
Jizba, Z. V., Campbell, W. C., and Todd, T. W. Core resistivity profiles and their bearing on dipmeter survey interpretation 218-98
Jobert, Georges. Program for the calculation of hourly values of the magnetic elements 223-272
Jobert, Nelly. Excitation of torsional oscillations of the Earth 218-57
Johnson, C. G. Status of geological and geophysical study of the islands of the western North Pacific 217-194
Johnson, G. L. See Heezen, B. C.
Johnson, H. M. An automated approach to formation evaluation 226-156
Johnson, H. S., Jr. See Cazeau, C. J.
Johnson, L. R. Crustal structure between Lake Mead, Nevada, and Mono Lake, California 224-231
Johnson, R. H. The Hilo tsunami gage system 217-109
See also Northrop, John.
Johnson, R. K. See Hottman, C. E.
Johnson, W. C. See Laaspere, T.
Johnston, G. H., and Brown, R. J. E. Stratigraphy of the MacKenzie River delta, Northwest Territories, Canada 224-16
Johnstone, C. W. See Wahl, J. S.
Johnstone, R. W. See Pearson, F. J., Jr.
Jokipii, J. R. The distribution of gasses in the protoplanetary nebula 218-37
Jonasson, Sirureir. See Anderson, Robert.
Jones, A. E. See Ryall, Alan, and Slemmons, D. B.
Jones, B. R. See Dehlinger, Peter.
Jones, D. L. See McElhinny, M. W.
Jones, G. D. See Carlson, R. H.
Jones, G. H. S. See Diehl, C. H. H.
Jones, Louis. See Evrard, Pierre.
Jordan, G. F., Malloy, R. J., and Kofoed, J. W. Bathymetry and geology of Pourtales Terrace, Florida 220-342
Jordan, J. N., Lander, J. F., and Black, R. A. Aftershocks of the 4 February 1965 Rat Island earthquake 223-55
Jubelt, R. Geophysical joint investigations in the northeast area of the Saxon granulite rock near Waldheim 221-256
— Methodology of investigations in the Saxon granulite rock for the detection of nickel silicate deposits—A report on procedure 221-114

Abstract
Judd, W. R. Rock stress, rock mechanics, and research 225-334
Jung, Karl, Menzel, Heinz, and Rosenbach, Otto. Gravimeter measurements in the Nördlinger Ries 221-163
Junger, Arne. Signal-to-noise ratio and record quality 218-289
Jurkiewicz, L. Recent development of nuclear geophysics 225-295

K

Kaaden, G. van der. See Blumenthal, M. M.
Kääriäinen, Erkki. Land uplift in Finland computed by the aid of precise levellings 225-155
Kadlecik, J. See Beranek, B.
Kadyrov, I. N. See Lyakhov, L. L.
Kailasam, L. N. The present status of geophysical exploration in India 217-182
Kaipov, R. L., and Leypunskaya, D. I. On modeling of the activation logging problem 225-299
Kaizuka, Sohei. See Yoshikawa, Torao.
Kajiura, Kinjiro. On the partial reflection of water waves passing over a bottom of variable depth 217-117
Kakioka Magnetic Observatory. Geoelectric observations made at Memambetsu for 1950-1956 218-44
— Geomagnetic indices K and C for 1962 at Kakioka 217-293
— Geomagnetic and geoelectric observations 1963—Rapid variation 218-235
Kalashnikov, N. I. Measuring apparatus for airborne electrical surveying by the infinitely long cable method 224-138
Kalashnikov, N. I., Brandorf, V. G., Nichoga, V. A., and Goncharskiy, V. N. The AERA-2 measuring apparatus 225-127
Kalashnikov, N. I., Goncharskiy, V. N., and Nichago, V. A. Procedure of executing laboratory and summer field testing of airborne electrical surveying apparatus for the infinitely-long-cable method 225-130
Kalashnikov, N. I., and Soprunyuk, P. M. Measurement of the orthogonal components of a signal 225-123
See also Goncharskiy, V. N.
Kalinin, Yu. D. Expression in spherical coordinates of the potential of a magnetic field situated at any point in space and having a magnetic moment of any direction 217-278
See also Afanas'yeva, V. I.
Kalinowska, Zofia. Świder three-hour-range indices K and magnetic character figures C for January to March 1964 218-232
— Świder three-hour-range indices K and magnetic character figures C for July to September, 1964 225-252
Kalitiuk, Ryszard. Gamma-gamma logging of soft radiations 225-298
Kallberg, Per. See Karlén, Ingvar.
Kal'varskaya, V. P. Use of magnetic susceptibility logging to solve some geologic problems 227-314
Kalyuzhnaya, L. T., Sollogub, V. B., and Chekunov, A. V. Characteristics of elastic waves from discontinuities in the crystalline basement of the southern part of the Belozersk iron ore region and its deep structure 226-311
Kamata, Seikichi. See Hayakawa, Masami.
Kamb, W. B. Glacier geophysics 216-167
Kamenetskiy, F. M. On the effect of surface deposits in working with the transient process method (summary) 224-142
Kamenetskiy, F. M., and Kovalenko, V. F. Suppression of interference of industrial frequencies in recording nonstationary electromagnetic fields 216-122
Kamenetskiy, F. M., Kovalenko, V. F., and Yakubovskiy, Yu. V. On a means of areal investigation by the transient process method 224-141
See also Yakubovskiy, Yu. V.
Kaminskaya, A. B. See Shergina, Yu. P.
Kaminuma, Katsutada. The crustal structure in Japan from the phase velocity of Rayleigh waves 218-171
Kaminuma, Katsutada, and Hirasawa, Tomowo. The phase velocity of Love waves from an Iranian earthquake 219-78

Abstract
Kamo, Kosuke. See Wada, Tatsuhiko.
Kanamori, Hiroo. Gravity anomalies and the crust-mantal structure in Japan ---------- 218-172
Kanasewich, E. R., and Cumming, G. L. Near-vertical-incidence seismic reflections from the "Conrad" discontinuity ---------- 226-228
See also Cumming, G. L.
Kanayev, V. F. Geomorphology of the floor of the northeastern part of the Indian Ocean ---------- 224-349
See also Udintsev, G. B.
Kane, J. Travel time and phase shift ---------- 222-80
Kane, M. F. See Pakiser, L. C.
Kaneta, Kiyoshi. See Tanabashi, Ryo.
Kántás, Karl. Analogous method for interpretation of gravitational anomalies ---------- 227-185
Kanto Loam Research Group. On the geological age of the Hanaizumi bed, mammalian deposits of the Glacial Age, north-east Japan--- 221-26
Kantor, Jān, and Rybār, Martin. Isotopes of ore-leads from several deposits of west Carpathian crystalline ---------- 222-12
Kanyuka, A. I. See Pelyushenko, V. M.
Kapitsa, A. P. The nature of Central Antarctica ---------- 219-154
Kapitsa, A. P., and Sorokhtin, O. G. On errors in interpretation of reflection seismic shooting in the Antarctic ---------- 225-330
Kapounek, J., Koelbl, L., and Weinberger, F. Results of new exploration in the basement of the Vienna basin ---------- 220-324
Karaczun, Konstanty. See Kowalczuk, Jerzy.
Karapetyan, B. K. Study of the vibrations of some engineering constructions ---------- 227-101
Káras, Gyula. See Sebestyén, Károly.
Káras, Gyuláné. See Sebestyén, Károly.
Karasev, A. N. See Aleksandrov, A. Yu.
Karasev, B. V. See Baranov, V. I.
Karasik, A. M., Malyavkin, A. M., and Zatsepin, E. N. Magnetic susceptibility of rocks in the eastern part of the mountains in Queen Maud Land ---------- 225-268
See also Demenitskaya, R. M., Levin, D. V., and Voronov, P. S.
Karandeyev, K. B., Dayev, D. Š., Pas'ko, E. V., and Shtamberger. G. A. Principles of construction of apparatus for geophysical prospecting by the alternating-current method ---------- 219-135
Karandeyev, K. B., and Shtamberger, G. A. Measuring information systems for geophysical investigations ---------- 226-145
— On developments of the Institute of Automation and Electrometry in the field of apparatus for induction methods of surveying ------ 224-127
Karapetyan, K. I. Some regularities in areal volcanism ---------- 226-350
Karatayev, G. I. Correlation scheme of linear prediction of the structure and constitution of the Earth's crust according to gravity and magnetic anomalies ---------- 222-147
— Some information from functional analysis and the theory of linear approximations ---------- 217-201
Karatayev, G. I., Serbulenko, M. G., Gusev, Yu. M., Kolmogorova, P. P., Puk'yanova, N. N., Puchkov, Ye. P., and Sarycheva, Yu. K. The solution of some problems of gravity and magnetic surveying on electronic computers ---------- 217-233
Karayev, E. M. See Ismail-Zade, T. A.
Karayev, N. A. See Voskoboynik, N. I.
Karig, D. E. Geophysical evidence of a caldera at Bonanza, Colorado ---------- 224-198
Karlén, Ingvar; Olsson, I. U.; Kallberg, Per; and Kilicci, Serap. Absolute determination of the activity of two C^{14} dating standards ---------- 222-1
See also Olsson, I. U.
Karmaleyeva, R. M. See Balavadze, B. K.
Karp, D., Morrow, W. E., Jr., and Smith, W. B. Radar observations of Venus at 3.6 centimeters ---------- 221-45
Karpenko, S. F. See Tugarinov, A. I.
Karpinskaya, T. B. Synthesis of argon-bearing muscovite ---------- 218-16

Abstract

Karsulović, Kokot. See Watanabe, Takeo.
Kartvelishvili, K. Z. See Balavadze, K. Z., and Latynina, L. K.
Karus, Ye. V. See Baranov, V. I.
Karzheva, L. V. See Kulichikhina, T. N.
Kasahara, Keichi, and Sugimura, Arata. Horizontal secular deformation of land deduced from retriangulation data—Pt. 1, Land deformation in central Japan ---------- 221-151
Kashcheyev, B. L. See Babadzhanov, P. B.
Kasimov, A. M. See Tsaturyants, A. B.
Kašpar, Milan. Methods of isoanomaly-direction statistics and devices for the numerical-graphical interpretation of micromagnetic measurements ---------- 221-133
Kastal'skiy, Ye. M. See Kiselev, V. S.
Kastorskiy, S. A. See Borisevich, Ye. S.
Kasymov, S. M. Dependence of the increment of seismic intensity on engineering-geologic conditions in the central part of the Zeravshan River basin ---------- 227-78
Katcoff, S. See Stoenner, R. W.
Kato, Yoshio. Relations between the magnetic disturbances observed by Imp 1 satellite and terrestrial magnetic micropulsations --- 222-214
Kato, Yoshio, and Saito, Takao. Observation of pc1 and pi1 by a visual-type induction magnetometer at the middle latitude station, Onagawa ---------- 221-226
— Secular and annual variations in the periods of pc4 and pc5 ------ 221-225
Kato, Yoshio, and Tamao, Tsutomu. On a possible mechanism for the rules of polarization of pc5 geomagnetic pulsations ---------- 222-226
Kato, Yoshio, and Takei, Shigeo. Further notes on "Geomagnetic disturbance accompanying the high altitude nuclear detonation at Johnston Island on July 9th, 1962" ---------- 218-222
Kato, Yoshio, and Utsumi, Takeshi. Polarization of the long period geomagnetic pulsation, pc 5 ---------- 219-281, 222-228
Kats, A. Z. Dynamic pressure on the foundation of a rigid structure, produced by the action of a succession of nonsteady seismic waves of different duration ---------- 221-85
— On the calculation of focal distances in seismic microregionalization ---------- 227-74
Katsiashvili, N. A. See Ben'kova, N. P., and Nodia, N. Z.
Katsui, Yoshio. See Gorai, Masao.
Kutsumata, Mamoru. A method to determine the magnitude of deep-focus earthquakes in and near Japan ---------- 219-79
Katsura, Takashi. See Akimoto, S.-I., and Macdonald, G. A.
Kaufman, A. A. Master charts for the three-coil induction logging sonde in layers of unlimited thickness ---------- 225-136
— On the calculation of the electromagnetic field on the axis of a well in a layer of finite thickness ---------- 219-145
— On the choice of frequency in induction logging ---------- 222-108
— On the effect of magnetic permeability in induction logging ----- 217-175
Kaufman, A. A., Dayev, D. S., Izyumov, I. F., and Sochel'nikov, V. V. Some problems of the theory and procedure of inductive electrical exploration ---------- 224-120
Kaufman, A. A., and Sochel'nikov, V. V. Theory of induction logging in strata of limited thickness ---------- 226-174
Kaufman, Aaron, and Broecker, W. S. Comparison of Th-230 and C-14 ages for carbonate materials from Lakes Lahontan and Bonneville ---------- 227-14
 See also Broecker, W. S.
Kaufman, A. B. Geothermal power, an economic evaluation ------- 217-256
Kaufmann, R. L. Conservation of the first and second adiabatic invariants ---------- 223-252
 See also Konradi, Andrei.
Kausel, E. See Dragicević S., Mateo.
Kautzleben, Heinz. Evaluations of error for the magnetic survey of the Czechoslovakian S. S. R. for epoch 1958.0 ---------- 220-297
 See also Fanselau, Gerhard.

Abstract

Kawachi, Shimpei. The Yatsugatake volcanic chain, Pt. 2 — 221-356

Kawada, Kaoru. See Uyeda, Seiya.

Kawano, Yoshinori, and Ueda, Yoshio. K-A dating of the igneous rocks in Japan, Pt. 1 — 216-23

— K-A dating on the igneous rocks in Japan—Pt. 2, Granitic rocks in Kitakami massif — 227-34

Kawashima, Nobuki, and Fukushima, Naoshi. Model experiment for the interaction of solar plasma stream and geomagnetic field — 220-267

See also Fukushima, Naoshi.

Kawashima, Takeshi. See Nagumo, Shozaburo.

Kays, M. A., and Bruemmer, J. L. Gravity field over zones of major tectonism, southwest Oregon — 224-200

Kazachevskiy, I. V., Cherdyntsev, V. V., Kuz'mina, Ye. A., Sulerzhitskiy, L. D., Mochalova, V. F., and Kyuregyan, T. N. Isotopic composition of uranium and thorium in the zone of hypergenesis. Natural waters. Volcanogenic formations — 220-262

Kazak, N. B. See Laurent, G.

Kazakov, G. A. See Afanas'yev, G. D., Harris, M. A., and Tugarinov, A. I.

Kazanchyan, P. P. Attempt to investigate vertical movements of the Earth's crust in Armenia — 219-187

Kazanli, D. N., and Antonenko, E. M. Instrumental seismic microregionalization on the basis of high-frequency microseisms — 219-95

Kazantseva, A. I. See Yaroshchuk, E. A.

Kazinskiy, V. A. Main features of the problem of underground gravimetry — 220-232

Kazitsyn, Yu. V. See Ugarov, V. A.

Keay, C. S. L. Some salient features of the occurrence of meteors — 216-46

— The distribution of meteors around the Earth's orbit — 216-47

See also Ellyett, C. D.

Kebuladze, V. V. See Bukhnikashvili, A. V.

Keen, M. J. See Berger, J.

Keener, M. H. L. Computer coordinated core and log interpretation — 226-166

Keevil, N. B., Jr. See Fraser, D. C.

Kefeli, A. S. Study of longitudinal and transverse wave velocities in the unconsolidated Pliocene-Quaternary sediments of the Rudnyy Altay — 218-321

— Study of the space around a borehole by the method of transmitted waves — 226-307

Keil, Klaus. Possible correlation between classifications and potassium-argon ages of chondrites — 216-38

Keil, Klaus, and Andersen, C. A. Electron microprobe study of the Jajh deh Kot Lalu enstatite chondrite — 225-21

Keil, Klaus, Mason, Brian, Wiik, H. B., and Fredriksson, Kurt. The Chainpur meteorite — 220-25

See also Fredriksson, Kurt.

Keimatsu, Mitsuo. On the frequent small earthquakes in Nanching (118°48' E., 32°03' N.) from 1425 to 1430 and the chronological table of those there in Ming period (1368-1644), Pt. 1 — 219-72

Keir, D. L. See Bucker, H. P.

Keith, M. L., Anderson, G. M., and Eichler, R. Carbon and oxygen isotopic composition of mollusk shells from marine and freshwater environments — 219-269

Keith, M. L., and Weber, J. N. Carbon and oxygen isotopic composition of selected limestones and fossils — 213-270

Keller, B. M. See Afanas'yev, G. D., and Harris, M. A.

Keller, G. H. Deep-sea nuclear sediment density probe — 227-346

Keller, G. V. Compilation of electrical properties from electrical well logs — 222-103

See also Anderson, L. A.

Keller, J. B. Tsunamis—Water waves produced by earthquakes — 217-113

Kelley, F. R. Studying the Moon's surface — 220-32

Kelly, A. M. See Cormier, R. F.

Abstract

Kennedy, G. C. See Kitahara, S., Sterrett, K. F., and Takenouchi, Sukune.
Kent, L. E. The Klein-Tshipise warm spring in North-Transvaal --- 222-360
— Warm and cold springs on Richmond, Pilgrim's Rest district, Transvaal --- 222-172
Kenyon, K. E. See Cone, R. A.
Kenyon, W. J. See Farrar, E.
Kertz, Walter. The magnetosphere, near objective of space exploration --- 225-249
Kesel'man, S. I. On the effect of distortions of the length of lines on geographic maps of the results of geophysical calculations --- 224-216
Keylis-Borok, V. I. Seismology and logics, Chap. 3 --- 224-328
Keylis-Borok, V. I., Neygaus, M. G., and Shkadinskaya, G. V. Application of the theory of eigenfunctions to the calculations of surface wave velocities --- 226-112
See also Ivanova, Z. S.
Keys, J. G. Pulsating auroral radar echoes and their possible hydromagnetic association --- 222-219
Khabibullina, R. I. See Zhogolev, L. P.
Khain, V. Ye. Evolution of the Earth's crust and possible forms of its relationship to processes in the upper mantle --- 217-208
— The geocynclinal process and evolution of the tectonosphere --- 220-205
Khakimov, M. Yu. See Nesmeyanov, D. V.
Khalevin, N. I., and Tavrin, I. F. On the subhorizontal layering of the upper part of the Earth's crust in the Urals --- 223-233
Khalturin, V. I. The procedure for calculating the spectral composition of seismic vibrations from records of a ChISS selective-frequency station --- 216-82
Khalturin, V. I., and Urusova, N. B. Estimation of absorption of longitudinal and transverse waves in the Earth's crust from observations of local earthquakes --- 216-85
Khamrabayev, I. Kh., and Askarov, F. A. On the Koytash key point (northern Nuratau, western Uzbekistan, central Asia) --- 226-58
See also Afanas'yev, G. D.
Khan, A. M., and Fatt, Irving. A thermoelectric device for measuring thermal conductivity of rock --- 216-210
— A thermoelectric device for measuring thermal conductivity of rocks --- 227-211
Khan, M. A. See Brown, H. C.
Kharikov, B. A., and Datsuk, Ye. M. Seismic investigations along refraction-correlation and deep-seismic-sounding profile No. 62001 in western Turkmenia --- 224-237
Kharikov, B. A., and Sal'nikov, B. I. First results of the use of seismic surveying by the controlled directional reception method in the Cheleken Peninsula --- 225-328
Kharin, D. A. Vibrations of the ground in the zone near an explosion and procedural problems of studying the seismic stability of buildings by means of explosions --- 227-92
Kharitonov, A. I. See Inogamov, R. Sh.
Kharitonov, V. A. Study of pier foundations under seismic action --- 227-102
Kharitonov, V. D. On the use of the analytical extension of magnetic fields into the lower half space for geologic mapping --- 221-246
Kharlov, O. I. See Shcherbakova, B. Ye.
Khaykovich, I. M. Taking into account borehole diameter in quantitative interpretation of gamma-logging results --- 216-306
See also Bondarev, V. M., and Kolesov, B. M.
Khenkina, A. M. Experience seeking and prospecting oil and gas structures in Azerbaijan by the seismic method --- 221-324
Khenvin, T. I. See Kononkov, V. F.
Khesin, B. E. Effectiveness of geophysical investigations in prospecting for nonmetallic mineral deposits in Azerbaijan --- 219-143
— On a simple way of calculating the effect of relief of a locality on the results of a magnetic survey --- 226-260
Khesin, B. E. See Mustafabeyli, M. A.
Kheysin, D. Ye. On the problem of elasto-plastic bending of an ice sheet --- 219-218

Abstract

Khilinskiy, L. A. See Sollogub, V. B.
Khitarov, N. I. Questions dealing with concepts of the transition zone of the upper mantle to the Earth's crust, as indicated by some experimental data 223-227
Khiteyev, P. P. See Sokolov, M. M.
Khobot, M. R. See Rabotnov, V. T.
Khocholava, G. M. See Nodia, N. Z.
Kholin, A. I. See Guberman, Sh. A.
Kholodok, Ye. D., Nikiforov, I. V., Maysuradze, L.I., Aleksandrov, N. I., and Balashov, V. I. New procedure for conducting a gravimetric survey under dense forest conditions 226-212
Khomenyuk, Yu. V. Amplifier for a galvanometer 216-318
— Electrical surveying by the double rotating field method 224-139
See also Bulanov, N. A.
Khramov, A. N., and Andreyeva, O. L. Application of the determination of a compensating field for finding the direction of the primary magnetization of rocks 218-252
Khramova, N. N. See Kuzovkin, S. K.
Khristianov, V. K. See Baranov, V. I.
Khristianova, L. A. See Baranov, V. I., and Romankevich, Ye.A.
Khristoforov, V.S., Bibanov, V.I., Zhukovets, A.M., Sanel'nikov, V. S., Zhilin, N.V., and Marchenko, L.L. Consequences of the earthquake of May 4, 1959, in the Petropavlovsk region 219-92
Khromovskikh, V. S. Seismogravitational landslides and disjunct columns in crystalline rocks in the mountainous framework of Lake Baikal 218-53
— The strong earthquakes in the southern Baikal region in 1963 221-55
Khudobina, L.N., Letuchikh, V. I., and Lebedeva, T.N. Attempt to record reflected body waves in areas of the Irkutsk amphitheater 225-322
Khudzinskiy, L. L. The ShPSS wide-band seismic station 218-302
Khursik, V. Z., and Fedorov, Yu. V. On the procedure of prospecting for local structures in the Ural foreland depression 217-196
Khutsishvili, L. A. See Ab, E. A.
Khvilevitskiy, M. O. See Znamenskiy, V. V.
Khvitiya, G. P. Approximate determination of the angle of inclination of the plane separating two mediums in a ridge by the resistivity method 220-145
Kiełek, W. See Jankowski, Jerzy.
Kiersch, G. A. Trends in engineering geology in the United States 221-136
Kigoshi, Kunihiko, and Kobayashi, Hiromi. Gakushuin natural radiocarbon measurements IV 226-12
Kikuchi, Shigetomo. On the short period volcanic micro-tremors at Mt. Aso, Pt. 2 218-357
Kilczer, Gyula. The geometric structure of the geomagnetic quadrupole moment tensor 222-222
Kilényi, Éva. Application of later refraction arrivals in practical seismic investigations 222-330
See also Ádám, Oszkár.
Kilicci, Serap. See Karlén, Ingvar.
Kim, B. K. The study of remanent magnetism for basalts in Yeoncheon and Pohang districts in Korea 227-291
Kind, N. V. See Alekseyev, V. A.
King, E. A., Jr. An aerodynamically sculptured bediasite 217-53
King, E.R., Zietz, Isidore, and Alldredge, L. R. Geologic interpretation of aeromagnetic profiles 220-293
King, L. C. Basic paleogeography of Gondwanaland during the late Paleozoic and Mesozoic 216-165
King, M. S. See Banthia, B. S.
King, P. B. Further thoughts on tectonic framework of southeastern United States 220-197
King-Hele, D. G. Recent progress in determining the zonal harmonics of the Earth's gravitational potential 227-182
Kinkel, A. R., Jr., Thomas, H. H., Marvin, R. F., and Walthall, F. G. Age and metamorphism of some massive sulfide deposits in Virginia, North Carolina, and Tennessee 225-5

Abstract

Kinosita, Hazimu. See Ozima, Minoru.

Kinoshita, W. T. See Davis, W. E., Koyanagi, R. Y., Krivoy, H. L., and Okamura, A. T.

Kinoshita, Hajime. See Nagata, Takesi.

Király, Ernő, and Szabadváry, László. Application of vertical resistivity sounding in young Tertiary basins—Pt. 1, Problems of instrumental technique (GE-30)type measuring equipment -------- 222-99

See also Erkel, András.

Kirby, J. R. See Philbin, P. W.

Kirillov, V. N. See Anashin, Yu. F.

Kirillova, I. V., and Chertkova, E. I. Modeling of tectonic deformations by means of a directional increase in volume ---------- 226-194

Kirnos, D. P. See Arkhangel'skiy, V. T.

Kirshfel'dt, Yu. E. Mass spectrometer analysis and its use in petroleum geology ---------- 223-244

Kiselev, V. S., Kastal'skiy, Ye. M., and Ryadov, A. V. An efficient procedure of gravimetric surveying on a 1:200,000 scale using a helicopter and using barometric leveling in the conditions of northeastern U.S.S.R. ---------- 226-211

Kiselev, Yu. G. On some features of the deep structure of the Taymyr depression and adjacent areas according to geophysical data- 224-312

See also Demenitskaya, R. M.

Kishimoto, Yoshimichi. Investigation on the origin mechanism of earthquakes by the Fourier analysis of seismic body waves, Pt. 1- 224-86

Kiss, Zoltan. See Bisztricsány, Ede.

Kissinger, D. V. See Caner, B.

Kistina, A. I. See Grebnev, S. K.

Kistler, R. W., Bateman, P. C., and Brannock, W. W. Isotopic ages of minerals from granitic rocks of the central Sierra Nevada and Inyo Mountains, California ---------- 222-6

See also Stern. T. W.

Kitahara, S., and Kennedy, G. C. The quartz-coesite transition --- 218-178

Kitamura, Taiichi. Geomagnetic pulsations and the exosphere—Pt. 3, Ion density distribution in the exosphere ---------- 227-268

See also Namikawa, Tomikazu.

Kiviniemi, Aimo. The first order gravity net of Finland ---------- 220-221

Kivioja, L. A. See Hirvonen, R. A.

Kjartansson, Guðmundur. Carbon-14 datings of Quaternary deposits in Iceland—Dating of some lava flows in south and southwest Iceland ---------- 218-7

— Carbon-14 datings of Quaternary deposits in Iceland—Other C-14 age determinations in Iceland ---------- 218-11

Klein, Cornelis, Jr. See Frondel, Clifford, and Marvin, U. B.

Klement, W., Jr. See Sterrett, K. F.

Klenchin, I. N. See Bachin, A. P.

Klevtsov, P. P. See Sokolov, M. M.

Kleymenova, N. G. Some remarks concerning the nature of natural electromagnetic variations in the 100-1,000 cycles per second range ---------- 224-279

— Some results of observations of the natural electromagnetic field in the 1- to 20-cycle per second band at the Tiksi and Lovozero polar stations ---------- 223-266

Kleywegt, R. J. The response of a torsion-type magnetometer during regional magnetometric surveys ---------- 222-294

Kliewe, Heinz. Progress and problems of research on the coastal evolution in the southern Baltic Sea ---------- 216-160

Klimov, L. V. Geological structure of Antarctica ---------- 226-195

Klingensmith, R. W. See Epstein, H. M.

Klír, Stanislav. Geothermal investigations in borehole GK 1 under Hontiansky Nemců ---------- 227-209

Klohn, E. J. The elastic properties of a dense glacial till deposit -- 226-328

Klugman, I. Yu. On the possibility of unifying the programming of kinematic corrections ---------- 225-321

Abstract

Klushin, I. G., and Shustova, L. Ye. Some problems of procedures of interpretation of a regional gravimetric survey with the object of studying the elements of the deep structure of the northeastern part of the Baltic crystalline shield ---------- 225-206
  See also Voronov, P. S.
Klyarovskiy, V. M. See Antonov, Yu. N.
Klyuchkin, V. N. Apparatus for recording transient processes by the method of accumulation of the signal ---------- 224-144
  See also Bezruk, I. A.
Kneissl, Max. Pendulum and gravimeter measurements on the European gravimeter calibration line ---------- 227-192
Kněz, Jaroslav. See Gruntorád, Jan.
Knopf, Adolph. Time required to emplace the Boulder bathylith, Montana—A first approximation ---------- 218-1
Knopoff, Leon. Earth tides as a triggering mechanism for earthquakes ---------- 220-58
— The energy-depth function for earthquakes ---------- 223-70
— The statistics of earthquakes in southern California ---------- 220-59
Knopoff, Leon, and Teng, T. L. Analytical calculation of the seismic traveltime problem ---------- 226-111
  See also Burridge, R., and Mal, A. K.
Knott, S. T. See Hersey, J. B.
Knowles, B. The radioactive content of the coal measures sediments in the Yorkshire-Derbyshire coalfield ---------- 227-316
Knowles, F. F. See Mitchell, C. M.
Knox, J. B., and Short, N. M. A diagnostic model using ashfall data to determine eruption characteristic and atmospheric conditions during a major volcanic event ---------- 226-348
Knox, J. B., and Terhune, R. W. Calculation of explosion-produced craters—High explosive sources ---------- 223-106
Knox, Reed, Jr. The metallography of Manitouwabing, Parry Sound, Ontario—A new Canadian siderite ---------- 222-23
Knox, W. A. A deep-ocean sedimentary velocity function ---------- 222-319
— Regional velocity gradient from normal moveouts ---------- 218-291
  See also Paitson, L.
Koba, V. I. See Parshin, Yu. A.
Kobayashi, Hiromi. See Kigoshi, Kunihiko.
Kobayashi, Kazuo. See Fuller, M. D.
Koblents, Ya. P. New data concerning the East Antarctic shelf ---------- 225-355
— On the nature of the continental slope and floor of the Antarctic region of the Southern Ocean ---------- 219-359
Kobori, Takuji. See Tanabashi, Ryo.
Kobranova, V. N. Present state and trends of development of petrophysics ---------- 223-142
Kochanov, P. D. Basic principles of construction of the apparatus in the amplitude-phase variation method ---------- 224-126
Kochegura, V. V. On paleomagnetic correlations of the extrusive complexes of the Far East ---------- 221-242
Kochi, A. Recording of short period variations of the geomagnetic field at the New Lazarev station ---------- 218-237
Koefoed, O. A semi-direct method for interpreting resistivity observations ---------- 227-106
Koelbl, L. See Kapounek, J.
Koenigsfeld, J. L. See Graulich, J. M.
Koepf, E. H. See Gauntt, J. C., and Granberry, R. J.
Koerner, R. M. Glaciological observations in Trinity Peninsula and the islands in Prince Gustav Channel, Graham Land, 1958-60 ---------- 218-126
Kofoed, J. W. See Jordon, G. F.
Kogan, L. I. Procedure and technique of recording refracted waves during continuous movement of a seismic survey ship ---------- 216-317
Kogan, R. M. See Boltneva, L. I.
Kogan, S. D., Pasechnik, I. P., and Sultanov, D. D. Seismic map of the Antarctic ---------- 224-78
Kohli, G. See Mathur, L. P.

Abstract

Kohman, T. P. See Cassidy, W. A.
Koide, Minoru. See Goldberg, E. D.
Koinuma, Shoichi. See Higashi, Akira.
Kojima, George. See Peck, D. L.
Kokubun, S., Tsuruda, K., and Oguti, Takasi. Nose whistler in low latitude --- 225-259
See also Tsuruda, K.
Kolbe, P. See Taylor, S. R.
Kolesnikov, L. V., and Rumyantsev, G. S. Thermomagnetic analysis of intermediate members of the magnetite-jacobsite isomorphous series from the Yeravnin iron ore deposits in the Buryat A.S.S.R. --- 224-293
Kolesnikov, Ye. M. See Cherdyntsev, V. V., and Garetskiy, R. G.
Kolesnikov, Yu. A., Rykov, A. V., and Solov'yev, V. N. An accurate time marker --- 219-118
Kolesnikov, Yu. A., and Solov'yev, V. N. A device for calculating seismograms with automatic plotting of numbers on punched cards and paper tape --- 219-102
Kolesov, B. M., Ovchinnikov, A. K., and Khaykovich, I. M. The effect of the material composition of uranium ores on the intensity of gamma-radiation --- 216-307
Kolesov, G. M., and Rutkovskiy, V. M. The Zaysan carbonaceous chondrite --- 222-27
Kolesova, V. I. See Pudovkin, I. M.
Kolmogorov, Yu. A. See Bachin, A. P.
Kolmogorova, P. P. See Karatayev, G. I.
Kolomenskiy, V. D. See Mikheyeva, I. V.
Kol'tsova, T. V. See Gerling, E. K.
Komack, R. L., Orange, A. S., Bostick, F. X., and Cantwell, T. Simultaneous measurements and spectral analysis of micropulsation activity --- 219-56
Komai, Jiro. On the continuous recording system of nuclear magnetometer --- 222-295
Komáromy, István. Determination of the secular variation of geomagnetic field intensity in Hungary in 1950-62 on the basis of a series of observatory data --- 222-223
Komarov, A. G. Fundamental law of distribution of the parameters of natural magnetization in igneous rocks --- 227-289
Komarov, B. O., and Shakirov, E. Sh. On the Mesozoic age of the magnetites of the Gave skarn formations --- 223-281
Komarov, S. G., Polshkov, M. K., Ryabinkin, L. A., Sergeyev, L. A., and Fedynskiy, V. V. Progress in geophysical methods of prospecting for oil and gas in the U.S.S.R. (1959-1962) --- 220-179
See also Guzanova, I. G.
Komissarchik, B. S. See Troyanskiy, V. T.
Komissarzhevskaya, G. F. See Ochkur, A. P.
Komissarov, B. I. Aeromagnetic investigations in the Mugodzhars and the possibilities of prospecting for mineral resources --- 223-295
— On the deep structure of the southwestern part of the Turgay depression --- 223-294
Komlev, L. V. See Afanas'yev, G. D.
Kondorskaya, N. V. Instrumental data on the location of the focuses and intensities of the Kamchatka earthquakes of May-June 1959 --- 219-89
See also Belotelov, V. L., and Vvedenskaya, N. A.
Kondrashov, V. A., Mandel'baum, M. M., Puzyrev, N. N., and Surkov, V. S. Procedure of regional seismic investigations in the platform regions of Siberia --- 227-343
See also Puzyrev, N. N.
Kondratenko, A. M., and Nersesov, I. L. Some results of the study of variations in longitudinal wave velocities and the ratio of longitudinal and transverse waves in the focal zone --- 216-86
König, H. On the chemical analysis of chondrites --- 219-22
Kon'kov, G. A. On the relationship of recent and contemporary tectonic movements to methane-bearing and blow-out zones in the conditions of the Donets basin --- 219-214

Abstract

Kono, Yoshiteru. See Shimazu, Yasuo.

Kononkov, V. F., and Churlin, V. V. On a method of interpreting gravity anomalies produced by an inclined interface ------------ 227-201

Kononkov, V. F., Kucheruk, Ye. V., and Khenvin, T. I. Character of the gravitational and magnetic anomalies and structural features of the crystalline basement of the Saratov Trans-Volga area- 225-207

— The character of the structure of the crystalline basement of the Volgograd-Saratov area along the Volga according to geophysical data -- 220-174

Kononov, Yu. V., Etingof, I. M., and Pogrebysskaya, Ye. I. Absolute age of the Ingulo-Ingulets gneiss complex (central part of the Ukrainian crystalline shield) ------------------------------ 226-67

See also Semenenko, N. P.

Konoplin, P. A. See Kukin, P. A.

Konovalov, M. M. On the accuracy of methods of interpreting borehole seismic surveying -- 224-336

Konradi, Andrei, and Kaufmann, R. L. Evidence for rapid motion of the outer boundary of the magnetosphere -------------------- 222-209

Konstantinov, B. B. See Bibanov, V. I.

Konstantinova, A. F. See Rozhkov, I. S.

Kontis, A. L. See Young, G. A.

Konyukhov, V. I. See Shishigin, S. I.

Kooketu, Hiroo. See Muramatu, Ikuei.

Kopal, Zdeněk. The Moon—Our nearest celestial neighbour, 2d ed. - 218-33

— Lunar luminescence -- 223-38

— On possible observations of luminescence on the dark side of the Moon -- 224-52

— Radiative transport of heat in lunar and platetary interiors------ 224-223

Kopnīn, M. V. On the optimal length of profiles for interpretation of gravity measurements in cases of block structure of the investigated objects --- 220-230

Koptev, V. I. See Avsyuk, Yu. N.

Kopytov, A. S. See Malovichko, A. K.

Korchagin, V. I. The EKP-3-59 kappameter -------------------- 221-237

Korchagina, O. A. See Dolbilkina, N. A.

Korf, M. G. On the action of earthquakes on elasto-plastic systems with one mass --- 221-89

Korhonen, H., and Talvitie, J. Seismological notes 1962-1964----- 220-90

Koritnig, Sigmund. Native copper in the Bjurbőle chondrite-------- 221-34

Kőrner, Helmut. Snow- and ice-mechanics and some of their relationships to geology -- 216-168

Korner, H. J. See Closs, Hans.

Kornfeld, P. See Alterman, Z.

Korobkova, G. I. On the relationship of polar magnetic disturbances to the main phase of magnetic storms ------------------------ 224-284

Korolenko, N. G. See Vedrintsev, G. A.

Koroleva, K. P., Nikitina, V. N., and Skugarevskaya, O. A. The transient of the electrical field in a homogeneous half space in the case of a buried source -------------------------------------- 224-150

Koroleva, K. P., and Skugarevskaya, O. A. The transient of the magnetic field generated by a horizontal electrical dipole buried in a homogeneous conducting half space ---------------------- 224-149

Korovin, P. K. See Bondarev, V. M.

Koryakin, Ye. D. Gravity gradient in Lũtzow-Holm Bay----------- 225-213

— On the deep structure of the Earth's crust in the Atlantic sector of the Antarctic --- 218-174

— Some features of the structure of the Earth's crust in the transition zone from the Atlantic Ocean to the continents of America and Antarctica -- 223-178

— The gravitational field of the Atlantic Ocean and its relationship to the deep structure of the Earth's crust--------------------- 223-177

See also Frolov, A. I., and Gladun, V. A.

Kosenkov, O. M., and Svetov, B. S. Approximate calculation of secondary magnetic fields in the vicinity of conducting bodies---- 224-122

Abstract

Koshelev, I. V. See Posik, L. N.

Koshlyak, V. A. Structure of the Mesozoic deposits of the eastern part of the West Siberian Lowland in the light of variational analysis of geophysical well logging data ---- 221-124

Kosminskaya, I. P. Study of the Earth's crust by seismic methods - 226-232

— Study of the Earth's crust in the IGY period ---- 220-248

Kosminskaya, I. P., and Riznichenko, Yu. V. Seismic studies of the Earth's crust in Eurasia, Chap. 4 ---- 224-234

Kostenko, N. P. Geologic-geomorphic method of studying recent and contemporary deformation (exemplified by Central Asia)---- 219-201

Kostina, A. F. Microseisms in the Black Sea and storms ---- 220-305

Kostomarov, D. P. See Ivanov, V. I.

Kosygin, Yu. A., Basharin, A.K., Basharina, N.P., Berzin, N.A., Bogolepov, L.V., Borovikov, A. M., Volontey, G.M., Matveyevskaya, A. L., Organova, N.M., Parfenov, L.M., Solov'yev, V. A., and Yunov, A. Yu. Attempt at volumetric zoning of the Earth's crust exemplified by Siberia and the Far East ---- 218-169

Kosztolanyi, Charles. New method of isotopic analysis of zircons in the natural state ---- 227-247

Kotila, D. A. See Norden, J. A. E.

Kotlovskaya, F. I. See Burkser, Ye. S., and Ivantishin, M. N.

Kotlyarov, V. M. See Bachin, A. P.

Kotov, P. T. Specific resistivity of rocks containing an emulsion -- 217-178

See also Guzanova, I. G.

Kotyuk, A. F. Analysis of systems of airborne electrical surveying by the induction method (summary) ---- 224-137

Kotyuk, A. F., Levchenko, D.G., Pas'ko, E.V., and Shtamberger, G. A. Apparatus for airborne electrical surveying by the infinitely long cable method ---- 226-144

See also Levchenko, D. G.

Kovach, R. L., and Anderson, D. L. Attenuation of shear waves in the upper and lower mantle ---- 220-57

— The interior of the terrestrial planets ---- 225-42

See also Biehler, Shawn.

Kovács, Béla. See Bádonyi, Géza.

Kovalenko, N. D. See Bondarenko, V. M.

Kovalenko, V. F. Present state and trend of development of the transient process method (summary) ---- 224-140

See also Kamenetskiy, F. M.

Kovaleva, V. V. See Rozenkrants, A. A.

Kovalevskiy, G. L. The procedure of shifting shot points for studying discontinuity dislocations ---- 224-337

Kovrigina, V. I., and Rozenberg, I. M. A stand for determining the coordinates of the epicenter of an earthquake ---- 216-96

Kovtun, A. A. Behavior of the electromagnetic field over an ideal conducting wedge in the low-frequency region ---- 223-50

See also Bryunelli, B. Ye., and Yanovskiy, B. M.

Kovylin, V. M., and Neprochnov, Yu. P. Structure of the Earth's crust and of the sedimentary layer in the central part of the Japan Sea according to seismic data ---- 224-241

See also Neprochnov, Yu. P.

Kowalczuk, Jerzy, and Karaczun, Konstanty. Observations of magnetic elements of the Earth in Hornsund Fiord in Spitsbergen in 1957 ---- 217-291

— Observation of magnetic declination in Hornsund Fiord in Spitsbergen in 1957 ---- 216-249

Kowalski, S. J. Packard Instrument Company radiocarbon dates I-- 226-26

Koyanagi, R. Y. Seismicity of the lower east rift zone of Kilauea Volcano, Hawaii, January 1962-March 1963 ---- 217-80

Koyanagi, R. Y., and Endo, E. T. Hawaiian seismic events during 1963 ---- 224-65

Koyanagi, R.Y., Okamura, A.T., Kinoshita, W.T., Moore, J.G., and Powers, H.A. Hawaiian Volcano Observatory summary—July, August, and September, 1963 ---- 222-356

Abstract

Koyanagi, R. Y., Okamura, A. T., Krivoy, H. L., and Yamamoto, Akira. Hawaiian Volcano Observatory summary—January, February, and March 1963 ---------------------------------- 222-355

Koyanagi, R. Y., Okamura, A. T., and Powers, H. A. Hawaiian Volcano Observatory summary, January, February, and March 1964- 223-348

See also Krivoy, H. L., and Okamura, A. T.

Koyfman, M. I. See Protod'yakonov, M. M.

Kozachok, I. A. On the steady distribution of neutrons in an infinite medium -- 221-289

Kozel, Josef. Dependence on the formation factor on the concentration of electrolyte in the pores of rocks ---------------------- 225-133

— Specific conductivity of the rocks ---------------------------- 219-150

Kozhevnikov, D. A. Analysis of the limit of applicability of age approximation of the theory of neutron migration ---------------- 219-325

— The effect of high temperatures on the spatial distribution of thermal neutrons in rocks (for the setting up of geophysical investigations of deep and extra-deep wells --------------------- 219-324

See also Guberman, Sh. A.

Kozina, Z. K. See Guzanova, I. G.

Kozlov, A. V. The damping of body waves with distance for Tadzhikistan earthquakes ------------------------------------- 218-61

Kozlov, Ye. A. On the laws of distribution of seismic wave velocities in the sedimentary series of central and Western Ciscaucasia - 216-321

See also Kozlova, V. G.

Kozlova, V. G., and Kozlov, Ye. A. On the accuracy of determination of the direction to the source of generation of seismic waves according to correlation records ---------------------------- 216-322

Kozyrev, N. A. Volcanism on the planets ---------------------- 225-38

Kramer, Ye. N. See Babadzhanov, P. B.

Kraner, H. W. See Schroeder, G. L.

Krankowsky, D., and Müller, O. Isotopic abundance and concentration of lithium in stone meteorites -------------------------- 219-34

Krasnikov, N. D. Investigations of the deformational properties of grounds under dynamic stresses ---------------------------- 227-93

See also Bibanov, V. I.

Krasnobayev, A. A. See Ovchinnikov, L. N.

Krasnov, A. I. On the tectonic structure of the basement of the Aldan shield in the light of geologic interpretation of large-scale aeromagnetic survey data ---------------------------------- 221-265

Krasovskiy, S. S. On criteria for the detection by magnetometry of transverse tectonic breaks with small amplitude of displacement - 226-262

Krasovskiy, S. S., and Bur'yanov, V. B. Possibilities of using some nomograms in magnetometry ------------------------- 221-247

— The magnetic field of two vertical layers -------------------- 221-245

Krauklis, L. A. See Gel'chinskiy, B. Ya.

Krauklis, P. V. See Alekseyev, A. S.

Kraus, E. C. History of development of continents and oceans—Explanations-theories-syntheses -------------------------------- 216-164

Krause, D. C. Lithology and sedimentation in the southern continental borderland --- 218-336

— Submarine geology north of New Guinea --------------------- 220-352

— Tectonics, bathymetry, and geomagnetism of the southern continental borderland west of Baja California, Mexico------------ 226-269

Krause, D. C., Menard, H. W., and Smith, S. M. Topography and lithology of the Mendocino Ridge ---------------------------- 219-357

Kraut, E. A. Free radial modes in a compressible conducting fluid sphere containing a uniform internal magnetic field ------------ 227-79

Kravets, V. V. See Myachkin, V. I.

Kraynova, L. P. On the study of the isotopic composition of waters from high mountain sources ------------------------------- 223-238

Krejci-Graf, Karl. Geotectonics and geophysics----------------- 225-231

Krenke, A. N. See Shumskiy, P. A.

Krestnikov, V. N., and Reysner, G. I. On the nature of recent tectonic movements of Western Sayan and Western Tuva ----------- 223-158

Abstract

Krinov, Ye. L. Falls and finds of meteorites during the last ten years (from 1953 to 1962) ---------- 217-42

Křivánek, Zdeněk. See Hanzlík, Jiří.

Krivoy, H. L., Kinoshita, W. T., Okamura, A. T., and Koyanagi, R. Y. Hawaiian Volcano Observatory summary for April, May, and June 1963 ---------- 223-347
  See also Koyanagi, R. Y.

Krivutsa, Yu. N., Kruchinenko, V. G., and Shul'man, L. M. Determination of the radiants, altitudes, and velocities of meteors observed at Kiev in 1959 ---------- 222-30

Krolenko, I. I. See Vartanov, S. P.

Kröll, A. J. See Brix, F. E.

Kronberg, Peter. On large-scale ore prospecting with methods of photogeology, airborne geophysics, and geochemistry ---------- 216-144

Kronidov, I. I. See Donskikh, V. V.

Kropotova, O. I. See Vdovykin, G. P., and Vinogradov, A. P.

Krotikov, V. D., and Troitskaya, V. S. Detection of a heat flux from the interior of the Moon ---------- 220-38

Krouse, H. R., and Folinsbee, R. E. The S^{32}/S^{34} ratio in troilite from the Bruderheim and Peace River meteorites ---------- 216-27

Krs, Miroslav. Contribution to the study of tectonics on the basis of paleomagnetism ---------- 220-290
  — Geochronological aspects of polar wandering derived from Czechoslovak hydrothermal deposits ---------- 219-298
  — The paleomagnetic stability of hematite pigmented mineral aggregates of hydrothermal origins ---------- 218-258
  See also Bucha, Václav, Ďuratný, Stanislav, and Hanuš, Václav.

Krsmanović, Dusen, and Langf, Z. Large scale laboratory tests of the shear strength of rock material ---------- 221-333

Krsmanović, Dusen, and Milić, S. Model experiments on pressure distribution in some cases of a discontinuum ---------- 221-334

Kruchinenko, V. G., Moysya, R. I., and Bayrachenko, I. V. On the determination of the true number of meteors from data of radar observations ---------- 220-29
  See also Krivutsa, Yu. N.

Krueger, H. W., and Weeks, C. F. Geochron Laboratories, Inc. radiocarbon measurements I ---------- 226-14
  See also Ferris, C. S., Jr.

Kruglikov, N. M. On the problem of the geothermal role of ground water movement ---------- 219-237

Kruglyakova, G. I. Interpretation of magnetic anomalies and deep structure in the Trans-Carpathian area ---------- 224-236
  — Magnetic stability of rocks and criteria for its definition ---------- 222-268
  — On some criteria for choosing rocks suitable for paleomagnetic investigations ---------- 220-292

Krummenacher, Daniel. See Bordet, Pierre, and Chessex, Ronald.

Krutikhovskaya, Z. A., and Kuzhelov, G. K. Use of geophysical methods for the study of the iron ore formations of the Ukrainian crystalline shield ---------- 217-198

Krutikhovskaya, Z. A., Kuzhelov, G. K., and Shmidt, N. G. Geophysical methods of prospecting for and exploring the Precambrian iron ore deposits of the Ukraine and Kursk Magnetic Anomaly ---------- 227-142

Krutikhovskaya, Z. A., and Shmidt, N. G. Geophysical methods of seeking and exploring iron ore deposits ---------- 221-129

Krylov, A. Ya. Problems of the geochronology of central Asia ---------- 226-57

Krylov, A. Ya., and Ravich, M. G. Absolute age of rocks of the Antarctic platform ---------- 226-49
  See also Afanas'yev, G. D., and Voronov, P. S.

Krylov, I. N. See Shukolyukov, Yu. A.

Krylov, M. K., and Yeremin, N. I. A new method of electromagnetic surveying and preliminary results of its testing on the Dzhusin pyrite deposit (Southern Ural) ---------- 220-142

Krylov, S. M. See Vladimirov, N. P.

Abstract

Krylov, S. V. On the accuracy of the results of seismic sounding by means of refracted waves ---------- 219-346
Krylov, S. V., and Puzyrev, N. N. Calculation of the effect of curvature of a refracting boundary in the interpretation of seismic sounding data ---------- 219-345
See also Puzyrev, N. N.
Kryukov, S. M. See Levin, D. V., and Volk, V. E.
Ku, K.-H. Applications of geophysical methods in the search of metallic ore deposits in China ---------- 218-107
Ku, T.-L. An evaluation of the U^{234}/U^{238} method as a tool for dating pelagic sediments ---------- 226-1
Kucherov, I. P. See Udintsev, G. B.
Kucheruk, Ye. V. See Kononkov, V. F.
Kudenko, A. A., and Stetsenko, V. P. Possibility of using the system ZnS+FeS as a geologic thermometer ---------- 220-242
Kudryavtsev, B. Ye. See Voskresenskaya, M. N.
Kuhn, H. J. See Moser, P.
Kuhn, W. See Moser, P.
Kujundžić, B. Experimental research into mechanical characteristics of rock masses in Yugoslavia ---------- 223-337
Kukhlev, Yu. M., Yentsov, I. I., and Dozortsev, R. N. Attempt at interpretation of results of geophysical investigations in the carbonate formations of the Kama area of Perm ---------- 217-180
Kukin, P. A., and Konoplin, P. A. Effectiveness of aeromagnetic surveys on a scale of 1:50,000 in platform conditions ---------- 223-290
Kukuruza, V. D. See Shchitov, N. A.
Kulichikhina, T. N., Yudina, R. I., and Karzheva, L. V. Distribution of longitudinal and transverse wave velocities in the upper part of the section ---------- 216-313
Kulikov, A. V. See Bezruk, I. A.
Kulikov, V. I. See Ali-zade, A. A.
Kulinkovich, A. Ye., and Rezvanov, R. A. Prospects for the application of computer techniques to the solution of problems of nuclear geophysics ---------- 219-326
Kulinkovich, A. Ye., Sokhranov, N. N., and Churinova, I. M. Marking-off formation boundaries and distinguishing sandstones according to electrical logging data using digital computers ---------- 217-173
See also Gorbik, G. K.
Kulubekov, B. A. On the results of checking the interpretation of gravity anomalies by seismic refraction surveys in the southern part of the Turgay depression ---------- 217-248
Kumazawa, Mineo. Anisotropy of elastic wave velocity in rocks and the subcrustal structure ---------- 219-258
Kumazawa, Mineo, Furuhashi, Hiroshi, and Iida, Kumizi. Seismic wave velocity in molten silicate at high temperature ---------- 218-73
Kuminova, M. V. See Bachin, A. P.
Kumpan, A. S. On seismic exploration in a study of the upper part of the section in northern Cis-caucasia ---------- 221-321
Kunetz, Géza. Generalization of anti-resonance operators to any number of reflectors ---------- 217-324
Kunetz, Géza, and D'Hoeraene, J. The skin effect in telluric investigation ---------- 225-47
See also Labrouste, Y.
Kunin, N. Ya. See Bachin, A. P.
Kunitsyna, R. V. See Bogolyubov, A. N.
Kuno, Hisashi. Differences in chemical composition and mechanism of generation between the basalt magmas in Japan and Hawaii ---------- 219-261
— Dike swarm in Hakone Volcano ---------- 226-334
Kuo, J. T. See Alsop, L. E., and Hunkins, Kenneth.
Kupfer, D. H. Width of the Alpine Fault zone, New Zealand ---------- 220-204
Kurbatov, B. N., and Nadezhkin, L. I. Attempt to study the density of surface formations in gravity surveying operations ---------- 221-168
Kurbatskiy, N. P. On forest fire in the area of the Tunguska fall in 1908 ---------- 217-41

Abstract

Kuroda, P. K. See Bogard, D. D., and Rowe, M. W.

Kuroiwa, Daisuke. Internal friction of H_2O, D_2O and natural glacier ice ---------- 225-171

Kurtman, Fikret. See Erentöz, Cahit.

Kuryukhin, L. G. See Garetskiy, R. G.

Kushiro, Ikuo. Stability field of akermanite ---------- 223-213

— The system diopside-forsterite-enstatite at 20 kilobars ---------- 223-215

— Wollastonite-pseudowollastonite inversion ---------- 223-212

Kushiro, Ikuo, and Schairer, J. F. The join diopside-akermanite -- 223-203

Kushiro, Ikuo, and Yoder, H. S., Jr. Breakdown of monticellite and akermanite at high pressures ---------- 223-211

— Experimental studies on the basalt-eclogite transformation ----- 223-216

See also Schairer, J. F.

Kusumgar, S. See Agrawal, D. P.

Kutas, R. I. Geothermal profile across the Carpathian Foreland Depression ---------- 218-158

Kutasov, I. M. The establishment of the temperature field of rocks after borehole drilling ---------- 223-197

Kuts, V. P. See Ivantishin, M. N., and Semenenko, N. P.

Kuzhelov, G. K. See Krutikhovskaya, Z. A., and Subbotin, S. I.

Kuz'min, Yu. I. See Bachin, A. P.

Kuz'mina, Ye. A. See Kazachevskiy, I. V.

Kuznetsov, A. N. Technique of modeling electromagnetic frequency sounding ---------- 216-121

Kuznetsov, G. F. Separation of magnetic anomalies into local and regional ---------- 220-302

See also Fotiadi, E. E.

Kuznetsov, I. V. See Baranov, V. I.

Kuznetsov, N. S. See Bryunelli, B. Ye., and Yanovskiy, B. M.

Kuznetsov, V. V. Determination of the mean coefficients of absorption and coefficients of reflection from the spectrums and amplitudes of direct and reflected waves ---------- 225-317

Kuznetsov, Yu. V. See Starik, I. Ye.

Kuznetsova, Z. V. See Boltneva, L. I.

Kuzovkin, S. K., Belichenko, A. I., and Prots, R. V. Low-frequency magnetic receiving antennas of the AERI-2 apparatus ---------- 225-120

— On the preamplification of signals and control of operation of the receiving circuit in the AERI-2 apparatus ---------- 225-121

Kuzovkin, S. K., and Khramova, N. N. Measurement of the difference or sum of the reactive components of a two-frequency field in the AERI-2 apparatus ---------- 225-124

See also Blazhkevich, B. I., and Zamikhovskiy, V. S.

Kval'vasser, Yu. G., and Nakhamkin, S. A. Use of universal filtering for recording radioactivity ---------- 216-302

Kvapil, Rudolf. Tectonic experiments on natural rocks ---------- 216-159

Kvasha, L. G., Sidorenko, G. A., and Ginzburg, I. V. The pyroxene of the stony meteorite Nakhla ---------- 217-35

Kyselka, Dušan. See Těžký, Antonín.

Kyuregyan, T. N. See Kazachevskiy, I. V.

L

Laaspere, T., Morgan, M. G., and Johnson, W. C. Chorus, hiss, and other audio-frequency emissions at stations of the Whistlers-East Network ---------- 219-288

Labeyrie, Jacques. See Delibrias, Georgette., Lambert, Gérard, and Nezami, Mehdi.

Labrouste, Y., Kunetz, Géza, and Richard, H. Reduction of instrumental distortions in some seismograms of short period -------- 217-326

Lachance, G. R. See Wanless, R. K.

Lachaux, R. See Larzillière, H.

Ladanyi, B., LaRochelle, P., and Tanguay, L. Some factors controlling the predictability of stress-strain behaviour of clay ----- 226-327

Abstract

Ladynin, A. V. Some problems of the calculation of anomalies in Bouguer reduction with variable density of topographic masses -- 227-207

LaFehr, T. R. The estimation of the total amount of anomalous mass by Gauss's theorem ---------- 222-141

Lagaay, R. A. See Collette, B. J.

Lagrula, Jean. On the hypothesis of subcrustal erosion and sedimentation ---------- 216-157

See also Grandjean, Alice.

Laing, W. E. Southwestern Oklahoma—A geophysical case history of a basin ---------- 218-312

Laird, W. M. The problem of Lake Agassiz ---------- 226-4

Lakshmi, B. R. See Balakrishna, S.

Lal, D. See Agrawal, D. P.

Lamarque, P. See Schlich, Roland.

Lamb, W. C., and Truitt, Paul. The petroleum geology of the Santa Cruz area, Bolivia ---------- 220-167

Lambert, Gérard, Nezami, Mehdi, and Labeyrie, Jacques. Correlations between the deposition of lead-210 in the Antarctic and solar activity ---------- 222-198

See also Nezami, Mehdi.

Lambert, R. St. J. Isotopic age determination on gneisses from the Tauernfenster, Austria ---------- 227-31

— The relationship between radiometric ages obtained from plutonic complexes and stratigraphical time ---------- 227-4

Lander, J. F. Comments on paper by Lynn R. Sykes, "Deep-focus earthquakes in the New Hebrides region" ---------- 225-75

Lander, J. F., and Cloud, W. K. United States earthquakes 1962 -- 223-53

See also Jordan, J. N.

Landis, G. H. See Fischer, W. A.

Landisman, Mark. See Sykes, L. R.

Landyreva, N. S. See Vvedenskaya, N. A.

Lang, C. L. See Phillun, P. W.

Langill, F. E., and Hodgson, J. H. Bibliography of seismology—January-April, 1963; and May-August, 1963 ---------- 223-84

Langf, Z. See Krsamanović, Dusen.

Langseth, M. G., and Grim, P. J. New heat-flow measurements in the Caribbean and western Atlantic ---------- 217-254

Langseth, M. G., Grim, P. J., and Ewing, Maurice. Heat-flow measurements in the east Pacific Ocean ---------- 219-234

Langway, C. C., Jr. Sampling for extra-terrestrial dust on the Greenland ice sheet ---------- 225-26

Langway, C. C., Jr., Oeschger, Hans, Alder, Bernhard, and Renaud, André. Sampling polar ice for radiocarbon dating ------ 224-193

See also Fireman, E. L.

Lanin, A. I. See Buldyrev, V. S.

Lanphere, M. A., and Dalrymple, G. B. P-207—An interlaboratory standard muscovite for argon and potassium analyses ---------- 226-2

Lanphere, M. A., Loney, R. A., and Brew, D. A. Potassium-argon ages of some plutonic rocks, Tenakee area, Chichagof Island, Southeastern Alaska ---------- 224-13

Lanphere, M. A., Wasserburg, G. J., Albee, A. L., and Tilton, G. R. Redistribution of strontium and rubidium isotopes during metamorphism, World Beater Complex, Panamint Range, California, Chap. 20 ---------- 219-273

See also Wasserburg, G. J.

Lányi, János. Geophysical investigations in the lignite basin situated between Oroszlány and Balinka ---------- 222-328

Lapidus, V. Ya. See Volin, A. P.

LaPointe, S. M. Recurrent geomagnetic phenomena and solar centers ---------- 221-218

— Recurrent geomagnetic storms and repetition centers of type IV -- 223-261

Lapina, N. N. Mineral composition of the fine fraction of bottom sediments of the Arctic Ocean ---------- 224-355

Lapshov, V. A. Procedure of operations in gravimetric surveys ------ 219-224

Abstract

Lapwood, E. R. See Burridge, R.
Larina, N. I. See Udintsev, G. B.
Larionov, V. A. Determination of the vertical dimensions of disturbing objects on the basis of ΔT(z) and Z(z) functions 218-261
— Study of the spatial distribution of physical properties in the Ampalyk group of iron ore deposits in the Kuznetsk Alatau 221-179
Larionov, V. V. See Vendel'shteyn, B. Yu.
Larner, K. L. See Schneider, W. A.
LaRochelle, P. See Ladanyi, B.
Larsen, J. A. See Bryson, R. A.
Larson, T. E., and Weatherford, R. L. Natural radioactivity in Illinois water resources 225-291
Larzillière, H., and Lachaux, R. Reoccupation of Cape Denison, King George V Land 223-271
Lasalle, Pierre. Radiocarbon date from the Lake St. John area, Quebec 227-16
Łaski, Janusz. Analysis of the results of approximation of velocity profiling curves in a particular region in the western part of the Central Carpathian Foreland 218-317
Latter, J. H. Sinusoidal disturbances due to shipping, on seismograms at Rabaul, New Britain 227-329
Latynina, L. A. Fundamental concepts of the causes and character of the changes in regime of tectonic movements before large earthquakes 219-197
Latynina, L. K. See Balavadze, B. K.
Laudelot, Henri. See Cremers, Adrein.
Laudon, T. S. See Woollard, G. P.
Laughton, A. S. See Black, Maurice.
Laurent, G., Pauthenier, M., Ponsot, C., Baranskiy, L. N., Kazak, N. B., and Marveeva, E. T. Some characteristics of type PC-1 geomagnetic oscillations registered in magnetically conjugate regions 223-264
Laurent, Roger. See Bertrand, Jean.
Lauterbach, Robert. Gamma spectrograms of basalts and other natural rocks without high radioactivity 221-276
— Geologic results and problems of gamma-spectrography of rock samples (in hand-specimen size and without enhanced radioactivity) 220-308
Laverov, N. P., Belikov, B. P., and Ivanov, I. B. On the absolute age of the intrusive rocks and upper limit of magmatism in the southwestern spurs of the Northern Tien Shan 218-13
Laverov, N. P., Vlasov, B. P., Volovikova, I. M., and Ivanov, I. B. Some problems of the geology of the Kandyktass mountains (Southern Kazakhstan) in the light of absolute age determinations on magmatic rocks 223-15
Lavrenko, I. V. See Grechin, P. Yu.
Lavrentyev, M. A., and Savarensky, Ye. F. On the results of investigations of tsunamis in the USSR 217-99
Law, L. K., Paterson, W.S.B., and Whitham, K. Heat-flow determinations in the Canadian Arctic Archipelago 226-218
Layotte, P. C. See Fail, J. P.
Lazarev, G. Ye. Preliminary results of a gravity-geodetic expedition along the Komsomol'skaya-Sovetskaya-Vostok traverse 219-232
Lazareva, A. P., and Misharina, L. A. On stresses at the focuses of earthquakes of the Arctic seismic belt 224-87
Láznička, Milan. See Těžký, Antonín.
Le, D. H. See Polevaya, N. I.
Leakey, L. S. B. See Fleischer, R. L.
Lebeau, André; Cartron, Suzanne; Olivieri, Geraldo de; Pick, Miloš; Schlich, R.; and Weill, Gilbert. A terrestrial effect of the solar eruptions observed before the geomagnetic storm of July 4, 1957 217-286
Lebeau, André. On the idea of magnetic noon 222-221
Lebedev, A. P. See Dakhnov, V. N.
Lebedev, K. A. Attachment for the summation of seismic vibrations 219-347

Abstract

Lebedev, L. I., and Mayev, Ye. G. Upper Quaternary sediments and geologic structure of the Apsheron Shallows of the Caspian Sea ---------- 224-344

Lebedev, T. S. Some results of the investigations of geophysicists and astronomers of the Ukraine during the period 1960-62 ---------- 220-180

Lebedev, T. S., and Bolyubakh, K. A. Deep structure of the Earth's crust in Crimea and the Black Sea-Azov Basin according to the data of geophysical investigations ---------- 226-310

Lebedev, V. S. Isotopic composition of the carbon of petroleum and natural gas ---------- 220-263

Lebedev, V. S., and Petersil'ye, I. A. On the isotopic composition of the carbon of the hydrocarbon gases and bitumens of the eruptive rocks of the Kola Peninsula ---------- 218-182

Lebedeva, T. N. See Khudobina, L. N.

Lebedinskiy, V. I. Volcanologists meet on Kamchatka ---------- 223-360

LeBorgne, Eugène. See Fontaine, Maxime.

Lechekhleb, V. R. See Yaroshchuk, E. A.

LeComte, Paul. Methods for measuring the dynamic properties of rocks ---------- 222-91

Ledersteger, Karl. The problem of regularization of the Earth's crust and isostasy ---------- 225-192

Lee, Arthur. The hydrography of the European Arctic and subarctic seas ---------- 218-341

Lee, H. K., and Chang, C. C. The report of the gravity and magnetic survey on the Kyungin iron mine ---------- 227-196

Lee. W. H. K. See Nason, R. D.

Leenhardt, Oliver. See Serruya, Colette.

Leet, F. J. See Leet, L. D.

Leet, L. D., and Leet, F. J. The Earth's mantle ---------- 225-222

Lehmann, Inge. The Hindu Kush earthquake of March 4, 1949 as recorded in Europe ---------- 220-60

Lehmann, Martin. See Adler, Gerhard, and Best, Adolf.

Lehmann, R. L., and Zeller, Jürg. Reactor activation of certain sands and clays ---------- 216-294

Lehnert, Klaus. Logging programs for petroleum and natural gas wells in the U.S.A. ---------- 218-111

— On the history and further development of well logging ---------- 221-134

Leighton, R. B., Murray, B. C., Sharp, R. P., Allen, J. D., and Sloan, R. K. Mariner IV photography of Mars—Initial results ---------- 227-55

LeMaitre, R. W. See Baker, P. E.

Le Méhauté, B. J. See Bretschneider, C. L.

LeMouël, Jean. See Fontaine, Maxime.

Leney, G. W. Geophysical exploration for iron ore ---------- 220-178

Lengning, Klaus. Earth current observations on long measuring lines north of Berlin ---------- 227-58

Lenin, S. S. An alpha-particle spectrometer with spherical scintillation chamber ---------- 216-291

Lensen, G. J. The general case of progressive displacement of flights of degradational terraces ---------- 220-203

Leonard, R. S., and Barnes, R. A., Jr. Observations of ionospheric disturbances following the Alaska earthquakes ---------- 221-47

Leonardos, O. H. Inaguration of the Laboratory of Geochronology of São Paulo signaling one of the major events in geological research in Brazil ---------- 216-12

Leone, Franca. See Gasparini, Paolo.

Leont'yev, G. I. Intermittent atmospheric and water loads on the Earth's surface and their effect on precise leveling in the Lower Volga region ---------- 219-186

Leont'yev, Ye. I. See Brylkin, Yu. L.

Leopard, A. E. See Hatherton, T.

Le Pichon, Xavier, Houtz, R. E., Drake, C. L., and Nafe, J. E. Crustal structure of the mid-ocean ridges—Pt. 1, Seismic refraction measurements ---------- 219-246

See also Heirtzler, J. R., and Talwani, Manik.

Abstract

Lepvrier, J.-C. See Bobier, Claude.
Lequeux, James. The solar wind and the interplanetary magnetic field ---------- 219-279
LeSchack, L. A. Long period vertical oscillation of the ice recorded by continuous gravimeter measurements from drift station T-3- 223-173
Lesis, I. P. Recent vertical movements of the Earth's crust in the territory southeast of the Baltic Sea according to data of precision leveling ---------- 219-182
Letolle, René. See Coron, Suzanne.
Letuchikh, V. I. See Khudobina, L. N.
Leutwein, Friedrich. See Roubault, Marcel
Levallois, J. J. On the frequency of gravity measurements in levelings ---------- 220-215
Levchenko, D. G., and Kotyuk, A. F. Induction pickups of given dimensions for measuring weak magnetic fields of acoustic frequency ---------- 219-134
See also Kotyuk, A. F., and Misyuk, L. Ya.
Levchenko, V. A., and Martynova, G. P. On the geologic structure of the Paleozoic deposits on the seaward extension of the Baltic basin ---------- 225-325
See also Vartanov, S. P.
Levchenko, V. K. See Frolovich, G. M.
Leventhal, J. S. See Miller, M. M.
Lévêque, Paul. See Blavoux, Bernard.
Leverault, L. A. See Frantti, G. E.
Levin, A. N. Approximate representation of the traveltime curves of refracted and reflected waves for a nonhomogeneous elastic medium in the case of continuous velocity increase with depth---- 216-320
— On the frequency characteristics of the coefficients of reflection upon normal incidence of plane acoustic and elastic waves on a transitional layer with parabolic law of velocity variation with depth ---------- 226-134
— Use of a method eliminating average velocities for determining the parameters of a nonhomogeneous medium ---------- 216-319
— Use of power series for the solution of the inverse problem on the basis of refringent wave traveltime curves ---------- 225-324
Levin, B. Yu. On the problem of the nature of the surface layer of the Moon ---------- 220-37
— Origin of meteorites ---------- 219-18, 226-89
Levin, Betsy, Ives, P. C., Oman, C. L., and Rubin, Myer. U.S. Geological Survey radiocarbon dates VIII ---------- 226-39
See also Friedman, Irving.
Levin, D. V., Kryukov, S. M., and Karasik, A. M. Aeromagnetic surveying of the central sector of the Soviet North ---------- 223-296
Levin, D. V., Kryukov, S. M., and Volk, V. E. Structure of the western part of the Khatanga basin according to aeromagnetic data ---------- 224-313
See also Volk, V. E.
Levshin, A. G. See Ivanova, Z. S.
Levshin, A. L., Neygaus, M. G., and Sabitova, T. M. Spectra of Love waves and the depth of the normal source ---------- 222-84
Levyant, V. B. On the efficiency of shots near the free surface in seismic surveying (exemplified by the Volgograd district) ------- 220-335
Levykin, A. I. Absorption and velocities of longitudinal and transverse elastic waves in rock samples under hydrostatic pressures to 4,000 kg per cm^2 ---------- 224-114
— Investigation of elastic wave absorption by rock samples at high hydrostatic pressures ---------- 216-110
Lewis, Charles. See Moore, C. B.
Lewis, Richard. At sea on the Moon ---------- 218-34
Leymarie, Pierre. See Aveline, Monique.
Leypunskaya, D. I. See Kaipov, R. L.
Li, Pu. Determinations of the absolute age of pegmatites and granites according to micas by the potassium-argon method in the regions of Inner Mongolia and Nan Ling (Chinese People's Republic) --- 226-82

Abstract

Liadze, V. V. Features of geophysical logging in the boreholes of structural-exploratory drilling 227-121

Libby, W. F. See Berger, Rainer, Cowan, Clyde, Miller, M. M., and Wood, Lowell.

Liegeois, R., and Deutsche Akademie der Wissenschaften zu Berlin. Instructions for the execution of tests of the strength of rocks 223-339

Lieske, J. H., and Shirer, D. L. The aerodynamic flight of tektites 217-54

Liessmann, Günter. Measurement of electrical properties of rock 222-110

Liliyenberg, D. A. Recent tectonic movements and morpho-structural features of the eastern Caucasus and Transcaucasia 219-203

See also Dumitrashko, N. V.

Lill, G. G. The Mohole Project 227-221

Lilly, H. D. Submarine examinations of the Virgin Rocks area, Grand Banks, Newfoundland—Preliminary note 220-343

Limes, L. L. Geologic proof of drainage 227-155

Limón, A. C. Techniques of seismic recording 218-294

Lindberg, L. See Alfvén, Hannes.

Lindsley, D. H., MacGregor, I. D., and Davis, B. T. C. Synthesis and stability of ferrosilite 223-225

Lingenfelter, R. E. See Flamm, E. J.

Linington, R. E. Introduction [to reports on geophysical prospecting in archeology] 225-137

— Cerveteri 225-285

— Seismic test work 225-307

— Sybaris 225-287

— Tarquinia 225-138

— Veio 225-286

Lin'kov, Ye. M. Use of magnetron transducers in seismic receivers and tiltmeters 223-323

Lin'kov, Ye. M., Smirnov, V. A., and Vinokur, B. Sh. Tiltmeter investigations of mine bumps 223-108

Lin'kov, Ye. M., and Tripol'nikov, V. P. Apparatus and procedure for investigation of movement in microseisms 223-303

Linsser, Helmut. A generalized form of Nettleton's density determination 227-184

Linzuain, E. G. See Binaghi Pagés, A. C. F.

Lippolt, H. J., Gentner, W., and Wimmenauer, W. Age determination by the potassium-argon method on Tertiary eruptive rocks of southwest Germany 227-30

Lipschutz, M. E. Estimation of half-lives from meteoritic data 220-21

— Search for diamonds in the chondrite Gubara 225-22

Lipschutz, M. E., Signer, Peter, and Anders, Edward. Cosmic ray exposure ages of iron meteorites by the Ne^{21}/Al^{26} method 222-19

Lipovetskiy, I. A. See Zhivoderov, A. B.

Lisenenkov, A. T. See Dyad'kin, I. G.

Lishnevskiy, E. N. See Volkhonin, V. S.

Lisitsyn, A. P. Bottom sediments of the Bering Sea 224-357

Lisitzin, Eugenie. Contribution to the knowledge of land uplift along the Finnish coast 225-168

Liszt, Ferenc. Two-parameter radioactive gamma-sonde designed for high temperature (GEO-R-14) 222-308

Litt, Clotilde. See Duchesne, Jules.

Little, J. W., and Youmans, A. H. The Neutron Lifetime Log—A performance report 223-308

Litvin, V. M. Eyewitness account 223-355

Litvinenko, I. V. Features of crustal structure in the eastern part of the Baltic shield 227-230

Lliboutry, Louis. The thermal regime at the base of polar icecaps 225-176

Lloyd, E. F. See Healy, James.

Lobach-Zhuchenko, S. B. See Gorokhov, I. M., and Yashchenko, M. L.

Loddo, C. See Carissimo, L.

Loeb, J. The transient response of resistive formations 217-164

Abstract

Loffler, Hans. A phenomenonological theory to explain the magnetic behavior of the spinel-type oxides of the third-transition metals ---- 216-257
Logachev, A. A. Distinguishing zones of linearly increasing magnetization of the rocks ---- 223-330
Logigan, St. D. See Brix, F. E.
Loginov, G. A. Morphology of magnetic activity according to Murmansk data ---- 225-256
Logn, Ørnulf. Magnetic measurements under ground ---- 221-259
Lombard, Paul. See Villers, Gérad.
Lomhardi, O. W. See Saint-Amand, Pierre.
Lomnitz, Cinna. A proposed central seismic system for tsunami warning purposes ---- 217-111
— Lessons from the earthquake of 1960 ---- 216-17
— On Andean structure—Pt. 2, Earthquake risk in Chile ---- 217-85
— Stresses and deformations in the interior of a nonevolutionary planet ---- 225-236
— The earthquakes of September 5, 1958, in the Maipo Valley ---- 225-71
See also Bullen, K. E., and Dragicevic S., Mateo.
Loney, R. A. See Lanphere, M. A.
Long, Austin. Smithsonian Institution radiocarbon measurements II ---- 226-32
Long, C. L. See Meuschke, J. L., and Philbin, P. W.
Long, E. J., ed. Ocean sciences ---- 221-344
— Preliminary Rb-Sr investigation of Tertiary granite and granophyre from Skye ---- 219-13
Long, L. T. See Sanford, A. R.
Longman, I. M. Comments on a paper by Papadopoulos on the use of singular integrals in wave propagation problems ---- 225-90
— On the numerical inversion of the Laplace transform ---- 220-115
Loomer, E. I. Record of observations at Resolute Bay Magnetic Observatory for 1959 ---- 216-239
— Summary of observations at Resolute Bay Magnetic Observatory 1960-62 ---- 216-248
See also Evans, A. E.
Loomis, A. A. Interpretation of lunar alpha-scattering data ---- 227-52
Loring, D. H. See Nota, D. J. G.
Lorius, Claude. See Nezami, Mehdi.
Loshchakov, A. I. On the geologic interpretation of the ΔT regional magnetic field in diamond-bearing areas of western Yakutia ---- 219-309
Losovskiy, B. Ya, and Salomonovich, A. Ye. On the radio emission and differences in the upper layer of "maria" and "continental" regions of the Moon ---- 225-36
Lossovskiy, Ye. K. On the quantitative measurement of the information conveyed by geophysical observations ---- 221-138
Lotze, Franz, and Altevogt, G. Actuo-geologic characteristics of the year 1963 ---- 223-52
Louis, Pierre. Geophysical contribution to the paleogeography of the Logone basin (Republic of Chad) ---- 216-140
Lovering, J. F. Electron microprobe analysis of terrestrial and meteoritic cohenite ---- 219-25
Lovering, J. F., and Andersen, C. A. Electron probe analysis of oxygen in an iron meteorite ---- 220-19
Lovering, J. F., and Richards, J. R. Potassium-argon age study of possible lower-crust and upper-mantle inclusions in deep-seated intrusions ---- 217-4
See also Greenland, L. P., and Morgan, J. W.
Lovtsyus, G. P. See Starik, I. Ye.
Lozano Calvo, Luis. The Bouguer-isostatic reduction ---- 221-161
Lozovskaya, T. A. See Voskoboynik, N. I.
Lubyanskiy, Ya. N. Ways of speeding up the treatment of field data of radiometric measurements ---- 224-327
Lucke, Otto. The significance of adiabatic invariants in the thoery of the plasma in the magnetosphere, Pt. 1 ---- 216-228
See also Fanselau, Gerhard.

Abstract

Ludwig, G. H. See Balasubrahmanyan, V. K.
Ludwig, W. J., Ewing, J. I., and Ewing, Maurice. Seismic-refraction measurements in the Magellan Straits ---------------- 222-317
Lukashin, Yu. P. Use of correlational methods for analysis of seismic vibrations ---------------- 221-307
Lukavchenko, P. I. On the effect of the relief of the exposed surface on the results of gravity measurements in boreholes ---------------- 226-202
Lukk, A. A., and Nersesov, I. L. Structure of the upper part of the Earth's mantle according to observations on earthquakes with intermediate focal depth ---------------- 225-233
Luk'yanov, A. V. Horizontal movements along faults, occurring in recent catastrophic earthquakes ---------------- 217-93
 See also Burtman, V. S.
Lundelius, E. L., Jr. See Turnbull, W. D.
Lundquist, Gösta. Interglacial deposits in Sweden ---------------- 224-21
Lushnov, N. P. Calculation of the physical-mechanical properties of the material of rock-rubble dams in investigating seismic resistance on models ---------------- 227-98
Lutsenko, B. N., and Pushnoy, B. M. On the use of a mutual correlation method of measuring the angle of polarization of the magnetic component of the natural electromagnetic field ---------------- 223-48
Lyakhov, L. L., Solov'yev, G. A., and Kadyrov, I. N. On the geologic-geophysical criteria in prospecting for hidden tungsten-molybdenum and tin-tungsten mineralization ---------------- 216-139
 See also Yakubovskiy, Yu. V.
Lyapichev, G. F. See Satpayev, K. I.
Lykov, V. I. See Mil'shteyn, D. M.
Lykova, A. K., Danilova, L. Yu., and Dement'yev, L. F. Some results of developing the Krasnokamsk oil field of the Perm region ---------------- 217-179
Lynch, J. J. Our trembling Earth ---------------- 226-109
Lyon, R. J. P. See Mertz, Lawrence.
Lysenko, N. I. See Smol'nikov, B. M.
Lyttleton, R. A. On the internal structure of the planet Mars ------ 221-44
Lyubalin, V. D., and Bugrov, Yu. N. On an improvement of the method of calculating the effect of relief in a milligal gravity survey under the conditions of the Mesozoic basins of Transbaikalia - 226-213
Lyubavin, Yu. P. See Gubanov, V. G.
Lyubetskiy, V. G. See Bachin, A. P.
Lyubimova, Ye. A. Heat flow in the Ukrainian shield in relation to recent tectonic movements ---------------- 218-157
Lyubtseva, Ye. F. See Veshev, A. V.
Lyustikh, Ye. N., and Magnitskiy, V. A. Vertical movements of the Earth's crust, variations of the gravitational field with time, and displacements of subcrustal masses ---------------- 219-178

M

Ma, T.-Y. H. The last sudden total displacment of the Earth mantle and dating of when Taiwan was last land-connection to the mainland of China ---------------- 219-169
Maasik, V. Detailed investigations of the crystalline basement and bedrock of northern Estonia by the gravity method ---------------- 224-218
Maass, H.-W. The "Vibroseis" system as optimal traveltime method ---------------- 217-327
Maass, Inge. Contributions to isotope geology on the elements hydrogen, carbon, and oxygen ---------------- 226-240
Maaz, Richard. Theoretical investigation of an embedded seismograph receiver in a longitudinal plane wave ---------------- 219-122
Mabey, D. R. Aeromagnetic survey of the Antler Peak quadrangle - 224-306
McAllister, R. E. See Berger, J.
McBryde, Isabel. Radio-carbon dates for northern New South Wales- 226-83
McCall, G. J. H. Kilombe Caldera, Kenya ---------------- 222-39
McCall, G. J. H., and Jeffery, P. M. The Woolgorong stony meteorite ---------------- 216-35

Abstract

McCall, G. J. H., and Cleverly, W. H. Newly discovered mesosiderite containing achondrite fragments—The Mount Padbury meteorite ---- 227-45
McCall, J. L. See Maringer, R. E.
McCallum, K. J., and Wittenberg, J. University of Saskatchewan radiocarbon dates IV ---- 226-30
McCamy, Keith. See Shima, Etsuzo.
McCann, C., and Price, A. T. Magnetotelluric measurements at sea ---- 226-98
MacCarthy, G. R. A descriptive list of Virginia earthquakes through 1960 ---- 220-81
MacCarthy, G. R., and Waskom, J. D. The Virginia-North Carolina Blue Ridge earthquake of October 28, 1963 ---- 220-80
McCarthy, L. T. Geophysics is key to new Ohio Trempealeau exploration ---- 223-130
McCaslin, W. E. See Bromery, R. W.
McClure, D. J. See Hood, P. J.
McDonald, F. B. See Balasubrahmanyan, V. K.
Macdonald, G. A. Geology and geophysics of Hawaii ---- 217-192
Macdonald G. A., and Katsura, Takashi. Eruption of Lassen Peak, Cascade Range, California, in 1915—Example of mixed magmas - 225-356
MacDonald, G. J. F. Environmental sciences—Problems and prospects ---- 225-146
— The escape of helium from the Earth's atmosphere, Chap. 7 ---- 227-233
McDougall, Ian, and Compston, W. Strontium isotope composition and potassium-rubidium ratios in some rocks from Reunion and Rodriguez, Indian Ocean ---- 227-244
McDougall, Ian, Upton, B. G. J., and Wadsworth, W. J. A geological reconnaissance of Rodriguez Island, Indian Ocean ---- 223-18
See also Heier, K. S., Turnbull, W. D., and Webb, A. W.
McDowell, L. L., and Ryan, M. E. USDA Sedimentation Laboratory radiocarbon dates I ---- 226-23
McElheny, V. K. Progress in seismic recording and analysis ---- 221-61
McElhinny, M. W., and Jones, D. L. Palaeomagnetic measurements on some Karroo dolerites from Rhodesia ---- 225-272
McElroy, M. N. See Scott, R. W.
MacElvain, R. C. Reconnaissance radiation survey of Marion County, Alabama ---- 222-312
McEvilly, T. V. Central U.S. crust-upper mantle structure from Love and Rayleigh wave phase velocity inversion ---- 220-64
McEvilly, T. V., and Stauder, William. Effect of sedimentary thickness on short-period Rayleigh wave dispersion ---- 223-87
McGarr, Arthur. Excitation of seiches in channels by seismic waves ---- 220-78
McGinnis, L. D. Seismic studies of three areas in northern Nevada- 221-312
See also Dudley, W. W., Jr., and Heigold, P. C.
McGlynn, J. C. See Ross, J. V.
McGuinness, W. T. See Richards, A. F.
MacGregor, I. D., and Ringwood, A. E. The natural system enstatite-pyrope ---- 223-221
See also Boyd, F. R., Lindsley, D. H., and Ringwood, A. E.
Machado, Frederico. Concerning the constitution of the interior of the Earth ---- 218-175
— Eruptions on La Palma Island (Canary Islands) ---- 220-355
— Formation of fractures in volcanic regions ---- 226-356
— On the occurrence of submarine eruptions ---- 226-357
Machado, Frederico, and Forjaz, V. H. Seismic swarm in the Azores, February 1964 (preliminary report) ---- 226-117
— Seismic swarm in the Azores, February 1964 ---- 224-67
Machida, Hiroshi. Tephrochronological study of Volcano Fuji and adjacent areas ---- 219-360
McIntosh, B. A., and Millman, P. M. Radar meteor counts—Anomalous increase during 1963 ---- 218-27
MacIntyre, R. M. See Brown, P. E., Farrar, E., and Harris, P.M.

Abstract

MacKallor, J. A. Aeroradioactivity survey and geology of the GNOME (Carlsbad) Area, New Mexico and Texas (ARMS-I) 220-311

— Natural gamma aeroradioactivity of the GNOME (Carlsbad) area, New Mexico and Texas 218-283

McKean, F. K. A meteoritic crater in the Pre-Cambrian Shield 222-34

MacKenzie, G. S. See Haubrich, R. A.

McLaughlin, W. A. See Edwards, G.

Maclure, K. C., Hafer, R. A., and Weaver, J. T. Magnetic variations produced by ocean swell 219-276

McManus, D. A. Major bathymetric features near the coast of Oregon, Washington, and Vancouver Island 217-357

McNicol, R. W. E., and Mainstone, J. S. General characteristics of pc-type pulsations 217-283

Mack, J. W. See Coons, R. L.

Madera, E. R. See Patsevich, S. L.

Madill, R. G. See Jackson, W. E. W.

Mae, Shinji. See Higashi, Akira.

Maeda, Hiroshi. Electric fields in the magnetosphere associated with daily geomagnetic and their effects on trapped particles 218-214

See also Matsushita, Sadami, and Ondoh, Tadanori.

Magdiyev, R. A., Sabotayeva, Z. K., and Shaislamova, M. A. Some features of the distribution of radioactive elements in rocks of the Aktaù granitic massif 221-278

Magnée, Ivan de. Twenty-fifth meeting of the European Association of Exploration Geophysicists held at Liège 3-5 June. Presidental address 217-202

Magnitskiy, V. A. Zonal melting as a mechanism of formation of the Earth's crust 218-119

See also Lyustikh, Ye. N.

Magud, M. Sh. See Dubinchik, E. Ya.

Maino, Armando, Segre, A. G., and Tribalto, Giuseppe. Results and interpretation of gravity surveys of the Phlegrean-Vesuvian zone and of Ischia Island 225-190

Mainstone, J. S. See McNicol, R. W. E.

Major, A. See Irving, Edward.

Makagomi, Yoshiteru. See Nojima, Yukio.

Makagonov, P. P., and Solov'yev, G. A. On the problem of calculating the correction for the effect of relief in observations with a gravimeter 225-209

Makarenko, F. A., and Chikhradze, Sh. G. Deep heat flow in the Colchidian Lowland 224-222

Makarov, A. N. Investigation of the structure and composition of coal measures according to logging data 227-127

Makarov, N. P. On the Faye reduction 224-212

Makarov, Yu. V. See Shan'gin, N. V.

Makino, Ichiro. See Iwasaki, Iwaji.

Makowiecki, L. Z. A. Geophysical Division 220-162

Makukhina, A. A. See Boyko, V. L., and Semenenko, N. P.

Maksimov, L. S., and Tokmakov, V. A. Use of a modified SPM-16 seismometer for recording displacements in oscillatory motion 218-305

Mal, A. K., and Knopoff, Leon. Transmission of Rayleigh waves past a step change in elevation 224-101

See also Herrera, I.

Malakhovskiy, D. B. See Starik, I. Ye.

Maldonado-Koerdell, Manuel. Geology and geophysics at present, Pt. 2 220-360

Malkovský, Miroslav. See Hanzlík, Jiří.

Małkowski, Zdzisław. See Pożaryski, Władysław.

Mallick, D. I. J. See Gass, I. G.

Malloy, R. J. Crustal uplift southwest of Montague Island, Alaska 217-76

— Seafloor upheaval 227-63

See also Harrison, W., and Jordan, G. F.

Malnar, L. See Giret, Raoul

Malovichko, A. K., and Kopytov, A. S. Two-dimensional graticule for calculating the effect of gullied or cliffed forms of relief 216-182

Abstract
Malovitskiy, Ya. P. Structure and history of the geologic development of the Sea of Azov (according to data of marine geophysical investigations) ---- 227-145
See also Vartanov, S. P.
Malthotra, P. L. See Rao, C. S. R.
Mal'tseva, K. A. See Al'tshuler, L. I.
Mal'tseva, N. F. Correlation between polar disturbances of short-period pulsations of the Earth's magnetic field with bay-type disturbances and the appearance of r-type sporadic E in the vicinity of Lovozero station ---- 222-253
— Preliminary results of analysis of the amplitude spectrums of SSC micropulsations ---- 224-280
Malyavkin, A. M. See Karasik, A. M.
Mälzer, Hermann. The leveling over the Greenland Ice Cap of the International Glaciological Greenland-Expedition 1959 ---- 225-150
— An ink-recorder for seismographs ---- 218-65
Mamadaliyev, Yu. A. On changes of the parameters of a seismic regime with time ---- 217-87
Mamedov, R. A. See Faradzhev, A. S.
Mamedov, S. A. See Ismail-Zade, T. A.
Manafly, N. I. See Faradzhev, A. S.
Managadze, G. D. On the interpretation of gravity anomalies over a vertical step ---- 224-217
Managadze, G. D., and Mindeli, P. Sh. On the problem of the interpretation of gravity anomalies over a fault in a horizontal layer ---- 222-146
Mandel, S. See Harpaz, Y.
Mandel'baum, M. M. See Kondrashov, V. A.
Mandrykina, T. L. See Egyenson, M. S.
Mann, J. E., Jr. The importance of anisotropic conductivity in magnetotelluric interpretation ---- 225-109
Mann, V. I. See Morgan, B. A.
Manten, A. A. The origin of marine geology ---- 225-347
Mǎntescu, C. See Soroiu, M.
Manuel, O. K., and Rowe, M. W. Noble gases in the Bruderheim chondrite ---- 219-33
See also Bogard, D. D.
Manuylova, M. M. See Yashchenko, M. L.
Marchenko, L. L. See Khristoforov, V. S.
Marchuk, G. D. See Gladun, V. A.
Marcus, Allan. A stochastic model of the formation and survival of lunar craters—Pt. 1, Distribution of diameter of clean craters ---- 221-41
Marderfel'd, B. Ye. See Ben'kova, N. P.
Marek, František. Determination of the correction of effective velocities for the curvature of reflecting boundaries ---- 220-331
Mareschal, N. See Bois, Pierre.
Maricelli, J. J. See Gilreath, J. A.
Maringer, R. E., and McCall, J. L. Metallography and the history of meteorites ---- 217-31
Markhinin, Ye. K. The role of volcanic products in formation of the Earth's crust ---- 221-350
Markov, M. S. See Pavlovskiy, Ye. V.
Markowitz, William, Stoyko, N., and Fedorov, E. P. Longitude and latitude, Chap. 6 ---- 224-178
Marmo, F. F.; Shardanand; and Warneck, Peter. Ozone distribution in the atmosphere of Mars ---- 223-43
Marmo, Vladi. The geological interpretation of aerogeophysical maps ---- 219-306
Marochnik, L. S. The magnetic effect of meteors ---- 219-286
Marova, N. A. See Udintsev, G. B.
Marovelli, R. L., and Veith, K. F. Thermal conductivity of rock—Measurement by the transient line source method ---- 224-220
Marsell, R. E. The Wasatch Fault zone in north central Utah ---- 222-67
— The Wasatch Fault zone in Salt Lake County ---- 222-69

Abstract

Marshall, N. F. See Reimnitz, Erk.
Marti, K. See Eberhardt, Peter.
Martin, Hans. Geophysical considerations on the Tunguska catastrophe of 1908 --- 224-44
— The hypothesis of continental drift in the light of recent advances of geological knowledge in Brazil and in South West Africa --- 217-214
Mart'yanov, V. V. See Sidorov, V. A.
Martyn, D. F. See Davidson, T. W.
Martynova, G. I. Some data on the calculation of systematic deviations in approximately computed V_{zzz} fields --- 221-171
Martynova, G. P. See Levchenko, V. A.
Martynova, K. V. See Ben'kova, N. P.
Martynova, Z. I. See Gorelov, S. K., and Setunskaya, L. Ye.
Marušiak, Ivan. Logging measurements in the stratigraphic drill hole Vlachy-1 --- 219-146
Marussi, Antonio. Gravity anomalies and tectonics in Central Asia - 218-149
See also Cook, A. H.
Maruyama, Takuo. Statical elastic dislocation in an infinite and semi-infinite medium --- 217-160
Marveeva, E. T. See Laurent, G.
Marvin, R. F., Wright, J. C., and Walthall, F. G. K-Ar and Rb-Sr ages of biotite from the Middle Jurassic part of the Carmel Formation; Utah --- 224-11
See also Kinkel, A. R., Jr.
Marvin, U. B., and Klein, Cornelis, Jr. Meteoritic zircon --- 217-27
See also Fleischer, R. L.
Marych, M. I. On determination of the figure of the Earth without applying of normal field --- 218-112
Mar'yenko, N. N. See Guberman, Sh. A.
Masarskiy, S. I., and Moiseyenko, F. S. Thickness of the Earth's crust in the Altai and its relationship to the tectonics of the region --- 216-212
Mason, Brian. Feldspar in chondrites --- 223-23
— The meteorite and tektite collection of the American Museum of Natural History --- 220-26
See also Keil, Klaus.
Mason, C. S. See Roden, R. B.
Mason, R. W. See Orvig, Svenn.
Masuda, Akimasa. Content of lead in the Earth's initial chondrite-like oxide mass and the artition coefficient of lead for crystallization of silicate melt --- 216-42
— Depth source of lead --- 218-176
— Geochemical constants for rubidium and strontium in basic rocks - 221-200
— Primeval strontium-87/strontium-86 ratio --- 224-251
— The possible genesis of mantle and crust, viewed from the abundance of lanthanides in meteorites and terrestrial materials -- 220-255
Mather, K. B. Annual report—1963-64 --- 219-156
See also Wescott, E. M.
Mathur, L. P., and Kohli, G. Exploration and development for oil in India --- 220-168
Mathur, S. P. See Harrison, J. C.
Matolín, Milan. Interpretation method for detailed radiometric air measurements --- 218-280
Matschinski, Matthias. The general principles of every global theory of the Earth's crust --- 217-207
Matsuda, Tokihiko. Island arc features and the Japanese Islands --- 219-165
See also Sugimura, Arata.
Matsumoto, Hatao. Activity of On-take Volcano, Suwanose Island, Kagoshima Prefecture, 1960 --- 218-359
Matsumoto, Takashi, and Wadatsumi, Kiyoshi. Some aspects of the igneous activities during the "Green Tuff Period" in Honshu Arc, Japan --- 221-150
Matsumoto, Tatsuró. On the age of the geosynclinal volcanism --- 216-158
Matsushita, Sadami. Geomagnetic storms and related phenomena -- 217-285

Abstract

Matsushita, Sadami, and Maeda, Hiroshi. On the geomagnetic lunar daily variation field ---- 224-256

— On the geomagnetic solar quiet daily variation field during the IGY ---- 224-255

Matthews, D. H. Earthquake in Alaska 28 March 1964 ---- 218-46

Matthews, D. H., Vine, F. J., and Cann, J. R. Geology of an area of the Carlsberg Ridge, Indian Ocean ---- 226-271

See also Black, Maurice.

Matthews, R. R., Mooney, T. D., Haynie, R. B., and Albright, J. C. Supplementary computer programs for dipmeter analysis - 226-164

Mattick, R. E. Aeromagnetic and generalized geologic map of the Bingham quadrangle, Somerset County, Maine ---- 219-300

See also Beck, M. E., Jr.

Mattskova, V. A. Revised map of rates of recent vertical movements of the Earth's crust in the west of the European part of the U.S.S.R. and some information concerning the period of these movements ---- 219-181

See also Gorelov, S. K.

Matuszak, D. R. Adjustment of electric log values for preparation of subsurface facies maps ---- 220-152

Matuzawa, Takeo. Study of earthquakes ---- 221-66

Matuzov, N. I. See Alfimov, N. N.

Matveyenko, A. A. See Avchyan, G. M.

Matveyev, B. K. Geophysical methods of studying ground water movement ---- 218-97

Matveyev, P. S. Anomalies of tidal tilts of the Earth's surface at Poltava and Shmakovo according to the data of observations during 1958-59 ---- 220-109

Matveyev, V. D. See Zhivoderov, A. B.

Matveyeva, I. I. See Gerling, E. K., and Shukolyukov, Yu. A.

Matveyeva, N. N., and Alekseyev, A. S. Machine search for variants of the velocity section of the upper mantle on the basis of a set of traveltime curves of deep-focus earthquakes ---- 218-177

Matveyeva, O. V. See Alekseyev, V. A.

Matveyevskaya, A. L. See Kosygin, Yu. A.

Mauersberger, Peter. On the calculation of the potential of the main geomagnetic field from observed values of vertical intensity ---- 216-266

— Remarks on the integral equation for the potential of the main geomagnetic field ---- 221-223

See also Fanselau, Gerhard.

Mauger, R. L., Damon, P. E., and Giletti, B. J. Isotopic dating of Arizona ore deposits ---- 224-9

Maulik, T. N. On P_F and other phases in the early part of seismogram ---- 219-124

— On pressure transmission to ocean bed in relation to generation of microseisms ---- 221-273

— On the effect of low-velocity channel inside the Earth ---- 222-76

— Propagation of surface waves in heterogeneous media containing a low velocity channel ---- 227-90

Maurette, M., Pellas, P., and Walker, R. M. Cosmic-ray-induced particle tracks in a meteorite ---- 219-19

— Study of the traces of fossil fission in mica ---- 216-2

See also Fleischer, R. L.

May, G. A. Seismic work on Arctic glaciers with light-weight equipment ---- 221-314

Mayaud, P.-N. Principles for discriminating between Sq and SD on individual records and description of a special type of magnetic perturbation the "slow oscillations" ---- 224-273

Mayer, W. G. Corrections of Knott's calculations of elastic wave reflection and refraction ---- 222-85

— Recalculation of Blut's results for reflection and refraction of elastic waves at surfaces of instability ---- 220-125

Mayev, Ye. G. See Lebedev, L. I.

Mayhew, M. A. See Diment, W. H.

Abstract

Maynard, N. C., Cahill, L. J., Jr., and Sastry, T. S. G. Preliminary results of measurements of the equatorial electrojet over India 221-209
Maysuradze, L. I. See Kholodok, Ye. D.
Mazáč, Ordřich. See Hanzlík, Jiří.
Mazanov, V. F. See Morgunov, V. S.
Mazenot, P. Interpretation of numerous measurements of deformations carried out on rock masifs by Électricité de France 223-340
Mazor, E., and Wasserburg, G. J. Helium, neon, argon, krypton, and xenon in gas-emanations from Yellowstone and Lassen volcanic National Parks 224-249
Mazzon, Corrado, and Pieri, L. First contribution to the pendulum measurements on the European base of errors of gravity 221-162
Mazzon, Corrado, and Tomelleri, Valentino. New pendulum measurements on the European line of gravimeter calibration—Preliminary report 218-135
Mechler, Pierre, and Rocard, Yves. Mohography and the reinforcement of seismic waves 222-87
  See also Allègre, Claude.
Medlin, W. L. Thermoluminescence in rock 226-225
Medvedev, S. V. Spectrums of the action of seismic vibrations in explosions 221-84
Medvedev, S. V., and Bune, V. I. Attempt to estimate the seismicity of the area of the Kyrdzhali hydro-unit in Bulgaria 227-75
  See also Yershov, I. A.
Meier, M. F. Comments on [W.S.B.] Paterson's paper "Variations in velocity of Athabaska Glacier with time" [1964] 227-175
Meier, M. F., and Tangborn, W. V. New budget and flow of South Cascade Glacier, Washington 227-170
Meinardus, H. See Dragicević S., Mateo.
Meinhold, Rudolf. Methods of detecting new hydrocarbon reserves 223-138
Meisser, Otto; Militzer, Heinz; and Thon, Hans-Günther. New geophysical measurement techniques in place for dams 221-135
Meister, L. See Schlich, Roland.
Mekhtiyeva, V. L. See Pankina, R. G.
Melamud, A. Ya., and Ayzman, Yu. A. The APMZ-ChM station for intermediate magnetic recording of seismic vibrations 219-114
Melchior, P. J. Earth tides, Chap. 7 224-94
— Fifth international symposium on earth tides 218-67
— Terrestrial tide and astronomy 220-106
— The evolution of ideas and observation techniques in the study of earth tides 220-105
Melent'yev, M. I. See Bachin, A. P.
Melikyan, A. A. Seismic pressure of the ground on underground constructions according to the data of experiments 227-94
Mel'kanovitskiy, I. M. Deep geologic structure of the Soviet part of the Tien Shan according to geophysical data 227-133
  See also Akhmatov, P. G., and Orlovskiy, A. S.
Mellen, F. F. See Bicker, A. R., Jr.
Mellor, Malcolm. Snow and ice on the Earth's surface 224-191
Mel'nichenko, A. K. See Baratov, R. B.
Mel'nikov, A. G. See Chukin, V. T.
Mel'nikov, L. A. See Andreyev, V. I.
Menaker, G. I. On the problem of determining the direction of magnetization, I/σ ratio, and derivatives of the pseudogravitational anomaly for two-dimensional bodies of arbitrary shape 221-181
Mendelsohn, L. I. Diamagnetic gaussmeter 223-275
Mendelutsa, V. M. On the possibility of modeling the three-dimensional problem on electrically conducting paper 221-178
Menaker, G. I. Use of point interpolation in determining the correction for local relief 216-180
Menard, H. W. See Krause, D. C.
Menzel, Heinz. See Jung, Karl, and Peterschmitt, Elie.

Abstract

Menzel, W. The development of approximation formulas for calculating the stress around insulated mine workings with quadratic, rectangular, or trapezoidal cross section in the elastic rock ---------- 225-333

Mereu, R. F. A study of apparent angles of emergence at Marathon, Ontario from the Lake Superior data ---------- 224-104

Merino y Coronado, José. Notes on some seismotectonic observations in the Republic of Mexico ---------- 224-66

Mernykh, V. M. Small-sized semiconductor inclinometer ---------- 226-178

Merriam, D. F. Recent structural development ---------- 225-61
See also Cole, V. B.

Merrill, A. S., Emery, K. O., and Rubin, Meyer. Ancient oyster shells on the Atlantic continental shelf ---------- 219-7

Merrill, R. H. In situ determination of stress by relief techniques - 225-342
See also Wisecarver, D. W.

Merrill, R. T. See Grommé, C. S.

Merritt, C. A. See Ham, W. E.

Mertz, Lawrence. Discussion of paper by E.A. Burns and R. J. P. Lyon, "Errors in the measurement of the lunar temperature" ---- 220-33

Merz, Erich, and Schrage, E. Activation-analytical determination of the Zr/Hf ratio in stone meteorites and rocks ---------- 219-27

Meshcheryakov, Yu. A. Secular movements of the Earth's crust. Some methods and problems of investigation ---------- 219-176

Metchnik, V. Remarks on the efficiencies of Geiger, proportional and scintillation counters with application to the absolute intensity of characteristic X-radiation ---------- 218-278

Metzger, A. See Vesanen, Eijo.

Meuschke, J. L., and Long, C. L. Aeromagnetic map of part of the Lanes Creek quadrangle, Caribou County, Idaho ---------- 219-305

Meuschke, J. L., and Vargo, J. L. Aeromagnetic map of the Amity quadrangle, Aroostook County, Maine ---------- 216-274

Meyer, A. A. Potential of a point source of current in a semi-infinite inhomogeneous medium with conductivity varying in a direction parallel to the surface ---------- 218-82

Meyer, R. P. See Healy, J. H., and Shima, Etsuzo.

Meyer de Stadelhofen, Camille. Geoelectric study of the cone of the Orbe ---------- 216-126
—Geoelectric study of the cone of the Orb ---------- 221-123
— Preliminary note on the subject of the geoelectric study of the Rhône Plain ---------- 216-125, 221-122

Michael, H. N. See Ralph, E. K.

Michard, Gil. See Allègre, Claude.

Michel, F. C. Interaction between the solar wind and the lunar atmosphere ---------- 220-34
— K_p as a planetary index ---------- 216-225

Michel, F. C., Dessler, A. J., and Walters, G. K. A search for correlation between K_p and the lunar phase ---------- 216-224

Michon, D. See Geneslay, Raymond.

Micloveanu, D., and Covaci, S. Representation of two-dimensional disturbance fields with the aid of curve integrals ---------- 225-194

Miecznik, Juliusz. Application of the magnetotelluric method in geophysical surveys ---------- 223-51
— Determination of depth to the top of a horizon of high resistance- 220-140

Miesch, A. T., and Davis, C. W. Computer analysis of areal microphotometer data from lunar photographs ---------- 217-64

Mikerina, N. V. See Ivanov, K. G., and Novysh, V. V.

Mikhaylov, I. I. See Nikanorov, I. I.

Mikhaylov, I. N. See Berezkhin, V. M.

Mikhaylov, O. V. See Yemel'yanov, Ye. M.

Mikhaylov, V. M. Some data on the character of the change in average velocity of elastic wave propagation in rocks of the Prut-Dniester interfluve ---------- 227-342

Mikhaylova, N. G., and Saks, M. V. The seismogeologic features of the regions of investigation and the recorded multiply reflected waves ---------- 225-310

Abstract

Mikhaylova, N. G. See Eytingon, L. G., Ivanova, L. A., and Yepinat'yeva, A. M.

Mikhaylova, N. P., and Glevasskaya, A. M. On the determination of ore inclusions in pyroxenites by the thermomagnetic method -- 224-296

Mikhed'ko, A. F. See Popov, V. V.

Mikheyeva, I. V., and Kolomenskiy, V. D. Investigation of meteor and industrial dust by the X-ray method ---------------------- 217-50

Mikhno, M. F. See Neprochnov, Yu. P.

Mikov, D. S., Fedorov, A. A., Andreyev, V. A., Udodova, O. V., and Ivanchura, L. I. Exploration geophysics ----------------- 223-140

Mikumo, Takeshi. Crustal structure in central California in relation to the Sierra Nevada ------------------------------------ 222-177

Mikunov, V. F. Structure of the basement surface in the eastern part of the Chul'man depression (South Yakutia) --------------- 220-148

Milanovskiy, Ye. Ye., and Sorskiy, A. A. A visiting session of the council on the problem "The structure and development of the Earth" in the city of Tbilisi ---------------------------------- 223-232

Milashin, A. P. See Vartanov, S. P.

Milford, S. A. See Aronowitz, L.

Milić, S. See Krsmanović, Dusen.

Militzer, Heinz. Some results of the vibrator technique in engineering geophysics -- 217-325

See also Meisser, Otto.

Millard, H. T., Jr. Thermal neutron activation: measurement of cross-section for manganese-53 ------------------------------ 219-35

Miller, B. P. Distribution of small lunar craters based on Ranger 7 photographs --- 223-32

Miller, D. S. Fission tracks in minerals ----------------------- 227-8

Miller, J. A. The volcanological report of the Royal Society Expedition to Tristan da Cunha, 1962—Appendix 2, Age determinations made on samples of basalt from the Tristan da Cunha Group and other parts of the Mid-Atlantic Ridge ----------------------- 219-9

Miller, J. A., Banno, Shohei, Hashimoto, Mitsuo, and Iwasaki, Masao. K-A ages of micas from the Sonogi, Konoha, and Kiyama metamorphic terrances in Kyusyu, Japan --------------------- 217-24

Miller, J. A., and Mohr, P. A. Potassium-argon measurements on granites and some associated rocks from southwest England ----- 227-25

— Potassium-argon age determinations on rocks from St. Kilda and Rockall -- 227-27

See also Brown, P. E., Creer, K. M., Fitch, F. J., Grasty, R., Harris, P. M., Holdgate, M. W., Philpotts, A. R., and Rogers, A. S.

Miller, M. M., Leventhal, J. S., and Libby, W. F. Tritium in Mt. Everest ice—Annual glacier accumulation and climatology at great equatorial altitudes-- 227-176

Miller, R. D. See Crandell, D. R.

Miller, W. D., and Reddell, D. L. Alaskan earthquake damages Texas High Plains water wells------------------------------- 219-66

Millican, M. L., Raymer, L. L., and Alger, R. P. Well-site recording of movable oil plot ---------------------------------- 226-154

Millis, C. W. See Youmans, A. H.

Millman, P. M. See McIntosh, B. A.

Mills, W. R. See Allen, L. S.

Milne, A. R., and Clark, S. R. Resonances in seismic noise under Arctic sea-ice -- 220-316

Milne, W. G. Seismicity of western Canada--------------------- 216-67

— Seismicity of western Canada-------------------------------- 223-58

Milovskiy, A. V., Zykov, S. I., and Stupnikova, N. I. Absolute age of the Biryus pegmatites (Eastern Sayan)------------------ 221-24

Mil'shteyn, D. M., Avagimov, A. A., Dubrovskiy, V. G., Lykov, V. I., Pavlenkin, A. D., Solokhov, V. V., and Shikhanovich, E. L. On the formulating of new lines of study of the structure of the Earth's crust and upper mantle in Turkmenistan by geophysical methods -- 227-228

Abstract

Mil'shteyn, D. M., and Smirnov, L. N. Tectonic basis for seismic regionalization of the territory of the Turkmen S.S.R. --- 224-77
Milton, D. J. See Cassidy, W. A., and De Carli, P. S.
Milyayev, N. A. Annual variation of magnetic disturbance and magnetic field elements in the Arctic --- 224-282
— On the mean level of magnetic disturbance in the central Arctic - 221-230
— Simultaneous magnetic variations in the Antarctic and Arctic --- 225-263
Mina, P., and Najmabadi, F. A new approach to full utilization of Iranian offshore prospects in the Persian Gulf --- 227-341
Minai, Ryoichiro. See Tanabashi, Ryo.
Minakami, Takeshi. On possibility of standardizing the observations in volcanological observatories --- 226-351
— The 1962 eruption of Miyake-Sima, one of the seven Izu Islands, Japan --- 226-339
Minato, Masao, and Fujiwara, Yoshiki. Magnetic pole positions determined by the Japanese palaeozoic rocks --- 227-292
See also Gorai, Masao.
Mindeli, P. Sh., Neprochnov, Yu. P., and Pataraya, Ye. I. Determination of the area devoid of the granitic layer in the Black Sea basin according to data of deep seismic sounding and seismology --- 221-189
See also Balavadze, B. K., and Managadze, G. D.
Minevey, V. A. See Udintsev, G. B.
Mineral Information Service. United States Geological Survey drill-hole probe --- 219-233
Minnaert, M. G. J. From the Geophysical Year to the Year of the Quiet Sun --- 224-176
Mirams, R. C. Investigation of Dawesley aeromagnetic anomaly --- 218-274
Miranda G., F. A. See Ramirez, J. E.
Mironova, L. I. See Ostrovskiy, A. Ye.
Miroshnichenko, Ye. M. Investigation of borehole sections by the pH method --- 223-143
Mísař, Zdeněk. See Čuta, Jiří.
Misharina, L. A., and Pshennikov, K. V. The process of release of stresses in the Earth's crust according to data of earthquakes in Pribaikalia and Mongolia --- 227-72
See also Lazareva, A. P., and Vvedenskaya, N. A.
Mishin, V. M. Some problems of magnetic activity, Pt. 2 --- 217-277
Mishin, V. M., and Ivanov, K. G. Disturbances of the "sudden commencement" type according to observations in Irkutsk --- 219-284
Mishin, V. M., and Platonov, M. L. The nature of some regularities of magnetic activity --- 227-272
Mishin, V. M., and Shevnin, G. D. On the structure and nature of the annual course of magnetic activity --- 221-229
Mitchell, C. M., Knowles, F. F., and Petrafeso, F. A. Aeromagnetic map of the Pocatello-Soda Springs area, Bannock and Caribou Counties, Idaho --- 222-288
Mitchell, G. W., and Tuscano, J. J. Investigation of "Lake Jalisco"- 221-14
Mitchell, P. W. See Hawkins, G. S.
Mitchell-Thomé, R. C. Wrench faulting and orogeny --- 217-218
Miltov, V. N. A circulation method of collecting emanation samples in swampy areas --- 216-290
Mitra, Amala. "SH" type of motion produced by body forces in an elastic quarter-space --- 216-106
Mitra, Manindra. On SH point-source in a two-layered half-space -- 223-92
— Note on the exact solution of the buried source problem for a spherical source of finite size --- 216-107
Mitrofanov, K. P. See Aleksandrov, A. Yu.
Mitrofanov, V. Z. On the age of ground (formation) water of the Volgograd Povolzh'ye area --- 226-81
Mitropol'skiy, A. S., and Anishchenko, A. M. On recent tectonic movements in Western Sayan --- 224-189
Mitroshin, V. I., Nurimbetov, M. I., Palagin, V. V., Pryakhin, A. P., and Cherepanov, P. S. On aeromagnetic survey procedures in mountain regions --- 223-297

Abstract

Mituch, Erzsébet. Recent results of seismic investigations of the crust in Hungary 222-329

Mituch, Erzsébet, Posgay, Károly, and Sédy, Loránd. Use of wide-angle reflections in crustal investigations 224-332

Miyake, Yasuo, and Sugimura, Yukio. A study on the rate of deep sea deposition in the western North Pacific by means of ionium-thorium method 227-240

Miyakejima Weather Station. See Seismological Section, J.M.A.

Miyamoto, Sadao. A plan of systematic observation of the special astatic magnetometer 219-74

— Relation between anomaly of the special astatic magnetometer and earthquakes, Pt. 1 219-76

— Relation between the earthquake and the anomaly of the special astatic magnetometer, Pt. 2 219-77

— Volcanic earthquakes at Hakone by special astatic magnetometer 219-73

Miyamura, Setumi. Development process of the Earth's crust in the light of seismic structure of the crust and upper mantle 219-262

Miyamura, Setumi, and Penttilä, E. Seismic events located in and near Finland 220-88

Miyashiro, Akiho, Murayama, Sadao, and Haramura, Hiroshi. The Kasamatu, Japan, chondrite 217-46

— The Tomita, Japan, chondrite 217-45

Mizoue, Megumi. Relation between crustal structures and crustal movements in Japan 218-118

Mizutani, Yoshihiko. See Sugiura, Tsutomu.

Mizyuk, L. Ya. On the plan of the apparatus of airborne electrical surveying by the infinitely long cable method working on the principle of synchronous-quadrature reception 225-126

— On the resistance of interference of alternating-current output transformers 225-131

Mizyuk, L. Ya., and Levchenko, D. G. On the principles of construction of apparatus for two-frequency inductive electrical surveying 224-128

M. López, Victor. Radiogeology and its applications in Venezuela 222-303

Młynarski, Stefan. Interpretation of seismic investigations by use of Gardner's method 221-309

— Magnetic recording in seismic work 220-332

Mnatsakanyan, D. M. See Vvedenskaya, N. A.

Moberg, Norman. New developments in the exploration and investigation of iron ore properties 216-143

Mochalova, V. F. See Kazachevskiy, I. V.

Mochul'skiy, N. V. Possibilities of the gamma-spectrometric field method in geologo-geophysical investigations 216-297

— Use of radio-metric methods in the exploration and study of carbonatite deposits 216-299

Mock, S. J. Tellurometer traverse for a surface movement survey in N. Greenland 225-173

— Glaciological studies in the vicinity of Camp Century, Greenland 224-195

Mock, S. J., and Alford, D. L. Installation of ice movement poles in Greenland 224-194

Moening, H. J. See Schmidt, R. A. M.

Mogi, Kiyoo. Deformation and fracture of rocks under confining pressure—Pt. 1, Compression tests on dry rock sample 221-338

— Some discussions on the earthquake occurrence from the standpoint of fracture theory 218-54

Mogilevskiy, E. I. The nature of the effect of solar corpuscular streams on the Earth's magnetosphere 217-276

See also Afanas'yeva, V. I.

Mohr, P. A. The Ethiopian Cainozoic lavas, a preliminary study of some trends—spatial, temporal, and chemical 218-117

See also Grasty, R., Miller, J. A., and Rogers, A. S.

Moiseyenko, F. S. Deep structure of the Earth's crust and its relation to geologic evolution, exemplified by the southeastern part of Central Kazakhstan 222-184

Abstract

Moiseyenko, F. S., and Pavlov, Yu. A. Deep crustal structure in southeastern Central Kazakhstan 219-251
See also Fotiadi, E. E., and Masarskiy, S. I.
Molchanov, O. N. See Avdonin, A. N.
Molina Berbeyer, Rafael. Use of natural tritium for determination of the average volume of meteoric waters infiltrating into the aquifers of the subbasin of Chalco, Mexico 224-252
Molnár, K. See Bisztricsány, Ede.
Molotkov, I. A. On time-dependent wave propagation in shadow zones caused by the inhomogeneity of the medium 226-128
Molotkova, M. N. See Gasanenko, L. B., and Vasil'yev, P. I.
Momoi, Takao. Tsunami in an L-shaped canal, Pt. 2 221-68
— Tsunami in the vicinity of a wave origin—Pt. 2 217-122
Mongelli, F. The possibilities of utilizing the seismic boreholes for geothermal measurement 216-211
See also Carrozzo, M. T.
Monges Caldera, Julio, and Rendón Moreno, María. First Order World gravity station and calibration base for gravimeters in the Republic of Mexico 224-204
Monich, V. K. See Afanas'yev, G. D., Rozenkrants, A. A., Satpayev, K. I., and Semenova, T. P.
Monīn, Ī. F. On the determination of the figure of the geoid, taking into account third-order values 225-156
— Solution of Molodenskiy's integral equation determining the figure of the Earth's physical surface, taking into account the values of third-order terms 223-147
Monster, Jan; Anders, Edward; and Thode, H. G. $^{34}S/^{32}S$ ratios for the different forms of sulphur in the Orgueil meteorite and their mode of formation 227-43
Montbriand, L. E. A simple method for determining the local time of geomagnetic midnight 225-246
Monteyne-Poulaert, G., and Cahen, Lucien. Ages of granites, pegmatites, and veins of the Kibara Range in Katanga 220-8
Montpeyroux, J. See Bonhomme, Michel.
Moo, J. K. C. Analytical aeromagnetic interpretation—The inclined prism 227-295
Mooney, T. D. See Matthews, R. R.
Moorbath, Stephen. The rubidium-strontium method 227-7
Moorbath, Stephen, and Bell, J. D. Strontium isotope abundance studies and rubidium-strontium age determinations on Tertiary igneous rocks from the Isle of Skye, north-west Scotland 224-19
Moorbath, Stephen, and Walker, G. P. L. Strontium isotope investigation of igneous rocks from Iceland 227-245
Moore, Arthur. See Friedman, Irving.
Moore, C. A. Handbook of subsurface geology 216-131
Moore, C. B., and Lewis, Charles. Carbon abundances in chondritic meteorites 225-20
See also Anderson, Robert.
Moore, D. G. Acoustic-reflection reconnaissance of continental shelves—Eastern Bering and Chukchi Seas 218-315
— Erosional channel wall in La Jolla Sea-Fan Valley seen from bathyscaph Triests II 222-345
— Shear strength and related properties of sediments from experimental mohole (Guadalupe site) 216-352
See also Curray, J. R.
Moore, F. C., Jr. See Philbin, P. W., and Petty, A. J.
Moore, H. J. Density of small craters on the lunar surface 217-62
Moore, H. J., Gault, D. E., and Heitowit, E. D. Change of effective target strength with increasing size of hypervelocity impact craters 218-29
Moore, J. G. Giant submarine landslides on the Hawaiian Ridge 221-340
— Petrology of deep sea basalt near Hawaii 220-346
See also Koyanagi, R. Y., Okamura, A. T., and Peck, D. L.

Abstract

Moore, Patrick. A note on lunar ghost craters ---- 225-34

— Lunar probes—An historical survey ---- 223-37

— The lunar crater Caramuel ---- 225-32

Moore, Patrick, and Nicolson, Iain. Observations of Alphonsus ---- 217-66

Moore, T. C., Jr. See Heath, G. R.

Moore, W. S., and Sackett, W. M. Uranium and thorium series inequilibrium in sea water ---- 218-276

Moorhouse, W. W. See Boutcher, S. M.A.

Morelli, Carlo, and Wolf, H. On the adjustment of the pendulum and gravimeter measurements ---- 217-239

See also Allan, T. D., and Carrozzo, M. T.

Moreno, Hugo; Sanduleak, N.; and Stock, Jürgen. Photometry at Cerro Tololo, Chile—Effects of Mount Agung eruption ---- 222-358

Morgan, B. A., and Mann, V. I. Gravity studies in the Concord quadrangle, North Carolina ---- 216-196

Morgan, J. W., and Lovering, J. F. Uranium and thorium in the Nuevo Laredo achondrite ---- 223-20

Morgan, M. G. See Laaspere, T.

Morgan, W. B., and Pirson, S. J. The effect of fractional wettability on the Archie saturation exponent ---- 226-152

Morgenstern, Norbert, and Taylor-Smith, Denzil. Longitudinal velocities in a clay during plastic compression ---- 219-125

Morgunov, V. S., and Mazanov, V. F. On the possibility of using the SPR-2 radiometer for recording the total and "hard" components of the spectrum of gamma-ray scattering ---- 221-290

Mori, Kiyoshi. See Hayakawa, Masami.

Mori, Satoru; Ueno, Hirosachi; Nagashima, Kazuo; and Sagisaka, Syuji. The 27-day recurrence tendency in cosmic ray intensity and its correlation with solar and geomagnetic activity -- 218-218, 222-234

Morimoto, Ryōhei, and Ossaka, Joyo. Low temperature mud-explosion of Mt. Yaké, Prefs. Nagano-Gifu, Central Japan, on 17th June 1962 as an example of endogenous katamorphism of volcanic rock at the destructive stage of the volcano ---- 226-333

Morishita, Toshizo. See Tanaka, Teiji.

Moritz, Helmut. A statistical method for upward and downward continuation of gravity ---- 216-173

— An extension of error theory with application to spherical harmonics ---- 224-208

— On the accuracy of spherical harmonics and orbital predictions - 219-159

— On the arrangement of gravity stations for the upward continuation ---- 216-174

— On the theory of errors of physical geodesy (gravitational field of the Earth and satellite orbits) ---- 216-175

See also Heiskanen, W. A.

Morlier, Pierre. Experimental study of deformation of rocks, Pt.1 - 221-330

See also Aveline, Monique.

Morozov, M. D. See Bachin, A. P.

Morozova, G. M. See Van'yan, L. L.

Morris, E. C., Ring, J., and Stephens, H. G. Photographic and photoelectric investigations of the Earth-Moon libration regions L_4 and L_5 from Mt. Chacaltaya, Bolivia ---- 217-63

Morris, R. L. See Raymer, L. L.

Morrow, W. E., Jr. See Karp, D.

Morse, S. A. Age of Labrador anorthosites ---- 216-8

Morton, R. D., and Catanzaro, E. J. Stable chlorine isotope abundances in apatites from Ødegårdens verk, Norway ---- 219-267

Morvai, László. See Sebestyén, Károly.

Mosebach, Rudolf. The Nördlinger Ries, a volcanic explosion crater or place of impact of a large meteorite? ---- 224-46

Moser, P., Kuhn, W., and Kuhn, H. J. Dynamic and static compressibility of glasses and the increase of density with depth in the Earth's interior ---- 226-234

Mosetti, Feruccio. Geophysical surveying for hydrologic purposes in the Plain of Sibari ---- 216-127

Abstract

Mosetti, Feruccio, and Feruglio, Gb. Geonostic study of the middle course of the Torre River and Geohydrologic-structural outline of the northeast plain of Friuli -------- 216-128
See also Carrozzo, M. T.
Moskalenko, V. N. See Yemel'yanov, Ye. M.
Moskaleva, S. V., and Zotova, I. F. On the magnetic properties of ultrabasic rocks -------- 224-294
Moskvichev, Ye. I. Amplitude-phase methods of interpretation in magnetotelluric methods of electrical surveying -------- 225-117
Mossop, S. C. Stratospheric particles at 20 km altitude -------- 222-28
Mosyagina, M. S. See Borisevich, Ye. S.
Motoya, Yoshinobu. See Hotta, Hiroshi.
Mottlová, Ludmila. See Ibrmajer, Jaroslav.
Mountjoy, Wayne. See Hamilton, W. B.
Mouterde, René. See Bordet, Pierre.
Moxham, R. M., Foote, R. S., and Bunker, C. M. Gamma-ray spectrometer studies of hydrothermally altered rocks -------- 227-322
See also Fischer, W. A.
Moye, D. G. See Cleary, J. R.
Moysya, R. I. See Kruchinenko, V. G.
Možný, Antonín. See Šutor, Augustin.
M.T.A. Institute. The mineral research and exploration institute of Turkey 1935-1962—Geophysical investigations and explorations -- 220-170
Mudretsova, Ye. A. See Bondarenko, V. M.
Muehlberger, W. R. Late Paleozoic movement along the Texas Lineament -------- 225-162
Mueller, G. "Impact contamination" of the Mokoia carbonaceous chondrite -------- 219-20
— Interpretation of micro-structures in carbonaceous meteorites -- 223-28
Mueller, I. I. Correction tables for computing corrections to the normal gravity, determined from the international gravity formula, caused by changes in α, a, and γ_E -------- 216-170
— Introduction to satellite geodesy -------- 216-148
— The geodetic applications of satellites -------- 217-204
See also Heiskanen, W. A.
Muir, D. M., and Fons, Lloyd. Case histories—Hydrocarbon location from acoustic parameter logs -------- 226-320
Muir, I. D., Tilley, C. E., and Scoon, J. H. Basalts from the northern part of the Rift Zone of the Mid-Atlantic Ridge -------- 222-348
Muir, M. G. See Eiby, G. A.
Mukhopadhyay, Arabinda. Stresses produced by a normal load moving over a transversely isotropic layer of ice laying on a rigid foundation -------- 227-178
Müller, Fritz. Depth sounding projects -------- 221-347
— Radiocarbon dates and notes on the climatic and morphological history -------- 221-13
— Surveying of glacier movement and mass changes -------- 221-153
Müller, Gerhard. See Wachholz, Helmut.
Müller, Leopold. Effect of blasting on the strength of a rock mass - 221-336
Müller, O. See Krankowsky, D.
Müller, Pierre. Simultaneous gravimetric determination of the rock densities and the gravity fields in the Earth's Crust -------- 216-176
Mullineaux, D. R., Waldron, H. H., and Rubin, Meyer. Stratigraphy and chronology of late interglacial and early Vashon glacial time in the Seattle area, Washington -------- 221-7
See also Crandell, D. R.
Mundt, Wolfgang. On the statistics of geomagnetic anomalies in the territory of the German Democratic Republic -------- 225-289
— Problems in establishing and representing the course of the geomagnetic field on the basis of the survey of the German Democratic Republic from 1953 to 1962 -------- 224-309
— Statistical treatment and analysis of geomagnetic surveys ------ 216-267
Munk, W. H. Some comments regarding diffusion and absorption of tsunamis -------- 217-101

Abstract

Munk, W. H., and Davies, David. The relationship between core accretion and the rotation rate of the Earth, Chap. 22 ---------- 219-264

Münnich, K. O., and Roether, W. A comparison of carbon-14 and tritium ages of groundwater ---------- 216-220
  See also Jacobshagen, V.

Munro, D. C. See Bradley, R. S.

Munyan, A. C. Introduction to polar wandering and continental drift- 220-185

Muradkhanov, S. A. See Mustafabeyli, M. A.

Muramatu, Ikuei; Endo, Yusin; Simono, Hirosi; Kooketu, Hiroo; and Suzuki, Sizue. Observation of microearthquakes in Mino district in Gifu Prefecture, central Japan ---------- 223-75

Muraour, Pierre, and Gennesseaux, Maurice. Some remarks following a seismic refraction study on the continental slope off Nice ---------- 221-316

Murata, K. J., and Erd, R. C. Composition of sediments from the experimental Mohole project (Guadalupe site) ---------- 217-356

Murauchi, Sadanori. See Hotta, Hiroshi.

Murav'yev, V. I. See Garetskiy, R. G.

Murayama, Sadao. See Miyashiro, Akiho.

Murgeanu, G. See Airinei, Ştefan.

Murphy, C. T., and Dicke, R. H. The effects of a decreasing gravitational constant in the interior of the Earth ---------- 217-228

Murphy, R. P., and Owens, W. W. Time-lapse logging, a valuable reservoir èvaluation technique ---------- 221-118

Murphy, T. J. See Shields, W. R.

Murray, B. C. See Leighton, R. B.

Murtazina, T. M. See Rabinovich, A. V.

Murthy, M. V. N., Srivastava, S. N. P., Dube, A., and Gupta, N. R. Sen. The Muzzaffarpur meteorite—a rare nickel-rich ataxite- 216-34

Murthy, V. R. Stable isotope studies of some heavy elements in meteorites, Chap 29 ---------- 219-41

Musatov, D. I. See Volobuyev, M. I.

Musin, Ya. A., and Chalov, P. I. Investigations of some characteristics of scintillation chambers for measuring the alpha-radioactivity of emanations ---------- 223-306
  See also Tuzova, T. V.

Mustafabeyli, M. A., and Khesin, B. E. On the problem of the geologic interpretation of some magnetic anomalies of the Lesser Caucasus ---------- 221-266

Mustafabeyli, M. A., Khesin, B. E., Muradkhanov, S. A., and Alekseyev, V. V. Exploring the copper and polymetallic deposits on the south flank of the Greater Caucasus using geophysical methods ---------- 219-151

Mustel', E. R. Solar corpuscular streams and geomagnetism ---------- 218-203

Mutch, T. A. Volcanic ashes compared with Paleozoic salts containing extra-terrestrial spherules ---------- 217-49

Mužijević, R. S. Contribution to the solution of the problem of prospecting anticline structures using electrical potential methods ---------- 221-117

Myachkin, V. I., Kravets, V. V., and Solov'yeva, R. P. Pt. 1, Ultrasonic investigations of the physico-mechanical properties of iron ores and country rocks in the Krivoy Rog basin ---------- 221-97

Mysh, A. G. On a variation of the AUZ scheme ---------- 219-117

N

Nabarro, F. R. N., Basinski, Z. S., and Holt, D. B. The plasticity of pure single crystals ---------- 217-349

Nadezhkin, L. I. See Kurbatov, B. N.

Naeser, C. W. See Fleischer, R. L.

Nafe, J. E. See Anderson, O. L., and Le Pichon, Xavier.

Nagai, M. On the geomagnetic storm of February 11, 1958 ---------- 217-288

Nagasawa, Shingo. See Nokima, Yukio.

Nagashima, Kazuo. See Mori, Satoru.

Abstract

Nagata, Takesi. Magnetic field at the poles ---------- 218-208
— Rock magnetism, 2d edition ---------- 227-281
Nagata, Takesi, and Iijima, T. Simultaneous current patterns of polar magnetic storms (D_p-field) in the northern and southern polar regions during IGY ---------- 224-271
Nagata, Takesi, and Kinoshita, Hajime. Effects of release of compression on magnetization of rocks and assemblies of magnetic minerals ---------- 220-283
See also Ozima, Minoru, and Tsuruda, K.
Nagumo, Shozaburo. Field studies of the OGA-OKI earthquake of May 7, 1964 ---------- 221-50
— Report of reinterpretation of Nakanokuchi seismic survey ---------- 216-333
Nagumo, Shozaburo, and Kawashima, Takeshi. Technical report of Nakanokuchi seismic survey ---------- 216-332
Nagy, Dezső. Gravimetric deflections of the vertical by digital computer ---------- 224-202
Nagy, Magdolna. See Szénás, György.
Naimark, B. M. Algorithm for automatic recognition of a seismic signal by a computer ---------- 226-299
Nairn, A. E. M. A review of the variation in position of land-masses during geological times ---------- 220-289
See also Bucha, Václav.
Najmabadi, F. See Mina, P.
Nakai, Nobuyuki, and Jensen, M. L. The kinetic isotope effect on the bacterial reduction and oxidation of sulfur ---------- 219-274
Nakamura, Kohei. See Yukutake, Takesi.
Nakamura, Yosio. Head waves from a linear transition layer in a liquid ---------- 216-100
Nakano, Masito. A theory of growth of tsunamis is a bay ---------- 217-106
Nakhamkin, S. A. On statistical calculations of the effect of directionality of a seismic interference pick-up ---------- 217-329
— On the accuracy of determining the parameters of regular waves by a controlled directional reception system ---------- 226-304
— The problem of the conversion of the numerical characteristics of random functions by seismic interference systems and some of its applications ---------- 217-328
See also Inogamov, R. Sh., and Kval'vasser, Yu. G.
Nalwalk, A. J. See Nicholls, G. D.
Namikawa, Tomikazu; Kitamura, Taiichi; Okuzawa, Takashi; and Araki, Tohur. Propagation of weak hydromagnetic discontinuity in the magnetosphere and the sudden commencement of geomagnetic storm ---------- 222-229
Napalkov, Yu. V. On the reflections of seismic waves from nonspecular reflecting boundaries ---------- 223-312
Napetvaridze, Sh. G. Model investigation of the seismic stability of the high dam of the Nurek hydroelectric project ---------- 227-96
Napoleone, G. See Gasparis, A. De.
Nason, R. D., and Lee, W. H. K. Heat-flow measurements in the North Atlantic, Caribbean, and Mediterranean ---------- 217-253
Nasyrkhanov, A. N. See Akishev, T. A.
Natof, N. W. See Bromery, R. W.
Natzag-Yum, L. See Solonenko, V. P.
Naudy, Henri, and Neumann, R. On the definition of the Bouguer anomaly and its practical consequences ---------- 223-167
See also Giret, Raoul.
Naughton, J. J., Barnes, I. L., and Hammond, D. A. Rock degradation by alkali metals—A possible lunar erosion mechanism ---------- 227-54
Nayborodin, V. I., and Pecherskiy, D. M. The magnetic properties of some magmatic rocks metamorphosed by the granitic rocks of the Magadan batholith ---------- 226-253
Naydin, D. P., Teys, R. V., and Zadorozhnyy, I. K. Some new data on temperatures of the Maastrichtian basins of the Russian platform and adjacent areas according to the isotopic composition of the oxygen in belemnite rostrums ---------- 218-188

Abstract

Nayudu, Y. R. Carbonate deposits and paleoclimatic implications in the northeast Pacific Ocean --- 216-15
— Volcanic ash deposits in the Gulf of Alaska and problems of correlation of deep-sea ash deposits --- 219-358
Nayudu, Y. R. See Bonattim, Enrico.
Nazarov, A. G. New methods of investigating models of seismic activity --- 227-95
Nazarov, G. N., and Ivanov, B. N. On the problem of the karst manifestations in the Crimean Steppe --- 226-142
Nazarov, I. M. A highly sensitive alpha-impulse chamber --- 221-286
See also Boltneva, L. I.
Nazarova, T. N. Study of meteoric matter --- 220-28
Nechay, A. M., and Gusakov, N. D. Use of micrologging data for distinguishing fissured portions of a well section --- 218-93
Nedostup, G. A. See Bogdanovich, Ye. A., and Yakubson, K. I.
Negi, J. G. Radiation resistance of a horizontal circular loop over a finitely conducting ground and application of results to geophysical exploration of conducting sheet-type deposits --- 223-121
Neidell, N. S. See Cone, R. A.
Nelidov, N. N., and Gubaydullin, A. M. Recent vertical movements of the Earth's surface in the vicinity of Kazan --- 219-190
Nelson, P. See Cantwell, T.
Nemuro Weather Station. A field investigation of earthquakes in Nakashibetsu, Hokkaido, in January and February, 1963 --- 224-82
Neprochnov, Yu. P., Kovylin, V. M., and Mikhno, M. F. Results of seismic investigations of the structure of the crust and sedimentary complex in the Indian Ocean --- 224-240
See also Kovylin, V. M., and Mindeli, P. Sh.
Nersesov, I. L., and Nikolayev, A. V. On the problem of the dependence of predominant frequencies in explosions on the size of the charge --- 216-111
See also Kondratenko, A. M., and Lukk, A. A.
Nesmerov, I. I., Perozio, G. N., Braduchan, Yu. V., Smavitskiy, B. P., and Nesmerova, Ye. I. Stratigraphic drill holes in the USSR—Surgut stratigraphic drill hole (Tyumensk region) --- 216-133
Nesmerova, Ye. I. See Nesmerov, I. I.
Nesmeyanov, D. V., Baginskaya, Ye. N., and Khakimov, M. Yu. New data on the deep structure of the territory adjacent to Kizlyar Gulf --- 225-141
Ness, N. F. The Earth's magnetic tail --- 226-245
— The magnetohydrodynamic wake of the Moon --- 220-265
Ness, N. F., and Williams, D. J. Correlated magnetic tail and radiation belt observations --- 227-252
Nesterenko, N. G. Gamma activity of the Lower Carboniferous clastic rocks of northwestern Bashkiria --- 226-279
Nesterenko, P. G., and Stovas, M. N. Variation of the gravitational field as one of the causes of the Earth's seismicity --- 220-98
Nettleton, L. L. Petroleum prospecting from the airplane—Magnetic and gravimetric exploration methods --- 226-199
Neufeld, Jacob, and Wright, Harvel. Hydromagnetic instabilities caused by a gyrating proton stream --- 224-260
Neugebauer, Marcia, and Snyder, C. W. Solar-wind measurements near Venus --- 222-41
Neuhaus, J. W. G. See Green, J. H.
Neumann, R. See Naudy, Henri.
Neumann, Walter. Geomagnetic special experiments as an aid to geologic mapping --- 225-290
Neumann van Padang, M. On the possibility and impossibility to standardizing the observations in volcanological observatories --- 226-352
Neunhöfer, Horst. Nomograms for the interpretation of borehole seismic measurements --- 221-296
Neuschel, S. K. Natural gamma aeroradioactivity of the District of Columbia and parts of Maryland, Virginia, and West Virginia --- 226-281

Abstract

Nevolin, N. V. See Zhivoderov, A. B.
Newby, N. D., Jr. Measurement of the differential earth tides ---- 223-85
Newell, M. F. See Stern, T. W.
Newnham, R. E. See Santoro, R. P.
News in Engineering. Lunar mapping ---- 218-32
Neygaus, M. G. See Ivanova, Z. S., Keylis-Borok, V. I., and Levshin, A. L.
Neyman, V. S. See Basin, Ya. N., Berman, L. B., and Rumyantseva, N. N.
Nezami, Mehdi; Lambert, Gérard; Lorius, Claude; and Labeyrie, Jacques. Measurement of the rate of accumulation of snow at the edge of the Antarctic continent by the lead-210 method ---- 221-202
  See also Lambert, Gérard.
Nguyen, V. C. See Polevaya, N. I.
Niazi, Mansour. Partition of energy in the focal region of earthquakes ---- 220-75
Niazi, Mansour. See Bolt, B. A.
Nichiporuk, Walter, and Brown, Harrison. The distribution of platinum and palladium metals in iron meteorites and in the metal phase of ordinary chondrites ---- 219-30
Nichoga, V. A. See Goncharskiy, V. N., and Kalashnikov, N. I.
Nicholls, G. D., Nalwalk, A. J., and Hays, E. E. The nature and composition of rock samples dredged from the Mid-Atlantic Ridge between 22° and 52° N. ---- 218-339
Nichols, Haven. See Perry, R. B.
Nicolau, Sotiris. See Ştefănescu, S. S.
Nicolson, Iain. See Moore, Patrick.
Nielsen, J. M. See Perkins, R. W.
Niggli, Ernst. See Jäger, Emilie.
Niino, Hiroshi. See Shepard, F. P.
Nikanorov, A. S., and Mikhaylov, I. I. Temperature of formation of pegmatoid structures in mica-bearing and ceramic pegmatites- 220-241
Nikiforov, I. V. See Kholodok, Ye. D.
Nikiforuk, B. S. On the problem of the choice of average velocities for constructing reflection and refracting boundaries within the northern border of the Black Sea basin ---- 223-328
Nikitina, V. N. See Ivanov, A. P., and Koroleva, K. P.
Nikitskiy, V. Ye. Results of testing of a pocket magnetometer for geologists ---- 216-271
— Results of testing of new devices for determining the magnetic characteristics of rock samples ---- 216-259
Nikolayev, A. V. Features of the field of elastic waves near an impact-type source on the free surface ---- 223-100
— The problem of the detailed study of the seismic characteristics of soils in place ---- 216-112
  See also Nersesov, I. L.
Nikolayev, V. V. See Sarycheva, Yu. K.
Nikolayev, Yu. V. See Nikol'skiy, A. P.
Nikol'skiy, A. P. Applicability of the main conclusions of Störmer's theory to the explanation of some patterns of magnetic disturbances at high latitudes ---- 218-226
Nikol'skiy, A. P., and Nikolayev, Yu. V. The reality of a daily periodicity in magnetic activity ---- 218-224
Nikol'skiy, Yu. I. Methods of calculating nonlinear zero drift of gravimeters ---- 221-172
Nikonov, A. A., and Panasenko, G. D. On the relationship of recent and contemporary tectonics and seismicity in northeastern Fennoscandia ---- 219-195
Nikovich, Dragoslav, Heezen, B. C., Conolly, J. R., and Burckle, L. H. South Sandwich tephra in deep-sea sediments ---- 217-353
Nikulin, A. K. See Avzyanov, V. S.
Nininger, H. H. The lunar surface ---- 216-51
Nir, A. See Harpaz, Y.

Abstract

Nishida, Atsuhiro. Transmission of storm sudden commencements through the interplanetary space—Shock wave mode and non-shock mode --- 222-237

Nishimura, Eiichi. On the relation between the activity of earthquakes and the crustal deformation in the Yoshino District --- 223-66

Noble, J. B. See Armstrong, J. E.

Nobumoto, Ryoichi. Geophysical prospecting of sulphur and mining iron sulphide ore deposits of the Hokkaido Mine, Nittetsu Co., Ltd. --- 225-144

Nodia, N. Z., Katsiashvili, N. A., and Khocholava, G. M. Lunar-diurnal geomagnetic variations and their relation to the level of activity of solar wave emission --- 222-246

Noël, J. M. See Schlich, Roland.

Nojima, Yukio; Makagomi, Yoshiteru; and Nagasawa, Shingo. Relation between the recurrent magnetic disturbance and the solar phenomena --- 222-240

Nomokonov, V. P. See Grechishnikov, G. A.

Nomura, Satoshi. See Gorai, Masao.

Nonn, Henri. See Delibrias, Georgette.

Nordemann, Daniel, and Tobailem, Jacques. Measurement of the radioactivity induced by cosmic radiation in the Bogou meteorite - 221-32

Nordemann, Daniel, Tobailem, Jacques, and Schineizer, Michèle. The radioactivity of the Granès meteorite (fall of November 13, 1964) measured by gamma-spectrometry --- 227-46

Norden, J. A. E., Kotila, D. A., and Glaser, G. C. Gravimetric, magnetic, seismic, and earth-current-potential profile study of Webbers Falls reef, Muskogee County, Oklahoma --- 217-181

Nordeng, S. C. Precambrian stromatolites as indicators of polar shift --- 220-192

Nordyke, M. D. See Hansen, S. M.

Norske Institutt for Kosmisk Fysikk. The Auroral Observatory at Tromsø observations 1962 --- 218-231

North, F. K. The curvature of the Antilles --- 222-133

Northrop, John. T phases from 80 Alaskan earthquakes, March 28-31, 1964 --- 222-49

Northrop, John, and Johnson, R. H. Seismic waves recorded in the North Pacific from Flip --- 219-68

See also Rhea, K.

Norway Geophysical Commission. Geophysical research in Norway 1963 --- 224-175

Nota, D. J. G., and Loring, D. H. Recent depositional conditions in the St. Lawrence River and Gulf—A reconnaissance survey --- 227-345

Novarchuk, A. D. See Borisov, A. A.

Novik, G. Ya. See Rzhevskiy, V. V.

Novozhilova, M. Ye. See Semenov, A. S.

Nový, Zdeněk. See Gruntorád, Jan.

Novysh, V. V., and Fonarev, G. A. Telluric currents in the Arctic Ocean --- 217-74

Novysh, V. V., Gorodnicheva, O. P., and Mikerina, N. V. Observations of Earth currents in Shatsk --- 219-62

See also Fonarev, G. A.

Nowak, R. T. See Caulfield, D. D.

Nowlin, W. D., Jr., Harding, J. L., and Amstutz, D. E. A reconnaissance study of the Sigsbee Knolls of the Gulf of Mexico --- 222-346

Nozhenkin, Yu. V. See Balashev, V. N.

Nurimbetov, M. I. See Mitroshin, V. I.

Nurmia, M. See Vesanen, E. E.

Nuttli, O. W. The determination of S-wave polarization angles for an earth model with crystal layering --- 217-146

See also Dowling, John.

Nwachukwu, S. O., Beck, A. E., and Currie, J. B. Magnetic provinces of Lake Huron and adjacent areas and their geologic significance --- 226-266

Nye, J. F. Stability of a circular cylindrical hole in a glacier --- 222-138

Abstract

Nye, J. F. The flow of a glacier in a channel of rectangular, elliptic or parabolic cross-section 227-172
— The frequency response of glaciers 227-171

O

Oakes, Duke. See Blanchard, R. L.
Oakeshott, G. B. Earthquakes in the San Andreas Fault zone 222-73
— The Alaskan earthquake 216-65
— The Seattle earthquake 227-62
Oana, Shinya. See Sugiura, Tsutomu.
Obayashi, Tatsuzo. Corpuscular streams related to solar M-regions 222-232
— Hydromagnetic whistlers 221-205
— Magnetosphere and its boundary 222-230
Oblogina, T. I., and Shekhtman, G. A. On the spectral composition of diffracted seismic waves 226-303
Obolentseva, I. R. Features of traveltime curves of waves in mediums with variable velocity, separated by a vertical boundary 226-135
O'Brien, J. J., and Griffiths, J. F. The rank correlation coefficient as an indicator of the product-moment correlation coefficient for small samples (10-100) 222-116
O'Brien, P. N. S. Geophone distortion of seismic pulses and its compensation 227-326
See also Donata, R. J.
Obruchev, S. V. See Afanas'yev, G. D.
Observatorio Magnético Central de Teoloyucan. Magnetic values for the Republic of Mexico, 1963 227-266
Obu, Koji. See Ondoh, Tadanori.
Obukhov, G. G. Attenuation of Love waves in a layer with uneven boundaries 223-99
Obukhov, V. A. See Parkhomenko, I. S.
Öcal, Nevzat. The dispersion of surface waves and crustal structure in African continent 227-224
— The seismicity of Turkey 219-86
Ochkur, A. P., Pshenichnyy, G. A., and Komissarzhevskaya, G. F. Determination of iron in rocks and ores of the Krivoy Rog by the gamma-ray reflection method 226-291
Ochoa, D. E., and Stauder, William. The focal mechanism of two Peruvian earthquakes 219-85
Odé, H. See Biot, M. A.
Odegard, M. E., and Berg, J. W., Jr. Gravity interpretation using the Fourier integral 225-180
Odstrčil, Josef. See Bližkovský, Milan.
Oelsner, Christian. Hammer-blow seismic investigations underground for the determination of the physical properties of rock in place 223-330
Oeschger, Hans, and Riesen, T. Bern radiocarbon dates IV 226-11
See also Langway, C. C., Jr.
Offshore. Drillsite for Project Mohole chosen near Hawaiian Islands 222-189
Ogden, J. G., III, and Hay, R. J. Ohio Wesleyan University natural radiocarbon measurements II 226-22
Oguti, Takasi. Geomagnetic anomaly around the Continental Shelf margin southern [ocean] offshore of Africa 218-269
— Magnetospheric general circulations and current-systems of geomagnetic disturbance in high latitudes 218-221
See also Kokubun, S., and Tsuruda, K.
O'Hara, M. J. Primary magmas and the origin of basalts 227-225
Ohmoto, Hiroshi. K-A dating on the hornblendes from the Hida metamorphic rocks 221-25
Ohta, Yutaka. Rayleigh type dispersive waves in doubly stratified elastic layers 226-138
— Rayleigh type dispersive waves in stratified double layer—Pt. 2, In case of rigid substratum 219-127

Abstract

Ohta, Yutaka. See Iida, Kumizi.

Oil and Gas Journal. Geophysical pace breaks 6-year slide -------- 223-135

— Laser device silences seismic "noise" -------- 223-333

— New log-while-drilling method proves practical -------- 223-128

— New seismic tool uses electrical "pop" -------- 223-332

— New study indicates U.S. geophysical work may be heading back up -------- 223-136

Oilweek. Offshore exploration reviewed [British Columbia] -------- 221-313

Okada, Takashi, Sezikawa, Hisashi, and Iida, Shuichi. Ferromagnetic resonance in garnet $Y_3Fe_{5-x}CO_x/_2Ge_x/_2{}^\circ 12$ -------- 217-297

Okamura, A. T., Koyanagi, R. Y., and Kinoshita, W. T. Hawaiian Volcano Observatory summary, April, May, and June 1964 -------- 223-349

Okamura, A. T., Koyanagi, R. Y., Kinoshita, W. T., Moore, J.G., Peck, D. L., and Powers, H. A. Hawaiian Volcano Observatory Summary—October, November, and December 1963 -------- 222-357

See also Koyanagi, R. Y., and Krivoy, H. L.

O'Keefe, J. A. Interpretation of Ranger photographs -------- 216-53

— Two avenues from astronomy to geology -------- 217-57

O'Keefe, J. A., and Adams, E. W. Tektite structure and lunar ash flows -------- 227-49

O'Kelly, M. E. J. Analysis of the convergence properties of Rubinstein's method for the determination of the lower modes of vibration of a multi-degree of freedom system -------- 220-56

Okko, Marjatta. Bibliography of recent crustal movements—Finland and Finnish studies abroad -------- 225-167

Okuzawa, Takashi. See Namikawa, Tomikazu.

Ol', A. I. On the 11-year cyclic variation of magnetic disturbance - 224-281

Olberg, Manfred. A law concerning the flattening of the equipotential ellipsoid of the Earth -------- 227-156

— A theorem on the flattening of Bruns' equipotential spheroid -------- 222-124

Oldham, A. D. Resistivity surveys in the Mendip area, south-west England, U.K. -------- 227-113

Olhovich, V. A. The causes of noise in seismic reflection and refraction work -------- 218-293

Olive, Philippe. See Blavoux, Bernard, and Coron, Suzanne.

Oliver, H. W. The U.S. Geological Survey's gravity program in California, Hawaii, Nevada, and Oregon -------- 222-154

Oliver, J. E. See Sykes, L. R.

Oliver, Jack. See Isacks, Bryan.

Oliveri del Castillo, A., and Percopo, E. Some gravity measurements executed on the surface of the lake of Averno -------- 225-191

See also Lebeau, André.

Ol'shtynskiy, S. P. See Rybak, G. B.

Olsson, I. U., and Karlén, Ingvar. Uppsala radiocarbon measurements VI -------- 226-37

Olsson, I. U., and Piyanuj, Piya. Uppsala radiocarbon measurements V -------- 226-36

See also Florin, Sten, Hörnsten, Åke, and Karlén, Ingvar.

Olszak, G. On the application of frequency analysis in seismic investigation -------- 220-328

Oman, C. L. See Levin, Betsy.

Oncescu, M. See Bunescu, L., and Soroiu, M.

Onda, Isao. Propagation and apparent attenuation of elastic waves in a heterogeneous medium with certain periodic structures -------- 221-82

Ondoh, Tadanori, and Hakura, Yukio. Relation between the solar plasma velocity and the geomagnetic activity -------- 222-236

Ondoh, Tadanori, and Maeda, Hiroshi. Geomagnetic-storm correlation between the northern and southern hemispheres -------- 224-268

Ondoh, Tadanori; Obu, Koji; and Takenoshita, Yugoro. Studies on pre-SC Pola Ionosphere and HF radio propagation over polar paths, Pt. 1 -------- 224-270

O'Neil, J. R., and Clayton, R. N. Oxygen isotopes geothermometry Chap. 12 -------- 218-162

Abstract

O'Neill, M. E. See Bolt, B. A.
Onescu, M. See Soroiu, M.
Onhauser, A. A., and Onhauser, M. H. Record of observations at Agincourt Magnetic Observatory 1961 ---------------------- 216-241
— Record of observations at Agincourt Magnetic Observatory 1962 - 216-247
Onhauser, M. H. See Onhauser, A. A.
Ono, Hiroyasu. See Wada, Tatsuhiko.
Ono, Koji. See Sato, Takahiro, and Suzuki, Takeo.
Onwumechilli, C. A. The effective equator for geomagnetic Sq variations -- 218-209
Oostdam, B. L. Age of lava flows on Haleakala, Maui, Hawaii----- 223-346
Opdyke, N. D. See Irving, Edward
Orange, A. S., and Bostick, F. X. Magnetotelluric micropulsations at widely separated stations --------------------------------- 222-44
See also Cantwell, T., and Komack, R. L.
Orcel, Jean. See Jérémine, Elisabeth.
Organova, N. M. See Kosygin, Yu. A.
Orliac, J., Philibert, Josette, Roques, Maurice, and Vialette, Yves. Geochronologic study by the strontium method of the crystalline schists and granites of the Tulle anticline (Corrèze) in the French Massif Central------------------------------------ 227-23
Orlinskiy, B. M., and Svikhnushin, N. M. Effect of drilling mud invasion on the configuration of apparent resistivity curves in the zone of the water-oil interface------------------------------ 227-125
Orlov, L. K., and Shershnev, K. S. Estimation of the oil and gas possibilities of the southeastern part of the Perm Region according to the data of radiometry -------------------------------- 227-324
Orlov, V. P. See Adam, N. V.
Orlova, Ye. M. Methods of indirect interpolation of free-air anomalies of gravity in the U.S.S.R. ------------------------ 222-143
Orlovskiy, A. S., Mel'kanovitskiy, I. M., and Belelovskiy, M. L. Simplified methods of calculating the gravitational effect of local relief (exemplified by eastern central Asia) ------------------- 221-174
Orowan, E. Continental drift and the origin of mountains --------- 217-213
Orr, P. C., and Berger, Rainer. Radiocarbon age of a Nevada mummy --- 224-10
Orvig, Svenn, and Mason, R. W. Ice temperatures and heat flux McCall Glacier, Alaska------------------------------------- 225-215
Osborn, E. F. Some experimental investigations bearing on the origin of igneous magmas of the Earth's crust ------------------- 216-215
Osborne, D. G. Daily and seasonal changes of the equatorial electrojet in Peru -- 218-227
Osborne, F. J. F., Bachynski, M. P., and Gore, J. V. Laboratory studies of the variation of the magnetosphere with solar wind properties --- 217-275
Oshry, H. I. See Youmans, A. H.
Osipov, N. K. See Adam, N. V.
Os'makova, Z. A. See Skorik, L. A.
Osmond, J. K., Carpenter, J. R., and Windom, H. L. Th^{230}/U^{234} age of the Pleistocene corals and oolites of Florida ------------ 223-3
Osokina, D. N. Plastic and elastic low-modulus, optically active materials for investigating stresses in the Earth's crust by the method of modeling ------------------------------------- 217-209
Ossaka, Joyo. See Morimoto, Ryōhei.
Ostenso, N. A. Geologic interpretation of aeromagnetic profiles --- 220-293
— The ends of the Earth ------------------------------------ 218-120
Ostenso, N. A., Den Hartog, S. L., and Black, D. J. Gravity investigations from ice island Arlis 2, Arctic Ocean ----------- 222-162
Ostenso, N. A., Sellman, P. V., and Péwé, T. L. The bottom topography of Gulkana Glacier, Alaska Range, Alaska ----------- 227-189
Osterberg, Charles. See Jennings, David.
Östlund, H. G., Bowman, A. L., and Rusnak, G. A. Miami natural radiocarbon corrections I-III -------------------------------- 226-19

Abstract

Ostrovskiy, A. Ye., Bakhryshin, A. B., and Mironova, L. I. Attempt to measure tectonic deformations by means of tiltmeters in the Dushanbe region 219-194

Oszlaczky, Szilárd, and Tóth, Géza. Observations of the gravitational effects of the Sun and Moon in Hungary 224-95

Ota, Yoko. See Yoshikawa, Torao.

Otsuka, Michio. Earthquakes magnitude and surface fault formation 224-83

— On Kasahara's expression for the waveform of S-pulse from deep-focus earthquakes 227-70

Ottlik, Péter. The relationship between ultrasonically determined velocity values and other physical and chemical properties in Hungarian rocks 218-72

Ovchinnikov, A. K. See Bondarev, V. M., and Kolesov, B. M.

Ovchinnikova, G. V. See Shukolyukov, Yu. A.

Ovchinnikov, L. N., Dunayev, V. A., and Krasnobayev, A. A. Data for the absolute geochronology of the Urals 226-54

See also Afanas'yev, G. D.

Ovchinnikova, M. I. See Guberman, Sh. A.

Overton, A. See Sander, G. W.

Ovsyannikov, G. A. A semiconducting power supply scheme for the commutatorless motor of an epicentral seismic station 219-116

Owens, W. W. See Murphy, R. P.

Owings, D. See Gehrels, T.

Ozerskaya, M. L. Effect of structural factors on the density and elastic properties of sedimentary rocks 225-101

Özelci, Fethullah. Results of the airborne magnetic survey carried out in three selected areas in Turkey 218-270

Ozima, Minoru. Recent development in radiogenic isotope geology 219-266

Ozima, Minoru, and Kinosita, Hazimu. Magnetic anisotropy of andesites in a fault zone 224-291

Ozima, Minoru, and Ozima, Mituko. Origin of thermoremanent magnetization 222-262

Ozima, Mituko; Ozima, Minoru; and Akimoto, Syun-iti. Low temperature characteristics of remanent magnetization of magnetite—Self-reversal and recovery phenomena of remanent magnetization 224-290

Ozima, Minoru; Ozima, Mituko; and Nagata, Takesi. Low temperature treatment as an effective means of "magnetic cleaning" of natural remanent magnetization 218-247

See also Ozima, Mituko.

Ozima, Mituko. See Ozima, Minoru.

P

Paarma, Heikki. On the tectonics structure of the Finnish basement especially in the light of geophysical maps 225-165

Pachadzhanova, G. N. An investigation of the intensity of the converted wave of SP type in deep Afghan earthquakes 223-81

Pacher, Franz. Deformation measurements in a test gallery as a means of investigating the behavior of a rock mass and for specifying lining requirements 221-335

Pachuashvili, R. I. See Chelishvili, M. L.

Pai, G. L., and Sarabhai, V. A. Periodic fluctuations in the geomagnetic field during magnetic storms 216-234

Paitson, L., Savit, C. H., Blue, D. M., and Knox, W. A. Reflection survey at Barracuda Fault 218-314

Pakhorukov, P. P. Use of altitude indentification markers in a gravimetric survey on a 1:200,000 scale in areas of the Urals 226-214

Pakiser, L. C. The basalt-eclogite transformation and crustal structure in the Western United States 224-230

Pakiser, L. C., Kane, M. F., and Jackson, W. H. Structural geology and volcanism of Owens Valley region California—A geophysical study 218-143

Pakiser, L. C., and Steinhart, J. S. Explosion seismology in the Western Hemisphere, Chap. 5 224-235

Abstract

Pakiser, L. C. See Hamilton, W. B.
Pakistan Meteorological Service. Magnetic Observatory-Quetta -217-294, -295
Palagin, V. V. See Mitroshin, V. I.
Palas, Miroslav. See Beneš, Konrād.
Palitsyn, N. D., Dolivo-Dobrovol'skiy, A. V., and Podol'skiy, Yu. V. On the problem of the use of aeromagnetic surveying for large-scale geologic mapping ---------- 223-289
Palmeira, R. A. R. See Balasubrahmanyan, V. K.
Palmer, B. A. A new technique for the measurement of geophone parameters under field conditions ---------- 220-322
Palmer, H. D. Geologic significance of Davis Seaknoll Arguello Plateau, California ---------- 223-344
— Marine geology of Rodriguez Seamount ---------- 221-342
Pan, S. K. Finite deformation in the interior of the Earth ---------- 216-217
— Finite deformation in the interior of an Earth model-II ---------- 219-244
Panasenko, G. D. Tiltmeter observations at the Apatity seismic station in 1959-60 ---------- 219-196
See also Nikonov, A. A.
Pakek, L. A., and Stock, J. A. Development of a rock stress monitoring station based on the flat slot method of measuring existing rock stress ---------- 217-351
Panel on Solid-Earth Problems. Solid-Earth geophysics—Survey and outlook ---------- 225-148
Panizza, A. See Gasparis, A. De.
Pankina, R. G., and Mekhtiyeva, V. L. The isotopic composition of the H_2S sulfur of the casing-head gases of the Bobrikov horizon of the Volga-Ural region ---------- 218-189
Panov, G. I. See Varanov, V. I.
Panteleyev, V. L., and Stroyev, P. A. Registration of vertical accelerations by a fiber gravimeter ---------- 223-181
See also Gladun, V. A.
Pap, A. M. Brief outline of the geology of the crystalline basement of Byelorussiia ---------- 219-17
Papadopulos, I. S. See Cooper, H. H., Jr.
Papadopoulos, M. The reflexion and refraction of point-source fields ---------- 225-88
— The use of singular integrals in wave propagation problems with application to the point source in a semi-infinite elastic medium - 225-89
Papageorge, G. E. See Berg, J. W., Jr.
Papalashvili, V. G. See Ayvazishvili, I. V.
Papet-Lépine, Jacques. See Bertin, Francois.
Parasnis, D. S. Long, horizontal cylindrical ore body at arbitrary depth in the field of two linear current electrodes ---------- 220-132
— The electric potential and apparent resistivity due to a pair of long line electrodes in the presence of a vertical outcropping vein ---------- 220-134
Parfenov, L. M. See Kosygin, Yu. A.
Pariyskiy, N. N. Study of earth tides since the beginning of the IGY- 220-111
— The regional heterogeneity of the mantle as revealed by earth-tide observations ---------- 225-85
Park, Ford. Deep-sea vehicles ---------- 223-137
Park, R. G. See Evans, C. R.
Parkhomenko, E. I. On a type of symmetry of piezoelectric textures of rocks formed by piezoelectric minerals ---------- 216-136
— Use of ultrasound in investigations of the electrical properties of rocks ---------- 216-135
Parkhomenko, E. I., and Bondarenko, A. T. Electrical conductivity of rocks at high temperatures and unilateral pressure ---------- 216-137
Parkhomenko, E. I., and Tsze-San', Chzhao. Investigation of the effect of moisture on the value of the seismoelectrical effect of sedimentary rocks using the laboratory method ---------- 218-102
See also Volarovich, M. P.
Parkhomenko, I. S., and Obukhov, V. A. On the elastic impulses generated upon the destruction of rocks under dynamic loading ---------- 225-99

Abstract

Parkin, D. W. Cosmic dust in the Antarctic 216-48
See also Brownlow, A. E.
Parry, L. G. Magnetic properties of dispersed magnetite powders 221-232
Parry, W. T. See Reeves, C. C., Jr.
Parshin, Yu. A., Koba, V. I., and Savenko, A. L. Remote-control device for safe insertion of the neutron source into the well instrument of apparatus of the STP-NGGK-57 type 226-297
Parsons, N. R. See Brown, R. R.
Pascu, M. B. Some observations on the magnetic properties of magnetites in relation to temperature 222-266
Pasechnik, I. P. An anomaly in the traveltimes of longitudinal waves on the eastern slope of the Middle Urals 218-168
See also Kogan, S. D.
Pashutina, S. R. See Umperovich, N. V.
Pas'ko, E. V. See Karandeyev, K. B., and Kotyuk, A. F.
Pasteels, Paul. Age measurements on the zircons of some rocks from the Alps 222-10
Pataraya, Ye. I. See Mindeli, P. Sh.
Paterson, M. S. See Raleigh, C. B.
Paterson, W. S. B. Variations in velocity of Athabasca Glacier with time 218-124
See Law, L. K., and Savage, J. C.
Patin, S. A. Possibilities of using tritium for the study of dynamic processes in the ocean and in the atmosphere 222-206
Pătrascu, S., Costa-Foru, Alexandru, and Apostol, Ecaterina. Paleomagnetic research on rocks of Paleozoic age in Rumania 223-279
See also Costa-Foru, Alexandru.
Patriat, Philippe. See Schlich, Roland.
Patsevich, S. L., and Madera, E. R. On the problem of determining the effective oil- and gas-saturated thicknesses of the Kirmaka suite of the Buzovny-Mashtaginsk field 227-122
Patterson, A. R. Datum corrections in glacial drift 218-292
Patterson, C. C. Characteristics of lead isotope evolution on a continental scale in the Earth 218-186
Patterson, J. H., Turkevich, A. L., and Frazgrote, Ernest. Chemical analysis of surfaces using alpha particles 222-306
Patton, W. W., Jr., and Tailleur, I. L. Interpretation of subsurface structure-Structural zone IV 217-336
Paul, M. K. Direct interpretation of self-potential anomalies caused by inclined sheets of infinite horizontal extensions 225-108
— Note on a type of surface waves propagated in a heterogeneous medium with its lower surface rigidly fixed 219-126
— Note on the propagation of Love-type waves on a spherical shell due to its torsional oscillation 225-94
— On propagation of Love-type waves on a spherical model with rigidity and density both varying exponentially with the radial distance 227-85
— Propagation of Love waves in a dry sandy layer lying between two semi-infinite elastic media 225-96
— Propagation of Love waves in a fluid-saturated porous layer between two elastic half-spaces 220-113
Pauthenier, M. See Laurent, G.
Pavlak, T. L. See Ramseier, R. O.
Pavlenkin, A. D. See Mil'shteyn, D. M.
Pavlenkova, N. I. See Sollogub, V. B.
Pavlogradskiy, V. A. See Volarovich, M. P.
Pavlov, N. N., and Staritsyn, G. V. On variations of the seasonal annual term in the rotation of the Earth about the axis in the years 1960 and 1961 226-123
Pavlov, V. D. On the determination of the value of the critical resistance of galvanometers 223-83
— On the possibility of reducing the natural frequency of a galvanometer by reactive resistance 216-93
Pavlov, V. F. See Vlasov, A. Ya.
Pavlov, Yu. A. See Moiseyenko, F. S.
Pavlovskiy, V. I. See Afanas'yev, N. S.

	Abstract
Pavlovskiy, Ye. V., and Markov, M. S. Some general problems of geotectonics (on the irreversibility of development of the Earth's crust	217-206
Payo Subiza, Gonzalo. Dispersion of Rayleigh waves produced by nuclear explosions—Crustal structure of western Europe	217-264
Payson, Harold. See Edgerton, H. E.	
Pazdera, František. See Hanzlík, Jiří.	
Peacock, D. R. Temperature logging	226-223
Peale, S. J., and Gold, T. Rotation of the planet Mercury	225-40
Pearson, F. J., Jr., Davis, E. M., Tamers, M. A., and Johnstone, R. W. University of Texas radiocarbon dates III	226-35
Pecherskiy, D. M. Data on the magnetic stability of the granitic rocks of Northeast U. S. S. R.	219-294
—— On the relationship of the magnetization of granitic rocks of northeastern U. S. S. R. to the conditions of their formation	227-290
See also Nayborodin, V. I.	
Peck, D. L., Moore, J. G., and Kojima, George. Temperatures in the crust and melt of Alae Lava Lake, Hawaii, after the August 1963 eruption of Kilauea Volcano—A preliminary report	221-351
See also Okamura, A. T.	
Peebles, P. J. E. Are the interiors of Jupiter and Saturn hot?	227-57
Pekeris, C. L., Alterman, Z., Abramovici, F., and Jarosch, H. Propagation of a compressional pulse in a layered solid	226-125
Pellas, Paul. Attempt to determine the geologic age from the lattice spacings and optical properties of radioactive allanites	224-4
See also Maurette, M.	
Pellinen, L. P. Expedient formulae for computation of Earth's gravitational field characteristics from gravity anomalies	220-216
Pelyushenko, V. M. On prospecting for concealed iron ore deposits in the Krivoy Rog Basin	226-208
—— Results of interpretation of magnetic and gravimetric observations on the southern part of the Belozersk magnetic anomalies	221-270
Pelyushenko, V. M., and Kanyuka, A. I. Use of gravity surveying in underground mine workings of the Krivoy Rog basin	222-166
Penta, Francesco. See Cavallo, Raimondo.	
Penttilä, Esko. Some remarks on earthquakes in Finland	225-73
See also Miyamura, Setumi.	
Penzien, J. See Jenschke, V. A.	
Pepin, R. O. Isotopic analyses of xenon	227-234
Pepper, J. F., and Everhart, G. M. The Indian Ocean—The geology of its bordering lands and the configuration of its floor	222-351
Percopo, E. See Oliveri del Castillo, A.	
Perel'man, I. I. Determination of apparent velocity from reflection traveltime curves	216-316
Perepelitsa, V. A. Calculation of optimal magnification curves of VEGIK seismographs with frequency identification in the period range of 0.05 to 0.5 sec	221-71
Pérez Ruiz, Guadalupe, and Elorduy Téllez, Ernesto. Mathematical calculation of velocity laws—"Sigma (Σ) method"	227-334
Perfilova, A. P. See Shkorbatov, S. S.	
Perkins, R. W., Nielsen, J. M., and Thomas, C. W. Air concentrations of twelve radionuclides from 1962 through mid-1964	217-316
Perkins, R. W., Thomas, C. W., Hill, M. W., and Nielsen, J. M. Chlorine-38 and sulphur-38 produced by cosmic radiation	223-236
Per'kov, N. A., Yevteyeva, O. G., and Reviya, A. S. Modeling of electrical logging by potential sondes	225-134
Perozio, G. N. See Nesmerov, I. I.	
Perrotta, A. J., and Stephenson, D. A. Clinoenstatite: high-low inversion	223-226
Perry, Byrne. On the use of small-scale hydraulic models in tsunami research	217-118
Perry, R. B., and Nichols, Haven. Bathymetry of Adak Canyon, Aleutian Arc, Alaska	223-343
Pert, G. J. See Friese-Greene, T. W.	

Abstract

Peschel, H. See Grossmann, Walter.

Pestrikov, A. S. Use of radioactive methods for the solution of problems of petroleum geology in areas of the Volgograd region along the Volga ---------- 225-300

Petelin, V. P. Hard rocks from deep-sea trenches of the southwestern part of the Pacific Ocean ---------- 224-352

Peter, G., Elvers, D., and Yellin, M. Geological structure of the Aleutian Trench southwest of Kodiak Island ---------- 219-225

Peter, G., and Stewart, H. B., Jr. Ocean surveys—The systematic approach ---------- 225-346

Peterschmitt, Élie; Menzel, Heinz; and Fuchs, Karl. Seismic measurement in the Alps—The observations on the profile northeast of Lago Lagorai in 1962 and its preliminary interpretation---------- 221-188

See also Dieterlé, G.

Petersen, G. H. The hydrography, primary production, bathmetry, and "Tagsaq" of Disko Bugt, West Greenland-Bathymetry ---------- 218-338

Petersil'ye, I. A. See Lebedev, V. S.

Peterson, Dallas. See Buss, W. R.

Peterson, M. N. A. See Goldberg, E. D.

Petkevich, G. A. Factors determining seismic wave velocities in the geologic section (exemplified by Cis-Carpathia) ---------- 221-306

Petkevich, G. I., and Berbitskiy, T. Z. On the study of velocities of longitudinal elastic waves on perforated models saturated with fluids ---------- 217-156

—— Ultrasonic profiling on a constant base on a model of a stratified section ---------- 222-90

Petrafeso, F. A. See Mitchell, C. M., Petty, A. J., and Phillun, P. W.

Petrashen', G. I. On the modeling of the processes of seismic wave propagation ---------- 217-151

—— The work of the Leningrad School on seismic wave propagation-- 226-130

Petrescu, G., and Purcaru, G. The mechanism and stress pattern at the focus of the September 1, 1962, Buyin-Zara (Iran) earthquake ---------- 218-49

Petrov, B. V. See Gerling, E. K.

Petrova, G. N. Investigations of secular variations of the geomagnetic field by the paleomagnetic method ---------- 224-277

See Andreyeva, O. L.

Petrucci, Giuseppe. Apparent electrical resistance of a terrain between two probes in the case of three strata ---------- 220-136

Petrulian, N., and Steclaci, Livia. On the presence of rhenium in molybdenites of Rumania and its importance as a geologic thermometer ---------- 225-219

Petschek, H. E. See Axford, W. I.

Pettengill, G. H., and Dyce, R. B. A radar determination of the rotation of the planet Mercury ---------- 225-39

Petty, A. J., Petrafeso, F. A., and Moore, F. C., Jr. Aeromagnetic map of the Savannah River Plant area, South Carolina and Georgia ---------- 219-301

See also Bromery, R. W.

Pevnev, A. K. Hydrothermal movements of the Earth's surface and their effect on conclusions concerning recent movements of the Earth's crust ---------- 219-215

—— On the results of repeat levelings in the region of the Baskunchak salt dome ---------- 219-185

Péwé, T. L. See Ostenso, N. A.

Peyve, A. V. See Luk'yanov, A. V.

Pflug, R. Continental drift and the Precambrian of Africa and South America ---------- 217-216

Pham-Van-Ngoc. New technique of gravity prospecting by direct measurement of secondary vertical derivaties of the intensity of gravity---------- 220-213

Phaneuf, J. P. See Sagan, Carl.

Abstract

Philbin, P. W., and Kirby, J. R. Aeromagnetic map of parts of the Hachensack and Paterson quadrangles, Bergen and Passaic Counties, New Jersey ---------- 225-276

— Aeromagnetic map of the Nyack quadrangle and part of the White Plains quadrangle, Bergen County, New Jersey, and Rockland and Westchester Counties, New York ---------- 225-277

— Aeromagnetic map of the Park Ridge quadrangle, Bergen County, New Jersey, and Rockland County, New York ---------- 225-278

— Aeromagnetic map of parts of the Yonkers and Mount Vernon quadrangles, Bergen County, New Jersey, and Bronx, Rockland, and Westchester Counties, New York ---------- 225-279

Philbin, P. W., Long, C. L., and Moore, F. C. Aeromagnetic map of the Columbus Dayton area, Ohio and Indiana ---------- 222-287

Philbin, P. W., and White, B. L., Jr. Aeromagnetic map of parts of the Cactus Peak and Stinking Spring quadrangles, Nye County, Nevada ---------- 227-304

— Aeromagnetic map of parts of the Kawich Peak and Reveille Peak quadrangles, Nye County, Nevada ---------- 227-303

— Aeromagnetic map of the Belted Peak quadrangle and part of White Blotch Springs quadrangle, Nye County, Nevada ---------- 227-301

— Aeromagnetic map of the Black Mountain quadrangle, Nye County, Nevada ---------- 227-306

— Aeromagnetic map of the Cactus Spring quadrangle and part of the Goldfield quadrangle, Esmeralda and Nye Counties, Nevada -- 227-298

— Aeromagnetic map of the Mellan quadrangle, Nye County, Nevada ---------- 227-305

— Aeromagnetic map of the Quartzite Mountain quadrangle, Nye County, Nevada ---------- 227-302

— Aeromagnetic map of the Sarcobatus Flat area, Esmeralda and Nye Counties, Nevada ---------- 227-299

— Aeromagnetic map of the Silent Canyon quadrangle, Nye County, Nevada ---------- 227-307

— Aeromagnetic map of the Wheelbarrow Peak quadrangle and part of the Groom Mine quadrangle, Nye and Lincoln Counties, Nevada- 227-300

Philibert, Josette. See Orliac, J.

Phillips, F. C. Metamorphic rocks of the sea floor between Start Point and Dodman Point, S. W. England ---------- 220-347

Phillips, J. W. Gravity growing in sophistication as an exploration technique ---------- 227-186

Phillips, R. P. Seismic refraction studies in Gulf of California----- 225-303

Phillun, P. W., Petrafeso, F. A., and Lang, C. L. Aeromagnetic map of the Georgia Nuclear Laboratory area, Georgia ---------- 216-275

Philpotts, A. R., and Miller, J. A. The age of the Chatham-Grenville intrusive, Quebec ---------- 216-9

Philpotts, J. A. See Pinson, W. H., Jr.

Picciotto, E. E., and Wilgain, S. Fission products in Antarctic snow, a reference level for measuring accumulation ---------- 224-321

Pícha, Ján. See Pick, Miloš.

Pichugin, N. I., and Tolokonnikov, V. V. On the possibility of using the vertical electrical sounding method of electrical surveying for local appraisal of natural moisture content of rocks on slopes in danger of creep ---------- 218-83

Pick, Miloš. On a new method of preparing maps of topographic corrections ---------- 218-141

Pick, Miloš, Pícha, Ján, and Vyskočil, Vincenc. A contribution to the methods of calculating gravity terrain corrections---------- 220-218

See also Lebeau, André.

Piddington, J. H. Geomagnetic storms, auroras and associated effects ---------- 223-258

Pidgeon, R. T. See Richards, J. R.

Pieper, G. F., Bostrom, C. O., and Zmuda, A. J. Trapped protons in the South Atlantic magnetic anomaly, July through December 1961—Pt. 1, The general characteristics ---------- 223-246

See also Bostrum, C. O., and Zmuda, A. J.

Abstract

Pieri, L. See Mazzon, Corrado.

Pieri, M. See Carissimo, L.

Pinna, E. See Gasparis, A. De.

Pinson, W. H., Jr., Philpotts, J. A., and Schnetzler, C. C. K/Rb ratios in tektites 225-29

Pinson, W. H., Jr., Schnetzler, C. C., Beiser, E., Fairbairn, H. W., and Hurley, P. M. Rb-Sr age of stony meteorites 224-32

See also Fairbairn, H. W., Fauer, G., and Hurley, P. M.

Pintér, Anna. On secular variation of the gravity field 224-209

Pintér, Anna, and Aczél, Etelka. A proposal concerning the planning of international geophysical measurements across the Carpathians for the purpose of studying recent crustal movements 224-187

Pintér, Anna; Ádám, Oszkár; and Szénás, Gröry. Problems of regional gravity interpretation in the Hungarian Basin 222-164

Pirajno, Franco. See Gasparini, Paolo.

Pirson, S. J. Projective well log interpretation—Pt. 4 216-130

— The education of a well log analyst 226-158

See also Morgan, W. B.

Pither, C. M. Suspect lunar domes 220-35

Piyanuj, Piya. See Olsson, I. U.

Plafker, George. Tectonic deformation associated with the 1964 Alaska earthquake 225-63

Plagemann, Stephen. A model of the internal constitution and temperature of Mercury 220-43

Plakhotiy, L. G. See Savitsina, G. O.

Platonov, M. L. See Mishin, V. M.

Plechsheyev, I. S. See Garetskiy, R. G.

Pleshivtsev, A. S. See Guriyev, T. S.

Pleshivtsev, G. A. Photographic tying of aerogeophysical survey traverses 221-139

Plessard, C. See Schlich, Roland.

Ploskikh, V. P. Test of the use of inductive methods of electrical surveying in East Transbaikalia 224-147

Plotkin, H. H. See Alley, C. O.

Plotnikov, R. I. See Ab, E. A.

Plouff, Donald. Gravity measurements in the Beaufort Sea area 217-244

Plyushch, A. M., Ter-Karapetyants, Zh. N., and Alifov, S. K. On the value of the geothermal reciprocal gradient for the Siazan' oil field 219-238

Plyusnin, M. I. Determination of the properties of induction logging sondes using the characteristics 224-157

— Present state of induction logging of boreholes 224-159

Plyusnin, M. I., and Serdinov, A. I. Use of electrolytic modeling for solving problems of the theory of induction logging 224-160

See also Alferov, V. V.

Pochtarev, V. I., and Pudovkin, I. M. The constant geomagnetic field and modern problems in studying it 219-282

Podol'skiy, Yu. V. See Palitsyn, N. D.

Poeverlein, Hermann. Coupling of magnetohydrodynamic waves in stratified media 218-195

— Solar plasma wind, earth currents, and diurnal magnetic field variations 224-261

Pogrebysskaya, Ye. I. See Kononov, Yu. V.

Pohn, H. A. See Wildey, R. L.

Poisson, R. P. Earthquakes felt in Madagascar in 1933 and 1934 221-49

— Malgache earthquakes in 1961 221-48

Pokrzywnicki, Jerzy. On the Owrucz meteorite 218-22

Polak, L. S. See Aleksandrov, A. Yu.

Polanský, Jindřich. See Dobeš, Miroslav.

Polcyn, F. See Fischer, W. A.

Poleshko, Ye. S. See Grebnev, S. K.

Polevaya, N. I., Sprintson, V. D., Izokh, E. P., Le, Dinh Huu, and Nguyen, Van Chien. First data on the absolute age of magmatic rocks of North Viet Nam 226-50

See also Afanas'yev, G. D., Harris, M. A., and Polovinkina, Yu.I.

Abstract

Poley, J. P. Critical-angle effects in seismic exploration -------- 220-321
Polkanova, L. P. See Burshtar, M. S.
Pollack, J. B. The microwave phase effect of Venus ------------ 224-59
Pollack, S. S. See Reid, A. M.
Polonskiy, A. M. Determination of the relationship of excess density to excess intensity of magnetization J according to magnetic and gravity survey data -------------------------------------- 221-170
— Use of magnetic survey data for preliminary estimation of reserves of the iron ore deposits of the Angara-Iliy region -------- 221-263
Polovinkina, Yu. I., and Polevaya, N. I. Main geochronological stages in the history of formation of the Ukrainian crystalline massif -- 220-13
See also Afanas'yev, G. D.
Polshkov, M. K. On the theory of a seismic recording channel----- 225-320
— On the theory of the output cascade of a seismic amplifier with galvanometer -- 226-305
— On the theory of the frequency characteristics of a channel of a seismic surveying station ---------------------------------- 216-323
See also Komarov, S. G.
Polyachenko, A. L. The theory of nonstationary diffusion of thermal neutrons in a two-layered, infinite medium with a cylindrical interface-- 218-285
Polyak, M. K., Smirnova, I. A., and Frantov, G. S. Aerial electrical surveying by the infinitely long cable method in the Kola Peninsula --- 226-140
Polyak, V. G. Thermal power of the interparoxysmal stage of activity of Mutnov Volcano-- 225-360
Polyakov, A. B. See Yarosh, A. Ya.
Polyakov, B. I. See Yegorov, E. V.
Polyakov, Ye. A. Investigation of the electrical resistivity and density of aqueous solutions of salts at high pressure and temperature --- 225-135
— Surface resistivity meter with calculated coefficient ----------- 226-171
Pomarnatskiy, M. A. Geothermal features of the salt dome region of the Caspian basin -- 219-236
Pomerantseva, I. V. The nature of waves related to intermediate boundaries in the crystalline layer of the Earth's crust, and the deep structure of the southeast part of the Russian platform ----- 225-323
Pomerol, Charles. See Blondeau, Alphonse.
Pomeroy, P. W. Seismology in the U.S.S.R. ------------------- 219-69
Pomîrleanu, V. V., and Barbu, Alexandrina. Geothermal research and petrologic structure in the zone of mineralization in the basin of the Ilba River --- 227-218
See also Savul, M.
Ponomarev, V. N., and Bakhvalov, A. N. Determination of the attitude of a thin bed from internal magnetic field measurements--- 218-262
Ponsot, C. See Borsoukov, A. M., and Laurent, G.
Poole, W. H., Béland, J., and Wanless, R. K. Minimum age of Middle Ordovician rocks in southern Quebec—Reply------------- 217-2
Pope, J. H. Dynamic spectral characteristics of micropulsation pearls -- 227-248
Popenoe, Peter. Aeroradioactivity survey and areal geology of parts of east-central New York and west-central New England --- 218-282
Poplavskaya, L. N., Volkova, L. F., and Zhuk, F. D. Seismicity of the Far East during 1961 ---------------------------------- 219-98
See also Solov'yev, S. L.
Popov, A. A. See Antonenko, A. N.
Popov, N. M. See Vinogradov, A. P.
Popov, V. V., and Mikhed'ko, A. F. On the choice of optimal conditions of recording radioactivity logging curves with the RK-60-L apparatus --- 224-326
Popov, Ye. I. Determination of the acceleration of gravity by means of GAL gravimeters in a submarine --------------------------- 216-194
Popov, Ye. I., and Sukhodol'skiy, V. V. Test-stand studies of marine gravimetric apparatus ---------------------------------- 222-167

Abstract

Popovici, Dorin. See Airinei, Stefan, and Socolescu, M. M.

Porkka, M. T. See Vesanen, E. E.

Porstendorfer, Gottfried. Magnetotelluric investigations using highly permeable coils 225-51

— Magnetotellurics over nonhorizontally stratified mediums 222-100

Portnov, A. M. On the crater on the Potomsk Upland 217-44

Posadskaya, A. S. See Avrov, P. Ya.

Posgay, Károly. See Mituch, Erzsébet.

Posik, L. N., Koshelev, I. V., and Bovin, V. P. Radiometric rapid analysis of mined ores (Concise handbook) 221-281

Posmentier, E. S. See Donn, W. L.

Pospelova, G. A. Comparative investigations of normally and inversely magnetized volcanic rocks 221-243

Post, A. S. Alaskan glaciers—Recent observations in respect to the earthquake-advance theory 222-65

Posternak, Ya. I. See Alferov, V. V.

Potap'yev, S. V. On one type of interference in using long seismic cables in seismic surveying 220-334

See also Puzyrev, N. N.

Potemkin, K. N. See Grebnev, S. K.

Potratz, H. A. See Thurber, D. L.

Pottasch, S. R. A comparison of the chemical composition of the solar atmosphere with meteorites 217-32

Potts, E. L. J. The in situ measurement of rock stress based on deformation measurements 225-344

Potushanskiy, A. A. Geophysical investigations in boreholes more than 3,200 m deep in the Ukraine 220-240

Powell, D. W. A rapid method of determining dip or magnetization inclination from magnetic anomalies due to dyke-like bodies 227-294

Powell, J. L. Isotopic composition of strontium in carbonate rocks from Keshya and Mkwisi, Zambia 223-241

Powell, J. L., Faure, G., and Hurley, P. M. Strontium 87 abundance in a suite of Hawaiian volcanic rocks of varying silica content 222-202

See also Faure, G.

Powers, H. A. See Koyanagi, R. Y., and Okamura, A. T.

Pożaryski, Władysław; Małkowski, Zdzisław; and Jankowski, Jerzy. Distribution of short period variations of the magnetic field of the Earth in relation to tectonics in central Europe 226-252

Prabhavalkar, A. S. See Yacob, A.

Prakash, Prem. Determining residual gravity and its application 218-130

Pratt, R. M. Ocean-bottom topography—The divide between the Sohm and Hatteras abyssal plains 224-345

— The Mid-Atlantic Ridge—Youthful key to an old ocean 220-344

— Topography of the Blake Plateau 221-341

Pratt, R. B. Stacking of common reflection point data 227-333

Preobrazhenskiy, V. B. Apparatus with magnetic memory and visual recording for registering distant earthquakes 219-107

See also Borisevich, Ye. S.

Presnall, D. C. Deduction of liquid crystallization paths in a five-component oxide system containing iron 223-204

Press, Frank. Displacements, strains, and tilts at teleseismic distances 223-69

— Long-period waves and free oscillations of the Earth 224-233

— Seismic wave attenuation in the crust 216-102

Press, Frank, and Jackson, David. Alaskan earthquake, 27 March 1964—Vertical extent of faulting and elastic strain energy release 220-79

Prévot, Michel. On the geomagnetic field in the Pliocene according to the paleomagnetic study of the Mezenc volcanic massif (Velay) 227-283

Priam, R. A new eruption of the volcano Lopevi (New Hebrides) and its seismic similarity to preceding eruptions 226-345

— Contribution to knowledge of the Matthew Islet volcano (southern New Hebrides) 226-344

Abstract

Price, A. T. See Ferris, G. A. J., and McCann, C.
Price, P. B. See Fleischer, R. L.
Prince, E. R., Jr. See Schneider, W. A.
Pringle, J. K. See Austin, C. F.
Pris, G. V. Parameters of cylindrical conductors (summary) ----- 224-125
— Sources of a magnetic field having a directional effect---------- 225-113
Protod'yakonov, M. M., Koyfman, M. I., and Teder, R. I., eds. Mechanical properties of rocks ---------------------------------- 222-336
Prots, R. V. See Kuzovkin, S. K.
Proust, François. See Allègre, Claude.
Pruchkina, N. M. See Vinnik, L. P.
Pryakhin, A. P. See Mitroshin, V. I.
Przybyszewski, E. Belsk three-hour-range indices K and magnetic character figures C for January to March 1964 ----------------- 218-232
— Belsk three-hour-range indices K and magnetic character figures C for July to September 1964 --------------------------------- 225-252
Pshenichnyy, G. A. See Ochkur, A. P.
Pshennikov, K. V. Alteration of seismic wave velocities in the hypocentral zone of aftershocks ------------------------------ 223-72
Pshennikov, K. V., and Borovik, N. S. Some features of the formation of the epicentral zone of aftershocks --------------------- 226-121
See also Misharina, L. A.
Puchkov, Ye. P. See Karatayev, G. I.
Puchkov, Ye. R., and Fedoseyev, G. S. Structure of the Shindinsk pluton (East Sayan) according to geological and geophysical data -- 226-210
Puchkov, Ye. V. Application of the thermoluminescence method to the study of secondary quartzites ---------------------------- 224-229
Pudovkin, I. M. Spatial structure of the geomagnetic field and some problems involving the study of the Earth's internal structure, Pt. 3 -- 227-277
Pudovkin, I.M., and Kolesova, V. I. Zero isoline of the vertical gradient of ΔT and its use in the interpretation of magnetic anomalies --- 222-243
See also Pochtarev, V. I.
Pudovkin, M. I. Magnetic bay disturbances --------------------- 225-253
— Relationship between irregular disturbances, geomagnetic bays, and S_D-variations --- 225-254
Puk'yanova, N.N. See Karatayev, G. I.
Purcaru, G. See Petrescu, G.
Pushnoy, B. M. See Lutsenko, B. N.
Pustovalova, G. M. See Chekunov, A. V.
Pustovitenko, A. N. See Solov'yev, A. N.
Putnam, G. W., and Alfors, J. T. Depth of intrusion and age of the Rocky Hill stock, Tulare County, California ------------------ 223-4
Puzyrev, N. N. Solution of the inverse problem for converted reflected waves -- 226-133
Puzyrev, N. N., Kondrashov, V. A., Krylov, S. V., and Potap'yev, S. V. First results of deep seismic investigations of the Earth's crust in the central part of West Siberia ---------------------- 224-239
See also Kondrashov, V. A., and Krylov, S. V.
Pyatnitskiy, V. K. A procedure for calculating the depth and magnetization of sources of magnetic anomalies ----------------- 220-303
See also Gusev, Yu. M.

Q

Quagliariello, M. T. The complex Benioff seismograph of the Institute of the Physics of the Earth of the University of Naples ------ 225-84
Qureshy, M. N. A regional gravity profile from Salem to the east coast of India -- 219-231

R

Abstract

Rabinovich, A. V., Golubchina, M. N., and Murtazina, T. M. Isotopic composition of lead of the intrusive rocks of different metallogenic zones of central Asia ---------- 226-241

Rabinovich, B. I. Determination of the resistivity of an electrical marker horizon from electrical profiling data in the case of variable thickness of alluvium ---------- 219-140

Rabinovich, G. Ya. On the radius of investigation in acoustic logging ---------- 221-308

Rabotnov, V. T., and Khobot, M. R. On some regularities of the variation in density and specific gravity of the Riphean (Sinian) formations of southwestern Yakutia ---------- 227-199

Rackham, T. W. Photographic colorimetry of the Moon in narrow passbands ---------- 224-51

Radhakrishnamurty, I. V. See Rao, B. S. R.

Radu, Cornelius. Contributions to the determination of the magnitude of deep earthquakes of the Carpathians ---------- 223-63

— Contributions to the study of the seismic regime of the Vrancea region ---------- 223-64

See also Vaňek, Jiří.

Radziyevskiy, V. V. See Artem'yev, A. V.

Ragatzkie, R. A., and Friedman, Irving. Low deuterium content of Lake Vanda, Antarctica ---------- 223-237

Ragimov, Sh. S. Studying fractures in the Earth's crust with macroseismic data ---------- 226-308

Ragimov, Sh. S., Dzhafarov, R. D., and Aliyev, A. M. Kyzyl-Buruns earthquake in March 1962 ---------- 222-50

See also Vvedenskaya, N. A.

Ragle, R. H., Sater, J. E., and Field, W. O. Effects of the 1964 Alaskan earthquake on glaciers and related features ---------- 226-106

Raitt, R. W. Geophysics of the South Pacific ---------- 224-168

Raja, P. K. S. The palaeomagnetism of some Scottish Tertiary dykes and their baked contacts ---------- 221-239

Rajappa, N. See Viswanathan, K. S.

Rakhimova, I. Sh. On the possibility of determining depth of the Mohorovičić surface for a three-layered Earth's crust ---------- 226-236

Raleigh, C. B., and Paterson, M. S. Experimental deformation of serpentinite and its tectonic implications ---------- 227-157

Ralph, E. K., Michael, H. N., and Gruninger, John, Jr. University of Pennsylvania dates VII ---------- 226-24

See also Stuckenrath, Robert, Jr.

Rama, S. N. I., and Hart, S. R. Neon isotope fractionation during transient permation ---------- 219-271

Rama, S. N. I., Hart, S. R., and Roedder, Edwin. Excess radiogenic argon in fluid inclusions ---------- 219-2

See also Aldrich, L. T.

Ramazanova, S. M., and Serdovol'skiy, L. A. Test seismic operations before the use of the controlled direction reception method in Tadzhikistan ---------- 223-316

Ramberg, Hans. A model for the evolution of continents, oceans and orogens ---------- 223-152

— Chemical thermodynamics in mineral studies ---------- 220-235

— Selective buckling of composite layers with contrasted rheological properties—A theory for simultaneous formation of several orders of folds ---------- 226-324

Ramberg, Hans, and Stephansson, Ove. Compression of floating elastic and viscous plates affected by gravity, a basis for discussing crustal buckling ---------- 222-130

Ramberg, I. B. Preliminary results of gravimetric investigations in the Fen area ---------- 220-220

Ramdohr. Paul. Opaque minerals in stony meteorites ---------- 223-24

Ramesh, P. See Rao, M. S.

Abstract
Ramirez, J. E., and Miranda G., F. A. Seismic bulletins of the Colombian seismological stations Bogotá, Chinchina, Fuquene, and Galerazamba during the year of 1961 ---------- 223-59
Ramsayer, Karl. Proposal for a gravity map for hilly and medium mountainous areas without the calculation of the terrain correction ---------- 218-134
— The admissible distances of the gravity points for the determination of geopotential numbers in high mountains, medium high mountains and flat countries ---------- 226-216
Ramseier, R. O., and Pavlak, T. L. Unconfined creep of polar snow ---------- 218-329
Ramspott, L. D. The Elberton batholith ---------- 220-3
Randall, A. G. Geologic dating of selected archaeological sites in the Rocky Mountain region ---------- 221-6
Randall, M. J. On the mechanism of earthquakes ---------- 217-140
— Seismic energy generated by a sudden volume change ---------- 217-141
See also Adams, R. D.
Rankin, D., Garland, G. D., and Vozoff, K. An analog model for the magnetotelluric effect ---------- 222-93
Rantsman, Ye. Ya., and Fin'ko, Ye. A. Recent tectonic movements on the Arys—Alma-Ata repeat leveling line ---------- 219-212
See also Gorelov, S. K.
Rantz, L. G. IBM retrieval system speeds research ---------- 227-149
Rao, B. S. R., and Bhimasankaram, V. L. S. Studies on magnetic properties in relation to magnetic prospecting of the Kodur manganese belt—Pt. 2, Magnetic properties of maganese ores ---------- 217-304
Rao, B. S. R., and Radhakrishnamurty, I. V. Convergence and divergence in gravity and magnetic interpretation ---------- 223-169
Rao, C. S. R., and Malthotra, P. L. A study of geomagnetic anomaly during I. G. Y. ---------- 218-228
Rao, H. V. N. See Simha, K. R. M.
Rao, M. K. See Singh, Jogdeo.
Rao, M. S., and Ramesh, P. Dependence of radio meteor rates on lunar phase ---------- 226-91
Rao, R. B. The Archaean provinces of India and their comparison with those of other continental shields ---------- 222-13
Rao, R. U. M. See Verma, R. K.
Rao, U. R., and Sarabhai, Vikram. Probing interplanetary plasma and magnetic fields with galactic cosmic rays ---------- 219-280
Rao, V. B. See Sarma, V. V. J.
Rapoport, M. B. Introduction of kinematic correction in the automatic treatment of seismograms ---------- 218-307
See also Benderskiy, V. Ya.
Rapoport, S. Ya. See Vartanov, S. P.
Raspet, R. See Diment, W. H.
Raspopov, O. M. Analysis and comparison of calculating schemes used for computing the second vertical derivative of a potential ---------- 225-202
— Graticule for calculating the second vertical derivative of a potential V_{zz} of two-dimensional fields with low sensitivity to error of the initial V_z field ---------- 223-190
— On errors in the calculation of the second vertical derivative of a potential from the field of the first vertical derivative ---------- 223-189
Raspopov, O. M., and Shneyer, V. S. Observations of short-period variations of the geomagnetic field on drifting station SP-6 ---------- 222-250
Raspopov, O. M., and Yanovskiy, B. M. Vertical gradient of the geomagnetic Z component over the north-west limb of the East Asian anomaly ---------- 218-234
See also Bryunelli, B. Ye., and Yanovskiy, B. M.
Rastogi, R. G. Lunar tidal oscillations in H and f_oF_2 at equatorial stations ---------- 221-222
Rastrigin, L. A. Solution of inverse problems by statistical optimization methods ---------- 226-298
Rastvorova, V. A., and Shcherbakova, Ye. M. Uplift of the central Caucasus during late glacial and postglacial time ---------- 219-204

Abstract

Ratnam, C. Gravity survey of the Darrang-Nowgong Region, Assam ---- 218-150
Rausch, D. O. See Wisecarver, D. W.
Rautian, T. G., and Samoylova, L. S. On the basis for calculating energy density by the method of approximating seismograms by segments of sinusoids ---- 216-84
Rautskiy, Ye. I. See Udintsev, G. B.
Raven, Theodore. Paleomagnetism and the alpine tectonics of Eurasia—Preface ---- 227-287
Ravich, M. G. See Krylov, A. Ya.
Rawson, D. E. See Hansen, S. M.
Ray, E. C. The terrestrial ring current ---- 217-274
Raykher, L. D. See Benderskiy, V. Ya., and Vasil'yev, Yu. A.
Raymer, L. L., and Morris, R. L. A logging program for cased-hole recompletion ---- 226-284
See also Millican, M. L.
Razhinskas, A. K. On the problem of a possible relationship between the surface of the quasigeoid and tectonic movements of the Earth's crust ---- 219-200
Razumovskiy, N. K. Calculation of the accuracy of observations by a graphic method in geophysical investigations and sampling of mineral deposits ---- 221-141
Rea, D. G. Some comments on "The composition of the Martian surface" ---- 224-58
Read, W. F. A new iron meteorite from Webster County, Missouri - 222-24
— The Zenda meteorite ---- 216-25
Reay, A., and Harris, P. G. The partial fusion of peridotite ---- 226-233
Reddell, D. L. See Miller, W. D.
Redfield, A. C. Terrestrial heat flow through salt-marsh peat ---- 223-195
— The thermal regime in salt marsh peat at Branstable, Massachusetts ---- 223-194
Redozubov, A. A. Attempt to use the methods of buried electrodes and charged body ---- 216-120
Reed, G. W., Jr. Fluorine in stone meteorites ---- 219-24
Reed, J. C., Jr. Rate of ice movement and estimated ice thickness in part of the Teton Glacier, Grand Teton National Park, Wyoming ---- 224-192
Reed, J. C., Jr., and Bryant, Bruce. Evidence for strike-slip faulting along the Brevard zone in North Carolina ---- 219-162
Reed, S. J. B. Electron-probe microanalysis of the metallic phases in iron meteorites ---- 224-38
— Electron-probe microanalysis of schreibersite and rhabdite in iron meteorites ---- 224-37
Reeder, H. O. Tritium content as an indicator of age and movement of ground water in the Roswell basin, New Mexico ---- 217-272
Reeves, C. C., Jr., and Parry, W. T. Geology of West Texas pluvial lake carbonates ---- 227-12
Reichender, Karl. Effect of tuning screws in a pendulum ---- 225-193
Reid, A. M., Bunch, T. E., Cohen, A. J., and Pollack, S. S. Luminescence of orthopyroxenes ---- 220-22
See also Fredriksson, Kurt.
Reid, J. See Brown, R. R.
Reid, J. R., Jr. Structural glaciology of an ice layer in a firn fold, Antarctica ---- 219-356
Reid, J. R., and Callender, Edward. Origin of debris-covered icebergs and mode of flow of ice into "Millers Lake", Martin River Glacier, Alaska ---- 222-137
Reilly, W. I. The mean height and hypsometric curve for New Zealand ---- 224-186
Reimnitz, Erk, and Marshall, N. F. Effects of the Alaska earthquake and tsunami on recent deltaic sediments ---- 223-57
Remeika, J. P. See Flanders, P. J.
Rémy, J.-M. See Bordet, Pierre.
Renaud, André. See Langway, C. C., Jr.

Abstract

Render, F. W. See Scott, J. S.

Rendón Moreno, María. See Monges Caldera, Julio.

Renner, János. Deflection of the vertical in some areas of Hungary ---- 224-179

— Investigations on deflections of the vertical ---- 218-147

Research Group for Explosion Seismology. Crustal structure in central Japan along logitudinal line 139° E. as derived from explosion-seismic observations—Pt. 1, Explosions and seismic observations ---- 221-191

Reuter, J. H., Epstein, Samuel, and Taylor, H. P., Jr. O-18/O-16 ratios of some chondritic meteorites and terrestrial ultramafic rocks ---- 224-35

Revelle, Roger. International cooperation in oceanography ---- 224-174

Reviya, A. S. See Per'kov, N. A.

Reynolds, R. T., and Summers, A. L. Models of Uranus and Neptune ---- 219-54

Reysner, G. I. See Krestnikov, V. N.

Rezanov, I. A. On the mineralogical composition of the deep layers of the Earth's crust ---- 227-229

Rezanov, I. A., and Zarudnyy, N. N. On the structure of the Earth's crust in Northeast U.S.S.R. ---- 224-238

Rezanov, R. A. Calculation by the method of statistical analysis of some problems of the impulse neutron-neutron method of studying rocks ---- 216-295

See also Kulinkovich, A. Ye.

Rhea, K., Northrop, J., and Von Herzen, R. P. Heat-flow measurements between North America and the Hawaiian Islands ---- 220-237

Rice, D. A. The gravity base network of the U.S. Coast and Geodetic Survey ---- 222-150

Richard, Henri. Statistical examination of 1,200 geophysical accidents ---- 223-134

See also Labrouste, Y.

Richards, A. F. Investigations of deep-sea sediment cores—Pt. 2, Mass physical properties ---- 216-340

— Local sediment shear strength and water content ---- 218-328

Richards, A. F., Hersey, J. B., and McGuinness, W. T. Acoustic studies at Capelinhos Volcano, Azores ---- 218-345

Richards, J. R., Cooper, J. A., and Webb, A. W. Potassium-argon ages on micas from the Precambrian region of north-western Queensland ---- 222-16

Richards, J. R., and Pidgeon, R. T. Some age measurements on micas from Broken Hill, Australia ---- 222-15

See also Aldrich, L. T., Cooper, J. A., and Lovering, J. F.

Richardson, R. S., and Bonestell, Chesley. Mars ---- 225-41

Richter, A.H.K., and Zimen, K. E. Measurements of argon diffusion in KCl and KBr ---- 225-3

Richter, D. H. See Schmidt, R. A. M.

Richter, Gertraud. Interpretation of S-arrivals in the shadow zone of the Earth's core ---- 224-92

— Short report on investigations of polarization of transverse wave onsets ---- 218-58

Richter, Richard. On the determination of the in-situ character of the rock mass ---- 221-94

Rickard, M. J. Minimum age of Middle Ordovician rocks in southern Quebec— Discussion ---- 217-1

— Minimum age of Middle Ordovician rocks in southern Quebec — Discussion of reply ---- 217-3

— Taconic orogeny in the western Appalachians—Experimental application of microtextural studies to isotopic dating ---- 225-10

Ricker, Dianna. See Crawford, Nancy.

Ricq, Jean-Claude, Capitant, Mathieu, and Troly, Gilbert. Determination of niobium and tantalum by neutron activation in rocks and ores ---- 216-285

Abstract

Riedel, W. R., and Funnell, B. M. Tertiary sediment cores and microfossils from the Pacific Ocean floor 217-358
Riel, W. J. van. Synthetic seismograms applied to the seismic investigation of a coal basin 222-321
Riesen, T. See Oeschger, Hans.
Rijikova, S. Sources of microseisms recorded in Sofia 222-300
Rikhter, V. G. Recent vertical movements of the Earth's crust along inherited faults 219-213
Rikhter, V. I. On the necessity of taking refraction into account in interpreting seismic surveys on Neogene areas 224-339
Rikhter, V. I., and Zaydel'son, I. I. A method of constructing and interpreting time sections 227-335
Rikitake, Tsuneji. Dynamics of spherical eddies in the Earth's core 224-246
— Electromagnetic induction in a perfectly conducting plate with a circular hole 218-215
— Geophysics in Japan since 1921 217-187
Rikitake, Tsuneji, and Whitham, K. Interpretation of the Alert anomaly in geomagnetic variations 226-250
Rimsaite, R. Y. H. See Wanless, R. K.
Rinehart, W. A., and Berg, J. W., Jr. Nearshore marine gravity range, Newport, Oregon 223-170
Rinehart, W. A., Bowen, R. G., and Chiburis, E. F. Airport gravity base station network in Oregon 224-199
See also Berg, J. W., Jr., and Dehlinger, Peter.
Ring, J. See Morris, E. C.
Ringwood, A. E. Cohenite as a pressure indicator in iron meteorites—Pt, 3, Comments on a paper by Lipschutz and Anders 224-39
Ringwood, A. E., MacGregor, I. D., and Boyd, F. R. Petrological constitution of the upper mantle 223-218
See also MacGregor, I. D.
Rinker, J. N. Radio echo sounding and strain rate measurement in the ice sheet of north-west Greenland—1964 222-139
Ritsema, A. R. Some reliable fault plane solutions 227-69
See Collette, B. J.
Ritter, E., and Wiese, Horst. Electrical conductivity relations of the underground in central and southeastern Europe, inferred from magnetic and telluric variations 225-49
Rittmann, Alfred. Magmas and magmatic processes 221-197
— Recent progress in volcanology and research on Etna 218-351
Rivin, Yu. R. Industrial interference on rapid-run records of earth currents 222-46
See also Barsukov, O. M.
Rivosh, L. A. Geomagnetic character of the main tectonic structures of the Eastern region of the USSR, the transition zone from the Asiatic continent to the Pacific Ocean and the abyssal floor of the latter 218-272
Rivosh, L. A., and Shteynberg, G. S. Geophysical study of the Kamchatka volcanoes 221-355
See also Shteynberg, G. S.
Riznichenko, Yu. V. Determination of the energy flux of earthquake focuses on the basis of seismic activity 219-84
— Method of earthquake summation for the study of seismic activity 223-68
— Relationship of the flow of rock masses to seismicity 223-160
Riznichenko, Yu. V., and Shamina, O. G. Model study of the upper mantle shadow zone 225-227
See also Kosminskaya, I. P.
Roberson, M. I. Continuous seismic profiler survey of Oceanographer, Gilbert and Lydonia submarine canyons, Georges Bank 217-338
Roberts, Albert, and Hawkes, I. The determination of in-situ stress and strain using photoelastic techniques 221-92
Roberts, Albert, Hawkes, I., and Williams, F. T. Some field applications of the photoelastic stressmeter 223-338

Abstract

Roberts, W. A. Notes on the importance of shock crater lips to lunar exploration ---------- 223-35
— Secondary craters ---------- 223-36
Robertson, E. C. Strengths and elastic moduli of serpentinite from Mayagüez, Puerto Rico ---------- 216-336
— Viscoelasticity in rocks ---------- 225-104
Robertson, E. I. Progress in geophysics in New Zealand since 1920- 217-189
See also Cowan, Margaret.
Robertson, K. A. See Schempf, E. G.
Robertson, W. A. Palaeomagnetism of the monzonite porphyry from Milton, New South Wales ---------- 227-293
— Paleomagnetic results from northern Canada suggesting a tropical Proterozoic climate ---------- 217-306
Robin, G. de Q., and Adie, R. J. The ice cover ---------- 223-163
See also Bailey, J. T.
Robinson, B. L. Precision determination of the energy of the gamma-ray of potassium-40 ---------- 218-277
Robinson, E. A. See Wiggins, R. A.
Robinson, E. S. Correlation of magnetic anomalies with bedrock geology in the McMurdo Sound area, Antarctica ---------- 216-281
Robinson, G. D. See Davis, W. E.
Robson, G. R. University of the West Indies Seismic Research Unit- 220-83
Robson, G. R., and Barr, K. G. The effect of stress on faulting and minor intrusions in the vicinity of a magma body ---------- 226-343
Robson, R. M., and Cook, K. L. Some results from a study of the motion problems involved with gravity measurements at sea ---------- 219-221
Rocard, Yves. See Mechler, Pierre.
Rocha, Manuel. Some problems on failure of rock masses ---------- 221-331
Roche, Alexandre. Paleomagnetic stratigraphy of the Auvergne-Velay volcanoes ---------- 227-285
See also Colin, Felix.
Roden, R. B., and Mason, C. S. The correction of shipboard magnetic observations ---------- 221-217
Rodgers, John. Basement and no-basement hypothesis in the Jura and the Appalachian Valley and Ridge ---------- 220-199
Roedder, Edwin. See Rama, S. N. I.
Roeser, H. A. Rock magnetic investigations at places struck by lightning ---------- 217-303
Roether, W. See Münnich, K. O., and Vogel, J. C.
Roethlisberger, Hans, Bentley, C. R., and Bennett, Hugh. Movement studies by seismic soundings—Greenland ice sheet, 1956-1959, Site 2 ---------- 227-340
Rogachev, B. V. Apparatus of the TsNIGRI for ore prospecting by induction methods (summary) ---------- 224-129
Rogachev, B. V., and Sedel'nikov, E. S. Use of radiowaves of the ultra-long wave range in geophysical surveying ---------- 219-142
Rogers, A.S., Miller, J.A., and Mohr, P.A. Age determinations on some Ethiopian basement rocks ---------- 225-12
Rokityanskaya, D. A. Comparison of amplitude and period of regular Pc micropulsations on the basis of simultaneous recordings at several stations ---------- 222-256
Rokityanskiy, I. I. Results of earth current observations at the Alushta geophysical station during the IGY period ---------- 220-53
Rokityanskiy, I. I., and Shchepetnov, R. V. On the 27-day recurrence tendency of short-period variations of Pc and Pt type in 1957-59 ---------- 222-261
Roller, J. C. Crustal structure in the eastern Colorado Plateaus province from seismic-refraction measurements ---------- 222-178
Roman, Lucjan. Density profiling ---------- 218-288
Romanchuk, P. R. On the problem of the annual variation of solar activity ---------- 220-281
Romanescu, Dragomir. Magnetic prospecting in the Neogene eruptives of the eastern part of the Metalifer Mountains (Baia de Arieş, Zlatna) ---------- 218-271

Abstract

Romanescu, Dragomir. See Cristescu, Traian.

Romaniuk, W. See Jankowski, Jerzy.

Romankevich, Ye. A., Baranov, V. I., and Khristianova, L. A. Stratigraphy and absolute age of the Quaternary sediments of the western part of the Pacific Ocean 224-27

Romanov, V. G. See Solov'yev, O. A.

Romanyuk, V. A. Effect of errors of alinement, measurement of the angle of the solution, and superposition of flashes of the GAE or SN-3 gravimeters on the accuracy of measurement of the acceleration and gravity and calibration by the inclination method 216-186

— Relative measurements of the acceleration of gravity by a pendulum whose oscillation is steady 216-187

Romney, Carl. Combinations of strain and pendulum seismographs for increasing the detectability of P 220-74

Rona, P. A. See Clay, C. S.

Ronca, L. B. See Salisbury, J. W.

Ronfard, Michel. See Schlich, Roland.

Roques, Maurice, Sanselme, H., and Vialette, Yves. Geochronologic study by the strontium method of the granites of the Bourbonnaise Mountains of the Forex and of the Livradois 227-22

See also Orliac, J.

Rosa, Klement. The theory of geoelectrical resistivity measurements on the surface of a homogeneous isotropic sphere 220-137

Rosca, V. See Socolescu, M. M.

Rösch, J. See Camichel, H.

Rose, H. J., Jr., Cuttitta, Frank, Carron, M. K., and Brown, Robena. Semi-micro X-ray fluorescence analysis of tektites using 50 milligram samples 217-58

Rosenbach, Otto. See Jung, Karl.

Rosenbaum, J. H. Refraction arrivals through tin high-velocity layers 223-88

Rosenberg, T. J. See Barcus, J. R.

Rosenblum, Sam. See Yen, T. P.

Rosholt, J.N., Butler, A.P., Garner, E.L., and Shields, W. R. Isotope fractionation of uranium in sandstone, Powder River basin, Wyoming, and Slick Rock district, Colorado 223-242

Rosholt, J. N., Tatsumoto, Mitsunobu, and Dooley, J. R., Jr. Radioactive disequilibrium studies in sandstone, Powder River Basin, Wyoming, and Slick Rock district, Colorado 227-241

Ross, D. I. See Christoffel, D. A.

Ross, J. V., and McGlynn, J. C. Snare-Yellowknife relations, District of Mackenzie, N.W.T., Canada 226-8

Ross, W.E., and Evans, A.E. Record of observations at Agincourt Magnetic Observatory 1945-1946 227-265

— Record of observations at Agincourt Magnetic Observatory, 1947-1948 224-286

— Record of observations at Agincourt Magnetic Observatory, 1949- 224-287

See also Jackson, W. E. W.

Rossignol, J.-C. See Fontaine, Maxime.

Rossow, V. J. On determination of the location of the Earth's magnetosphere boundary and collisionless shock wave 223-255

Rostovtsev, N. N., Surkov, V. S., and Umantsev, D. F. Results of regional geological and geophysical investigations in the West Siberian Lowland 227-136

Rotanova, N. M. Distribution of electrical conductivity within the Earth as indicated by Dst variations 227-60

— Induction of electric currents in a non-uniform spherical shell 219-285

Rothé, J.-P. Table of the seismicity of the globe during the years 1961 and 1962 (seismologic chronicle) 220-82

Rotter, Dietrich. International geophysical investigation of the world oceans discloses new ore occurrences on the ocean floors 224-347

Roubault, Marcel, Delafosse, Remy, Leutwein, Friedrich, and Sonet, Jacques. First geochronologic data on the granitic and foliated formations from the central African Republic 227-17

Abstract

Rourke, G. F. Investigation of Q indices in the Antarctic -------- 227-263
— K index of magnetic activity in the Antarctic -------- 227-262
Rowe, M. W., and Kuroda, P. K. Fissiogenic xenon from the Pasamonte meteorite -------- 220-17
See also Bogard, D. D., and Manuel, O. K.
Rowley, W. R. C. See Cook, A. H.
Roy, A. B. Disturbances in a viscoelastic medium due to a twist of finite duration on the surface of a spherical cavity -------- 227-83
Roy, Arabinda. On the general solution of elastic wave equations in a homogeneous medium with applications to the study of earthquake source mechanisms -------- 224-100
Rozenberg, I. M. Electronic time marker -------- 219-111
— Voltage transformer for supplying a synchrono-hysteresis motor -------- 216-97
See also Kovrigina, V. I.
Rozenkrants, A. A., Semenova, T. P., Monich, V. K., and Kovaleva, V. V. Geochronological data for the Upper Paleozoic continental formations in Kazakhstan -------- 226-55
Rozhdestvenskiy, A. P., and Zhurenko, Yu. Ye. Relationship of recent vertical tectonic movements, fundamental morpho-structures, and recent tectonics of the central part of the Volga-Ural district -------- 219-206
Rozhkov, I. S., Abrashev, K. K., Konstantinova, A. F., and Toritsyn, B. A. On the dependence of the electrical conductivity of diamonds on temperature -------- 227-129
Rubey, W. W., and Hubbert, M. K. Role of fluid pressure in mechanics of overthrust faulting—Reply -------- 223-150
Rubin, Meyer. Simultaneity of glacial and pluvial episodes from C-14 chronology of the Wisconsin glaciation -------- 218-4
See also Hanshaw, B. B., Levin, Betsy, Merrill, A. S., and Mullineaux, D. R.
Rubinshteyn, M. M. Ways of further refining the geochronological scale -------- 226-77
See also Afanas'yev, G. D.
Rubtsova, A. K. On the quality of data for calculating coal reserves of the Donets basin -------- 216-147
Rudajev, V. See Buben, Jiří.
Rudakov, A. G. On the choice of array parameters in seismic surveying -------- 217-331
— On the comparative efficiency of groups of geophones and of sources -------- 218-308
— Some problems of procedure of the study of wave-interference and separation of reflected waves from their background—Pt. 2, Distinguishing reflected waves -------- 217-330
See also Inogamov, R. Sh.
Rudakov, V. M., and Shvayshteyn, Z. I. Distance (noncontact) electromagnetic methods of measuring the thickness of drifting ice -------- 219-141
Rudnitskiy, V. P. Vertical traveltime curve of refracted waves for a two-layered medium with inclined boundary -------- 221-304
Rohe, R. V., Williams, J. M., Shuman, R. C., and Hill, E. L. Nature of soil parent materials in Ewa-Waipahu area, Oahu, Hawaii -------- 227-15
Rumyantsev, G. S. See Kolesnikov, L. V.
Rumyantseva, N. N. On the effect of shaliness on the relative resistivity of sandy-shaly rocks -------- 227-126
Rumyantseva, N. N., and Neymann, V. S. On the study of the surface conductivity of low-porosity sandy-shaly systems -------- 227-130
Runcorn, S. K. A growing core and a convecting mantle -------- 219-263
— Changes in the Earth's moment of inertia -------- 218-113
— Palaeomagnetic methods of investigating polar wandering and continental drift -------- 220-187
— Paleomagnetic results from Precambrian sedimentary rocks in the western United States -------- 216-261
— Satellite gravity measurements and a laminar viscous flow model of the Earth's mantle -------- 216-150

Abstract
Runcorn, S. K. The Earth's magnetic field and continental drift 227-164
See also Coode, A. M.
Rusnak, G. A., and Fisher, R. L. Structural history and evolution of Gulf of California 225-350
Rusnak, G. A., Fisher, R. L., and Shepard, F. P. Bathymetry and faults of Gulf of California 225-349
See also Harrison, W., and Östlund, H. G.
Rutkovskiy, V. M. See Kolesov, G. M.
Rutten, M. G. Formation of a plateau basalt series (from the example of Iceland) 226-335
Rutter, N. W. Foliation pattern of Gulkana Glacier, Alaska Range, Alaska 227-173
Ruzha, František. See Gruntorád, Yan.
Ruzhentsev, S. V. See Burtman, V. S.
Ryabinin, Yu. N. Effect of pressure on some properties of matter 225-226
— The influence of pressure on some properties of the substance 225-225
Ryabinkin, L. A. On the adjustment of records of seismic waves and modern controlled direction reception procedure 223-311
Ryabinkin, L. A., and Voskresenskiy, Yu. N. On the role of roughness of seismic boundaries in the formation of head waves on them 225-100
See also Komarov, S. G.
Ryabkova, M. S. See Andreyev, B. A.
Ryaboy, V. Z. See Alekseyev, A. S.
Ryadov, A. V. See Kiselev, V. S.
Ryall, Alan, and Jones, A. E. Computer program for automatic processing of Basin and Range seismic data 220-77
Ryan, M. E. See McDowell, L. L.
Rybak, G. B., and Ol'shtynskiy, S. P. On the problem of the dependence of the amplitude and frequency spectrum of longitudinal waves on charge weight 221-305
Rybär, Martin. See Kantor, Jån.
Rykov, A. V., and Sidorov, I. B. Seismographs with a new electronic transducer 219-103
See also Solov'yev, V. N.
Ryzhova, T. V. Elastic properties of plagioclase 226-136
Ryzhova, T. V., and Aleksandrov, K. S. Elastic properties of the lime-soda feldspars 225-106
Rzhevskiy, V. V., and Novik, G. Ya. Fundamentals of rock physics 225-152

S

Saari, J. M., and Shorthill, R. W. Thermal anomalies on the totally eclipsed Moon of December 19, 1964 221-39
Sabben, D. van. North-south asymmetry of S_q 221-212
Sabitova, T. M. On the calculation of focal depth of earthquakes in the Earth's crust according to the spectrums of surface waves 223-74
See also Levshin, A. L.
Sabo, Ya., and Barani, I. Modeling of the problem of underground electrical surveying by the resistivity method 220-149
Sabotayeva, Z. K. See Magdiyev, R. A.
Sachs, P. L. See Andel, T. H., van.
Sackett, W. M. The depositional history and isotopic organic carbon composition of marine sediments 227-236
Sackett, W. M., Eckelmann, W. R., Bender, M. L., and Bé, A. W. H. Temperature dependence of carbon isotope composition in marine plankton and sediments 222-196
See also Moore, W. S.
Sacks, I. S. See Tuve, M. A., and Steinhart, J. S.
Safronov, V. S. The primary inhomogeneities of the Earth's mantle 225-223
Sagalova, Ye. I. See Vasil'yev, Yu. A.
Sagan, Carl. Is the early evolution of life related to the development of the Earth's core? 223-273

Abstract

Sagan, Carl, Phaneuf, J. P., and Ihnat, Michael. Total reflection spectrophotometry and thermogravimetric analysis of simulated Martian surface materials ---------- 224-57
Sagdiyev, T. G., and Seleznev, G. S. On the procedure of an experimental investigation of the seismic stability of the rock-rubble dam of the Nurek hydroelectric project on models, using seismic action of an explosion ---------- 227-97
Sagisaka, Syuji. See Mori, Satoru.
Sagitov, M. U. See Grushinskiy, N. P.
Saint-Amand, Pierre, Lomhardi, O. W., and Shuler, Herbert. Earthquakes of the western United States ---------- 216-64
Saito, Masanori. A review of the study of long period surface waves after 1960 Chilean earthquake ---------- 220-94
Saito, Takao. A new index to geomagnetic pulsation and its relation to solar M-regions—Pt. 1 ---------- 222-233
— A new index to geomagnetic pulsation and its relation to solar M-regions—Pt. 3, Annual variation and latitudinal dependence of M-regions ---------- 227-269
— Annual and semi-annual variations in the exospheric plasma densities deduced from pc4 and pc5 ---------- 221-227
— Mechanisms of geomagnetic continuous pulsations and physical states of the exosphere ---------- 218-220
See also Kato, Yoshio.
Sakharnikov, N. A. The field of a point source, located at depth, in the presence of a vertical layer, Pt. 1 ---------- 223-117
Saks, M. V. See Mikhaylova, N. G.
Salekhli, T. M. See Volarovich, M. P.
Salisbury, J. W., Smalley, V. G., and Ronca, L. B. Origin of linear elements on Mare Humorum ---------- 223-39
Salisbury, J. W., and Van Tassel, R. A. Reply to comments of D. G. Rea on "The composition of the Martian surface" ---------- 224-58
See also Hunt, G. R., and Van Tassel, R. A.
Salmon H., Miguel. See Coffin Otero, José.
Sal'nikov, B. I. See Kharikov, B. A.
Salisch, H. A., and Brown, H. D. The continuous dipmeter—Its importance in the study of subsurface geology ---------- 218-99
Salomonovich, A. Ye. See Losovskiy, B. Ya.
Salso, J. H. See Schoff, S. L.
Sałustowicz, Antoni. A few comments on the state of stress inside the terrestrial globe ---------- 217-222
— Some comments on the state of stress in the interior of the terrestrial globe ---------- 216-154
Samarin, V. G., and Tsyplukhin, V. F. Characteristics of some mechanical laboratory installations for producing impulse pressures in water ---------- 222-335
Samosyuk, G. P. See Veshev, A. V.
Samoylenko, V. S. Would the natural ice cover in the Arctic basin renew itself in case of its destruction? ---------- 220-209
Samoylova, L. S. See Rautian, T. G.
Samoylyuk, A. P. A graphic method of solving some direct problems of seismic surveying for the sounding procedure ---------- 221-302
Sandakova, Ye. V., Demenko, A. A., and Benyukh, V. V. Determination of the masses and densities of meteoric bodies from photographic observations in 1958-59 ---------- 222-29
Sander, G. W., and Overton, A. Deep seismic refraction investigation in the Canadian Arctic Archipelago ---------- 221-315
Sandréa, A. P. See Jérémine, Elisabeth.
Sanduleak, N. See Moreno, Hugo.
Sanel'nikov, V. S. See Khristoforov, V. S.
Sanford, A. R., and Long, L. T. Microearthquakes crustal reflections, Socorro, New Mexico ---------- 225-59
Sanlav, F., Tolgay, M., and Genca, M. Geology, goephysics, and production history of the Garzan-Germik Field, Turkey ---------- 220-222
San Miguel, Montoto. Is the crust of the Earth shifting? ---------- 221-148

Abstract

Sano, Shun'ichi. Aeroradiometric survey as a means of measurement of distribution of the terrestrial radioactivity carried out at Tsukuba area, Ibaraki Prefecture ---- 222-313

Sano, Yukizo. A note on H-variation of -SI ---- 217-281, 218-217

— Morphological studies on sudden commencements of magnetic storms using the rapid-sun magnetograms during the IGY ---- 224-267

— Morphological studies on sudden commencements of magnetic storms and sudden impulses (III) ---- 217-282

— The 27-day recurrence time pattern of ΣKp and solar plasma streams ---- 222-235

Sanselme, H. See Roques, Maurice.

Santo, T. A. Some topics of special crust-mantle system suggested from the dispersion of surface waves ---- 219-259

— Where do swells turn into microseisms? ---- 219-316

Santoro, R. P., and Newnham, R. E. Magnetic properties of chromiun chrysoberyl ---- 220-284

Sapozhnikov, B. G. See Gasanenko, L. B.

Sapuzhak, Yu. S., and Shamotko, V. I. On the procedure of electrical exploration investigations in prospecting for brines and potassium salts in cis-Carpathia ---- 222-102

Sarabhai, V. A. See Rao, U. R., and Pai, G. L.

Sarantsev, A. P. See Dzhugov, P. P.

Sargent, K. A. Use of magnetic susceptibility and grain density in identification of basalt flows at the Nevada Test Site ---- 224-288

Sarkar, G. N. On absence of certain periods in the Love-wave spectrum ---- 219-123

Sarkisov, G. A. See Shapirovskiy, N. I.

Sarma, V. V. J., and Rao, V. B. Electrical resistivity of river sands, calcite, and quartz powders ---- 218-85

Sarna, R. P. See Agrawal, D. P.

Sarycheva, Yu. K., and Nikolayev, V. V. Harmonic analysis of tidal variations of gravity by P. Lecolazet's method, using electronic computers ---- 217-235

See also Karatayev, G. I.

Sass, J. H. The thermal conductivity of fifteen feldspar specimens- 227-212

Sastry, T.S.G. See Maynard, N. C.

Sater, J. E. Effects on glaciers of Alaska earthquakes of March 1964 ---- 217-79

See also Ragle, R. H.

Sato, Kiyoo; Yamada, Motohiko; and Hirone, Tokutaro. Magnetocrystalline anisotropy of pyrrhotite ---- 218-248

Sato, Motoaki. Electrochemical geothermometer—A possible new method of geothermometry with electro-conductive minerals ---- 227-216

Sato, Takahiro, and Ono, Koji. The submarine geology off San'in district, southern Japan Sea ---- 220-350

See also Uyeda, Seiya.

Sato, Teruo. Antarctic F_2-region disturbances associated with geomagnetic storms ---- 227-261

— Long-period geomagnetic oscillations in southern high latitudes ---- 221-224, 227-264

Sato, Yasuo. A review of the free oscillation study of the Earth—Before 1960 Chilean earthquake ---- 220-91

Sato, Yasuo, and Usami, Tatsuo. Propagation of spheriodal disturbances on an elastic sphere with a homogeneous mantle and a core ---- 221-81

See also Usami, Tatsuo.

Satpayev, K. I., Monich, V. K., Ivanov, A. I., Lyapichev, G. F., and Semenova, T. P. Main results of geochronological study of magmatic and metallogenic formations of Kazakhstan ---- 226-48

Sattlegger, Johann. A method of computing true interval velocities from expanding spread data in the case of arbitrary long spreads and arbitrarily dipping plane interfaces ---- 227-327

Savage, J. C. Attenuation of elastic waves in granular mediums ---- 227-80

— The effect of rupture velocity upon seismic first motions ---- 224-98

Abstract

Savage, J. C. The stopping phase of seismograms -------------- 222-61

Savage, J. C., and Hasegawa, H. S. A two-dimensional model study of the directivity function -------------------------- 222-75

Savage, J. C., and Paterson, W. S. B. Additional borehole measurements in the Athabasca Glacier ------------------------ 226-196

See also White, W. R. H.

Savarensky, Ye. F. See Lavrentyev, M. A.

Savenko, A. L. See Parshin, Yu. A.

Savit, C. H. Multiple reflection in marine seismic prospecting ---- 227-330

See also Paitson, L.

Savitsina, G. O., and Plakhotiy, L. G. New data on the nature of the Novotsaritsa gravity anomaly -------------------------- 227-205

Savul, M., and Pomîrleanu, V. Paleogeothermometric research on the deposits of complex sulfurs, localized in the crystalline schist of the eastern Carpathians of the Rumanian Peoples Republic—Pt. 3, Mineralizations of northwest Fundul Moldovei -------------- 220-239

Sawada, M. See Yukutake, Takesi.

Sawkins, F. J., Dunham, A. C., and Hirst, D. M. Iron-deficient low-temperature pyrrhotite --------------------------224-224, 224-225

Sax, R. L., and Hartenberger, R. A. Theoretical prediction of seismic noise in a deep borehole ---------------------------- 216-103

Saxov, S. E., and Abrahamsen, N. A note on some gravity and density measurings in the Faroe Islands ------------------------ 217-246

Schaaf, J. W. A study of the correlation between Jamestown, North Dakota earth currents and Zurich sunspot numbers ------------ 226-99

Schaeffer, O. A., and Heymann, Dieter. Comparison of Cl^{36}-Ar^{36} and Ar^{39}-Ar^{38} cosmic ray exposure ages of dated fall iron meteorites -- 219-43

Schaeffer, O. A., Stoenner, R. W., and Fireman, E. L. Rare gas isotope contents and K-Ar ages of mineral concentrates from the Indarch meteorite -- 219-42

See also Fanale, F. P., and Stoenner, R. W.

Schairer, J. F., and Kushiro, Ikuo. The join diopside-silica ----- 223-202

Schairer, J. F., and Yoder, H. S., Jr. Crystal and liquid trends in simplified alkali basalts -------------------------------- 223-209

See also Bailey, D. K., Kushiro, Ikuo, and Yoder, H. S., Jr.

Scheidegger, A. E. Dynamic similarity in geodynamics ----------- 227-166

— Focal mechanism of earthquakes --------------------------- 216-79

— On the possibility of the seismic detection of explosions from the signs of first onsets --------------------------------------- 217-148

— On the use of stress values as an exploration tool------------- 227-86

— Tectonic stresses and their effect on geological displacements -- 216-155

— The tectonic stress and tectonic motion direction in Europe and western Asia as calculated from earthquake fault plane solutions - 217-92

— The tectonic stress and tectonic motion direction in the Pacific and adjacent areas as calculated from earthquake fault plane solutions -- 222-126

Scheidegger, A. E., and Chaudhari, N. M. Some statistical properties of certain geophysical transport equations ------------- 227-146

Schempf, E. G., and Robertson, K. A. The seismic magnetic integrator ---221-298, 221-299

Scherle, W. See Gunten, H. R. von., and Wyttenbach, A.

Schiff, A. J. See Bogdanoff, J. L.

Schillinger, A. W. Calumet successfully uses I.P. probe underground to boost ore discoveries ---------------------------- 220-156

— The application of induced polarization probing techniques underground—Michigan native copper district --------------------- 220-157

Schineizer, Michèle. See Nordemann, Daniel.

Schlesinger, Ernest. See Adams, W. M.

Schlich, Roland, Meister, L., and Plessard, C. Reoccupation of Port Jeanne d'Arc, Kerguelen -------------------------------- 223-270

Schlich, Roland, Noël, J. M., and Grosset, J. C. Magnetic observations made at Dumont d'Urville Observatory, Adélie Land in 1959, 1960, and 1961 ------------------------------------ 223-269

Abstract
Schlich, Roland; Patriat, Philippe; and Ronfard, Michel. Diurnal and transient variations of the intensity of the magnetic field in the Mediterranean Sea -------- 222-220
Schlich, Roland, Souriau, M., Lamarque, P., Meister, L., and Patriat, Philippe. Magnetic observations made at Port-aux-Français, Kerguelen, in 1959, 1960, and 1961 -------- 223-268
See also Lebeau, André.
Schmidt, R. A. M., Bedford, B., Calderwood, K. W., Ganopole, G., Hamilton, J. A., Helmuth, D. N., Moening, H. J., and Richter, D. H. Earthquake-triggered landslides in the Anchorage area, March 27, 1964 -------- 225-66
Schminder, Ruldolf. Ionospheric solar eruption observations (sudden ionospheric disturbances) at the Collm Geophysical Observatory - 224-276
Schmitt, R. A., Bingham, E., and Chodos, A. A. Zirconium abundances in meteorites and implications to nucleosynthesis -------- 219-29
Schmitt, R. A., Smith, R. H., and Goles, G. G. Abundances of Na, Sc, Cr, Mn, Fe, Co, and Cu in 218 individual meteoritic condrules via activation analysis, Pt. 1 -------- 223-21
Schmucker, Ulrich, Hartmann, O., Giesecke, A. A., Casaverde, M., and Forbush, S. E. Electrical conductivity anomalies in the Earth's crust in Peru -------- 224-62
Schneekloth, Heinrich, and Wendt, Immo. Recent results of C-14 dating in Lower Saxony -------- 217-22
Schneider, W. A., Farrell, P. J., and Brannian, R. E. Collection and analysis of Pacific ocean-bottom seismic data -------- 216-76
Schneider, W. A., Larner, K. L., Burg, John, and Backus, M. M. A new data processing technique for the elimination of ghost arrivals on reflection seismograms -------- 216-311
Schneider, W. A., Prince, E. R., Jr., and Giles, B. F. A new data-processing technique for multiple attenuation exploiting differential normal moveout -------- 225-301
Schnetzler, C. C. See Pinson, W. H., Jr.
Schoff, S. L., Salso, J. H., and García, José. Source of heat in a deep artesian aquifer, Bahía Blanca, Argentina -------- 221-184
Schofield, J. C. Postglacial sea levels and isostatic uplift -------- 216-162
Schön, Jürgen. Seismic model investigations in regard to acoustic velocities in unconsolidated rocks -------- 220-127
Schrader, C. D., and Stinner, R. J. Remote analysis of rocks using the method of inelastic scattering of neutron-gamma rays -------- 216-298
Schrage, E. See Merz, Erich.
Schreiber, Edward. See Anderson, O. L.
Schreiner, G. D. L., and Verbeek, A. A. Variations in $^{39}K/^{41}K$ ratio and movement of potassium in a granite-shale contact region -------- 224-250
Schröder, Wilfried. Appearance of aurora in connection with the planetary geomagnetic coefficient Kp -------- 223-257
— Some examples of the relationship between auroras, solar, and geomagnetic phenomena -------- 223-265
Schroeder, G. L., Kraner, H. W., and Evans, R. D. Diffusion of radon in several naturally occurring soil types -------- 219-317
Schubel, E. K. See Adams, W. M.
Schuldt, M. D. See Zetler, B. D.
Schult, Axel. On the reversal of the remanent magnetization of titanomagnetites in basalts -------- 226-254
Schultz, Ruldolf. Investigation of the seismicity in the Central American region -------- 216-69
Schulz, K. F., and Elofson, R. M. Electron spin resonance studies of organic matter in the Orgueil meteorite -------- 221-30
Schulz, Rudolf. Report on the eruption of Fuego Volcano in Guatemala, Central America, on September 28, 1963 -------- 220-353
Schumann, F. W. Investigations of salt pans with electrical resistivity apparatus in the neighborhood of Prieska, Kaap Province -------- 222-105
Schwab, Fred. Scattering of shear waves by small transeismic obstacles -------- 221-73

Abstract

Schwaetzer, Tomi, and Desbrandes, R. Discrepancies discovered in the measurement of the velocity of longitudinal acoustic waves in coal ---- 223-329

Schwarcz, H. P., and Clayton, R. N. Oxygen isotopic studies of amphibolites ---- 226-243

Schwartz, G. M. See Bath, G. D.

Schwarz, E. J. On the paleomagnetic results derived from European rocks of Permian age ---- 224-300

Schwarz, S. D. See Bush, Boyd.

Scoon, J. H. See Muir, I. D.

Scott, J. J. Author's reply to discussion by Professor A. L. Adler ---- 217-348

Scott, J. S., and Render, F. W. Effect of an Alaskan earthquake on water levels in wells at Winnipeg and Ottawa, Canada ---- 226-107

Scott, R. F. See Hudson, D. E.

Scott, R. W., and McElroy, M. N. Precambrian-Paleozoic contact in two wells in northwestern Kansas ---- 220-5

Sea Frontiers. Three new undersea mountains ---- 223-345

Sebestyén, Károly; Andrássy, László; and Morvai, László. Application of geophysical well logging in bauxite prospecting ---- 222-107

Sebestyén, Károly; Morvai, László; Káras, Gyula; and Káras, Gyula. Investigations in connection with quantitative interpretation of water-well logs ---- 224-325

See also Andrássy, László.

Sedel'nikov, E. S. See Rogachev, B. V.

Sédy, Loránd. See Mituch, Erzsébet.

Sedova, F. I. Some data of an analysis of beat-type oscillations with periods of 1-4 sec in the Earth's electromagnetic field ---- 220-276

Sedova, Ye. N. Comparison of the dynamic features of records of weak earthquakes with ground conditions ---- 216-88

Seedsman, K. R. Geophysics (Seismic) Section ---- 225-329

Segal', Z. Ya. See Bugaylo, V. A.

Segalovich, V. I. Distinguishing weak gravity anomalies in prospecting for deep ore deposits ---- 226-204

Segre, A. G. Gravimetric, geomagnetic, and geologico-morphologic aspects of the Vulture region in Lucania—Pt. 2, Interpretation, structure and morphology ---- 216-204

See also Carrozzo, M. T., and Maino, Armando.

Seismological Section, J.M.A.; Investigation Section, Tokyo D.M.O., and Miyakejima Weather Station. The eruption of Miyakejima in 1962—Pt. 1, Surface volcanic activity ---- 220-357

Seismological Section, J.M.A., and Miyakejima Weather Station. The eruption of Miyakejima in 1962—Pt. 2, Activity of volcanic earthquakes ---- 220-358

Sekiya, H. An analysis of volcanic activity of Mt. Asama—Pt. 5, On the variation of water temperature of Nigori mineral spring ---- 224-359

Seleznev, G. S., and Shuser, R. S. Experimental investigations of the dynamic properties of dams of local materials ---- 227-100

See also Sagdiyev, T. G.

Sellien, Kurt. See Fanselau, Gerhard.

Sellmann, P. V. See Ostenso, N. A.

Selzer, Èdouard. Experimental results and tentative explanations for geomagnetic effects caused by high altitude nuclear detonations ---- 227-257

Semenenko, N. P. Correlation of Precambrian history according to absolute geochronological data ---- 226-61

Semenenko, N. P., Tkachuk, L. G., Shcherbak, N. P., Siroshtan, R.I., Ladiyeva, V.D., Ivantishin, M.N., Makukhina, A.A., Kononov, Yu. V., Kuts, V.P., Boyko, V.L., and Yaroshchuk, E.A. The regional geochronological scale of the Ukrainian shield and its folded framework ---- 226-69

See also Afanas'yev, G. D.

Semenov, A. S. Measurement of specific electrical resistivity of liquid, dispersed, and solid mediums with two- and four-electrode setups ---- 221-101

Abstract

Semenov, A. S., and Novozhilova, M. Ye. The field of a vertical electrical dipole in an anisotropic medium — 221-100
Semenov, A.S., and Veshev, A.V. Electrical surveying in geologic mapping of ore regions — 227-115
Semenov, P.G. See Vvedenskaya, N.A.
Semenova, T.P., and Monich, V. K. Comparative data on absolute ages obtained by the argon method on the whole rock and on dark minerals separated from the rock — 226-73
 See also Afanas'yev, G. D., Rozenkrants, A. A., and Satpayev, K. I.
Semikhatov, M. A. See Harris, M. A.
Sen, A. K. Stability of the magnetospheric boundary — 224-259
Senftle, Frank. See Hoyte, A.
Sengupta, S. N. See Closs, Hans.
Sen'ko-Bulatnyy, I. N. Continuous gamma-spectrometer activation logging of bauxite deposits — 226-294
Seo, J. H. See Cho, K. J.
Serbulenko, M. G. See Karatayev, G. I.
Serdinov, A. I. See Alferov, V. V., and Plyusnin, M. I.
Serdiy, B. A. See Aksenovich, G. I.
Serdovol'skiy, L. A. Use of the method of controlled directional reception under the conditions of the underwater region of the Russian platform — 216-315
 See also Ramazanova, S. M.
Serebryannyy, L. R. Off the south coast of Iceland — 223-354
Sergeyev, L. A. See Komarov, S. G.
Serikov, M. I. Mechanical properties of Antarctic sea ice — 225-337
Serikov, Yu. I. Problems of the theory of the borehole gamma method — 223-310
Serkerov, S. A. Determination of the density of rocks from gravimetric data — 223-185
 See also Gladkiy, K. V.
Serruya, Colette, Leenhardt, Olivier, and Glangeaud, Louis. Post-Oligocene structure and evolution of the Lake Geneva region — 216-330
Service Hydrographique de la Marine and Compagnie Générale de Géophysique. Tidal gravity corrections for 1965 — 218-137
Setunskaya, L. Ye., Fin'ko, Ye. A., and Martynova, Z. I. Some results of field examination of repeat leveling lines — 219-188
Seward, F. A., Jr. See Heinrichs, W. E., Jr.
Sewell, D. K. B. See Green, J. H.
Sezikawa, Hisashi. See Okada, Takashi.
Shabanov, S. F. See Tsaturyants, A. B.
Shablinskiy, G. N. Approximate calculation of the propagation velocity of elastic waves in the upper part of the Earth's crust — 221-83
Shaislamova, M. A. See Magdiyev, R. A.
Shaginyan, S. A. On a procedure of investigating the seismic stability of structures in the face of seismic vibrations from explosions — 227-104
Shakhmardanov, Sh. M. See Chukin, V. T.
Shakhnazaryan, E. A. See Glushko, M. F.
Shakhsuvarov, D. N. On the application of electromagnetic fields to the finding of structures and to the study of the electrical conductivity distribution at great depths — 225-53
Shakirov, E. Sh. See Komarov, B. O.
Shalayev, S. V. On the approximation of curves given in the form of a graph, by rational fractions — 221-167
Shamin, V. M. On the problem of the seismic action of an explosion on underground workings — 221-90
Shamina, O. G. Analysis of the dynamic characteristics of longitudinal waves in strata of different thickness — 221-65
— Attenuation of head waves from thin layers in the case of a rigid and a sliding contact — 223-98
 See also Riznichenko, Yu. V.
Shamotko, V. I. See Sapuzhak, Yu. S.
Shane, L. E. See Edwards, L. M.

Abstract

Shane, Lee. See Gamson, B. W.
Shan'gin, N. V. Dependence of wave velocity variations and elastic moduli of sand on moisture content and pressure 223-105
Shan'gin, N. V., and Makarov, Yu. V. Effect of fissuring of a medium on velocity and amplitude of seismic waves (three-dimensional model) 223-322
Shanin, L. L. See Afanas'yev, G. D., Chernyshev, I. V., Chukhrov, F. B., Gol'tsman, Yu. V., and Tugarinov, A. I.
Shannon and Wilson, Inc. Report on subsurface investigation for city of Seward, Alaska, and vicinity, to U.S. Army Engineer District, Anchorage, Alaska 217-77
— Report on subsurface investigation for Mineral Creek townsite, city of Valdez, Alaska, to U.S. Army Engineer District, Anchorage, Alaska 217-78
Shapirovskiy, N. I., and Sarkisov, G. A. Complex geologic mapping of the sea bottom 222-113
See also Vartanov, S. P.
Shapovalov, V. I., and Yashchukh, V. A. Device for measuring the magnetic susceptibility of unconsolidated rocks 226-255
Sharay, N. Ya. See Yaroshchuk, E. A.
Shardanand. See Marmo, F. F.
Sharlovskaya, L. A. See Agul'nik, I. M.
Sharonov, V. V. Photometric investigation of the problem of the presence on the Moon of cover layers of volcanic origin 223-41
Sharp, R. P. See Epstein, Samuel, and Leighton, R. B.
Shashkin, V. L. Methods of analysis of natural radioactive elements 221-279
Shats, M. M. See Starik, I. Ye.
Shauris, Louis. See Deutsch, Sarah.
Shaver, Ralph, and Hunkins, Kenneth. Arctic Ocean geophysical studies—Chukchi Cap and Chukchi Abyssal Plain 221-255
Shawe, D. R. See Stern, T. W.
Shcheglov, V. P. Movement of the continents in the light of modern astronomical investigations 219-180
Shchepetnov, R. V. On the most probable times of simultaneous observation of the main types of short-period pulsations of the Earth's electromagnetic field over large territories 222-255
See also Rokityanskiy, I. I.
Shcherbak, N. P., Yeliseyeva, G. D., and Demidenko, S. G. Precambrian geochronology of the western part of the Ukrainian shield 226-66
See also Semenenko, N. P.
Shcherbakov, D. I. Problems of the day in the field of absolute age calculation 226-43
See also Afanas'yev, G. D., and Baranov, V. I.
Shcherbakov, V. V. The application of numerical averaging methods in the determination of velocity from reflection traveltime curves to the determination of effective velocities according to the procedure of D. Opitz 220-329
Shcherbakova, B. Ye. Attempt to use converted refracted waves for mapping the relief of the crystalline basement surface 225-327
Shcherbakova, B. Ye., and Kharlov, O. I. Interpretation of refraction traveltime curves related to the basement under the conditions of the Zeya-Bureya basin 218-319
Shcherbakova, Ye. M. See Rastvorova, V. A.
Shchitov, N. A. Amplifier attachment for the EP-1 potentiometer 226-146
— Electrical surveying device for measurement of the $\Delta V/I$ ratio 226-148
— Simultaneous closing switch for the EP-1 potentiometer 226-147
Shchitov, N. A., and Kukuruza, V. D. Treatment of tellurograms by the rectilinear analogy method 226-104
Shechkov, B. N. Dispersion of seismic surface waves and the structure of the crust of Eurasia 218-167
Shedlovsky, J. P. See Cressy, P. J., Jr.
Shekhtman, G. A. See Oblogina, T. I.

Abstract

Shekinskiy, E. M. See Vartanov, S. P.

Sheldon, R. P. Exploration for phosphorite in Turkey—A case history 217-318

— Paleolatitudinal and paleogeographic distribution of phosphorite 217-308

Shemyakin, Ye. A. See Blokh, Ye. A.

Shenkareva, G. A. Data on the seismogeography of the Iberian Peninsula 217-86

Shepard, F. P. Sea-floor valleys of Gulf of California 225-351

— Submarine geology, 2d edition 216-350

— Types of submarine valleys 222-344

Shepard, F. P., Niino, Hiroshi, and Chamberlain, T. K. Submarine canyons and Sagami Trough, east-central Honshu, Japan 218-343

See also Rusnak, G. A.

Sherbaum, L. M. See Dem'yanenko, V. I.

Shergina, Yu. P., and Kaminskaya, A. B. On the possibility of using natural boron isotopic variations for geochemical prospecting 220-259

Sherman, W. C. See Hansen, S. M.

Shershnev, K. S. On the procedure and efficiency of geophysical methods of exploration in the Perm Region 217-197

See also Orlov, L. K.

Sherwood, J. W. C., and Trorey, A. W. Minimum-phase and related properties of the response of a horizontally stratified absorptive earth to plane acoustic waves 223-86

Shevnin, G. D. See Mishin, V. M.

Sheynmann, Yu. M. Concluding remarks of the editor—On longstanding mobility concepts and their objective importance 216-166

— Duration of earth-crust transformation on the basis of data for the northern Atlantic 225-160

— On ways of studying the composition of the mantle 221-199

Shields, W. R., Goldich, S. S., Garner, E. L., and Murphy, T. J. Natural variations in the abundance ratio and the atomic weight of copper 219-268

See also Rosholt, J. N.

Shikhanovich, E. L. See Mil'shteyn, D. M.

Shima, Etsuzo; McCamy, Keith; and Meyer, R. P. A Fourier transform method of apparent velocity measurement 220-117

See also Hotta, Hiroshi.

Shima, Makoto. Chemical composition of the mantle and meteorites 219-255

— On the estimation of the isotope ratios in the mantle 219-254

— On the weathering of meteorite 218-23

— Some aspects of the stable isotope ratios ($S^{32/34}$, $B^{11/10}$, and $Li^{7/6}$ on the economic geology 218-190

Shimazu, Yasuo. A study of the geophysical and geodetic implications of gravity data for Canada 224-201

— Crust-upper mantle interaction and tectogenesis 219-166

— Regional metamorphism and physical state of the Earth's crust 221-193

— Thermodynamical aspects of terrestrial evolution 217-259

Shimazu, Yasuo, and Kono, Yoshiteru. Unsteady thermal convection within the upper mantle and tectogenesis, Pt. 2 219-167

Shimkus, K. M. See Yemel'yanov, Ye. M.

Shimozuru, Daisuke. A model for the upper mantle, with special reference to the origin of rock magma 221-198

— On the possibility of the existence of the molten portion in the upper mantle of the Earth 223-228

Shimshoni, Michael, and Smith, S. W. Seismic signal enhancement with three-component detectors 216-73

Shipek, C. J. See Dietz, R. S.

Shirer, D. L. See Lieske, J. H.

Shirinyan, K. G. See Adzhimamudov, E. B.

Shirokov, A. S. State and possibilities of using the methods of nuclear geophysics for prospecting and surveying mineral deposits 219-322

Abstract

Shishigin, S. I., and Konyukhov, V. I. Determination of the amount of bound water in samples of rock reservoirs by the method of electrical conductivity 221-125
Shkabarnya, N. G., and Yeliseyenko, L. A. On the interpretation of vertical electrical sounding curves on an electronic computer 221-112
Shkadinskaya, G. V. See Keylis-Borok, V. I.
Shkorbatov, S. S., and Perfilova, A. P. On the problem of the structure of the Main Gabbro intrusion of the Monche and Chuna tundras 223-191
Shkorbatov, S. S., Sveshnikova, G. I., and Perfilova, A. P. Attempt to study the magnetic properties of rocks of the Monchegorsk region 218-246
Shlezinger, A. Ye. See Garetskiy, R. G.
Shlyakhtina, A. P. See Al'tshuler, L. I.
Shmakov, V. N. Features of the use of seismic surveying in the Uchalinskiy and Khaybyllinskiy regions of Bashkiria 216-327
  See also Shul'ts, Ya. I.
Shmidt, N. G. See Krutikhovskaya, Z. A.
Shneer, V. S. Geomagnetic activity at Lazarev Station in 1959 225-260
Shneyer, V. S. Test of the use of the proton magnetometer at Mirnyy 219-287
  See also Raspopov, O. M.
Shnirman, G. L. An epicentral seismic station 219-105
Shnurman, G. A. See Itenberg, S. S.
Shoemaker, E. M. The Moon close up 219-50
Shofnos, William. See Hicks, S. D.
Sholpo, L. Ye. The role of viscous magnetization in rock magnetism 221-234
Sholpo, M. Ye. See Gasanenko, L. B.
Shopin, Yu. G. On the study of the velocity section of the northwestern part of the Russian platform 221-320
Shor, G. G., Jr. Structure of the Bering Sea and the Aleutian Ridge 219-341
Short, J. M., and Andersen, C. A. Electron probe analyses of the Widmanstätten structure of nine iron meteorites 227-36
Short, N. M. See Knox, J. B.
Shorthill, R. W. See Saari, J. M.
Shport, L. P. See Sollogub, V. B.
Shraybman, V. I. See Vol'vovskiy, B. S.
Shtamberger, G. A. See Karandeyev, K. B., and Kotyuk, A. F.
Shteynberg, A. S. See Shteynberg, G. S.
Shteynberg, G. S., and Rivosh, L. A. Geophysical study of the Kamchatka volcanoes 226-270
Shteynberg, G. S., and Shteynberg, A. S. Determination of pressure and temperature of volcanic gases at depth 218-353
Shteynberg, G. S., and Zubin, M. I. Volcanism and geological structure of the Avachinsky volcanic group 226-358
  See also Rivosh, L. A.
Shteynberg, V. V. Analysis of ground vibrations from near earthquakes 221-67
Shukolyukov, Yu. A. On the interpretation of discordant age values calculated according to the Pb-206/U-238 and Pb-207/U-235 isotope ratios 218-18
Shukolyukov, Yu. A., Krylov, I. N., Tolstikhin, I. N., and Ovchinnikova, G. G. Fission fragment tracks in muscovite 223-2
Shukolyukov, Yu. A., Matveyeva, I. I., and Yakovleva, S. S. Comparative assessment of the weight, flame-photometric, and mass-spectrometric methods of determining potassium for geochronological purposes 226-47
  See also Gerling, E. K.
Shuler, Herbert. See Saint-Amand, Pierre.
Shul'man, L. M. See Krivutsa, Yu. N.
Shumov, V. P. See Yershov, Ye. M.
Shul'ts, Ya. I., and Shmakov, V. N. First test of the use of the controlled direction reception method in the southern Urals 223-321

Abstract

Shuman, R. C. See Ruhe, R. V.
Shumskiy, P. A., and Krenke, A. N. Present glaciation of the Earth and its variations ---------- 220-208
Shuser, R. S. See Seleznev, G. S.
Shustova, L. Ye. See Klushin, I. G.
Shuval-Sergeyev, N. M. Present state of airborne electrical surveying in the U.S.S.R. (summary) ---------- 224-136
Shvayshteyn, Z. I. See Rudakov, V. M.
Sidney, S. See Reid, A. M.
Sidorenko, G. A. See Kvasha, L. G.
Sidorov, I. B. See Rykov, A. V.
Sidorov, V. A., and Mart'yanov, V. V. On a means of increasing the depth of penetration of the transient process method ---------- 224-143
 See also Demidovtsev, A. S., and Donabedov, A. T.
Siebert, Manfred. A procedure for the direct determination of vertical conductivity distribution in the field of geomagnetic deep sounding ---------- 219-58
Siever, Raymond. See Andel, T. H., van.
Sigl, Rudolf. The significance of artificial earth satellites for geodesy. More exact measurement of the Earth by means of satellites ---------- 217-205
Signer, Peter. Primoridal rare gases in meteorites ---------- 227-42
Signer, Peter, Eberhardt, Peter, and Geiss, Johannes. Possible determination of the solar wind composition ---------- 223-254
 See also Lipschutz, M. E.
Sigvaldason, G. E. See Thorarinsson, Sigurdur.
Sijpkens, J. P. See Gross, W. H.
Sikharulidze, D. I. On the increase in the periods of surface waves with increasing epicentral distance ---------- 220-102
 See also Akhalbedashvili, A. M.
Sikka, D. B. Aeroradiometric survey of Redwater Oilfield, Alberta, Canada ---------- 221-283
Silkin, B. I. See Belousov, V. V.
Silva, L. See Dragicević S., Mateo.
Silver, L. T. See Taylor, H. P., Jr.
Silverman, S. R. Investigations of petroleum origin and evolution mechanisms by carbon isotope studies ---------- 218-179
Šimáně, L. Seismoacoustic investigation of mine bumps in the Březové Hory—Pribram mining district ---------- 225-95
Simeon, G., and Sposito, A. An anomaly in the magnetic declination found on the island of Ponza ---------- 225-247
Simha, K.R.M., and Bose, R.N. Refraction seismic investigation to locate the supposed suballuvial Delhi-Shahpur ridge ---------- 217-342
Simha, K.R.M., and Rao, H.V.N. Geophysical exploration for copper ore in the Gani areas, Kurnool District, Andhra Pradesh ---- 218-106
Simin, Dina. Velocities of the longitudinal waves in Vojvodina ----- 221-318
Simmons, Gene. Continuous temperature-logging equipment ------- 222-170
Simonenko, A. N. Dimensions and configuration of the Earth's shadow from observations of the lunar eclipse of July 6, 1963 ---- 227-147
Simonenko, T. N. The anomalous magnetic field of the U.S.S.R. -- 223-287
— The anomalous magnetic field of the U.S.S.R. and some problems of tectonics ---------- 227-311
Simono, Hirosi. See Muramatu, Ikuei.
Simpson, J. G. See Swardt, A. M. J. de.
Simpson, S. M. See Galbraith, J. N., Jr.
Sims, P. K., Austin, G. S., and Ikola, R. J. Interpretation of Lake Washington magnetic anomaly, Meeker County, Minn. ---------- 225-281
Singh, C. L. Bi-level recording in refraction shooting ---------- 217-340
Singh, Inderjit. Calculation of water salinities from S.P. logs in Siwalik Formations in Punjab ---------- 218-101
Singh, Jagdeo, and Rao, M. K. A note on magnetic study of a dolerite dyke near Amarpur, Dhanbad, Bihar ---------- 216-263

Abstract

Sinha, D. K. A note on disturbances in a layered medium containing a magnetic field ---------- 220-114

— On disturbances in a semi-infinite medium traversed by a transverse magnetic field ---------- 227-88

— On disturbances in an infinite elastic medium containing a cylindrical cavity traversed by an axial magnetic field ---------- 227-89

— On plane waves in thermo-viscoelastic solids deformed by magnetic fields ---------- 219-120

— On the propagation of plane waves in a porous visco-elastic material containing a fluid and deformed by a magnetic field ---------- 227-84

Sinha, S. B. Transmission of elastic waves through a homogeneous layer sandwiched in homogeneous media ---------- 224-109

Sinitsyn, A. P. Analysis of the earthquake resistance of dams ---------- 221-88

— Stability of a dam of local materials under seismic stress ---------- 227-99

Sinno, Kenji. Study of M-regions during 1961-1963 ---------- 222-239

Sinyagina, M. I. On the geodetic method of studying recent movements of the Earth's crust and results of its application ---------- 219-177

Sirēn, Allan. Recent land uplift in Finland computed from Lake water level records ---------- 225-163

Sirieys, R. M. Stress field around circular tunnels in elastoplasticity ---------- 216-342

Sirin, A. N. Some features of the internal structure of cinder cones- 218-352

Sironi, G. See Colombo, U.

Siroshtan, R. I. See Semenenko, N. P.

Siscoe, G. L. See Axford, W. I.

Skinner, B. J., and Boyd, F. R. Aluminous enstatites ---------- 223-222

Skopec, Jiří. See Gruntorád, Jan.

Skorik, L. A. Investigation of the spectrums of microseismic vibration of different grounds ---------- 221-274

— On two types of seismic characteristics of grounds ---------- 218-56

Skorik, L. A., and Giller, V. G. Increase of seismic intensity as a function of earthquake magnitude ---------- 217-88

Skorik, L. A., and Os'makova, Z. A. Attempt to use different instrumental methods of seismic microregionalization ---------- 227-76

— Comparison of the spectrums of the vibration of different grounds on the basis of records of weak earthquakes ---------- 227-77

Skorupa, Jan. Main tectonic elements of the crystalline basement of the east-European platform in the area of Poland on the basis of geophysical data ---------- 221-127

Skovorodkin, Yu. P. See Bol'shakov, A. S.

Skrynnikov, R. G. Relationship of short-period fluctuations (KPK) of the electromagnetic field of the Earth to variations of the intensity of auroras ---------- 225-255

Skugarevskaya, O. A. See Ivanov, A. P., and Koroleva, K. P.

Skvortsov, Yu. A. Recent tectonic movements in the Syr-Darya River basin ---------- 219-211

Slaucitajs, Léonídas. Secular geomagnetic variation in South America and vicinity with relation to the whole southern hemisphere ---------- 227-267

See also Winch, D. E.

Slavin, V. I. The volcanoes of Indonesia ---------- 217-360

Slawson, W. F., and Austin, C. F. Investigation of lead isotopes as a method of determining a geological structure ---------- 216-222

See also Whittles, A. B. L.

Slemmons, D. B., Jones, A. E., and Gimlett, J. I. Catalog of Nevada earthquakes, 1852-1960 ---------- 225-62

Slepak, Z. M. A rapid method of introducing the topographic correction in gravimetric surveys ---------- 216-183

Slichter, L. B. Earth's free modes and a new gravimeter ---------- 225-60

Slichter, L. B., Caputo, Michele, and Hager, C. L. An experiment concerning gravitational shielding ---------- 222-140

Sloan, R. K. See Leighton, R. B.

Abstract

Slutz, R. J., and Winkelman, J. R. Shape of the magnetosphere boundary under solar wind pressure --- 218-199
Smalley, V. G. See Salisbury, J. W.
Smavitskiy, B. P. See Nesmerov, I. I.
Smelov, A. A. See Zhogolev, L. P.
Šmíd, Bohumil. See Hanuš, Václav.
Smirnov, V. A. See Lin'kov, Ye. M.
Smirnov, L. N. See Mil'shteyn, D. M.
Smirnova, G. G. On the possibility of determining the type of reflected waves from the character of the trace of seismograms --- 223-324
Smirnova, I. A. See Polyak, M. K.
Smirnova, M. N., and Yakovleva, T. V. Magnetic susceptibility of the Khadum horizon of northeastern and central Ciscaucasia in paleogeographic interpretation --- 223-282
Smirnova, N. S. Calculation of wave fields in the vicinity of particular points, Pt. 2 --- 219-129
— Some examples of calculating theoretical seismograms --- 217-154
Smit, A. F. J. Origin of Lake Bosumtwi (Ghana) --- 216-50
Smit, P. J., Hales, A. L., and Gough, D. I. The gravity survey of the Republic of South Africa, Handbook 3 --- 218-146
Smith, A. G. See Creer, K. M.
Smith, C. H. See Findlay, D. C.
Smith, C. W. See Henderson, J. R.
Smith, E. J., Davis, Leverett, Jr., Coleman, P. J., Jr., and Sonett, C. P. Magnetic measurements near Venus --- 222-40
Smith, J. D. The condition of stress surrounding a simulated mine opening --- 222-340
Smith, N. J. Geophysical activity in 1963 --- 218-103
Smith, P. See Hawkes, J. G.
Smith, P. J. See Ade-Hall, J. M.
Smith, R. H. See Schmitt, R. A.
Smith, R. L. See Friedman, Irving.
Smith, S. M. See Krause, D. C.
Smith, S. W. Seismic digital data acquisition systems --- 226-110
See also Ben-Menahem, Ari, and Shimshoni, Michael.
Smith, T. J. See Bullen, K. E., and Steinhart, J. S.
Smith, W. B. See Karp, D.
Smith, W. G. See Coleman, J. M.
Smithson, S. B. The geological interpretation of the Slidre positive gravity anomaly --- 225-195
Smolenova, Ye. M. See Yepinat'yeva, A. M.
Smol'nikov, B. M., and Lysenko, N. I. Geologic-geophysical investigations of karstified rocks of the Ay-Dmitriy landmark in the Crimean Mountains --- 221-105
See also Golovtsyn, V. N.
Smoluchowski, R. Is there vegetation on Mars? --- 223-46
Smylie, D. E. Magnetic diffusion in a spherically-symmetric conducting mantle --- 222-207
Smyshlyayev, S. I., and Yudin, I. A. Chemical-mineragraphic investigation of the opaque minerals of the Holbrook chondrite --- 217-37
See also Yudin, I. A.
Snavely, P. D., Jr. See Bromery, R. W.
Snelling, N. J. Age determinations on three African carbonatites --- 221-15
— A review of recent Phanerozoic time-scales --- 227-2
— Age determination unit --- 220-11
Snelling, N. J., Hamilton, E. I., Drysdall, A. R., and Stillman, C. J. A review of age determinations from Northern Rhodesia --- 217-17
Snyder, C. W. See Neugebauer, Marcia.
Soare, Alexandra. See Constantinescu, Liviu, and Soare, Andrei.
Soare, Andrei, and Soare, Alexandra. Solar diurnal variation of the geomagnetic elements as observed at Surlari Observatory in 1961 --- 227-271
See also Constantinescu, Liviu, and Cristescu, Traian.

Abstract

Sobakar', G. T. Deep tectonics of the Azov massif and some adjacent areas (according to the data of geophysical investigations)- 219-152
Sobolev, G. A. Some calculations of fields for piezoelectric surveying -- 219-137
See also Volarovich, M. P.
Sobolev, N. V. See Firsov, L. V.
Sobotovich, E. V. Radiogenic and cosmogenic isotopes in meteorites and cosmochronology ------------------------------------ 217-33
Sobotovich, E. V., and Grashchenko, S. M. Isotopic composition of recent leads as a criterion of the age of isolated samples of igneous rocks -- 225-1
Sobotovich, E. V., Grashchenko, S. M., and Aleksandruk, V. M. Determination of the age of very old rocks by the lead-isochron and spectral-strontium methods ----------------------------- 226-78
See also Starik, I. Ye.
Sochel'nikov, V. V. See Kaufman, A. A.
Socolescu, M. M., Popovici, Dorin, Visarion, Marius, and Rosca, V. Structure of the Earth's crust in Rumania as based on the gravimetric data --- 223-231
Sochevanov, N. N. See Bogolyubov, A. N.
Sodano, E. M. General non-iterative solution of the inverse and direct geodetic problems ------------------------------------ 223-145
Sokhranov, N. N. See Kulinkovich, A. Ye.
Sokolov, A. F. Features and possibilities of seismic reflection surveying in the study of shallow-lying horizons ----------------- 224-338
Sokolov, M. M., Klevtsov, P. P., Fedorov, A. A., and Khiteyev, P. P. On the separate determination of uranium, thorium, and potassium in place using the scintillation gamma-spectrometer -- 216-287
Sokolovskiy, I. L. On the inheritance of contemporary movements of the Earth's crust from older movements in the territory of the Ukrainian S.S.R. --- 219-209
See also Volkov, N. G.
Solaini, Luigi, Inghilleri, Giuseppe, and Togliatti, G. Results of some adjustments of pendulum and gravimeter data on the European Calibration Line --------------------------------------- 218-136
Soldatov, A. V. See Svirenko, I. P.
Sollogub, V. B., Chekunov, A. V., Pavlenkova, N. I., Garkalenko, I. A., Khilinskiy, L. A., and Shport, L. P. Structure of the Earth's crust of lowland Crimea and the Sivash coast according to geophysical data --- 219-250
Sollogub, V. B., Chekunov, A. V., Pavlenkova, N. I., and Khilinskiy, L. A. Nature of the Novotsaritsa gravity anomaly in lowland Crimea according to data of seismic investigations ------ 226-309
See also Kalyuzhnaya, L. T., and Subbotin, S. I.
Solodovnikov, G. M. See Bol'shakov, A. S.
Solokhov, V. V. See Mil'shteyn, D. M.
Solomasov, A. I. Use of statistical method for studying the reservoir properties of formations according to geophysical logging data -- 226-175
Solomon, P. J. The Mount Waring shield volcano—A general geological and geomorphological study of the dissected shield--------- 221-358
Solonenko, V. P. Earthquakes and volcanoes of the Stanovoy highlands --- 219-96
— Living tectonics in the felt area of the Muy earthquake --------- 225-74
— Seismic dislocations and associated phenomena---------------- 224-74
— Seismicity of the territory of the Mongolian People's Republic and the position of the epicentral zones of Gobi-Altay earthquakes- 224-72
— Stages in the study of the earthquake ------------------------ 224-71
Solonenko, V. P., and Natzag-Yum, L. The forerunners, the earthquake, and its aftershocks --------------------------------- 224-73
See also Florensov, N. A.
Solov'yev, G. A. On the problem of the interpretation of isometric magnetic anomalies -- 216-269
See also Lyakhov, L. L., and Makagonov, P. P.

Abstract

Solov'yev, O. A. Determination of the angle of magnetization of two-dimensional bodies 224-310
— Problem of subdividing magnetic anomalies into metalliferous and nonmetalliferous ore 221-251
Solov'yev, O. A., and Romanov, V. G. Some problems of the frequency analysis of magnetic and gravity anomalies on electronic computers 217-234
See also Borodayeva, N. M.
Solov'yev, S. L., Poplavskaya, L. N., and Zarayskiy, M. P. The west Iturup earthquake of May 7-8, 1962 221-54
Solov'yev, S. L., and Pustovitenko, A. N. On the possible reduction in period of longitudinal waves as the depth of the earthquake focus increases 223-80
Solov'yev, S. L., and Solov'yeva, O. N. A comparison of the amplitude fields of body waves from Kurile-Kamchatka and Mediterranean Sea earthquakes 218-60
Solov'yev, V. A. See Kosygin, Yu. A.
Solov'yev, V. N. See Kolesnikov, Yu. A.
Solov'yeva, I. A. See Gurariy, G. Z.
Solov'yeva, O. N. See Solov'yev, S. L.
Solov'yeva, R. P. See Myachkin, V. I.
Somov, G. M., and Tarasov, G. A. Use of a thin rod in investigating the properties and thickness of unconsolidated formations 221-103
Sonet, Jacques. See Roubault, Marcel.
Sonett, C. P. See Smith, E. J.
Sonnerup, B. U. Ö. On the stability of the closed magnetosphere 221-204
Sonntag, Klaus. Geomagnetic measurements in basalt investigations in the Rhön foothills area 220-298
Soper, N. J. See Brown, P. E.
Soprunyuk, P. M. See Kalashnikov, N. I., and Zmudikov, V. L.
Sorge, W. A. Rayleigh-wave motion in an elastic half-space 221-75
Sorgenfrei, Theodor, and Buch, Arne. Deep tests in Denmark, 1935-1959 220-219
Soroiu, M., Cerei, M., Oncescu, M., Daniş, A., and Mântescu, C. Determination of absolute geologic ages by the potassium-argon method, neutron activation analysis being used for determining the radiogenic argon 223-11
— Radiogenic argon determination by neutron activation analysis 224-3
See also Bunescu, L.
Sorokhtin, O. G. See Kapitsa, A. P.
Sorokin, A. A. See Aleksandrov, A. Yu.
Sorskiy, A. A. See Milanovskiy, Ye. Ye.
Souriau, M. See Schlich, Roland.
South African Mining and Engineering Journal. A new seismic prospecting system 217-345
Southwick, D. L. Petrography of the basement gneiss beneath the Coastal Plain sequence, Island Beach State Park, New Jersey 217-10
Southwick, S. H., and Adair, T. W., III. Digital computer programming for automatic analysis of well logs 221-119
Spargo, P. E. The thermal springs of the Pigg's Peak district, Swaziland 226-219
Spaulding, J. D. See Heinrichs, W. E., Jr.
Speiser, T. W. Particle trajectories in a model current sheet, based on the open model of the magnetosphere, with applications to auroral particles 222-212
Spencer, T. W. Long-time response predicted by exact elastic ray theory 225-86
— Refraction along a layer 225-87
Spicer, H. C. Geothermal gradients and heat flow in the Salt Valley anticline, Utah 217-251
Spiess, F. N. The geophysical picture of the Gulf of California 227-131
Spitsyn, V. L. See Balashev, V. N.
Sposito, A. See Simeon, G.

Abstract

Spreiter, J. R., and Summers, A. L. Dynamical behaviour of magnetosphere boundary following impact by discontinuity in the solar wind ---------- 222-218

Sprenkel-Segel, E. L., and Hanna, S. S. Mössbauer analysis of iron in stone meteorites ---------- 219-28

Sprintson, V. D. See Polevaya, N. I.

Spruill, J. L. See Hansen, S. M.

Sreekantath, G. M. The logarithmic order of the planets and their satellites ---------- 216-59

Sretenskiy, L. N. A hydrodynamic problem associated with tsunamis ---------- 225-80

Srivastava, S. N. P. See Murthy, M. V. N.

Srivastava, S. P. Method of interpretation of magnetotelluric data when source field is considered ---------- 220-46

Stacey, F. D. Effect of release of compression on magnetization of rocks and assemblies of magnetic minerals ---------- 220-283

—— The seismomagnetic effect ---------- 219-80

Stacey, F. D., and Westcott, P. Seismomagnetic effect—Limit of observability imposed by local variations in geomagnetic disturbances ---------- 225-77

—— The record of a vector proton magnetometer after the March 1964 Alaska earthquake ---------- 226-105

See also Brown, H. C.

Stakhovskaya, Z. I. Investigation of the elastic properties and strength of rocks by the bending method under conditions of high hydrostatic pressure ---------- 216-345

Starik, I. Ye., and Aleksandruk, V. M. The spectral method of determining the Rb-Sr absolute age of rocks and minerals ------- 220-1

Starik, I. Ye., Arslanov, Kh. A., and Malakhovskiy, D. B. On the age of the Mghinsk interglacial marine series according to data of the radiocarbon method ---------- 216-20

Starik, I. Ye., and Kuznetsov, Yu. V. Geochronology of the ocean - 226-75

Starik, I. Ye., Sobotovich, E. V., Shats, M. M., and Lovtsyus, G. P. Origin of meteorites and tektites according to data on their isotopic and chemical composition ---------- 226-87

See also Afanas'yev, G. D.

Staritsyn, G. V. See Pavlov, N. N.

Starostenko, V. I. See Yegorov, V. M.

Stasenkov, V. V. See Zanyukov, V. N.

Stauder, William, and Bollinger, G. A. The S wave project for focal mechanism studies—Earthquakes of 1962 ---------- 220-76

See also Hirasawa, Tomowo, Ochoa, D. E., McEvilly, T. V., and Udias, Agustin.

Stawikowski, Antoni, and Greenstein, J. L. The isotope ratio C^{12}/C^{13} in a comet ---------- 220-44

Stearns, S. R. Flexural properties of snow and snow-ice---------- 223-336

Steclaci, Livia. See Petrulian, N.

Steece, F. V. Age of glacial drift in Jerauld County, South Dakota - 224-8

Steenland, N. C. Experience with digital computers in the potential fields of Geophysics ---------- 216-142

Ştefănescu, Aurelian. See Cristescu, Traian.

Ştefănescu, S. S., Vîjdea, Vasile, and Nicolau, Sotiris. New applications of heterogeneous media α in the theory of electrical prospecting with direct current ---------- 223-123

Stefant, Robert. See Troitskaya, V. A.

Stegena, Lajos. Geothermal maps of Hungary ---------- 224-221

—— On the heat budget of basins ---------- 225-217

—— The structure of the Earth's crust in Hungary ---------- 222-183

See also Egyed, László, and Gálfi, János.

Steiger, R. H. Dating of orogenic phases in the central Alps by K-Ar ages of hornblende ---------- 219-14

See also Aldrich, L. T., and Tilton, G. R.

Steinhart, J.S. Lake Superior seismic experiments—shots and travel times ---------- 218-311

Abstract

Steinhart, J. S., Suzuki, Z., Smith, T. J., Aldrich, L. T., and Sacks, I. S. Explosion seismology 224-329
  See also Hart, S. R., Healy, J. H., Pakiser, L. C., and Tuve, M. A.
Steinreide, W. L. See Hansen, S. M.
Stepanov, P. P. See Volkhonin, V. S., and Yeliseyeva, I. S.
Stepanov, V. P. On the determination of the density of near-surface rocks in detailed gravimetric surveying 218-133
Stepanov, V. V. See Borisevich, Ye. S.
Stephansson, Ove. See Ramberg, Hans.
Stephens, H. G. See Morris, E. C.
Stephens, W. M. The birth of an island 223-352
Stephenson, D. A. See Perrotta, A. J.
Stephenson, P. J. See Irving, Edward.
Stephenson, T. B. See Gamson, B. W.
Stepp, J. C. See Cook, K. L.
Sterlyagova, G. V. Structure of the southeast part of the Caspian Sea according to data of marine seismic investigations 216-314
Stern, David. A simple model of the interplanetary magnetic field 218-197
Stern, T. W., Newell, M. F., Kistler, R. W., and Shawe, D. R. Zircon uranium-lead and thorium-lead ages and mineral potassium-argon ages of La Sal Mountains rocks, Utah 222-4
  See also Drake, A. A., Jr.
Sterrett, K. F., Klement, W., Jr., and Kennedy, G. C. Effect of pressure on the melting of iron 222-194
Stetsenko, V. P. See Kudenko, A. A.
Stetyukha, Ye. I. Equations of the correlational relationships between the physical properties of rocks and their depth of occurrence 219-130
Stevens, A. E. See Hodgson, J. H.
Stevens, R. D. Experiment on whole-rock phyllite K-Ar age determination 216-11
— U-Pb ages of pitchblendes from Beaverlodge, Saskatchewan 216-10
  See also Wanless, R. K.
Stewart, F. L. See Dodson, H. W.
Stewart, H. B., Jr. See Peter, G.
Stiller, Heinz. See Frohlich, Friedrich.
Stillman, C. J. See Snelling, N. J.
Stinner, R. J. See Schrader, C. D.
Stishov, S. M. Rutile-like silica and phase transformations in the Earth's interior 225-224
Stock, J. A. See Panek, L. A.
Stock, Jürgen. See Moreno, Hugo.
Stockwell, C. H. Fourth report on structural provinces, orogenies, and time-classification of rocks of the Canadian Precambrian Shield 221-10
Stoenescu, Scarlat; Dumitru, Stelian; Airinei, Ştefan; and Codarcea, Alexandru. On some of the major gravimetric-magnetic effects of the deep structure of the Poiana Ruscăi Massif 219-227
  See also Airinei, Ştefan.
Stoenner, R. W., Schaeffer, O. A., and Katcoff, S. Half-lives of argon-37, argon-39, and argon-42 223-304
  See also Schaeffer, O. A.
Stolarik, J. D. See Davis, T. N.
Stolov, H. L., and Cameron, A. G. W. Variations of geomagnetic activity with lunar phase 218-191
Stone, D. S. Stratigraphic correction of electric logs in steep inhole dip areas by use of dental dam technique 220-154
Stoneley, R. S. The polarization of distortional waves in an isotropic medium 222-82
Storetvedt, Karsten. Palaeomagnetic dating of some younger dikes in southern Norway 221-240
Storozhinskiy, A. I. Geomagnetic activity at Stepanovka in 1960-61 220-274

Abstract

Stötzner, Ulrich. Engineering-geophysical investigations on unconsolidated soils in the laboratory and field for the determination of shearing strength under dynamic stress ---------------------- 221-337
Stovas, M. V. Recent tectonic uplift of the shore of the White and Barents Seas -- 222-136
Stovas, M. N. See Nesterenko, P. G.
Stoyko, N. See Markowitz, William.
Strakhov, V. N. On an inverse problem of the logarithmic potential theory --- 225-201
— On the correctness of the application of analytical continuation -- 221-248
— On the problem of the accuracy of posing the problem of harmonic functions by their values at the junctions of a rectangular net -- 220-176
— Problem of deriving the best numerical method for transformation of potential fields, Pt. 4 ------------------------------------ 218-129
— The theory of the matching method ------------------------------ 218-128
Straley, H. W., III. Possible southwestward continuations of the Cabot fault -- 223-154
Strange, W. See Coons, R. L.
Strange, W. S. See Woollard, G. P.
Strangway, D. W. Rock magnetism and dike classification -------- 217-305
Stretta, E. J. P., and Arenal, R. del. Geochemistry and radioactivity of the waters of Lourdes, San Luis Potosi, Mexico ---------- 225-292
Stride, A. H. The geology of some continental shelves ------------ 218-332
Strizhev, V. P. See Volobuyev, M. I.
Strobach, Klaus. Colloquium of the German Research Association on the Gravity Point Program—Geophysical investigation of the deeper underground of Central Europe ------------------------ 218-165
— Origin and properties of microseisms from the standpoint of oscillator theory -- 224-316
Stroyev, P. A. Procedure of gravimetric measurements on the sixth cruise of the "Ob"-------------------------------------- 219-222
— Test of a pilot model of a fiber gravimeter ------------------- 223-182
Stroyev, P. A., Frolov, A. I., and Tsukernik, V. B. Structure of the sub-ice relief in the area of the Mirnyy south polar station according to geophysical data ---------------------------------- 225-203
See also Gladun, V. A., Panteleyev, V. L., and Tsukernik, V. B.
Strum, C. G., and Strum, W. B., compilers. Good Friday nightmare -- 227-64
Strum, W. B. See Strum, C. G.
Stuckenrath, Robert, Jr., and Ralph, E. K. University of Pennsylvania radiocarbon dates VII ---------------------------------- 226-25
Stuiver, Minze. Carbon-14 content of 18th- and 19th-century wood—Variations correlated with sunspot activity ------------------- 226-277
Stuiver, Minze; Borns, H. W., Jr., Denton, G. H. Age of a widespread layer of volcanic ash in the southwestern Yukon Territory- 223-8
See also Turekian, K. K.
Stupak, N. K. On the problem of determining the average density of rocks from seismic survey data ------------------------------ 226-203
Stupnikova, N. I. See Milosvkiy, A. V., Tugarinov, A. I., and Volobuyev, M. I.
Suba-C, E. A. See Claus, George, and Mueller, G.
Subbotin, S. I., Gurevich, B. L., Kuzhelov, G. K., Sollogub, V. B., Chekunov, A. V., and Chirvinskaya, M. V. Deep structure of the territory of the Ukrainian S. S. R. according to data of geophysical investigations --- 227-135
Subrahmanyan, R. V. Geomagnetic effects associated with relativistic flares -- 218-213
Suceava, Mircea. See Airinei, Ştefan.
Suchkov, V. I. See Yershov, Ye. M.
Suciu, Petre. See Airinei, Ştefan.
Suess, H. E. The Urey-Craig groups of chondrites and their states of oxidation -- 219-38
See also Hubbs, C. L.

Abstract

Sugaki, Asahiko. Studies on the join Cu_5FeS_4—$CuFeS_{2-x}$ as a geothermometer ---------- 227-217

Suggate, R. P. The Alpine Fault ---------- 217-221
See also Elphick, J. O.

Sugimura, Arata, and Matsuda, Tokihiko. Atera Fault and its displacement vectors ---------- 226-118
See also Kasahara, Keichi.

Sugimura, Yukio. See Miyake, Yasuo.

Sugiura, K. See Utashiro, S.

Sugiura, Masahisa. Geomagnetic storms ---------- 227-256

Sugiura, Tsutomu; Mizutani, Yoshihiko; and Oana, Shinya. Fluorine, chlorine, bromine, and iodine in volcanic gases ---------- 226-359

Sukhodol'skiy, V. V. See Popov, Ye. I.

Sulerzhitskiy, L. D. See Kazachevskiy, I. V.

Sullivan Staff. Ground control at the Sullivan mine ---------- 222-341

Suloky, István. See Aczél, Etelka.

Sultanov, D. D. See Kogan, S. D.

Šumi, Franć. Depth determination by means of gravimetrical sounding ---------- 219-226

Summers, A. L. See Reynolds, R. T., and Spreiter, J. R.

Sumner, R. See Tuve, M. A.

Sundelius, H. W., and Bell, Henry, III. An unusual radioactive rare earth-bearing sulfide deposit in Cabarrus County, North Carolina ---------- 219-319

Sur, S. P. Elastic wave arising from tangential stresses applied to the rectangular surface area of a half-space ---------- 223-93

Surjik, D. L., and Hobson, G. D. An example of Prairie-Evaporite mapping in the Minton area of Saskatchewan employing the seismic method ---------- 218-313

Surkov, V. S. Folded structures of the Urals and western Siberia and their reflection in the gravity and magnetic anomaly fields ---------- 219-230
See also Kondrashov, V. A., and Rostovtsev, N. N.

Surkov, Yu. A. See Yanovskaya, T. B.

Surnina, L. V., and Voronova, L. G. Value of investigation of the chemical composition of volcanic gases for predicting eruptions ---------- 221-349

Survilas, H. J. See Anderson, Robert.

Šutor, Augustin, and Čekan, Viktor. Regional gravimetric and magnetic surveys, in the area of eastern Slovakia ---------- 225-197

Šutor, Augustin, and Možný, Antonín. Tectonic division of the Upper-Amudarja depression on the basis of the new geologico-geophysical results ---------- 225-140

Suvorov, A. D. Use of X-ray emulsions for counting alpha-particles ---------- 216-292

Suyehiro, S. Fine recording in time direction for seismological observation ---------- 221-70

Suzuki, Sizue. See Muramatu, Ikuei.

Suzuki, Takeo, and Ono, Koji. Vertical variation of lithologic characters and intensity of natural remanent magnetization of the Aso pyroclastic flow deposit ---------- 218-250

Suzuki, Ziro. Maine Seismic Experiment—A study of shear waves ---------- 224-106
See also Steinhart, J. S.

Suzuoki, Tetsuro. A geochemical study of selenium in volcanic exhalation and sulfur deposits ---------- 218-355

Svec, H. L., and Anderson, A. R., Jr. The absolute abundance of the lithium isotopes in natural sources ---------- 224-247

Svensson, N. B., and Wickman, F. E. Coesite from Lake Niem, southern Sweden ---------- 223-26

Sveshnikov, G. B., and Il'in, Yu. T. Steady electrode potentials of ore minerals ---------- 223-119

Sveshnikova, G. I. See Shkorbatov, S. S.

Svetov, B. S. The role of the method of generating the field in low-frequency inductive electrical surveying (summary) ---------- 224-124
See also Kosenkov, O. M., and Yakubovskiy, Yu. V.

Abstract

Svikhnushin, N. M. See Orlinskiy, B. M.

Svirenko, I. P., and Soldatov, A. V. Geological investigations on the expedition ship "Pole" in 1963 220-348

Swallow, J. C. Hot salty water 222-350

Swardt, A. M. J. de, Garrard, P., and Simpson, J. G. Major zones of transcurrent dislocation and superposition of orogenic belts in part of central Africa 220-201

Swift, D. W., and Wescott, E. M. The effect of small islands on telluric currents 216-60

Swinderman, J. N. See Cartwright, Keros.

Switsur, V. R. See Godwin, Harry.

Sychev, P. M. On the nature of the gravity anomalies of the southwestern regions of Sakhalina 227-206

Sykes, L. R. Deep-focus earthquakes in the New Hebrides region 218-52

—— The seismicity of the Arctic 225-67

Sykes, L. R., and Landisman, Mark. The seismicity of East Africa, the Gulf of Aden and the Arabian and Red Seas 220-61

Sykes, L. R., and Oliver, J. E. The propagation of short-period seismic surface waves across oceanic areas—Pt. 1, Theoretical study 217-144

—— The propagation of lthe short-period seismic surface waves across oceanic areas—Pt. 2, Analysis of seismograms 217-126

Syono, Yasuhiko. Magnetocrystalline anisotropy of $xFe_2TiO_4 \cdot (1-x) Fe_3O_4$ 217-301

—— Magnetostriction constants of $xFe_2TiO_4 \cdot (1-x)Fe_3O_4$ 217-302

Syono, Yasuhiko, and Ishikawa, Yoshikazu. Magnetocrystalline anisotropy and magnetostriction of $xFe_2TiO_4 \cdot (1-x)Fe_3O_4 (x>0.5)$ 218-249

Syromyatnikov, N. G. See Dement'yev, V. S.

Sytina, N. M. Use of an aeromagnetic survey to study the crystalline basement of the Caspian basin 223-292

See also Andreyev, B. A.

Sytinskaya, N. N. On albedo values for individual details of the lunar surface 220-39

Sytinskiy, A. D. Presumed seismicity of the Earth and of the zone south of lat 40° S. in the period of the International Year of the Quiet Sun 219-83

Szabadváry, László. Experiences with locating water wells in Mongolia by means of geoelectric exploration 218-89

Szabadváry, László, and Szábo, Margit. Geoelectrical measurements in the search for bauxite in the Bakony highlands 222-97

See also Erkel, András, and Király, Ernő.

Szábo, Margit. See Szabadváry, László.

Szalai, Mihály; Szénás, György; and Zilahi-Sebess, László. Codification of physical parameters of rocks and punch-card storage for machine computation 222-120

Szaraniec, Edward. Analysis of the possibilities of applying the method of expansion to the interpretation of electrical sounding curves 218-81

—— The problem of roots' multiplicity in the expansion method 219-133

Szemerédy, Pál. See Egyed, László.

Szénás, György. Some remarks concerning the Earth's crust in Hungary 222-182

Szénás, György, and Nagy, Magdolna. The unique geophysical structure of the Hungarian Basin 224-170

See also Pintér, Anna, and Szalai, Mihály.

Szymański, Antoni. Comparison measurements between Polish observatories and the Geomagnetic Observatory in Niemegk, made on June 2-10, 1964 225-251

T

Tabagua, G. G. On the problem of the effectiveness of the natural electrical field method on the iron ore deposits of the Georgian S. S. R. 220-147

Abstract

Tabidze, D. D. Gravitational denudation phenomena at the time of the Ptysh earthquake of July 16, 1963 ---------- 220-100
Tabulevich, V. N. See Vvedenskaya, N. A.
Tagg, G. F. Earth resistances ---------- 227-110
Taggart, James. See Crawford, Nancy.
Tailleur, I. L. See Patton, W. W., Jr.
Takács, Ernő. See Csókás, Janós.
Takada, Michio. On the ground deformation and phenomena forerunning natural disasters (earthquake, rock-falling and landslide) ---------- 227-71
Takada, Yuji. The geophysical prospecting for landslide ---------- 226-150
Takahasi, Ryutaro. A summary report on the Chilean tsunami of May 24, 1960, as observed along the coast of Japan ---------- 217-102
— On some experiments on tsunami generation ---------- 217-119
— On the spectra and the mechanism of generation of tsunamis ---------- 217-98
— Symposium on the Japanese program for the International Upper Mantle Project ---------- 218-173
See also Hatori, Tokutaro.
Takahashi, Taro, and Bassett, W. A. The composition of the Earth's interior ---------- 226-238
Takei, Shigeo. See Kato, Yoshio.
Takenouchi, Sukune, and Kennedy, G. C. The solubility of carbon dioxide in NaCl solutions at high temperatures and pressures ---------- 223-208
Takenoshita, Yugoro. See Ondoh, Tadanori.
Takeuchi, Hitoshi. A review of the free oscillation study of the Earth—After 1960 Chilean earthquake ---------- 220-92
— Elasticity and viscosity of the Earth ---------- 219-257
Takeuchi, Hitoshi, and Alsop, L. E. Comparison of theoretical and observational expressions for elastic strains of the Earth ---------- 222-77
Talpatra, A. K. Some modern methods of geothermometry ---------- 226-226
Tal'-Virskiy, B. B. See Vol'vovskiy, B. S.
Talvitie, J. A seismic survey using forcite bombs ---------- 220-330
See also Korhonen, H.
Talwani, Manik. A review of marine geophysics ---------- 227-344
Talwani, Manik; Le Pichon, Xavier; and Ewing, Maurice. Crustal structure of the mid-ocean ridges—Pt. 2, Computed model from gravity and seismic refraction data ---------- 219-247
See also Thompson, G. A.
Tamaki, Ituo. See Gorai, Masao.
Tamao, Tsutomu. The structure of three-dimensional hydromagnetic waves in a uniform cold plasma ---------- 218-219
See also Kato, Yoshio.
Tamers, M. A. Instituto Venezolano de Investigaciones Cientificas natural radiocarbon measurements I ---------- 226-15
See also Pearson, F. J., Jr.
Tanabashi, Ryo; Kobori, Takuji; Kaneta, Kiyoshi; and Minai, Ryoichiro. Statistical properties of earthquake excitation pattern ---------- 226-120
Tanaka, Teiji, and Morishita, Toshizo. Microtremor measurement in the disaster area of the northern Miyagi earthquake of April 30, 1962 ---------- 217-82
Tanaka, Torao. Study on the relation between local earthquakes and minute ground deformation—Pt. 1, On some statistical results from local earthquakes which occurred in the Wakayama District ---------- 223-67
Tanaka, Yutaka. The eruption of Miyakejima in 1962, Pt. 3 ---------- 220-359
Taneda, Sadakatu. Studies on the volcanoes in eastern and southeastern Asia—Chemical composition statistics of lavas ---------- 216-359
— Volcanothermal investigation of an active crater—Temperature variation in the bottom ground of the Naka-dake crater of Aso volcano ---------- 218-360
Tangborn, W. V. See Meier, M. F.
Tanguay, L. See Ladanyi, B.
Tanguy, D. R. See Tixier, M. P.
Tanner, W. F. Unified basis for tectonic theory ---------- 223-151
Taranukha, Yu. K. See Vlasova, S. P.

Abstract
Tarasov, A. N. Magnetic observations by the Second Sea Expedition - 225-262
Tarasov, G. A. A method of constructing electrical sounding curves without calculating apparent resistivity ---- 221-98
See also Somov, G. M.
Tarbeyeva, M. I. See Grunshinskiy, N. P.
Tárczy-Hornoch, Antal. Contribution to the determination of the reflecting plane and the average velocity of propagation in seismic measurements ---- 227-328
— On ascertaining the chief directions of telluric station ellipses -- 225-46
— On the determination of the relationship between the size of the explosive charge and the amplitude of the first arrival ---- 222-89
Tardi, Pierre. International Gravity Bureau (I. G. B.) ---- 225-183
Tarkhov, A. G. On dispersion of the electrical properties of rocks in alternating fields ---- 224-165
— The induction method ---- 224-145
See also Bondarenko, V. M.
Tarney, J. See Evans, C. R.
Tarunina, O. L. Determination of the position of the center and the amplitude of local fields ---- 224-215
Tasaki, Akira, and Iida, Shuichi. Magnetic properties of synthetic single crystal of αFe_2O_3 ---- 217-299
Tasch, Paul. Life-forms in meteorites and the problem of terrestrial contamination: a study in methodology ---- 217-47
Tasha, H. J. See Zeigler, J. M.
Tatár, János. Application of nuclear geophysics for quality determinations of brown coals ---- 222-310
— Application of nuclear geophysics to determination of the quality of lignite ---- 222-309
— Rapid determination of the aluminum and silicon content of bauxite samples by means of neutron activation analysis ---- 222-305
Tatsch, J. H. Distribution of active volcanoes—Summary of preliminary results of three-dimensional least-squares analysis ---- 216-356
Tatsumoto, Mitsunobu. See Rosholt, J. N.
Taubeneck, W. H. An appraisal of some potassium-rubidium ratios in igneous rocks ---- 219-242
Tauer, Jaroslav. The effect of a solar eclipse on geomagnetic pulsations ---- 217-290
Tavera, Juan. Contribution to experimental seismology ---- 217-95
Tavrin, I. F. See Khalevin, N. I.
Taylor, H. P., Jr., Duke, M. B., Silver, L. T., and Epstein, Samuel. Oxygen isotope studies of minerals in stony meteorites - 224-36
Taylor, H. P., Jr., and Epstein, Samuel. Comparison of oxygen isotope analyses of tektites, soils, and impactite glasses ---- 219-47
See also Reuter, J. H.
Taylor, H. W. A study of the radioactivity of the Peace River meteorite ---- 217-30
— Gamma radiation emitted by the Peace River chondrite ---- 216-28
Taylor, S. R. Geochemical comparison of Australian and North American tektites ---- 221-36
— Similarity in composition between Henbury impact glass and australites ---- 224-49
— Trace element abundances in the chondritic Earth model ---- 219-241
Taylor, S. R., and Kolbe, P. Geochemistry of Henbury impact glass ---- 227-48
— Henbury impact glass: parent material and behaviour of volatile elements during melting ---- 216-49
Taylor-Smith, Denzil. See Morgenstern, Norbert.
Tazieff, Haroun. When the Earth trembles ---- 217-94
See also Elskens, I.
Teder, R. I. See Protod'yakonov, M. M.
Teikari, Pekka. A practical method for drawing calibration curves - 220-89
Teisseyre, R. K. Some remarks to the dislocation model of energy release in the earthquakes ---- 216-81

Abstract

Telford, W. M. See Becker, Alex.
Teng, C.-W. Dynamic characteristics of seismic waves in real media in the presence of a fault -------- 218-304
— Dynamic features of diffracted waves as a function of the physical parameters of the mediums and of the angles of incidence and emergence -------- 219-131
Teng, T. L. See Knopoff, Leon.
Teng, Ta-Liang. See Ben-Menahem, Ari.
Tepley, L. R., Heacock, R. R., and Fraser, B. J. Hydrogmagnetic emissions (Pc 1) observed simultaneously in the auroral zone and at low latitudes -------- 224-257
Terasmae, J. See Harrison, W.
Terekhin, Ye. I. See Van'yan, L. L.
Terent'yeva, A. K. On the problem of the interrelationships of the small bodies of the solar system -------- 222-43
See also Dem'yanenko, V. I.
Terets, G. Ya. See Yaroshchuk, E. A.
Terhune, R. W. See Knox, J. B.
Ter-Karapetyants, Zh. N. See Plyushch, A. M., and Tsaturyants, A. B.
Termer, Franz. The volcanic activity in Guatemala in the years 1960-1963 -------- 221-352
Teys, R. V. See Naydin, D. P.
Těžký, Antonín, and Kyselka, Dušan. Some problems of the theory and interpretation of the induction log -------- 218-90
Těžky, Antonín, and Láznička, Milan. Some possibilities of logging measurements on the siderite deposits near Nizna Slana -------- 225-297
Thellier, Émile. Upper mantle and paleomagnetism -------- 221-238
See also Gondet, H.
Thieme, H. Results of regional telluric investigations in the German Democratic Republic (Thuringian Basin) -------- 225-48
Thiruvathukal, J. V. See Berg, J. W., Jr.
Thode, H. G. See Clarke, W. B., Gross, W. H., Hulston, J. R., and Monster, Jan.
Thomas, C. W. See Perkins, R. W.
Thomas, H. H. See Drake, A. A., Jr., and Kinkel, A. R., Jr.
Thomas, J. The Sud-Aviation airborne magnetometer MP-121 -------- 222-293
Thomas, P. D. Geodesic arc length on the reference ellipsoid to second-order terms in the flattening -------- 226-188
Thompson, George. See Cox, A. V.
Thompson, G. A., and Talwani, Manik. Crustal structure from Pacific basin to central Nevada -------- 217-260
— Geology of the crust and mantle, western United States -------- 218-163
Thompson, Ken. Short conversion tables between English and metric systems of units -------- 225-149
Thompson, N. J. A delta-modulation recording system for seismic use -------- 221-293
Thon, H.-G. See Meisser, Otto.
Thorarinsson, Sigurdur. An island rising from the sea -------- 223-353
— Carbon-14 datings of Quaternary deposits in Iceland—Datings connected with tephrochronology -------- 218-8
— Surtsey—Island born of fire -------- 224-358
Thorarinsson, Sigurdur, Einarsson, T., Sigvaldason, G. E., and Elisson, G. The submarine eruption off the Vestmann Islands, 1963-64—A preliminary report -------- 226-355
Thorarinsson, Sigurdur, and Vonnegut, Bernard. Whirlwinds produced by the eruption of Surtsey Volcano -------- 216-358
Thurber, D. L., Broecker, W. S., Blanchard, R. L., and Petratz, H. A. Uranium-series ages of Pacific atoll corals -------- 225-11
See also Broecker, W. S.
Thyer, R. F. See Jaeger, J. C.
Thyssen-Bornemisza, Stephen. Determination of the vertical density gradient in a borehole -------- 225-181
— The anomalous free-air vertical gradient in borehole exploration -------- 225-182

Abstract

Tiffany, O. L. See Dobar, W. I.

Tikhomirov, V. V. See Baranov, V. I.

Tilles, David. Atmospheric noble gases—Solar-wind bombardment of extra-terrestrial dust as a possible source mechanism ------- 223-243

Tilley, C.E., and Yoder, H.S., Jr. Proxene fractionation in mafic magma at high pressures and its bearing on basalt genesis ------ 223-217

See also Muir, I. D., and Yoder, H. S., Jr.

Tilton, G. R., Davis, G. L., Hart, S. R., Aldrich, L. T., Steiger, R. H., and Gast, P. W. Geochronology and isotope geochemistry ------- 223-239

See also Aldrich, L. T., Doe, B. R., and Lanphere, M. A.

Tindale, N. B. Radiocarbon dates of interest to Australian archeologists ------- 217-25

Tishchenko, V. G. Some considerations concerning the periods of the seismic forces causing damage in Petropavlovsk in the earthquake of May 4, 1959 ------- 219-93

See also Bibanov, V. I.

Titkov, A. N. See Vedernikov, G. V.

Titlinov, V. S. Attempt to use the method of electromagnetic frequency sounding, ChEZ, in the Central and Southern Urals ------ 224-131

Tittman, J., and Wahl, J. S. The physical foundations of formation density logging (gamma-gamma) ------- 222-307

See also Wahl, J. S.

Tixier, M. P., Eaton, F. M., Tanguy, D. R., and Biggs, W. P. Automatic log computation at well-site—Formation analysis logs - 226-157

Tjia, H. D. Aerial observations of Gunung Merapi, central Java --- 221-360

Tkachev, G. N. Processing of tellurograms by the method of true ellipses ------- 219-60

Tkachuk, L. G. See Semenenko, N. P.

Tobailem, Jacques. See Nordemann, Daniel.

Tocher, Don. Earthquake magnitude and intensity scales --------- 219-81

Todd, T. W. See Jizba, Z. V.

Toews, N. A. See Barron, K.

Togliatti, G. See Solaini, Luigi.

Tokmakov, V. A., and Uchitel', Yu. Ya. Calculation of the magnification of the vibrometer outfit K-001 and experimental check of the calculation ------- 219-349

See also Maksimov, L. S.

Töksöz, M. N., Ben-Menahem, Ari, and Harkrider, D. G. Determination of source parameters of explosions and earthquakes by amplitude equalization of seismic surface waves. 1. Underground nuclear explosions ------- 216-101

Töksöz, M. N., Harkrider, D. G., and Ben-Menahem, Ari. Determination of source parameters by amplitude equalization of seismic surface waves—Pt. 2, Release of tectonic strain by underground nuclear explosions and mechanisms of earthquakes ------ 220-128

Tokuda, Hachiroe. V.L.F. emissions and geomagnetic disturbances at the auroral zone—Pt. 1, Chorus bursts and preceding geomagnetic disturbances ------- 224-269

Tolgay, M. See Sanlav, F.

Tolokonnikov, V. V. See Pichugin, N. I.

Tolstikhin, I. N. See Shukolyukov, Yu. A.

Toman, John. See Hansen, S. M.

Tomashevskaya, I. S. Investigations of the shear modulus and strength of rocks under high hydrostatic pressures by a torsion method ------- 216-346

See also Volarovich, M. P.

Tomelleri, Valentino. See Mazzon, Corrado.

Tomoda, Yoshibumi. See Uyeda, Seiya.

Tonani, Franco. See Elskens, I., and Facca, Giancarlo.

Tongiorgi, E. See Colombo, U., and Cotecchia, Vincenzo.

Toporkov, D. D. See Bugaylo, V. A.

Toporskaya, L. P. On the problem of optimal filtering ---------- 224-343

Abstract
Toritsyn, B. A. See Rozhkov, I. S.
Toriumi, Isao. Model test on the random shaking table ---------- 219-75
Tóth, Géza. See Oszlaczky, Szilárd.
Tournier, D. Study and interpretation of the meridional elongation of the magnetic anomaly of the Paris Basin ------------------ 217-311
Towle, Guy. The log analyst with a service company------------- 226-168
Townshend, J. B., and Cloud, W. K. Preliminary intensity evaluations of the Prince William Sound earthquake of March 28 [27], 1964- 225-65
Tozer, D. C. Thermal history of the Earth—Pt. 1, The formation of the core -- 222-168
See also Coode, A. M.
Trapp, G., and Victoria, H. F. The superficial radioactivity in the "La Cira" field and its possible relation to the petroleum ------ 227-323
Treskov, A. A. Determination of the epicenters of distant earthquakes by means of polar and glancing rectilinear epicentrals---- 219-99
—— The theory of complex charges and its geophysical applications - 219-283
See also Florensov, N. A.
Tressler, W. L. Oceanographic stations taken in the Indian Ocean by USCGC Eastwind (WAGB-279) in 1961--------------------- 218-342
Tret'yakov, V. G. See Bachin, A. P.
Tribalto, Giuseppe. See Maino, Armando.
Trifonov, V. P. Geologic-geomorphic indications of recent and contemporary tectonic movements in the Urals and Transural area -- 219-205
Tripol'nikov, V. P. See Lin'kov, Ye. M.
Troitskaya, V. A. Classification of rapid pulsations of the magnetic field and earth currents ------------------------------------ 222-247
—— Rapid variations of the electromagnetic field of the Earth------ 217-75
—— Results of the study of earth currents ---------------------- 220-52
Troitskaya, V. A., and Barsukov, O. M. State of investigations in the field of earth currents -------------------------------- 219-61
Troitskaya, V. A., Gendrin, Roger, and Stefant, Robert. Observations at conjugate points in mean latitudes of structures hydromagnetic emissions --------------------------------------- 216-227
Troitskaya, V. S. See Krotikov, V. D.
Troitskiy, S. L. See Alekseyev, V. A.
Troitskiy, V. S. On the problem of inhomogeneity of the properties of the upper layer of the Moon at depth and on the surface ------ 217-68
Troly, Gilbert. See Ricq, J.-C.
Trommer, Reiner. The vertical gradient of gravity ------------- 222-144
Trorey, A. W. See Sherwood, J. W. C.
Troshkov, G. A. On quantitative geologic interpretation of complex two-dimensional gravity and magnetic anomalies -------------- 221-166
Troyanskiy, V. T., and Komissarchik, B. S. Use of the refraction method for studying the relief of the basement surface under the conditions of the southern areas of the Rostov Region and the western part of the Kalmyt A. S. S. R. ---------------------------- 216-326
Trubitsyn, V. P., and Ulinich, F. R. Metallic transition in matter at high pressure -- 225-228
Truitt, Paul. See Lamb, W. C.
Truscott, J. R. The Eskdalemuir seismological station---------- 221-72
Trusov, Yu. P. See Baranov, V. I.
Truswell, J. F., and Cope, R. N. The geology of parts of Niger and Zaria Provinces, northern Nigeria—Age and correlation -------- 218-12
Tryggvason, Eysteinn. Dissipation of Rayleigh wave energy ------- 222-58
Tsaregradskiy, V. A., and Ben'kovich, S. L. Attempt to use the Ural-1 electronic computer to treat geophysical data ----------- 216-146
See also Bachin, A. P.
Tsaturyants, A. B., Shabanov, S. F., Ter-Karapetyants, Zh. N., Abdullayev, R. A., and Kasimov, A. M. New data on geothermal investigations throughout Azerbaijan --------------------- 219-239
Tschermak, Gustav. The microscopic properties of meteorites ---- 216-36
Tsemkalo, M. F. On measurements of an elliptically polarized electrical field --- 221-108

Abstract

Tsemkalo, M. F. On the choice of optimal frequencies in electrical surveying in amplitude-phase investigations ---------- 224-135

— Use of the phenomenon of elliptical polarization for purposes of prospecting for highly conducting ore deposits ---------- 224-134

Tsesevich, V. P. Meteor investigations in the U.S.S.R. in the IGY-IGC period ---------- 220-30

See also Babadzhanov, P. B.

Tsimel'zon, I. O. Deep structure of the Earth's crust and tectonics of Azerbaijan according to the data of geophysical investigations - 226-205

— Relationship of gravity anomalies with diapiric folding in Azerbaijan ---------- 227-204

— Structure of the Nakhichevan A.S.S.R. according to the data of geophysical investigations ---------- 227-208

— Tectonics of the Kura oil- and gas-bearing district according to data of geophysical investigations ---------- 225-208

Tslav, L. Z. See Alekseyev, G. P.

Tsong, C. F. See Berger, J.

Tsuboi, Chuji. Application of double Fourier series to computing gravity anomalies and other gravimetrical quantities at higher elevations from surface gravity anomalies ---------- 217-229

— Upward continuation of gravity values based on the cylindrical coordinate system ---------- 216-171

Tsukernik, V. B. Magnetic survey of the Western Ice Shelf ---------- 219-312

Tsukernik, V. B., Frolov, A. I., and Stroyev, P. A. Study of the subglacial relief of the West Ice Shelf by seismic and gravimetric methods ---------- 218-152

See also Stroyev, P. A.

Tsuruda, K., Kokubun, S., Oguti, Takasi, and Nagata, Takesi. Characteristics of low-latitude whistlers ---------- 225-258

See also Kokubun, S.

Tsuruga Weather Station. Damage caused by earthquake off Cape Echizen on March 27, 1963 ---------- 224-81

Tsushima, Tachiro. Magnetic properties of ferrite-chromite series of nickel and cobalt ---------- 217-300

Tsvetkov, D. G. Rate of movement of the surface ice of one of the Kamchatka glaciers ---------- 217-226

Tsevetkov, O. S. See Gorshkov, G. V.

Tsyba, S. A. Small-sized borehole resistivity meter ---------- 226-180

Tsygankov, A. V., and Aleshin, V. M. Recent and contemporary tectonic movements of the Don-Medveditsa swell and central part of the Volga monocline ---------- 219-207

Tsymburskaya, A. T. Bay-type magnetic disturbances in the territory of the Ukrainian S.S.R. ---------- 220-271

— On the study of the irregular part of the disturbance field in the territory of the Ukrainian S.S.R. ---------- 220-272

Tsyplukhin, V. F. See Samarin, V. G.

Tsze-San', Chzhao. See Parkhomenko, E. I.

Tuček, Karel. Catalogue of the collection of meteorites of the National Museum in Prague ---------- 216-30

— Czechoslovakia—A meteorite country ---------- 222-26

Tugarinov, A. I., Bibikova, Ye. V., and Zykov, S. I. Absolute age of the rocks of the Kursk Magnetic Anomaly ---------- 218-20

Tugarinov, A. I., Shanin, L. L., Kazakov, G. A., and Arakelyants, M. M. On the age of rocks of the Vindhyan system (India) according to glauconites ---------- 227-32

Tugarinov, A. I., Stupnikova, N. I., and Zykov, S. I. On the geochronology of the southern Siberian platform ---------- 221-22

Tugarinov, A. I., Zykov, S. I., and Karpenko, S. F. On the absolute age of the Saksagan plagiogranites in the Krivoy Rog ---------- 223-13

See also Afanas'yev, G. D., Bibikova, Ye. V., and Vinogradov, A. P.

Tukey, J. W. Data analysis and the frontiers of geophysics ---------- 223-133

Tulin, V. A. A method of decreasing the mirror superposition error of the GAE gravimeter ---------- 216-193

Abstract

Tulin, V. A. Experimental investigations of a thermostat with continuous control 216-192
— On increasing the sensitivity of a resistivity of a resistance thermometer 216-189
— On measuring temperatures within a thermostat 216-188
— On the theoretical possibilities of a thermostat with relay control 216-190
— Thermostat with continuous control and independent pick-up 215-191
Tulina, Yu. V. Comparison of magnetic anomalies with the seismic properties of the Mohorovičić discontinuity 223-301
Tullis, E. L. Gravity survey in southwestern South Dakota 216-199
Tuman, V. S. Model studies of elastic wave propagation in crustal blocks under tectonic stresses 217-150
— Speculation on the origin and non-symmetry of two thin layers D'' and F embracing the liquid core inside the Earth 220-256
Turabayev, F. See Umarov, S. U.
Turekian, K. K. Degassing of argon and helium from the Earth 227-231
Turekian, K. K., and Stuiver, Minze. Clay- and carbonate-accumulation rate in three South Atlantic deep-sea cores 216-14
Turkevich, A. L. See Patterson, J. H.
Turkowsky, C. See Angenheister, Gustav.
Turnbull, W. D., Lundelius, E. L., Jr., and McDougall, Ian. A potassium-argon dated Pliocene marsupial fauna from Victoria, Australia 224-26
Turner, F. J. See Ferreira, M. P.
Turnovsky, S. See Vere-Jones, D.
Tuscano, J. J. See Mitchell, G. W.
Tuttle, S. D. See Zeigler, J. M.
Tuve, M. A. Solid-earth geophysics 222-114
Tuve, M. A., Sacks, I. S., Aldrich, L. T., Steinhart, J. S., Sumner, R., and South American colleagues. Earthquake seismology 224-89
Tuyezov, I. K. Attempt to use industrial explosions for studying crustal structure in the transition zone from the Siberian platform to the Taymyr depression 227-227
See also Umperovich, N. V.
Tuzova, T. V., Musin, Ya. A., and Chalov, P. I. An ionization alpha spectrometer based on seriate electronic blocks 223-307
Tvorogova, I. A. See Glazunova, A. V.
Tyapkin, K. F. On the problem of determining the depths of burial of ferruginous rocks of the Krivoy Rog by magnetic surveying 226-261
Tychkova, T. V. See Anashin, Yu. F., and Bachin, A. P.
Tyurmina, L. O. See Adam, N. V.

U

Uchitel', Yu. Ya. See Tokmakov, V. A.
Uchman, J. See Wojtczak-Gadomska, B.
Uchupi, Elazar. Sediments and topography of Kane Basin 226-329
Udias, Agustin. A least squares method for earthquake mechanism determination using S-wave data 220-66
— A study of the aftershocks and focal mechanism of the Salinas-Watsonville earthquakes of August 31 and September 14, 1963 222-48
Udias, Agustin, and Stauder, William. Application of numerical method for S-wave focal mechanism determinations to earthquakes of Kamchatka-Kurile Islands region 220-67
Udintsev, G. B. Tectonics of sea and ocean bottoms on the tectonic map of Eurasia 224-348
Udintsev, G. B., Aganova, G. V., Bersenev, A. F., Budanova, L. Ya., Zatonskiy, L. K., Zenkevich, N. L., Ivanov, A. G., Kanayev, V. F., Kucherov, I. P., Larina, N. I., Marova, N. A., Minevey, V. A., and Rautskiy, Ye. I. New charts of the relief of the Pacific Ocean bottom 220-349

Abstract

Udintsev, G. B., Boichenko, I. G., and Kanayev, V. F. Bottom relief of the Bering Sea ---------- 224-356

Udodova, O. V. See Mikov, D. S.

Ueda, Seiya. Terrestrial heat flow in Japan ---------- 218-160

Ueda, Yoshio. See Kawano, Yoshinori.

Ueno, Hirosachi. See Mori, Satoru.

Ueno, Hirotomo. Studies on the magnetic properties of the Shinyama ore body of Kamaishi iron and copper ore deposits, Iwate Prefecture, Pts. 1 and 2 ---------- 218-251

Ugarov, V. A., and Kazitsyn, Yu. V. Cross-country vehicle gamma-surveying in regions of difficult access ---------- 216-300

Uhlmann, Manfred. On the problem of the internal stresses in solid bodies ---------- 225-332

Uhmann, Jan. Specific gravity, mineralogic density, porosity, and magnetic susceptibility of the rocks ---------- 219-292

Uklonskiy, A. S. On the problem of the formation of the Earth from mineralogical points of view---------- 219-55

Ulinich, F. R. See Trubitsyn, V. P.

Ulitin, R. V. See Astrakhantsev, G. V.

Ul'st, V. G., Berzin', L. E., and Abramov, Ye. P. Geologic structure of the bottom of the southern part of the Gulf of Riga according to geoacoustic sounding data ---------- 216-331

Umantsev, D. F. See Bugaylo, V. A., and Rostovtsev, N. N.

Umarov, S. U., Abdullayev, D., and Turabayev, F. Determination of the iron content of iron ore by means of β-ray scattering----- 218-275

Umnov, V. F. See Alferov, V. V.

Umperovich, N. V., Tuyezov, I. K., and Pashutina, S. R. New data on multiply reflected waves in the West Siberian Lowland --- 221-325

UNESCO Intergovernmental Oceanographic Commission. Draft of a general scientific framework for world Ocean study---------- 227-347

U.S. Coast and Geodetic Survey. Magnetograms and hourly values, Guam, Mariana Islands, 1961 ---------- 227-253

United States Geological Survey. See American Geophysical Union.

Untiedt, Jürgen. On the linear relationship between the components of geomagnetic variations and its significance for geomagnetic deep sounding ---------- 219-57

Uotila, U. A. K. Adjustment of world-wide gravity base station network ---------- 224-206

— Gravity anomalies for mathematical model of the Earth -------- 224-207

Upton, B. G. J. See McDougall, Ian.

Urey, H. C. Meteorites and the Moon ---------- 221-29

Urupov, A. K. On the estimation of the accuracy of determining effective velocities from the traveltime curves of reflected waves-- 225-319

Urusova, N. B. See Khalturin, V. I.

Usami, Tatsuo, and Sato, Yasuo. Propagation of spheroidal disturbances on a homogeneous elastic sphere ---------- 217-159

See also Hotta, Hiroshi, and Sato, Yasuo.

Ushakov, S. A. Crustal thickness in Enderby Land according to gravimetric data ---------- 226-215

Ushakov, S. A., and Frolov, A. I. The isostasy of Antarctica ----- 223-157

See also Gaynanov, A. G., Gladun, V. A., and Voronov, P. S.

Uspenskiy, M. S. Vertical displacements of the Earth's surface under the influence of some processes of nontectonic character-- 219-191

Ustinov, V. I., and Artemov, Yu. M. Determination of the isotopic composition of magnesium by the mass-spectrometric method --- 226-242

See also Vinogradov, A. P.

Utashiro, Sinkichi, Sugiura, K., and Harada, Y. Results of magnetic observation 1959-1960 ---------- 221-228

See also Uyeda, Seiya.

Utkin, V. I. Determination of the ash content of coals by the method of selective logging---------- 223-309

Utsu, Tokuji. On the statistical formula showing the magnitude-frequency relation of earthquakes—A preliminary report ---------- 224-79

Abstract

Utsumi, Takeshi. See Kato, Yoshio.

Uyeda, Seiya; Sato, Takahiro; Yasui, Masashi; Yabu, Takeo; Watanabe, Teruhiko; Kawada, Kaoru; and Hagiwara, Yukio. Report on geomagnetic survey in the northwestern Pacific during JEDS-VI, JEDS-VII, and JEDS-III cruises 221-271

Uyeda, Seiya; Tomoda, Yoshibumi; Yabu, Takeo; and Utashiro, Shinkichi. Improvement of sea-going proton magnetometer 217-313

Uzhba, T. G. See Yaremenko, L. N.

V

Vaišnys, R. J. See Gordon, R. B.

Vajk, Raoul. Gravity exploration 217-227

Vakhtin, B. S., Zhaboronkov, V. Ya., and Filippov, Ye. M. Attempt to use the SRP-2 radiometer to solve some practical problems of geology 222-311

Vakhromeyev, G. S. See Blyummer, G. N.

Válek, Rostislav. See Čuta, Jiří.

Valencio, D. A. A structural analysis of the Island of Cuba and of the submarine platform, as a base for geophysical studies conducted up to 1961 220-161

Valentine, W. G. See Donn, W. L.

Van Allen, J. A. See Frank, L. A.

Van Andel, T. H., and Veevers, J. J. Submarine morphology of the Sahul Shelf, Northwestern Australia 226-331

Van Campo, Madeleine. See Delibrias, Georgette.

Van der Hoeven, F. G. Interpretation of geoelectric resistivity curves 224-117

Van Dorn, W. G. The source motion of the tsunami of March 9, 1957 as deduced from wave measurements at Wake Island 217-100

Vaňek, Jiří, and Radu, Cornelius. Amplitude curves of seismic body waves at distances smaller than 12° 217-127

Van Hilten, D. Evaluation of some geotectonic hypotheses by paleomagnetism 222-275

Van Schmus, Randall. See Dodd, R. T., Jr.

Van Tassel, R. A., and Salisbury, J. W. The composition of the Martian surface 218-38

See also Rea, D. G.

Van Voorhis, G. D., and Davis, T. M. Magnetic anomalies north of Puerto Rico—Trend removal with orthogonal polynomials 218-268

Van'yan, L. L. On the electrical field of a grounded dipole in the wave zone 217-169

— Some problems of the theory of short-period pulsations 222-251

— The effect of a low conductivity of the basement on the build-up of a magnetic field 219-64

— The late stage of the transient of the electromagnetic field 218-84

— Transient of the electromagnetic field in a thin-layered medium 225-116

Van'yan, L. L., Davydov, V. M., and Terekhin, Ye. I. On some causes of distortion of transient-field sounding curves 225-115

Van'yan, L. L., Morozova, G. M., Belonosova, A. V., and Zhigul'skaya, T. A. On the solution of the direct problem of electrical surveying on electronic computers 217-166

Van Reenan, E. D. Subsurface exploration by sonar seismic systems 219-340

Varadarajan, S. Velocity measurements on the Vindhyan and the Aravalli rock outcrops in Uttar Pradesh 218-322

Vargo, J. L. See Henderson, J. R., and Meuschke, J. L.

Varshavskaya, E. S. See Yashchenko, M. L.

Vartanov, S. P., Gagel'gants, A. A., Krolenko, I. I., Levchanko, V. A., Malovitskiy, Ya. P., Milashin, A. P., Rapoport, S. Ya., Fedynskiy, V. V., Shapirovskiy, N. I., and Shekinskiy, E. M. Geologic results of marine geophysical investigations in the U.S.S.R. 227-137

Abstract

Varushchenko, S. I. See Burshtar, M. S.
Vashchilov, Yu. N. Calculation of the effect of local relief in gravity observations in underground mine workings and boreholes --- 216-181
Vasilenko, V. N. See Boltneva, L. I.
Vasil'yev, P. I. Airborne electrical surveying by the induction method with the AERI-2 station --- 223-113
Vasil'yev, P. I., and Molotkova, M. N. On interference created by displacement of the gondola in airborne electrical surveying by the induction method --- 223-111
Vasil'yev, V. G. Optimal filtering of a random set of layers unlimited along the strike and vertically --- 226-264
Vasil'yev, V. G., ed. Petroleum geology; handbook—V. 3, Seeking and exploring petroleum deposits --- 222-121
See also Amurskiy, G. I.
Vasil'yev, Yu. A., Raykher, L. D., and Sagalova, Ye. I. Structure of the wave field of a rectilinear homogeneous discrete group of shot points --- 224-333
Vasil'yev, Yu. I. See Ivanova, T. G.
Vassy, Étienne. See Bertin, Francois.
Vaucoulers, G. de. Geometric and photometric parameters of the terrestrial planets --- 218-36
— The physical ephemeris of Mars --- 218-39
Vavilin, L. N., and Zelenetskiy, D. S. Test of the use of a selective frequency channel in an airborne magnetometer --- 222-296
Vaynshteyn, B. G. The Kursk Magnetic Anomaly—Largest-scale basis of iron ore in the U.S.S.R. --- 221-269
Vdovykin, G. P. Some results of the study of the mineral composition of 12 carbon-bearing meteorites --- 217-39
Vdovykin, G. P., Kropotova, O. I., and Zhurov, Yu. A. On the isotopic composition of the carbon of natural combustible gases --- 218-181
See also Vinogradov, A. P.
Vedernikov, G. V., and Titkov, A. N. Use of groups with triangular functions of distribution of sensitivity of the instruments --- 218-320
Vedrintsev, G. A., and Korolenko, N. G. Theoretical curves of dipole-axial sounding in the case of sections with dipping and horizontal-vertical contacts --- 226-139
Veevers, J. J. See Van Andel, T. H.
Veis, George. On the optimum use of satellites for geodesy --- 220-181
— The deflection of the vertical of the major geodetic datums and the semimajor axis of the Earth's ellipsoid as obtained from satellite observations --- 223-144
Veith, K. F. See Marovelli, R. L.
Veksler, V. I. Present state of the induction method of investigating the vicinity of boreholes --- 224-158
Velde, B. Low-grade metamorphism of micas in pelitic rocks --- 223-207
Vendel'shteyn, B. Yu., and Larionov, V. V. Use of geophysical logging data in the calculation of oil and gas reserves (procedural handbook) --- 222-122
Venedikov, A. A possible application of the method of least squares to earth tide analysis --- 217-133
Vening Meinesz, F. A. A cause of changes of the secular geomagnetic field --- 218-194
— Has polar wandering influenced the pattern of mantle convection- 220-195
— Origin of the crustal structure of the mid-ocean ridges --- 226-229
— The Anchorage earthquake --- 218-47
Venkatasubramanian, V. S. Studies on radon leakage in minerals -- 217-315
Venkateswarlu, V. See Banerjee, S. L.
Verbeek, A. A. See Schreiner, G. D. L.
Verbitskiy, T. Z. See Petkevich, G. I.
Vere-Jones, D., Turnovsky, S., and Eiby, G. A. A statistical survey of earthquakes in the main seismic region of New Zealand-Pt. 1, Time trends in the pattern of recorded activity --- 220-96
Verma, R. K., and Rao, R. U. M. Terrestrial heat flow in Kolar gold field, India --- 222-176

Abstract

Verö, J. J. Seasonal distribution of geomagnetic pulsations ------ 223-256
  See also Ádám, Antal.

Verzhbitskiy, L. P. On the procedure and accuracy of determining longitudinal wave velocity in rocks by ultrasonic means --------- 216-113

Vesanen, E. E., Metzger, A., Nurmia, M., and Porkka, M. T. Explosion-seismic determination of Pg and Sg velocities in Finland -------- 218-71

Vesanen, E. E., Porkka, M. T., and Nurmia, M. On the seismicity of Finland -------- 218-48

Veselov, L. G. See Baronov, P. N.

Veshev, A. V., Lyubtseva, Ye. F., and Samosyuk, G. P. Determination of the effective parameters of a medium in the field of a finite grounded cable, Pt. 2 -------- 223-115

Veshev, A. V., Lyubtseva, Ye. F., and Yakovlev, A. V. Determination of the effective resistivity of a medium from the results of measurements of low-frequency electrical fields -------- 223-116
  See also Semenov, A. S.

Vetchinkin, V. E. See Frolovich, G. M.

Vetshteyn, V. Ye. See Ivantishin, M. N.

Veynberg, A. K. On the optimal dimensions and shape of the magnets of astatic systems -------- 221-233
— The magnetic field of a two-layered sphere and two-layered cylinder -------- 221-249

Vialette, Yves. Absolute ages of lepidolites of the Massif Central of France by the strontium method -------- 227-24
  See also Capdevila, Raymond, Orliac, J., and Roques, Maurice.

Vičánek, Jan. A new method of determining the clay content of sand using radioactivity logging -------- 220-312

Vicente, R. O. The values of the nutations and of the period of the variation of latitude -------- 225-153

Vicente, R. O., and Jeffreys, Harold. Nearly diurnal nutation of the Earth -------- 217-134

Victor, L. J. Correlated auroral and geomagnetic micropulsations in the period range 5 to 40 seconds-------- 226-246

Victoria, H. F. See Trapp, G.

Viebrock, H. J. See Flowers, E. C.

Vigrass, L. W. See Dickinson, W. R.

Vijdea, Vasile. See Ştefănescu, S. S.

Villar, L. M. See Cassidy, W. A.

Villers, Gérad, and Lombard, Paul. Crystalline and magnetic properties of complex garnets of yttrium and cerium earths -------- 218-242

Vincent, R. F. See Bernard, F. P.

Vincenz, S. A. Frequency dependence of magnetic susceptibility of rocks in weak alternating fields -------- 222-263

Vine, F. J. See Matthews, D. H.

Vinnik, L. P. Structure of 4- to 6-second microseisms -------- 227-315

Vinnik, L. P., and Pruchkina, N. M. Study of the structure of short-period microseisms -------- 219-314

Vinogradov, A. P. Geochemical aspects of the Earth's crust and upper mantle -------- 221-196

Vinogradov, A. P., Grinenko, V. A., and Ustinov, V. I. The isotopic composition of sulfur and carbon in the ore of the Shor-Su deposit (Uzbekistan) -------- 220-261

Vinogradov, A. P., Kropotova, O. I., and Ustinov, V. I. Possible sources of the carbon of natural diamonds according to C-12/C-13 data-------- 227-237

Vinogradov, A. P., and Tugarinov, A. I. Problems of the Precambrian geochronology of East Asia -------- 226-56

Vinogradov, A. P., and Vdovykin, G. P. High-molecular organic matter of carbonaceous chondrites -------- 218-26

Vinogradov, A. P., Vdovykin, G. P., and Popov, N. M. Investigation of the carbonaceous matter of meteorites by the method of ultra-fast electron microdiffraction -------- 224-43

Abstract

Vinogradov, A. P. See Afanas'yev, G. D.
Vinogradov, P. A. Attempt to use low-frequency inductive methods in prospecting for pyrite ores in the Northern Caucasus --------- 224-132
— Solar-diurnal variations of the Earth's electric field --------- 219-63
— Some regularities of frequency of occurrence of Pc pulsations (according to observations in Irkutsk during the period 1944-59)-- 222-252
Vinokur, B. Sh. See Lin'kov, Ye. M.
Visarion, Marius. Geophysical contributions to the geologic structure of the Peri Carpathian depressions in middle Moldova ------ 219-228
See also Airinei, Ştefan., and Socolescu, M. M.
Visser, D. J. L. Warm springs in the neighborhood of Venterstad, Kaap Province --------- 222-174
Viswanathan, K. S., and Rajappa, N. A note on the surface gravity of the Earth --------- 219-160
Vitousek, M. J. Proposed mid-ocean tsunami gage and oceanography instrument system --------- 217-108
Vittozzi, Pio, and Gasparini, Paolo. Further determinations of the radioactive isotope concentrations in the lava of Vesuvius ------- 225-13
— Gamma ray spectra of some lavas from Vesuvius ------------ 226-278
Vlaar, N. J. The seismic pulse in a semi-infinite medium -------- 218-69
— The transient electromagnetic field from an antenna near the plane boundary of two dielectric halfspaces—Pt. 1, Field representation --------- 218-78
— The transient electromagnetic field from an antenna near the plane boundary of two dielectric halfspaces—Pt. 2, A closer investigation of the field --------- 218-79
Vladimirov, N. P., and Krylov, S. M. Characteristics of microvariations of the natural electromagnetic field--------- 224-63
Vlasov, A. Ya., and Bogdanov, A. A. Domain structure in a single crystal of magnetite --------- 218-244
Vlasov, A. Ya., Zvegintsev, A. G., and Pavlov, V. F. Self-reversal of the magnetization of synthetic sediments --------- 218-253
See also Aparin, V. P., and Bogdanov, A. A.
Vlasova, S. P., and Taranukha, Yu. K. Temperature conditions of the Mesozoic formations of the North Caucasus and Ciscaucasia-- 218-159
Vlasov, B. P. See Laverov, N. P.
Vlodavetz, V. I. Catalogue of the active volcanoes of the world including solfatara fields—Caucasus --------- 225-359
Vogel, Andreas. On the calculation of the direction of magnetization from the magnetic and gravity field of a disturbing body --------- 223-283
Vogel, J. C., and Ehhalt, D. The use of the carbon isotopes in groundwater studies --------- 216-219
Vogel, J. C., Ehhalt, D., and Roether, W. A survey of the natural isotopes of water in South Africa--------- 216-221
Vogt, J. R., and Ehmann, W. D. Silicon abundances in stony meteorites by fast neutron activation analysis--------- 224-31
Vogt, W. See Aeckerlein, G.
Volarovich, M. P. Investigation of the elastic properties of rocks at high hydrostatic pressures--------- 216-108
Volarovich, M. P., Bayuk, Ye. I., and Galdin, N. Ye. Investigation of the effect of high pressure on the elastic properties of rocks collected along deep seismic sounding profiles in northern Karelia- 225-102
Volarovich, M. P., Bayuk, Ye. I., Salekhli, T. M., and Pavlogradskiy, V. A. Velocity of longitudinal waves in sedimentary rock samples saturated with kerosene and water, at high pressures --- 223-102
Volarovich, M. P., Bondarenko, A. T., and Gusev, K. F. X-ray investigation of rock samples subjected to the action of high pressures and high temperatures --------- 216-348
Volarovich, M. P., Bondarenko, A. T., and Parkhomenko, E. I. Effect of pressure on the electrical properties of rocks --------- 216-134
Volarovich, M. P., and Fang, Wei-Ch'ing. Investigation of the elastic properties of rocks by static and dynamic methods at high hydrostatic pressures --------- 216-109

Abstract

Volarovich, M. P., Galdin, N. Ye., and Gusev, K. F. Study of the deformation of quartz in tectonites by the method of X-ray analysis ---- 216-349

Volarovich, M. P., and Sobolev, G. A. Use of the piezoelectric effect of rocks for underground surveying of piezoelectric bodies -- 225-111

Volarovich, M. P., and Tomashevskaya, I. S. A new procedure for determining the shear strength of rocks ---- 216-347

Volcanological Research Committee. United Kingdom volcanological research 1965 ---- 227-360

Volcanological Society of Japan. Bulletin of volcanic eruptions, no. 3- 218-344

Volchek, V. S. Approximate determination of the linear dimensions of plane conducting bodies by the method of mean gradient ---- 221-99

Volk, V. E. Attempt to use aeromagnetic survey data to study the Earth's crust within the Arctic Basin ---- 221-268

Volin, A. P. On a qualitative method of interpreting refracted waves in seismic ore surveying ---- 217-333

Volin, A. P., and Lapidus, V. Ya. Some features of the propagation of elastic waves in crystalline rocks ---- 217-155

Volk, V. E., Kryukov, S. M., and Levin, D. V. Main features of the deep structure of the western part of the Taymyr depression according to aeromagnetic data ---- 224-314

See also Levin, D. V.

Volkhonin, V. S., Lishnevskiy, E. N., and Stepanov, P. P. Deep structure of the Zeya-Bureya depression according to geologic-geophysical data ---- 216-138

Volkov, N. G., and Sokolovskiy, I. L. The use of morphometric methods for studying recent movements of the Earth's crust ---- 219-173

Volkova, L. F. See Poplavskaya, L. N.

Volobuyev, M. I., Zykov, S. I., Stupnikova, N. I., Strizhev, V. P., and Musatov, D. I. Geochronology of the Yenisei Range ---- 226-52

Volodarskiy, R. F. Density of the rocks of the Paleozoic basement of Ciscausasia ---- 225-204

— Density characteristics of the sedimentary formations of Cis-Caucasia ---- 216-179

Volontey, G. M. See Kosygin, Yu. A.

Volovikova, I. M. See Laverov, N. P.

Vol'vovskiy, B. S., Vol'vovskiy, I. S., Tal'-Virskiy, B. B., and Shraybman, V. I. Structure of the crust and upper mantle in the main geostructural zones of the western part of central Asia ---- 227-134

Vol'vovskiy, I. S. See Alekseyev, A. S., Amurskiy, G. I., and Vol'vovskiy, B. S.

von Backström, J. W. The geology along the lower reaches of the Molopo River and a note on the Riemvasmaak thermal spring, Gordonia district, Cape Province ---- 222-171

— Thermal springs on Driefontein 317 KR, north of Naboomspruit, Potgietersrus district, Transvaal ---- 222-173

Von Herzen, R. P. Ocean-floor heat-flow measurements west of the United States and Baja California ---- 220-238

See also Rhea, K.

Von Koenigswald, G. H. R. The problem of tektites ---- 224-50

Vonnegut, Bernard. See Anderson, Robert, and Thorarinsson, Sigurdur.

Vorhis, R. C. Earthquake magnitudes from hydroseismic data ---- 221-60

Vorob'yev, G. G., ed. New finds and new tektite deposits in southern Bohemia ---- 217-56

Voronca, A. Progress in exploration of deposits of coal in the Peoples Republic of Rumania by geophysical logging ---- 219-147

Voronin, Yu. A., and Zhadin, V. V. On frequency distortions of the seismic signal in recording by a three-component borehole geophone ---- 220-333

Voronov, P. S. On the problem of the structure of the Arctic basin and global fault zones of the Earth ---- 224-190

Voronov, P. S., and Karasik, A. M. Geologic and geophysical characteristics of the Greerson Oasis on the Budd Coast in East Antarctica, in brief ---- 219-311

Abstract

Voronov, P. S., and Klushin, I. G. On the problem of the aseismicity of the Antarctic and Greenland 221-59

Voronov, P. S., and Krylov, A. Ya. The age of the oldest rocks of Antarctica 225-17

Voronov, P. S., and Ushakov, S. A. Some problems in studying isostatic processes in Antarctica 225-170

Voronova, L. G. See Surnina, L. V.

Voronovskiy, S. N. On the problem of the nature of argon and helium in beryls 221-4

See also Brandt, S. B.

Voskoboynik, N. I., Karayev, N. A., and Lozovskaya, T. A. Some improvements in the reproducing device of the SSM-57 seismic station 221-322

Voskoboynikov, G. M. Integral transformation and distribution of the features of a logarithmic potential 225-200

Voskresenskaya, M. N., Iskanderova, A. D., and Kudryavtsev, B. Ye. Absolute age of the albite-apatite-chlorite-carbonate mineralization of the southern part of the Aldan shield 221-23

Voskresenskiy, Yu. N. See Ryabinkin, L. A.

Voyt, S. S. Propagation of transient long waves in a rotating basin of variable depth 225-81

Voyutskiy, V. S. A method of detecting and identifying distant explosions 218-75

— Correlation-analysis in seismic surveying 222-334

— Correlational reception of seismic signals 226-306

Voyutskiy, V. S., and Grozdenskiy, V. A. On the problem of the resistance to noise of asynchronous accumulation 224-334

Vozoff, Keeva, Ellis, R. M., and Burke, M. D. Telluric currents and their use in petroleum exploration 220-220

See also Rankin, D.

Vronskiy, B. I., and Florenskiy, K. P. Cosmic dust on the Earth 224-47

Vsekhsvyatskiy, S. K. Structure of the Sun's corona and corpuscular streams 220-280

Vuagnat, Marc. See Bertrand, Jean, and Chessex, Ronald.

Vvedenskaya, A. V. Investigation of the dependence of the displacements in body waves on the extension and rate of propagation of the dislocation 225-97

Vvedenskaya, N. A., Dzhanuzakov, K. D., Iodko, V. K., Kondorskaya, N. V., Landyreva, N. S., Misharina, L. A., Mnatsakanyan, D. M., Ragimov, Sh. S., Semenov, P. G., and Tabulevich, V. N. Bulletin of strong earthquakes in the U.S.S.R. during 1961 221-53

Vyskočil, Vincenc. See Pick, Miloš.

W

Wacholz, Helmut, and Müller, Gerhard. On a relationship of tensile strength and acoustic velocity in frozen layers of earth in connection with freezing-shaft construction 216-341

Wacholz, Helmut, and Weissensteiner, Karl. On the dimensioning and the behavior of automatic gain control circuits in seismic amplifiers 217-344

Wada, Tatsuhiko; Furuzawa, Tamotsu; and Ono, Hiroyasu. Source mechanism of the Chilean earthquake from spectra of long-period surface waves 219-71

Wada, Tatsuhiko; Kamo, Kosuke; and Hoka, Teruaki. Studies of earthquakes in volcanic districts—Pt. 1, A simple model of the upper crust and the distribution of volcanic-earthquakes at Volcano Aso 218-358

Wadati, Kiyoo, Hirono, Tokuzo, and Hisamoto, S. On the tsunami warnings service in Japan 217-110

Wadatsumi, Kiyoshi. See Matsumoto, Takashi.

Wadsworth, W. J. See McDougall, Ian.

Wager, L. R. The history of attempts to establish a quantitative time-scale 227-1

Abstract

Wager, L. R., and Hamilton, E. I. Some radiometric rock ages and the problem of the southward continuation of the East Greenland Caledonian orogeny ---------- 219-6
Wagner, C. A. A determination of earth equatorial ellipticity from seven months of Syncom 2 longitude drift ---------- 222-123
Wahl, J. S., Tittman, J., Johnstone, C. W., and Alger, R. P. The dual spacing density log ---------- 221-284
See also Tittman, J.
Wahl, Walter. The pallasite problem ---------- 221-31
Wainerdi, R. E. Activation analysis as applied to the petroleum exploration industry ---------- 226-283
Wait, J. R. Cavity resonances for a spherical Earth with a concentric anisotropic shell ---------- 224-265
Waldron, H. H. See Crandell, D. R., and Mullineaux, D. R.
Walker, G. See Derham, C. J.
Walker, G. P. L. Geological investigations in eastern Iceland ---------- 226-192
See also Moorbath, Stephen.
Walker, G. W. Age of uranium-bearing veins in the conterminous United States ---------- 220-2
Walker, J. K. Space-time associations of the aurora and magnetic disturbance ---------- 218-212
Walker, R. M. See Fleischer, R. L., and Maurette, M.
Walker, Terry. The interpretation of the fracture finder microseismogram log ---------- 226-318
Wallace, W. E. Abnormal subsurface pressures measured from conductivity or resistivity logs ---------- 226-167
Wallner, Ákos. See Ádám, Antal.
Walsh, J. B. The effect of cracks on the compressibility of rocks ---------- 219-350
— The effect of cracks on the uniaxial elastic compression of rocks ---------- 219-352
Walter, L. S. Coesite discovered in tektites ---------- 221-35
— Experimental studies on Bowen's decarbonation series III-P-T univariant equilibrium of the reaction spurrite+monticellite = merwinite+calcite and analysis of assemblages found at Crestmore, California ---------- 225-220
Walters, G. K. See Michel, F. C.
Walthall, F. G. See Kinkel, A. R., Jr., and Marvin, R. F.
Walton, D. J. See Bridgwater, D.
Wane, M. T., Boshkov, S., and Agarwal, R. G. Orthotropic relations for rock mechanics ---------- 223-335
Wanless, R. K., Stevens, R. D., Lachance, G. R., and Rimsaite, R. Y. H. Age determinations and geological studies—Pt. 1, Isotopic Ages, Rept. 5 ---------- 224-15
See also Poole, W. H.
Wantland, Dart. Geophysical measurements of rock properties *in situ* ---------- 225-105
Warburton, Fred, and Caminiti, Richard. The induced magnetic field of sea waves ---------- 216-250
Warburton, J. A., Fookes, R. A., and Watt, J. S. Airborne observations of natural readioactivity in the atmosphere ---------- 226-280
Ward, H. S. Computer simulation of multi-storey structures subjected to ground motion ---------- 225-79
See also Crawford, R.
Ward, John. See Garland, G. D.
Ward, M. A. See Irving, Edward.
Ward, S. H. See Fraser, D. C.
Ward, W. H. A glacier wheel for measuring slip at the bed of a glacier ---------- 225-175
Warneck, Peter. See Marmo, F. F.
Warner, Brian. Comments on Karl Engel's paper "Diameter-depth relations and origins of lunar craters" ---------- 225-35
— The amount of permanent shadow on the lunar surface ---------- 217-65
Waskom, J. D. See MacCarthy, G. R.
Wasserburg, G. J. Comments on the outgassing of the Earth ---------- 227-232

Abstract

Wasserburg, G. J., Albee, A. L., and Lanphere, M. A. Migration of radiogenic strontium during metamorphism --- 216-1
Wasserburg, G. J., and Lanphere, M. A. Age determinations in the Precambrian of Arizona and Nevada --- 227-13
See also Lanphere, M. A., and Mazor, E.
Watanabe, Hideo. Studies on the tsunamis of the Sanriku coast of north-eastern Honshu, Japan --- 217-104
Watanabe, Takeo, and Karsulović, Kokot. Seismic movements of the month of May 1960 in Chile --- 225-69
Watanabe, Teruhiko. See Uyeda, Seiya.
Watanabe, Tomiya. A "self-consistent solution" method for determining the electrical conductivity in the subsurface regions of the Earth --- 226-100
See also Jacobs, J. A.
Watkins, J. S., and Geddes, W. H. Magnetic anomaly and possible orogenic significance of geologic structure of the Atlantic Shelf --- 222-277
Watkins, N. D. A palaeomagnetic observation of Miocene geomagnetic secular variation in Oregon --- 225-270
— Frequency of extrusions of some Miocene lavas in Oregon during an apparent transition of the polarity of the geomagnetic field --- 224-298
— Influence of the geomagnetic field on meteor trains --- 225-265
— Paleomagnetism of the Columbia plateaus --- 222-269
Watkins, N. D., and Haggerty, S. E. Some magnetic properties and the possible petrogenetic significance of oxidized zones in an Icelandic olivine basalt --- 224-289
Watson, Kenneth. Lunar infrared emission study --- 217-61
Watson, Maureen. See Green, J. H.
Watson, R. J. Decomposition and suppression of multiple reflections --- 221-294
Watt, J. S. See Warburton, J. A.
Wawrzik, Martin. Results of geomagnetic measurements for investigating iron ores in the eastern part of the Elbingeröde complex --- 222-290
Weatherford, R. L. See Larson, T. E.
Weaver, J. D. See Diment, W. H.
Weaver, J. T. Magnetic variations associated with ocean waves and swell --- 222-216
See also Maclure, K. C.
Webb, A. W., and McDougall, Ian. Granites of Lower Cretaceous age near Eungella, Queensland --- 222-14
See also Cooper, J. A., and Richards, J. R.
Webb, J. See Cantwell, T.
Webb, W. W. See Hayes, C. E.
Weber, J. N. On the problem of the O-18/O-16 ratio of ancient oceans --- 227-239
See also Keith, M. L.
Weber, Max. A direct procedure for interpretation of geoelectrical measurements by the Schlumberger method --- 227-112
— Bases for the numerical treatment of the general two-layer problem in geoelectricity --- 216-119
Webster, D. L. The mathematics of tsunamis at small islands --- 217-120
Wechsler, A. E. See Glaser, P. E.
Weeks, C. F. See Krueger, H. W.
Weeks, W. F. See Assur, Andrew.
Weertman, Johannes. Discussion on Kamb and LaChapelle's paper "Direct observation of the mechanism of glacier sliding over bedrock" --- 218-123
— Glacier sliding --- 221-154
— Profile and heat balance at the bottom surface of an ice sheet fringed by mountain ranges --- 217-224, 225-177
— The theory of glacier sliding --- 218-125
Weill, Gilbert. See Lebeau, André.

Abstract

Wein, G. The vergency-directing rôle of the fore-deeps in the mountains of Hungary --- 223-155

Weinberger, F. See Kapounek, J.

Weintritt, D. Geomagnetic regional survey in the Zerbst-Rosslau area to investigate the underlying Paleozoic, particularly the Devonian formations --- 221-257

Weisbrich, R. A. Project SHOAL Volunteer Team Program --- 223-90

Weischet, Wolfgang. Contributions to the study of the geographic changes in the northern part of southern Chile from effect of the earthquake of May 22, 1960 --- 225-70

Weissensteiner, Karl. See Wacholz, Helmut.

Wellington Seismological Observatory. New Zealand Seismological Report 1958 --- 222-54

— New Zealand Seismological Report 1959 --- 222-55

— New Zealand Seismological Report 1960 --- 222-56

Wellman, H. W., and Wilson, A. T. Notes on the geology and archaeology of the Martins Bay district --- 220-202

Wendt, Immo. See Schneekloth, Heinrich.

Wensink, H. Paleomagnetic stratigraphy of younger basalts and intercalated Plio-Pleistocene tillites in Iceland --- 225-271

— Secular variation of Earth magnetism in Plio-Pleistocene basalts of Eastern Iceland --- 217-307

Wentworth, R. C. Diamagnetic ring current theory of the neutral sheet and its effects on the topology of the antisolar magnetosphere --- 225-245

Werre, R. W. See Diment, W. H.

Wescott, E. M., and Mather, K. B. Magnetic conjuacy from L=6 to L=1.4—Pt. 1, Auroral zone—conjugate area, seasonal variations, and magnetic coherence --- 218-205

— Magnetic conjuacy from L=6 to 1.4—Pt. 2, Midlatitude conjuacy- 218-206

— Magnetic conjuacy from L≐6 to L=1.4—Pt. 3, Low latitude conjuacy --- 218-207

See also Swift, D. W.

West, G. F. See Grant, F. S.

West, R. G. See Jefferson, C. F.

Westcott, P. See Stacey, F. D.

Western Australian Petroleum PTY Limited. Barlee gravity survey, Western Australia, 1959 --- 218-151

Westphal, J. A. In situ acoustic attenuation measurements in glacial ice --- 222-78

Wetherill, G. W. Isotopic composition and concentration of molydbenum in iron meteorites --- 216-40

Whitaker, E. A., and Hartmann, W. K. Lunik III photographs reinterpreted --- 216-52

White, B. L., Jr. See Philbin, P. W.

White, D. E. Deep geothermal brine near Salton Sea, California --- 226-347

— Summary of studies of thermal waters and volcanic emanations of the Pacific region, 1920-1961 --- 217-359

White, J. E. Seismic waves—Radiation, transmission, and attenuation --- 222-57

White, M. L. Hydromagnetic equilibrium and toroidal (ring) current systems --- 223-250

White, W. R. H., and Savage, J. C. A seismic refraction and gravity study of the Earth's crust in British Columbia --- 224-232

Whitham, K. See Law, L. K., and Rikitake, Tsuneji.

Whitney, J. A. See Bucker, H. P.

Whitten, G. F. Geophysics (Exploration) Section --- 225-145

Whittles, A. B. L., and Slawson, W. F. A modified technique for trace lead gas source mass spectrometry --- 224-2

Wickman, F. E. The Muonionalusta iron meteorites --- 216-32

See also Svensson, N. B.

Wiegel, R. L. Research related to tsunamis performed at the hydraulic laboratory, University of California, Berkeley --- 217-115

Abstract

Wiese, Horst. Geomagnetic deep tellurics—Pt. 4, Recording the geomagnetic variations with field recording stations ---- 219-59
— Underground structures of electrical conductivity inferred from geoelectrical and geomagnetic variations ---- 220-49
See also Ádám, Antal, and Ritter, E.
Wiggins, J. H., Jr. Construction of strong motion response spectra from magnitude and distance data ---- 217-89
Wiggins, R. A., and Robinson, E. A. Recursive solution to the multichannel filtering problem ---- 222-318
Wiik, H. B. See Keil, Klaus.
Wildeman, T. R., and Haskin, Larry. Rare-earth elements in ocean sediments ---- 224-346
Wildey, R. L., and Pohn, H. A. Detailed photoelectric photometry of the Moon ---- 219-51
Wilgain, S. See Picciotto, E. E.
Wilhelm, Fritz. Observations on velocity changes and motion types in Arctic glacier mass transport ---- 225-179
Wilhelms, D. E. A photometric technique for measurement of lunar slopes ---- 217-59
Wilhusen, R. C. See Granberry, R. J.
Wilkinson, D. T. See Alley, C. O.
Williams, C. E. F., and Curtis, R. The eruption of Lopevi, New Hebrides, July 1960 ---- 226-354
Williams, D. J. See Ness, N. F.
Williams, Emyr. The deformation of competent granular layers in folding ---- 221-327
Williams, F. T. See Roberts, A.
Williams, Howel. Notes on the orogenic history and isotopic ages of Botwood map-area, northeastern Newfoundland ---- 221-12
Williams, J. M. See Ruhe, R. V.
Williams, J. S. The age of the Salt Lake Group in Cache Valley Utah-Idaho ---- 223-6
Willis, D. E. Short period spectral measurements of seismic waves in the northeastern U.S.A. ---- 216-77
— Variations in compressional waves at teleseismic distances ---- 222-79
See also Jebe, E. H.
Willis, E. H. See Godwin, Harry.
Willis, J. P. See Erlank, A. J.
Wilson, A. T. See Wellman, H. W.
Wilson, C. R. See Bowling, S. A.
Wilson, J. T. A new class of faults and their bearing on continental drift ---- 227-161
— The movement of continents ---- 221-145
Wilson, J. T., and Clarke, D. B. Geological expedition to Capes Dyer and Searle, Baffin Island, Canada ---- 221-144
Wilson, R. L. Palaeomagnetism ---- 225-269
See also Ade-Hall, J. M.
Wimmenauer, W. See Lippolt, H. J.
Winch, D. E., and Slaucitajs, Leonidas. Quiet day solar magnetic variations at Toolangi, Victoria ---- 218-236
Windom, H. L. See Osmond, J. K.
Winkelman, J. R. See Slutz, R. J.
Wirth, Hans, and Byl, Jörg. Observations of the free oscillations of the Earth ---- 223-78
Wirtz, P. See Hoyte, A.
Wise, D. U., and Bird, J. M. International Field Institute—Italy, 1964 ---- 219-163
Wisecarver, D. W., Merrill, R. H., Rausch, D. O., and Hubbard, S. J. Investigation of in situ rock stresses, Ruth mining district, Nevada, with emphasis on slope design problems in open pit mines- 217-352
Wittenberg, J. See McCallum, K. J.
Wohlenberg, J., Janssen, T., and Berg, Eduard. Bulletin of the seismographic stations—Lwiro-Uvira-Astrida-Rumangabo, January 1 to June 30, 1960 ---- 223-60

Abstract

Wojtczak-Gadomska, B., Guterch, A., and Uchman, J. Preliminary results of deep seismic soundings in Poland 227-226

Wold, R. J. The ELSEC Wisconsin digital recording proton precession magnetometer system 217-296

Wolf, B. See Deresiewicz, H.

Wolf, Helmut. Proposal for the adjustment of a uniform European Fundamental Gravity Net 216-205

See also Morelli, C.

Wollin, Goesta. See Ericson, D. B.

Wood, J. A. The colling rates and parent planets of several iron meteorites 220-20

Wood, Lowell, and Libby, W. F. Geophysical implications of radiocarbon date discrepancies 218-180

Woodward, H. P. See Drake, C. L.

Woolfson, M. M. A capture theory of the origin of the solar system 220-40

Woollard, G. P. Gravity 224-197

— Gravity anomalies and the study of the crust and upper mantle 221-156

— Gravity control network in the western United States 222-149

— The Bouguer gravity anomaly map of the United States 222-148

Woollard, G. P., Strange, W. S., and Laudon, T. S. Gravity progress of Hawaii Institute of Geophysics in Pacific area 222-159

Worthing, R. W. Structural evidence of regional block movement of the craton in the Eastern Interior of the North American continent 224-183

Wright, Charles. Micropulsations at near conjugate stations in the auroral zones and their association with other ionospheric phenomena 227-258

Wright, F. W., and Hodge, P. W. Studies of particles for extraterrestrial origin [Pt.] 4, Microscopic spherules from recent volcanic eruptions 227-47

Wright, Harvel. See Neufeld, Jacob.

Wright, J. C. See Marvin, R. F.

Wu, F. T., and Ben-Menahem, Ari. Surface wave radiation pattern and source mechanism of the September 1, 1962, Iran earthquake 227-67

Wu, T. H., and Christensen, R. W. Measurement of surface strainrate on Taku Glacier, Alaska 218-121

Wunderlich, H. G. Drifting continents or permance of the oceans? 217-215

— Epeirogenic and orgenic downwarped troughs, stationary tectonics, and dynamic fronts of movement, a comparison between the Saxonikum and the Alps 216-156

— Mountain building in the Alps—Northern Apennine—Orogeny 222-128

— The origin of mountain arcs and island arcs by turbulence phenomena in the boundary region of subcrustal convection currents 216-151

Wurm, A. The gravity picture and its geologic interpretation in the region of the Münchberg gneiss mass 224-205

Wyllie, P. J. Melting relationships in the system CaO-MgO-CO_2-H_2O, with petrological applications 224-228

Wylie, R. W. See Hofman, R. B.

Wyllie, M. R. J. See Gardner, G. H. F.

Wynne-Edwards, H. R. Flow folding—Reply 223-334

Wyttenbach, A., Gunten, H. R. von, and Scherle, W. Determination of the bromine content and isotopic composition of bromine in stony meteorites by neutron activation 224-33

See also Gunten, H. R. von.

Y

Yablokov, K. V., and Ivanov, I. B. On the absolute age of some Mesozoic granitic rocks on the northwest framework of the Kolyma central massif 218-14

Yabu, Takeo. See Uyeda, Seiya, and Yukutake, Takesi.

Yacob, A., and Prabhavalkar, A. S. Solar control of the amplitude and phase of the yearly mean Sq(H) at Alibag for the period 1905 to 1960 224-264

Abstract

Yagi, Kenzo. Experimental petrology in pyroclastic flows 218-161
See also Gorai, Masao.
Yagodovskiy, I. V. See Boltneva, L. I.
Yagovoy, P. N. See Alfimov, N. N.
Yakovlev, A. V. See Veshev, A. V.
Yakovlev, B. A. Experimental determination of the thermal properties of rocks by the two-alpha method 223-200
Yakovlev, I. A. Determination of the limits of the main interval of S in magnetotelluric profiling 216-62
Yakovleva, S. S. See Shukolyukov, Yu. A.
Yakovleva, T. V. See Smirnova, M. N.
Yakubovich, A. L. The "Aureole" alpha-beta scintillation analyzer 221-287
Yakubovskiy, Yu. V., Kamenetskiy, F. M., and Svetov, B. S. Present state and trend of development of low-frequency inductive methods of electrical surveying 224-119
Yakubovskiy, Yu. V., and Lyakhov, L. L. Electrical surveying 222-101
See also Kamenetskiy, F. M.
Yakubson, K. I., and Nedostup, G. A. Use of the spectrometry of gamma-ray capture and induced activity for investigating the material composition of rocks 219-333
See also Blinova, N. M., and Guberman, Sh. A.
Yamada, Motohiko. See Sato, Kiyoo.
Yamaguchi, Rinzo. A review of the study of long period surface waves—Before 1960 Chilean earthquake 220-93
Yamaguchi, Yushin. Geomagnetic effects associated with the high-altitude nuclear explosion—Supplementary note 217-292
Yamakawa, Norio. Q of surface waves 224-91
Yamamoto, Akira. See Koyanagi, R. Y.
Yanagihara, Kuzuo. Regular oscillations about 1 cps and Schumann resonances 222-231
Yáñez Correa, Amado. Geophysical study in the Sigsbee deep 220-319
Yanovskaya, T. B. Investigation of the solution of the dynamic theory of elasticity in the vicinity of a caustic 217-153
Yanovskaya, T. B., and Golikova, G. V. A method and program for computing the dynamics of P-waves in the Earth's mantle 218-64
Yanovskaya, T. B., Golikova, G. V., and Surkov, Yu. A. On the amplutide curves of P-waves 218-62
Yanovskiy, B. M. Morphology and theory of the magnetic field of the Earth and its variations 218-193
Yanovskiy, B. M., Bryunelli, B. Ye., Kovtun, A. A., Kuznetsov, N. S., Raspopov, O. M., and Chicherina, N. D. Magnetotelluric soundings in the central Russian depression 226-102
See also Bryunelli, B. Ye., and Raspopov, O. M.
Yanshin, A. L. See Garetskiy, R. G.
Yanson, Z. A. On the interference of Sh waves in a spherical elastic layer laying on an elastic sphere, Pt. 1 225-98
See also Buldyrev, V. S.
Yaremenko, L. N., and Uzhba, T. G. On the regularities of the generation of geomagnetic pulsations of pc type 220-275
Yaropolk, I. K. Modeling to investigate the propagation of elastic waves 217-157
Yarosh, A. Ya. Determination of the depth of disturbing masses from the results of magnetic and gravity observations 221-180
— Structure of the crystalline basement of the western fore-Ural area 227-140
Yarosh, A. Ya., and Polyakov, A. B. Prospecting for and surveying chalcopyrite deposits in the Urals by the gravity method 219-229
Yaroshchuk, E. A., Sharay, N. Ya., Kazantseva, A. I., Lechekhleb, V. R., and Terets, G. Ya. Geologic structure, tectonics and absolute age of the Precambrian of the Lower Bug area 226-65
See also Semenenko, N. P.
Yashchenko, M. L., Gorokhov, I. M., and Lobach-Zhuchenko, S. B. Investigation of "rejuvenation" processes in the rocks of the Karelide basement of Karelia using the Rb-Sr and K-Ar methods 220-12

Abstract

Yashchenko, M. L., Varshavskaya, E. S., and Manuylova, M. M. Investigations of the Primary Sr-87/Sr-86 ratio in differently metamorphosed rocks of Northern Pribaikalia for purposes of absolute age determination ---------- 226-80
See also Gerling, E. K.
Yashchukh, V. A. See Shapovalov, V. I.
Yashkov, V. Ya. Investigation of the spectrum of motion of the Earth's poles ---------- 217-135
Yasui, Masashi. See Uyeda, Seiya.
Yatskiv, Ya. S. See Fedorov, Ye. P.
Yavnel', A. A. On the abundance of elements in the metallic phase of iron meteorites and in chondrites ---------- 217-34
Yegorov, E. V., and Polyakov, B. I. Calculation of self-absorption of photoneutrons in quantitative determinations of the beryllium content of ores ---------- 216-289
Yegorov, V. M. On the gabbro intrusions in the Volyn faults (according to geophysical data) ---------- 226-209
Yegorov, V. M., and Starostenko, V. I. Attempt to use the second vertical derivatives of gravity in interpretation of the gravity field of the northwest part of the Ukrainian crystalline shield ---------- 221-177
Yegorov, Yu. M., and Chernozemova, V. G. Results of magnetotelluric sounding in the region of the Lovozero geophysical station- 224-151
Yeliseyenko, L. A. See Shkabarnya, N. G.
Yeliseyeva, G. D. See Ivantishin, M. N., and Shcherbak, N. P.
Yeliseyeva, I. S., and Stepanov, P. P. Use of magnetic and gravity survey data in constructing the structural plan of the basement surface ---------- 216-268
Yellin, M. See Peter, G.
Yemel'yanov, Ye. M., Mikhaylov, O. V., Moskalenko, V. N., and Shimkus, K. M. Main features of the tectonic structure of the floor of the Mediterranean Sea ---------- 224-354
Yemshanov, L. A. Composite curves of rays and isochrons of reflections for interpretation of data of the controlled direction reception method ---------- 223-319
— On the estimation of the roughness of seismic reflecting boundaries ---------- 223-317
— Test of the use of the seismic method of controlled direction reception in Turkmenia ---------- 223-314
— Use of the effective period of roughness for distinguishing types of waves ---------- 223-318
Yen, T. P., and Rosenblum, Sam. Potassium-argon ages of micas from the Tananao Schist terrane of Taiwan—a preliminary report- 216-24
Yentsov, I. I. See Kukhlev, Yu. M.
Yepifanov, Yu. G. See Itenberg, S. S.
Yepinat'yeva, A. M. Intensity of multiply reflected waves ---------- 225-309
— Introduction ---------- 225-308
— Multiply reflected satellite waves ---------- 225-315
— Theoretical appraisal of the possibility of suppressing multiple reflections using frequency selection ---------- 225-313
— Use of multiple reflections in interpretation ---------- 225-316
Yepinat'yeva, A. M., Mikhaylova, N. G., and Smolenova, Ye. M. On the possibility of recording converted reflected waves in regions with intensive multiply reflected longitudinal waves ---------- 225-318
Yeremeyev, V. F. On the problem of determining normal heights -- 220-182
Yeremin, N. I. See Krylov, M. K.
Yermilova, L. P. See Chukhrov, F. B.
Yermilova, N. I. See Alekseyev, A. S.
Yershov, I. A., and Medvedev, S. V. On the density of seismic energy of ground vibrations in explosions ---------- 221-86
Yershov, Ye. M., Shumov, V. P., and Suchkov, V. I. Use of the induction method in solving problems of geologic mapping ---------- 224-146
Yevdokimov, Yu. S. See Berezkin, V. M.
Yevseyev, S. V. Regularities of the gravitational field of the Earth and isostasy ---------- 227-202

Abstract

Yevsīkova, L. G. See Bulakh, Ye. G.
Yevteyeva, O. G. See Per'kov, N. A.
Yevtushenko, Ye. I. See Balenko, V. G.
Yevzerov, V. Ya. See Grave, M. K.
Yoder, H. S., Jr. Genesis of principal basalt magmas ---------- 223-214
Yoder, H. S., Jr., Tilley, C. E., and Schairer, J. F. Isothermal sections of pyroxene quadrilateral ---------- 223-201
See also Kushiro, Ikuo., Schairer, J. F., and Tilley, C. E.
Yokoyama, Izumi. Seismometrical observation of the 1962 eruption of Volcano Tokati, Hokkaido, Japan ---------- 226-338
Yonehara, Norinobu. See Iwasaki, Iwaji.
York, Derek. See Brown, P. E., Farrar, E., and Harris, P. M.
Yoshida, Minoru. See Iwasaki, Iwaji.
Yoshida, Sekiko. Correlations among very low frequency emissions, whistlers, and magnetic activities ---------- 226-248
See also Haurwitz, M. W.
Yoshikawa, Torao; Kaizuka, Sohei; and Ota, Yoko. Mode of crustal movement in the late Quaternary on the southeast coast of Shikoku, southwestern Japan ---------- 219-168
Yoshimatsu, Takasaburo. Results of geomagnetic routine observations—Locality of time changes of short period variation ---------- 217-289
Youmans, A. H., Hopkinson, E. C., Bergan, R. A., and Oshry, H. I. Neutron lifetime, a new nuclear log ---------- 221-285
Youmans, A. H., Millis, C. W., Hopkinson, E. C., and Bishop, W. D. The neutron lifetime log ---------- 226-285
See also Little, J. W.
Young, A. T. The occurrence of planets ---------- 222-42
Young, G. A., and Kontis, A. L. A study of aeromagnetic component data—Plantagenet Bank ---------- 225-283
Young, R. S. Geophysics, Pt. 2 ---------- 227-107
Yudborovskiy, I. Kh. On a procedure of constructing the schemes of regional variations of rock density and gravitational effect of the sedimentary cover in the area of western central Asia ---------- 221-173
Yudin, I. A. On the problem of collecting and studying meteor dust- 217-51
Yudin, I. A., and Smyshlyayev, S. I. Chemical-mineragraphic investigation of the opaque minerals of the Norton County and Staroye Pes'yanoye achondrites ---------- 217-36
See also Smyshlyayev, S. I.
Yudina, R. I. See Kulichikhina, T. N.
Yudovich, L. A. The influence of universal and local time on daily changes of magnetic activity ---------- 217-279
Yules, J. A., and Edgerton, H. E. Bottom sonar search techniques- 226-301
See also Edgerton, H. E.
Yukutake, Takesi; Nakamura, Kohei; and Horai, Ki-iti. Magnetization of ash-fall tuffs of Oshima Volcano, Izu—Pt. 2, Application to archaeomagnetism and volcanology ---------- 224-302
Yukutake, Takesi; Sawada, M.; and Yabu, T. Magnetization of ash-fall tuffs of Oshima Volcano Izu—Pt. 1, Magnetization of ash-fall tuffs ---------- 224-301
Yun'kov, A. A. Interpretation of anomalies of the gravity potential V over three-dimensional bodies of arbitrary shape ---------- 221-175
Yun'kov, A. A., and Bulakh, G. I. Δg anomaly over a parabolic cylinder ---------- 217-232
— V_{xz} gravity anomalies over anticlinal and synclinal structures in the Earth's crust ---------- 221-182
Yunov, A. Yu. See Kosygin, Yu. A.
Yurkevich, O. I. On the problem of the physics of earthquakes ---------- 226-122
— Slow movements of the Earth's crust and the creation of earthquakes ---------- 225-78
— Recent vertical movements of the Earth's crust and earthquake prediction ---------- 219-198

Abstract

Zablocki, C. J. Electrical properties of serpentinite from Mayagüez, Puerto Rico ---------- 216-124

Zaborovskiy, A. I. Alternating electromagnetic fields in electrical surveying ---------- 220-141

Zadorozhnyy, I. K. See Naydin, D. P.

Zadro, Maria. On a class of filters and their applications in geophysics ---------- 225-83

Zagorac, Željko. Quantitative interpretation of gravimetrical derivative maps ---------- 220-212

Zagorodnov, A. M. Tectonic structure of the Ural-Pai-Khoi province (according to aeromagnetic data) ---------- 223-291

Zagst, E. F. Horizontal stacking improves seismic data ---------- 227-332

Zagulyayeva, V. A. See Ben'kova, N. P.

Zakharov, V. Kh. Calculation of the anomaly over a conducting body for the case of a nonuniform exciting field ---------- 224-123

— The interpretation of anomalies of electromagnetic dipole profiling taken above solids of revolution (spheres, cylinders) ---------- 219-138

Zaklinskiy, A. B. See Grigorash, Z. K.

Zalipukhin, M. I. New data on the geotectonic regionalization of the Timan-Pechora depression (according to aeromagnetic data) ---------- 223-293

Zamarenov, A. K. See Avrov, P. Ya.

Zamikhovskiy, V. S., and Kuzovkin, S. K. Constructional completion of the AERI-2 apparatus ---------- 225-125

Zanin, M. V. Lead isotopes in geology ---------- 216-223

Zanyukov, V. N., and Stasenkov, V. V. Geologic features and formation of the oil and gas pools of the Nekrasnov field ---------- 227-123

Zarayskiy, M. P. See Solov'yev, S. L.

Zartman, R. E. A geochronologic study of the Lone Grove pluton from the Llano Uplift, Texas ---------- 222-3

— Rubidium-strontium age of some metamorphic rocks from the Llano Uplift, Texas ---------- 224-7

— The isotopic composition of lead in microlines from the Llano Uplift, Texas ---------- 220-258

Zarudnyy, N. N. See Rezanov, I. A.

Zatonskiy, L. K. See Udintsev, G. B.

Zatsepin, E. N. See Karasik, A. M.

Zaunere, Roger. See Ewing, J. I.

Zavalishin, B. R. Controlled direction reception data on multiple waves in regional seismic survey operations in the central part of the Caspian basin ---------- 223-320

Zav'yalov, V. D. A method of subtracting seismograms ---------- 226-316

— Ways of increasing the efficiency of seismic surveying with standard apparatus on the southwest edge of the Russian platform- 226-315

Zav'yalov, V. D., and Benderskiy, V. I. A combination of seismic methods—Controlled directional reception, plane front, and transverse seismic profiling ---------- 226-317

Zaydas, B. B. See Ivantishin, M. N.

Zaydel'son, I. I. See Rikhter, V. I.

Zbyszewski, Georges. Modern volcanic phenomena in the Azore Archipelago ---------- 223-356

Zeigler, J. M., Tuttle, S. D., Tasha, H. J., and Giese, G. S. Pleistocene geology of outer Cape Cod, Massachusetts ---------- 216-4

Zeil, Werner. The fumarole and geyser field west of the Tatio volcanic group (Antofagaste Province, Chile) ---------- 227-357

Zelenetskiy, D. S. See Vavilin, L. N.

Zeller, Claude, and Bolfa, J. Contribution to the study of the ferromagnetic elements of the flows of 693 B.C. and A.D. 1381 of the lavas of Etna (Sicily) ---------- 218-241

Zeller, E. J. Modern methods for measurement of geologic time -- 222-5

Zeller, Jürg. See Lehmann, R. L.

Zen, M. T. On the roots of volcanoes ---------- 221-348

Zen, M. T., and Hadikusumo, Djajadi. Preliminary report on the 1963 eruption of Mt. Agung in Bali [Indonesia] ---------- 226-342

Abstract
Zen, M. T., and Hadikusumo, Djajadi. Recent changes in the Anak-Krakatau Volcano 226-341
Zenkevich, N. L. See Udintsev, G. B.
Zetler, B. D., Schuldt, M. D., and Bailey, L. F. Criteria for tsunami evaluation 217-112
Zeuch, Richard. On new possibilities for prospecting by means of radioactivity measurements 218-279
Zeydan, Selim. See Anpilogov, A. P.
Zhaboronkov, V. Ya. See Vakhtin, B. S.
Zhadin, V. V. See Voronin, Yu. A.
Zharkov, V. N. Gravitational anomalies and temperature deformations of the Earth 218-127
Zhebrovskaya, T. F. See Afanas'yev, N. S.
Zhelnin, G. A. Results of threefold leveling of the Lelle-Pyarnu trace in the Estonian S.S.R. 219-184
— Use of the repeat leveling method for studying vertical movements of the Earth's crust in the territory of the Estonian S.S.R. 219-183
Zhigalov, L. N. Magnetic variations near the geomagnetic poles 224-283
Zhigal'tsev, A. A. Comparison of averaged spectrums at different stations for deep and shallow earthquakes according to ChISS data 216-83
— Dynamic characteristics of converted waves 216-90
Zhigul'skaya, T. A. See Van'yan, L. L.
Zhilin, N. V. See Khristoforov, V. S.
Zhilyayeva, V. A. Unstable magnetization of secondary origin and laboratory viscosity 224-292
Zhirov, K. K. Features of the variation of isotopic composition of lead of the deposits of some areas 217-271
Zhivago, A. V., ed. Topography and geology of the ocean floors 227-355
Zhivoderov, A. B., Lipovetskiy, I. A., Matveyev, V. D., and Nevolin, N. V. New data on the geology of the subsalt formations of the Caspian basin 216-324
See also Bachin, A. P.
Zhogolev, L. P., Smelov, A. A., and Khabibullina, R. I. On the problem of using mathematical statistics in studying the physical properties of rocks 221-140
Zhuk, F. D. See Poplavskaya, L. N.
Zhukovets, A. M. See Khristoforov, V. S.
Zhurenko, Yu. Ye. See Rozhdestvenskiy, A. P.
Zhurov, Yu. A. See Vdovykin, G. P.
Ziangirov, R. S. See Chao, Chieh-San.
Zidarov, D. A solution of the inverse gravimetric (and magnetic) problem and its application to the study of Earth structure 220-229
— Experimental solution of the Dirichlet and Neumann problems for the half space $Z>0$ 218-131
— Experimental solution of the inverse gravimetric and magnetometric problem 218-132
— Solution of some inverse problems of applied geophysics 227-183
Zielinski, J. Contributions of satellite method to the gravimetrical and geometrical measurements 226-187
Zietz, Isidore. See Andreasen, G. E., and Ostenso, N. A.
Zijderveld, J. D. A. See Gregor, C. B.
Zilahi-Sebess, László. Determination of regional and residual anomalies with a computer 222-145
See also Szalai, Mihály.
Zimen, K. E. See Richter, A. H. K.
Zlavdinov, L. Z. See Bachin, A. P.
Zmuda, A. J., Pieper, G. F., and Bostrum, C. O. Trapped protons in the South Atlantic magnetic anomaly, July through December 1961—Pt. 3, Magnetic storms and solar proton events 223-248
See also Bostrom, C. O., and Pieper, G. F.
Zmudikov, V. L. Calculation of the selective RC-amplifier in the aeroelectrical survey apparatus for the infinitely long cable method 225-129

Abstract

Zmudikov, V. L., and Soprunyuk, P. M. Calculation of an attenuator with constant output resistance -------- 225-132

Znamenskiy, N. D. Geological-mineralogical characteristics of standard samples for methodical investigations in connection with the determination of absolute age -------- 226-44

Znamenskiy, V. V., and Khvilevitskiy, M. O. Use of controlled direction reception in regional seismic exploratory operations in the Caspian basin -------- 223-313

Zohdy, A. A. R. Geoelectrical and seismic refraction investigations near San Jose, California -------- 227-108

Zotikov, I. A. Measurement of the geothermal flow in Antarctica -- 225-216

Zotova, I. F. See Moskaleva, S. V.

Zounková, Milada. See Beránek, Břetislav.

Zubin, M. I. See Shteynberg, G. S.

Zul'fikarova, Z. K. See Gerling, E. K.

Zumberge, J. H. Horizontal strain and absolute movement of the Ross Ice Shelf between Ross Island and Roosevelt Island, Antarctica, 1958-1963 -------- 219-220

Zundelevich, S. M. See Gorbik, G. K.

Zuyev, G. N. Study of seasonal variations of electrical conductivity of unconsolidated deposits in place with stationary vertical electrical sounding set-up in a permafrost region -------- 216-129

— Two-pole shielded parametric installation for studying specific electrical resistivity -------- 226-181

— Ways of combined logging of dry wells, drilled with the face cleaned by compressed air, in conditions of permafrost development -------- 226-177

Zvegintsev, A. G. See Vlasov, A. Ya.

Zverev, G. N. See Dyad'kin, I. G.

Zverev, S. M. Seismic investigations at sea -------- 223-327

Zybin, K. Yu. See Bol'shakova, O. V.

Zybkin, V. A. See Gorshkov, G. V.

Zykov, S. I. See Afanas'yev, G. D., Bibikova, Ye. V., Milovskiy, A. V., Tugarinov, A. I., and Volobuyev, M. I.

SUBJECT INDEX

A

- Acoustical logging, accuracy: Konovalov 224-336
  - amplitude logs, centering of sonde: Huntley 226-322
  - elastic waves, later arrivals: D'yachkova 226-137
  - hydrocarbons, direct location: Muir 226-320
  - interpretation: Christensen 226-319
  - microseismogram log, location of fracturing: Walker 226-318
  - model study: Gratsinskiy 218-303
  - porosity: Hossin 219-320
  - radius of investigation: Rabinovich 221-308
  - sliding waves, amplitude: Gratsinskiy 222-332
  - transmission and reflection methods: Gregory 226-321
  - width of sample spacing: Bois 222-320
- Afghanistan, earthquakes, converted SP waves: Pachadzhanova 223-81
- Africa, age, carbonatites: Snelling 221-15
  - age, general listing: Snelling 220-11
    - Pleistocene chronology: Heinzelin 217-16
  - crustal structure, earthquakes: Öcal 227-224
  - earthquakes, central, 1960: Wohlenberg 223-60
  - geotectonics, Katanga geosyncline: Swardt 220-201
  - isotopes, sulfur and origin of sulfide deposits: Dechow 227-243
- Age, anorthosites, Labrador: Morse 216-8
  - Archean formations, Precambrian shield areas, correlations: Roa 222-13
  - atmosphere: Cannon 221-28
  - basalt, Australia, marsupial fauna: McDougall 224-26
    - Brazil: Leonardos 216-12
    - California: Dalrymple 216-6
    - continental drift: Creer 227-159, 227-160
    - Ethiopia: Grasty 219-11
    - India: Aldrich 224-17
    - Mid-Atlantic Ridge: Muir 222-348
    - Newfoundland: Clifford 226-9
    - Rodriguez Island, Indian Ocean: McDougall 223-18
    - Tristan da Cunha: Miller 219-9
  - biotite, Australia, Broken Hill district: Richards 222-15
    - Utah: Marvin 224-11
  - Caledonian rocks, Greenland: Wager 219-6
  - carbonatites, Africa: Snelling 221-15

Age—Continued
  - clay minerals, Algeria: Debrabant 222-8
  - corals, Florida, thorium-radium method: Osmond 223-3
    - Pacific Ocean: Thurber 225-11
  - diabase-gabbro, Canada: Christie 218-5
  - Earth, lead in feldspar: Tilton 223-239
  - eclogite, U.S.S.R., xenoliths in kimberlite: Firsov 223-17
  - galena and biotite, Arizona: Mauger 224-9
  - general listing, Africa: Snelling 220-11
    - Antarctica: Krylov 226-49
    - Arabia: Snelling 220-11
    - Australia: Dury 220-15
    - British Guiana: Snelling 220-11
    - California, 1962-64 determinations: Zeller 222-5
    - Canada, K-Ar determinations: Wanless 224-15
    - Central African Republic: Roubault 227-17
    - Malaysia: Snelling 220-11
    - Nepal: Bordet 227-33
    - Northern Rhodesia: Snelling 221-16
    - Norway: Broch 225-14
    - U.S.S.R., Azov area: Ivantishin 226-62
      - Central Asia: Krylov 226-57
      - Urals: Harris 226-53; Ovchinnikov 226-54
      - Yenisei Range: Volobuyev 226-52
  - glacial versus pluvial chronology, North America and Europe: Rubin 218-4
  - granite, Antarctica: Voronov 225-17
    - Australia: Webb 222-14
      - Mount Isa-Cloncurry region: Richards 222-16
    - Brazil: Aldrich 224-17
    - British Columbia: Fairbairn 217-15
    - California: Kistler 222-6
      - Rocky Hill stock: Putnam 223-4
    - England, southwest: Miller 227-25
    - France: Deutsch 223-10; Roques 227-22
    - Georgia: Ramspott 220-3
    - Indonesia: Edwards 224-25
    - Italy: D'Amico 226-42
    - Japan: Kawano 216-23, 227-34
    - Katanga: Monteyne-Poulaert 220-8
    - Montana, Boulder bathylith: Knopf 218-1
    - Nigeria: Truswell 218-12
    - Northwest Territories: Ross 226-8
    - Ontario, Sudbury area: Fairbairn 226-6
    - Scotland, Skye: Long 219-13
    - Seychelles Islands: Baker 220-9
    - Switzerland: Jäger 217-21

Age—Continued
  granite—continued
    U. S. S. R.: Baratov 218-21; Gorokhov 216-21, 218-19; Yablokov 218-14
      Carboniferous-Permian boundary: Khamrabayev 226-58
      Kazakh S. S. R.: Laverov 223-15
      Krivoy Rog area: Tugarinov 223-13
      Mongolia: Li 226-82
      northeastern: Firsov 225-16
      Switzerland, Alpine belt: Bertrand 227-29
  ground water, U. S. S. R., Volga area: Mitrofanov 226-81
  hornblende, Alps: Steiger 219-14
  igneous and metamorphic rocks: de Swardt 217-18
    Alps: Pasteels 222-10
    Asia, eastern: Vinogradov 226-56
    British Isles: Fitch 216-16
    Italy: Chessex 217-19
    Kansas: Cole 221-5
    New York: Hills 216-5
    Northern Rhodesia: Snelling 217-17
    Oklahoma: Ham 222-2
    Ontario: Grant 217-14
    Scotland: Brown 227-28; Evans 227-26
    South Africa: Allsopp 219-10
    Spain: Capdevila 227-18
    Texas: Zartman 222-3
    U. S. S. R. : Semenenko 226-61; Pap 219-17; Sobotovich 226-78; Tugarinov 218-20
      Aldan region: Firsov 226-51
      Siberian platform: Tugarinov 221-22
      time-scale: Harris 226-79
      Ukraine S. S. R.: Burkser 226-72; Ivantishin 226-63; Polovinkina 220-13; Semenenko 226-69; Shcherbak 226-66
      Ustyurt: Garetskiy 223-14
    United States, midwestern: Bradbury 225-7
      southwestern: Wasserburg 227-13
  igneous rocks, Alaska: Lanphere 224-13
    Antarctica, Eights Coast: Drake 221-27
    Australia, New England region: Cooper 222-17
    California: California Div. Mines and Geology 225-9; Dalrymple 217-13, 226-5
    Germany: Lippolt 227-30
    Italy, Vesuvius: Vittozzi 225-13
    North Viet Nam: Polevaya 226-50
    Scotland: Evans 219-12; Harris 221-18
      Isle of Skye: Moorbath 224-19
      St. Kilda Islands: Miller 227-27
    Southern Rhodesia: Allsopp 220-7
    Spain, Costa Brava: Chessex 227-19

Age—Continued
  igneous rocks—continued
    U. S. S. R. : Laverov 218-13
      Armenian S. S. R. : Bagdasaryan 226-59
      Kazakh S. S. R. : Satpayev 226-48
      Kola Peninsula: Gerling 226-70
    Utah: Stern 222-4
    Wyoming: Ferris 218-3
  lepidolite, France, Massif Central: Vialette 227-24
  limestone, Florida Keys and Bahamas: Broecker 225-6
  manganese minerals, U. S. S. R., Kazakh S. S. R. : Chukhrov 221-21
  metamorphic rocks: Miller 217-24
    Alps: Flügel 219-15
    Appalachian Mountains: Hadley 220-4
    Austria: Lambert 277-31
    Colorado: Hart 218-2
    Connecticut: Brookins 219-4
    Ethiopia: Rogers 225-12
    France, Massif Central: Orliac 227-23
    India: Tugarinov 227-32
    Japan: Ohmoto 221-25
    New Jersey: Southwick 217-10
    Ontario: Boutcher 223-7
    Quebec: Rickard 225-10
    Scotland: Evans 221-17: Harper 216-17
    Switzerland: Grünenfelder 222-11
    Taiwan: Yen 216-24
    Texas, Llano Uplift: Zartman 224-7
    U. S. S. R.: Cherdyntsev 218-17
      Baikal: Yashchenko 226-80
      Bug area: Yaroshchuk 226-65
      Karelia: Yashchenko 220-12
      Ukraine S. S. R.; Boyko 226-64; Kononov 226-67
  meteorite craters, Ghana, Bosumtwi Crater: Die Umschau 226-41
  meteorites, anomalous Ar-40: Fisher 224-29
    argon retention: Baadsgaard 216-29
    chondrites, Urey-Craig groups: Eberhardt 219-40
    cosmic-ray exposure age: Lipschutz 222-19; Schaeffer 219-43
    Indarch: Schaeffer 219-42
    Pasamonte: Rowe 220-17
    Peach River chondrite: Taylor 216-28
    Rb-Sr, stony: Pinson 224-32
    relationship to classification: Keil 216-38
  mineralizations, Czechoslovakia, West Carpathian crystalline area: Kantor 222-12

Age—Continued
- molybdenite, Madagascar, Morocco, Mexico: Allègre 224-18
- norite, Ontario, Sudbury complex: Faure 220-6
- orogenies, Alps: Steiger 219-14
  - Canada: Stockwell 221-10
  - cycles in, history of Earth: Fitch 225-157
  - Greenland: Bridgwater 216-152
  - Newfoundland: Williams 221-12
- pegmatites, French Guiana: Allègre 221-2
  - U. S. S. R., Aldan shield: Voskresenskaya 221-23
    - eastern Sayan: Milovskiy 221-24
- phlogopite, U. S. S. R.: Firsov 224-23
- phyllite, Northwest Territories: Stevens 216-11
- pitchblende, Saskatchewan: Stevens 216-10
- Pleistocene chronology, application to central Africa: Heinzelin 217-16
- Quaternary volcanic events, New Zealand: Healy 220-16
- radiocarbon dates: Einarsson 218-10; Kjartansson 218-7
  - Alaska: Kowalski 226-26
    - Barrow area: Brown 224-14
  - Antarctica, ice-free oasis: Bardin 217-26
  - Atlantic continental shelf, oyster shells: Merrill 219-7
  - Atlantic sediments: Turekian 216-14
  - Australia: Gill 220-14; Green 226-21; Kowalski 226-26; McBryde 226-83; Tindale 217-25
  - Axel Heiberg Island: Müller 221-13
  - Brazil: Hurt 219-8
  - British Isles: Godwin 226-27
  - California: Ralph 226-24
  - Canada: Arnold 222-7; Bender 226-40; Bryson 219-5; Dyck 218-6; McCallum 226-30
    - general listing: Dyck 226-13
    - Lake Agassiz: Laird 226-4
  - Connecticut: Bloom 217-9
  - Egypt: Alessio 226-28
  - Europe: Gilot 226-17; Olsson 226-36
  - general listing: Berger 226-38; Callow 226-20; Crane 226-18; Delibrias 226-31; Engstrand 226-33; Hubbs 226-16; Kigoshi 226-12; Krueger 226-14; Levin 226-39; Long 226-32; Oeschger 226-11; Olsson 226-37; Pearson 226-35; Stuckenrath 226-25; Tamers 226-15
  - Germany: Jacobshagen 219-16, 221-20; Schneekloth 217-22
  - Greenland: McDowell 226-23
  - Hawaii, soil and shells: Ruhe 227-15

Age—Continued
- radiocarbon dates—continued
  - Iceland: Kjartansson 218-11; Thorarinsson 218-8
  - India: Agrawal 216-22, 226-34
  - Italy: Alessio 226-28
  - Japan: Kanto Loam Research Group 221-26
  - Lake Lahontan-Lake Bonneville: Broecker 225-8; Kaufman 227-14
  - Louisiana: Coleman 217-11
  - Massachusetts: Ogden 226-22
    - Outer Cape Cod drift: Zeigler 216-4
  - Mexico: Bender 226-40; Mitchell 221-14
  - Michigan: McDowell 226-23
  - Minnesota, bog deposits: Cushing 217-12
  - Mississippi: McDowell 226-23
  - molluscs on raised beaches: Einarsson 218-9
  - Nebraska: Ogden 226-22
  - Nevada, mummy: Orr 224-10
  - New Guinea: Green 226-21
  - New York: McCallum 226-30
  - Northwest Territories: Craig 226-10; Johnston 224-16
    - Melville Island: Henoch 221-147
  - Ohio: Forsyth 227-11; Garner 224-6; Ogden 226-22
  - Oregon: Fryxell 221-9
  - Pacific Ocean: Nayudu 216-15; Romankevich 224-27
  - Peru: McCallum 226-30
  - Poland: Baczyk 216-19
  - Quebec, Appalachian region: Gadd 221-11
    - Lake St. John area: Lasalle 227-16
  - Rocky Mountain Region: Randall 221-6
  - South Dakota: Steece 224-8
  - Spain: Delibrias 221-19
  - Spitsbergen: Feyling-Hanssen 225-15
  - Sweden: Berglund 224-20; Fromm 216-18; Hörnsten 217-23; Lundqvist 224-21; Olsson 226-36
    - Viking ship: Florin 224-22
  - Texas, lake carbonates: Reeves 227-12
  - U. S. S. R.: Butomo 226-29
    - mammoth and thinoceros: Heintz 224-24
    - Mghinsk marine beds:Starik 216-20
    - Siberia: Alekseyev 223-16
  - United States: Bender 226-40; Östlund 226-19
  - Utah: McDowell 226-23
  - Virginia, Chesapeake Bay entrance: Harrison 224-5
  - Washington: Crandell 224-12; Mullineaux 211-7
    - Mt. Rainier: Crandell 221-8
    - Pleistocene chronology:Armstrong 223-5

Age—continued
- radiocarbon dates—continued
  - Washington—continued
    - scabland flooding: Fryxell 216-7
  - Wisconsin: Kowalski 226-26
  - Yukon Territory: Stuiver 223-8
- schist, Kansas: Scott 220-5
- sedimentary rocks, France: Bonhomme 227-20
  - U.S.S.R., Kazakh S.S.R.: Rozenkrants 226-55
    - Krivoy Rog and Kazakh S.S.R.: Bibikova 226-76
- sediments, deep-sea, Pleistocene chronology: Ericson 217-8
  - Pacific and Atlantic Oceans: Starik 226-75
  - Pacific Ocean: Baranov 223-9
  - rates, Atlantic Ocean by ionium-thorium method: Goldberg 216-13
- sulfides, United States, southeastern: Kinkel 225-5
- syenite, Quebec: Philpotts 216-9
- tektites, australites: Gill 226-94
  - cosmic-ray exposure age: Fleischer 222-36
  - Ivory Coast: Die Umschau 226-41
  - simultaneous with natural glasses: Fleischer 221-37
- uranium minerals, France, Limouzat deposit: Durand 220-10
- uranium minerals and galena, France, Massif Central: Durand 227-21
- uranium minerals, United States: Walker 220-2
- volcanic rocks, Cape Breton Island: Cormier 226-7
  - Japan: Kawano 216-23
  - North America: Evernden 216-3
  - Tanganyika: Fleischer 222-9
  - Utah-Idaho: Williams 223-6
  - Yukon Territory: Stuiver 223-8
- xenoliths, deep-seated intrusions: Lovering 217-4
- zircon, Alpine rocks: Chessex 217-20
  - Australia: Aldrich 224-17

Age determinations, allanite radiation method: Pellas 224-4
- carbon-14 method, ice, sampling technique: Langway 224-193
  - production and mixing rate of C-14: Wood 218-180
  - sampling of water: Crosby 225-4
  - standard samples: Karlen 222-1
- fission-track method: Fleischer 226-3; Miller 227-8
  - chemical etching of various minerals: Fleischer 219-3
  - mica: Maurette 216-2
  - muscovite: Shukolyukov 223-2
  - stability of tracks: Fleischer 222-18
  - U-238 decay constant: Fleischer 217-7
  - zircon: Fleischer 217-6
- helium-uranium ratios, fossil aragonite: Fanale 225-2

Age determinations—Continued
- laboratory, Brazil: Leonardos 216-12
- lead isochrone method: Sobotovich 226-78
- lead-lead method, igneous rocks: Sobotovich 225-1
  - trace lead: Whittles 224-2
- methods, review: Zeller 222-5
  - U.S.S.R.: Shcherbakov 226-43
- plutonic complexes, relation to stratigraphic time: Lambert 227-4
- potassium-argon method, amphiboles: Burkser 226-72; Gerling 223-1
  - argon by neutron activation analysis: Soroiu 224-3
  - argon diffusion: Denisenko 221-3; Richter 225-3
  - argon diffusion in mica: Brandt 218-15
  - argon in metasediments: Cherdyntsev 218-17
  - argon measurement: Chedzhemov 227-9; Gol'tsman 226-45
  - Bucharest Institute: Bunescu 223-12; Soroiu 223-11
  - concorida model: Allègre 221-2
  - excess argon in fluid inclusions: Rama 219-2
  - helium diffusion: Voronovskiy 221-4
  - instrumentation: Antonov 227-10
  - Japan: Kawano 216-23
  - mass spectrometer for argon: Farrar 219-1
  - micas and feldspars, properties: Afanas'yev 217-5
  - procedures compared: Shukolyukov 226-47
  - representativeness of samples: Chernyshev 226-46
  - standard muscovite sample, P-207: Lanphere 226-2
  - slates and schists: Harper 216-17
  - synthesis of argon-bearing muscovite: Karpinskaya 218-16
  - volcanic feldspar: Evernden 216-3
  - whole rock ages compared with mafic mineral ages: Semenova 226-73
- protactinium and radiocarbon methods, deep-sea sediments: Ericson 217-8
- rejuvenation: Yashchenko 220-12
- rhenium-osmium method for molybdenites Allègre 224-18
- rubidium-strontium method, concordia model: Allègre 221-2
  - isotope-spectral: Starik 220-1
  - radiogenic strontium enrichment during metamorphism: Wasserburg 216-1
  - review: Gerling 226-74; Moorbath 227-7
- standard samples, U.S.S.R.: Znamenskiy 226-44
- time scales, history of development: Wage 227-1
  - Ordovician, base of Middle: Poole 217-2 Rickard 217-1, 217-3
  - Phanerozoic: Snelling 227-2
  - Pleistocene: Damon 224-1; Fleischer 222

- Age determinations—Continued
  - time scales—continued
    - Pleistocene: Romankevich 224-27
    - Precambrian, U.S.S.R.: Harris 226-79; Semenenko 226-61
    - refinement: Rubinshteyn 226-77
    - sedimentation rates: Hudson 227-3
    - U.S.S.R.: Afanas'yev 226-68; Satpayev 226-48
      - 1964: Afanas'yev 226-68
      - Carboniferous-Permian boundary: Khamrabayev 226-58
      - Central Asia: Krylov 226-57
      - Kazakh S.S.R.: Rozenkrants 226-55
      - Precambrian: Semenenko 226-69
      - Urals: Harris 226-53
  - U-234/U-238, pelagic sediments: Ku 226-1
  - U/Xe and U/Kr methods: Gerling 226-71
  - uranium disequilibrium, Concordia diagrams: Allègre 221-1
    - marine waters: Blanchard 227-246
  - uranium-lead method, discordant ages: Shukolyukov 218-18
  - uranium-thorium-lead method, review: Darnley 227-6
  - volcanic and hypabyssal rocks, geologic significance: Fitch 227-5
- Alabama, radioactivity surveys, Marion County: MacElvain 222-312
- Alaska, age, igneous rocks: Lanphere 224-13
  - age, organic materials in Barrow area: Brown 224-14
    - radiocarbon dates: Kowlaski 226-26
  - earthquakes, 1958: Gupta 220-68
    - 1964: Berg 225-64; Donn 218-45; Malloy 217-76; Matthews 218-46; Northrop 222-49; Oakeshott 216-65; Press 200-79; Sater 217-79; Schmidt 225-66; Shannon and Wilson, Inc. 217-77, -78; Townshend 225-65; Vening Meinesz 218-47
      - deformation: Plafker 225-63
      - effect on Canadian wells: Scott 226-107
      - effect on deltaic sediments: Reimnitz 223-57
      - effects: Strum 227-64
      - geomagnetic disturbance: Stacey 226-105
      - glacial advance: Ragle 226-106
      - ground-water levels in Alberta: Gabert 226-108
      - ionospheric disturbances: Davies 223-56; Leonard 221-47
      - seafloor uplift: Malloy 227-63
      - swarm: Machado 226-117
    - 1965, Rat Islands: Jordan 223-55
    - March 27, 1964: Berg 219-65
    - water-well response in Texas: Miller 219-66
  - Geophysical Institute, activities 1963-64: Mather 219-156
    - studies 1962-63: Geophys. Institute 216-235
- Alaska—Continued
  - geotectonics, recent deformation: Hicks 226-190
  - geothermal gradient: Brewer 217-252
  - glaciers, Martin River, mode of flow in terminal zone: Reid 222-137
    - Muldrow Glacier, velocity of ice surges: Harrison 218-122
    - Taku Glacier, strain rate and velocity: Wu 218-121
  - gravity surveys, Copper River Basin: Andreasen 217-242
    - Copper River Basin: Andreasen 217-242
    - Gulkana Glacier: Ostenso 227-189
    - U.S. Geological Survey program: Barnes 222-161
  - heat flow, McCall Glacier: Orvig 225-215
  - magnetic field, studies 1962-63: Geophysical Institute 216-235
    - Copper River Basin: Andreasen 217-242
  - seismic surveys, Anchorage: Bush 217-337
    - continental shelves: Moore 218-315
    - Killick-Itkillick area: Patton 217-336
  - seismicity: Davis 216-66
  - submarine geology, Adak Canyon: Perry 223-343
    - Bering and Chukchi Sea Shelves: Dietz 218-337
- Alberta, crust and mantle structure: Cumming 223-229
  - crust, Conrad discontinuity: Kanasewich 226-228
- Algeria, age, clay minerals: Debrabant 222-8
  - radioactivity surveys, phosphate: Bollo 222-315
  - seismic surveys, Zarzaitine oilfield: Claracq 220-325
  - seismicity: Grandjean 216-70
- Alps, age, igneous and metamorphic rocks: Pasteels 222-10
  - age, metamorphic rocks: Flügel 219-15
    - orogeny by hornblende: Steiger 219-14
    - zircon: Chessex 217-20
  - crustal structure: Peterschmitt 221-188
- Andaman Sea, heat flow: Burns 217-255
- Antarctica, age, general listing: Krylov 226-49
  - age, ice-free oasis: Bardin 217-26
    - granitic rocks: Voronov 225-17
    - quartz diorite, Eights Coast: Drake 221-27
  - cosmic dust, collection: Parkin 216-48
  - crustal, structure, earthquake waves: Dewart 225-235
    - structure, gravity surveys: Demenitskaya 225-234

Antarctica—Continued
- crust, thickness, Enderby Land: Ushakov 226-215
  - thickness, Lützow-Holm Bay: Koryakin 225-213
- geophysical surveys: Desio 217-199;
  - 1963-64: Crary 219-153
  - central: Kapitsa 219-154
  - IGY and post-IGY results: Bentley 224-173
  - subglacial and surface relief: Belinskaya 226-183
- geotectonics, continental drift: Hamilton 220-189
  - general: Klimov 226-195
- glaciers, movement rates: Koerner 218-126
  - Ross ice shelf, deformation, ice layers: Reid 219-356
    - horizontal strain and absolute movement: Zumberge 219-220
  - surface velocity measurement: Bull 225-172
  - Wilkes Station area, ice-sheet regime: Cameron 219-219
- gravity and seismic surveys, West Ice Shelf: Tsukernik 218-152
- gravity surveys: Lazarev 219-232
  - altitude factor: Frolov 223-188
  - continental shelf: Frolov 225-354
  - crustal thickness, Lützow-Holm Bay: Koryakin 225-213
  - Fifth Soviet Antarctic Expedition 1959-60: Frolov 223-176
  - isostatic imbalance in Enderby Land: Gladun 217-250
  - marine measurements: Gladun 218-153
  - Mirnyy area: Stroyev 225-203
  - Third Soviet Antarctic Exposition 1957-58: Frolov 223-175
- heat flow, measurements: Zotikov 225-216
- ice sheet, British research, review: Robin 223-163
- isostasy: Ushakov 223-157
  - crustal subsidence: Avsyuk 217-211
  - processes: Voronov 225-170
- isotopes, dueterium, lake water: Ragatzkie 223-237
  - lead, in snow correlated with solar activity: Lambert 222-198
  - oxygen, firn: Epstein 222-199
    - ice cores: Gonfiantini 222-200
- magnetic field, observations: Avsyuk 225-261
  - observations: Tarasov 225-262
    - 1959: Shnere 225-260
    - 1959-61: Schlich 223-269
    - Byrd Observatory 1960: Coast and Geodetic Survey 218-229
    - IGY: Afanas'yeva 220-282
    - January 1959: Larzillière 223-271
    - New Lazarev: Kochi 218-237
  - variations: Behrendt 226-249; Milyayev 225-263

Antarctica—Continued
- magnetic properties, metamorphic rocks: Karasik 225-268
- magnetic surveys, Greerson Oasis: Voronov 219-311
  - McMurdo Sound area: Robinson 216-281
  - Mirnyy area: Stroyev 225-203
  - Schirmacher Ponds area: Dmitriyev: 226-273
  - Western Ice Shelf: Tsukernik 219-312
- paleomagnetism, Jurassic, Dronning Maud Land: Blundell 218-260
- radioactivity surveys, snow: Picciotto 224-321
- seismic surveys, Bransfield Strait: Cox 218-325
  - errors in interpretation: Kapitsa 225-330
  - Queen Maud Land: Dieterlé 221-326
  - West Ice Shelf, subglacial topogrpahy: Tsukernik 218-152
- seismicity, 1964: Crary 219-82
  - map: Kogan 224-78
- submarine geology, East Antarctic shelf: Koblents 225-355

Antarctic Ocean, gravity exploration, pendulum measurements: Gaynanov 225-212
- submarine geology, continental slope and floor: Koblents 219-359

Appalachian Mountains, age, metamorphic events: Hadley 220-4
- crust, convection and igneous activity: Dietrich 220-198

Arabia, volcanic activity, recent: Gass 221-354

Arabian Sea, seismicity: Sykes 220-61

Arctic Ocean, crustal structure: Volk 221-268
- earth currents, surveys: Novysh 217-74
- gravity surveys, Arlis 2 ice island: Ostenso 222-162
  - Chukchi Cap and Abyssal Plain: Shaver 221-255
  - drifting station T-3: LeSchack 223-173
- magnetic field, observations: Milyayev 221-230, 224-282, 225-263; Raspopov 222-250
- magnetic surveys: Volk 221-268
  - Chukchi Cap and Abyssal Plain: Shaver 221-255
- sediments, mineral composition of fine-grained: Lapina 224-355
- seismicity: Sykes 225-67

Argentina, geotectonics, regeneration in geosynclinal process: Borrello 224-185
- geothermal gradient, Bahía Blanca region, thermal springs: Schoff 221-184

Arizona, age, galena and biotite: Mauger 224-9
  crustal structure: Roller 222-178
  magnetic surveys, Globe-Miami district airborne: Jespersen 221-253
  radioactivity surveys, gamma-ray spectrometer, copper deposits: Moxham 227-322
Arkansas, electrical logging, Arkoma basin: Irvin 220-155
Asia, age, Precambrian rocks, eastern: Vinogradov 226-56
  age, radiocarbon dates: Stuckenrath 226-25
  crust and mantle, seismic studies, review: Kosminskaya 224-234
  crustal thickness: Bisztricsány 225-232
  volcanic activity, east and southeast, historic and prehistoric lavas: Taneda 216-359
Asteroids, origin, period of rotation: Alfvén 224-60
Atlantic Ocean, age, radiocarbon dates, cores: Turekian 216-14
  age, radiocarbon dates, oyster shells: Merrill 219-7
    sediments: Starik 226-75
    sedimentation rates from ionium-thorium method: Goldberg 216-13
  crust, structure, Bahamian Platform: Emiliani 219-345
    gravity and seismic surveys: Koryakin 218-174
    structure, Mid-Atlantic Ridge: Le Pichon 219-246; Talwani 219-247
  crust, thickness: Koryakin 223-177
  crust, transformation, continental to oceanic, northern: Sheynmann 225-160
  gravity surveys: Koryakin 223-177
    transition to continents: Koryakin 223-178
  heat flow: Langseth 217-254; Nason 217-253
  isotopes, carbon sediments: Sackett 222-196
    sedimentation rates, valleys of Mid-Atlantic Ridge: Goldberg 218-184
    strontium, surface waters: Faure 222-203
  magnetic surveys: Avery 223-342
    continental margin off Iberian Peninsula: Glack 224-308
    Grand Banks: Hood 226-268
    linear anomaly from Newfoundland to Florida: Watkins 222-277
    Mid-Atlantic Ridge: Heirtzler 227-309
    northwest floor: Heirtzler 221-254
    Puerto Rico Trench: Geddes 216-277; Van Voorhis 218-268
  origin, meta-undation theory, northern: Bemmelen 225-161
Atlantic Ocean—Continued
  mantle, surface wave dispersion data: Santo 219-259
  radioactivity, water: Alfimov 220-309
  seismic surveys, Barracuda Fault: Paitson 218-314
    Georges Bank: Roberson 217-338
    Mid-Atlantic Ridge: Le Pichon 219-246
    Puerto Rico outer ridge: Knox 222-319
    western: Clay 220-314
  submarine geology, Bermuda Rise, origin: Engelen 222-347
    Blake Plateau, topography: Pratt 221-341
    bottom sediments: Svirenko 220-348
    continental margin southwest of English Channel: Hadley 221-343
    continental shelf off South Carolina: Cazeau 216-353
    Drake Passage-Scotia Sea-South Sandwich Trench: Goodell 217-354
    Kane basin, submarine geology: Uchupi 226-329
    metamorphic rocks and structures off southwest England: Phillips 220-347
    Mid-Atlantic Ridge, morphology and sediments: Andel 223-341
      topography: Pratt 220-344
    off mouth of North Edisto River, South Carolina: Cazeau 216-353
    rock samples from the Mid-Atlantic Ridge: Nicholls 218-339
    Sohm and Hatteras abyssle plains: Pratt 224-345
    South, tephra in cores: Nikovich 217-353
    South Sandwich Trench: Heezen 225-353
    Straits of Florida, Pourtales Terrace: Jordan 220-342
    Virgin Rocks, Grand Banks of Newfoundland: Lilly 220-343
  topography, northern: Il'in 227-353
Australia, age, basalt: McDougall 224-26
  age, biotite, Broken Hill district: Richards 222-15
    general listing: Dury 220-15
    granite: Webb 222-14
      Mount Isa-Cloncurry region: Richards 222-16
    granitic rocks and basalt, New England region: Cooper 222-17
    Precambrian shield zircons: Aldrich 224-17
    radiocarbon dates: Gill 220-14; Green 226-21; Kowalski 226-26; McBryde 226-83; Tindale 217-25

Australia—Continued
  crust, structure, Rayleigh waves: Bolt 221-194
    structure and thickness, South Australia: Doyel 222-185
  earthquakes, Snowy Mountains region, 1958-62: Cleary 222-64
  electrical surveys, sulfides: Mirams 218-274
  geophysical research, 1920-61: Jaeger 217-183
  geophysical surveys, western Great Artesian Basin: Freeman 223-132
  geotectonics, faulting, Palmerville fault: de Keyser 222-134
  gravity surveys, Canning Basin: Western Australian Petroleum PTY Limited 218-151
  magnetic field, measurements, 1964: Burrows 223-249
    Sq variations: Winch 218-236
  magnetic surveys, sulfides: Mirams 218-274
  meteorite craters, Henbury Craters: Hodge 225-28
    Henbury, impact glass: Taylor 216-49
    Woolgorong chondrite: McCall 216-35
Austria, age, granite gneiss, Hochalm-Ankogel massif: Lambert 227-31
  geophysical surveys, molasse zone: Brix 220-165
  seismic surveys, Gepatsch Glacier: Giese 225-174
    Vienna basin: Kapounek 220-324
Automatic data processing, physical properties, rocks: Szalai 222-120
  statistical models: Gol'tsman 226-300
Azores, earthquakes, February 1964: Machado 224-67
  volcanic activity, Capelinhos, 1962: Forjaz 220-356
    Capelinhos, sounds: Richards 218-345
    history of recent: Zbyszewski 223-356
    submarine: Machado 226-357

B

Bahamas, age, limestones: Broecker 225-6
Baltic Sea, isostatic admustment, south coast: Kliewe 216-160
  recent deformation, late-Quaternary shoreline changes: Hyyppä 225-166
Belgium, magnetic surveys, Grand-Halleux massif: Graulich 223-284
Belgium—Continued
  magnetic surveys—continued
    Remagne region: Evrard 216-280
Bering Sea, bottom relief: Udintsev 224-356
  sediments: Lisitsyn 224-357
Bermuda, magnetic surveys, Plantagenet Bank: Young 225-283
Black Sea, crustal structure: Balavadze 220-250; Mindeli 221-189
  radioactivity, water: Alfimov 220-309
  seismic surveys: Mindeli 221-189
Bolivia, geophysical surveys, Santa Cruz area: Lamb 220-167
Brazil, age, basalt: Leonardos 216-12
  age, granite, Belo Horizonte area: Aldrich 224-17
    radiocarbon dates: Hurt 219-8; Stuckenrath 226-25
    continental drift evidence: Martin 217-214
  radioactivity surveys, Central Tucano Basin: Haynes 224-319
British Columbia, age, granite: Fairbairn 217-15
  age, radiocarbon dates, Pleistocene chronology: Armstrong 223-5
  crust, structure, seismic surveys: White 224-232
  earth-current surveys, Highland Valley copper deposit: Hings 216-63
  seismic surveys, offshore: Oilweek 221-312
  stress, measurement program, Sullivan mine: Sullivan Staff 222-341
British Guiana, age, general listing: Snelling 220-11
  seismic surveys 1963: Makowiecki 220-162
British Isles, age, igneous and metamorphic rocks: Fitch 216-16
  age, radiocarbon dates: Godwin 226-27
  crust, structure: Agger 221-187
  gravity surveys, Irish Sea: Bott 217-245
British West Indies, gravity and magnetic surveys 1963: Makowiecki 220-162
Bulgaria, earth current surveys: Ritter 225-49
  seismicity, Kyrdzhali damsite: Medvedev 227-75

C

California, age, basalt: Dalrymple 216-6
  age, igneous rocks: California Div. Mines and Geology 225-9;

- California—Continued
  - age—continued
    - igneous rocks—continued: Dalrymple 217-13, 226-5
      - Rocky Hill stock: Putman 223-4
    - general listing, 1962-64, determinations: Zeller 222-5
    - granite plutons: Kistler 222-6
    - radiocarbon dates: Ralph 226-24
  - crust, structure: Johnson 224-231; Mikumo 222-177
  - earthquakes, 1963: Udias 222-48
  - electrical surveys, ground water: Zohdy 227-108
  - faulting, San Andreas, Maricopa to Elizabeth Lake: Oakeshott 222-73
    - San Andreas, southern: Crowell 222-72
  - geotectonics, recent deformation: Hudson 222-127
  - geothermal energy: White 226-347
  - gravity and seismic surveys: Thompson 217-260
  - gravity surveys: Brisbin 222-158; Chapman 222-157
    - Gulf of California: Harrison 225-184
    - Mount Wilson calibration range: Harrison 222-152
    - northern Gulf of California: Biehler 225-185
    - San Francisco Bay, Bouguer map: Clement 220-211
  - heat flow, new drill hole in Sierra Nevada: Mineral Information Service 219-233
  - isotopes, strontium, Sierra Nevada plutons: Hurley 222-201
  - microseisms, spectrum: Haubrich 222-298
  - paleomagnetism, Cretaceous: Grommé 226-256
    - Jurassic-Cretaceous lava flows: Grommé 224-297
    - Quaternary: Dalrymple 226-5
  - radioactivity surveys: Books 224-318
    - Point Arguello: Guillou 226-282
  - seismic surveys, continental margin: Curray 227-339
    - ground water: Zohdy 227-108
    - Owens Valley: Pakiser 218-143
  - volcanic activity, Mt. Lassen, 1915: Macdonald 225-356
  - submarine geology, La Jolla Submarine Canyon, bathymetric chart: Buffington 218-335
- Canada, age, diabase-gabbro, Victoria Island: Christie 218-5
  - age, general listing, K-Ar determinations: Wanless 224-15
    - Precambrian rocks: Stockwell 221-10
    - radiocarbon dates: Arnold 222-7; Bender 226-40; Bryson 219-5; Dyck 218-6, 226-13; McCallum 226-30
- Canada—Continued
  - age—continued
    - radiocarbon dates—continued
      - Axel Heiberg Island: Müller 221-13
      - Lake Agassiz: Laird 226-4
  - crust, structure, Northwest Territories: Findlay 222-180
    - thickness: Shimazu 224-201
      - Arctic Archipelago: Sander 221-315
  - geophysical activities for 1963: Garland 216-141
  - geophysical surveys, western, 1920-61: Jacobs 217-184
  - geothermometry, pyrrhotite: Card 217-257
  - glaciers, Athabasca: Savage 226-196
    - Athabasca, velocity: Paterson 218-124
    - Axel Heiberg Island, flow rates, 1961-62: Müller 221-153
  - gravity surveys, 1960-62: Hamilton 224-203
    - Axel Heiberg Island, glaciers: Becker 221-159
    - Beaufort Sea area: Plouff 217-244
    - crustal structure: Shimazu 224-201
  - heat flow, Arctic Archipelago: Law 226-218
    - western, regional pattern: Anglin 226-217
  - magnetic field, observations, 1959: Andersen 224-285
  - observations, 1948-61: Clark 216-245
    - Agincourt Observatory: Jackson 216-237, -238; Onhauser 216-241, -247
    - Agincourt 1947-48: Ross 224-286
    - Agincourt 1949: Ross 224-287
  - magnetic field, observations, Alert Observatory: Darker 216-243
    - observations, Axel Heiberg Island: Fraser 221-214
      - Baker Lake Observatory, 1960-62: Evans 221-215
      - Meanook Observatory: Cook 216-242, -244, -246; Jackson 216-236
      - Resolute Bay Observatory, 1959: Loomer 216-239
      - Resolute Bay Observatory, 1960-62: Loomer 216-248
      - Victoria Observatory: Caner 216-240
  - magnetic surveys, Hudson Bay: Hood 218-267
    - James Bay lowland: Canadian Mining and Metallurgical Bulletin 224-307
  - meteorites, Manitouwabing: Knox 222-23
    - Peace River chondrites: Folinsbee 217-29
  - paleomagnetism, Precambrian: Robertson 217-306
  - seismic surveys, Arctic Archipelago: Sander 221-315
    - Axel Heiberg Island glaciers: May 221-314

Canada—Continued
  seismicity, west coast: Milne 216-67
    western: Milne 223-58
  submarine geology, Axel Heiberg Island area: Müller 221-347
    St. Lawrence River and Gulf: Nota 227-345
Canary Islands, volcanic activity, La Palma: Machado 220-355
Caribbean region, crust, structure: Barr 220-247
  geotectonics, curvature of the Antilles: North 222-133
Caribbean Sea, bathymetry, southern Straits of Florida: Hurley 218-333
  heat flow: Langseth 217-254; Nason 217-253
Central African Republic, age, general listing: Roubault 227-17
  seismicity: Schultz 216-69
Chile, earthquakes, 1958: Lomnitz 225-71
  earthquakes, 1960: Wada 219-71; Watanabe 225-69; Weischet 225-70
    engineering: Lomnitz 216-71
  gravity surveys: Dragicević S. 225-186
    central: Dragicević S. 218-144
    submarine trench and coast: Dragicević S. 218-145
  seismicity: Lomnitz 217-85
  volcanic activity, geyser field west of Tatio: Zeil 227-357
    Láscar volcano system: Casertano 225-357
    Los Copahues: Casertano 226-337
China, earthquakes, Nanching 1372-1644: Keimatsu 219-72
  geophysical surveys, ore deposits: Ku 218-107
  gravity surveys, Quemoy: Hsu 216-206
  volcanic activity, Pait'oushan: Denisov 221-357
Columbia, earthquakes, 1961 summary: Ramirez 223-59
  radioactivity surveys, La Cira oilfield: Trapp 227-323
Colorado, age, Idaho Springs, formation: Hart 218-2
  gravity surveys, Bonanza mining area: Karig 224-198
  isotopes, Th-230/Pa-231 ratios, uranium ore: Rosholt 227-241
Comets, isotopes, C-12/C-13 ratio: Stawikowski 220-44
Connecticut, age, gneiss, pre-Triassic: Brookins 219-4
  age, peat: Bloom 217-9
Continental drift, age, angiosperm distribution: Hawkes 227-158
  causes, erosion: Gussow 220-194
  concepts, review: Wilson 221-145
Continental drift—Continued
  evidence, distribution of leafy Hepaticae: Fulford 220-193
  evidence and cause: duToit 216-163; Sheynmann 216-166
  Italy, paleomagnetic data: Boer 218-257
  mechanism: Orowan 217-213
  paleomagnetic and absolute-age data: Creer 227-159, -160
  paleomagnetism: Van Hilten 222-275; Deutsch 220-186; Runcorn 220-187
  Precambrian of Africa and South America compared: Pflug 217-216
  review, recent evidence: Wunderlich 217-215
  sedimentary and climatic evidence: King 216-165
  South America, relation to deep-focus earthquakes: Harrington 220-188
  stratigraphic evidence, Brazil and South-West Africa: Martin 217-214
  tectonic evidence, Antarctica: Hamilton 220-189
Continents, evolution, cyclical nature: Miyamura 219-262
  mobile belts, spatial relationship: Dott 226-189
  origin, mantle segregation versus impact: Donn 222-118
  relation to ocean basins: Ostenso 218-120
Core, composition: Machado 218-175
  composition, metallic transition at core boundary: Trubitsyn 225-228
    new iron polymorph: Takahashi 226-238
    olivine rich in volatiles: Egyed 224-245
  compressibility and chemical inhomogeneity: Bullen 222-192
  convection, secular magnetic field changes: Vening Meinesz 218-194
  D'' and F layers: Tuman 220-256
  density, elasticity: Bullen 222-193
  density and composition: Birch 216-216
  eccentricity, energy transformations: Barta 222-191
  gravity field of the Earth, eccentricity: Pintér 224-209
    secular variations: Aczél 224-210
  growth, convection in mantle: Runcorn 219-263
    rotation of earth: Munk 219-264
  heat of formation: Tozer 222-168
  iron, effect of pressure on melting: Sterrett 222-194
  mechanical properties, seismic ray studies: Bullen 224-90
  origin, distribution of Ni in meteorites and rocks: Duke 222-20

Core—Continued
  outer boundary, transitional: Grudeva 219-265
  seismic waves, diffraction: Tuve 224-89
  shells, PKP waves: Adams 217-269
  spherical eddies, dynamics: Rikitake 224-246
  state, review: Die Umschau 226-239
  trace element abundances, chondritic Earth model: Taylor 219-241
Cosmic dust, ammonium sulfate, 20 km altitude: Mossop 222-28
  Antarctic: Parkin 216-48
  distinguished from industrial: Mikheyeva 217-50
  general, origin, collection, and measurement: Vronskiy 224-47
  Greenland, black spherule content of firn layers: Langway 225-26
    ice sheet: Fireman 220-31
  identification: Yudin 217-51
  origin: Dauvillier 218-30
  size distribution: Brownlow 223-29
  spherules from recent volcanic eruptions: Wright 227-47
Cosmogony, Earth, formation: Uklonskiy 219-55
  fluctuation theory: Giovanelli 217-70
Costa Rica, volcanic activity, Irazú: Branson 220-354; Coen 227-356
Cratering, basalt, target strength related to crater size: Moore 218-29
  explosion-produced mechanism: Knox 223-106
  nomenclature: Hansen 216-104
Creep, snow, unconfined: Ramseier 218-329
Crust, abnormal state during metamorphism: Shimazu 221-193
  basalt-eclogite transformation, experimental studies: Kushiro 223-216
  basaltification, Hungary: Kruglyakova 224-236
  bibliography, Academy of Sciences, U. S. S. R.: Akademiya Nauk SSSR, Biblioteka Instituta Fiziki Zemli 217-267
  composition, basalt, magmas, genesis, experimental data: Schairer 223-209
    deep layers: Rezanov 227-229
    dolerite: Heier 225-239
    eclogite and basalt: Forbes 222-181
    geochemical problems: Fyfe 217-262
    heterogeneity and melting: Khitarov 223-227
    melilite-bearing basalts, conditions of formation: Kushiro 223-213
    monticellite-bearing and salic magmas, depth of formation: Kushiro 223-211
    oceanic basalts: Engel 227-222

Crust—Continued
  composition—continued
    Pacific Ocean, igneous rocks of East Pacific Rise: Engel 216-213
    pseudowollastonite-bearing basalt, formation temperatures: Kushiro 223-212
    United States, basalt-eclogite transition: Pakiser 224-230
  convection and igneous activity, Southern Appalachians: Dietrich 220-198
  continental, alkaline complexes, source: Bailey 223-210
  discontinuities, causes: Krejci-Graf 225-231
  earth current surveys, Peru: Schmucker 224-62
  elastic waves, effect of layering: Mechler 222-87
  evolution, cyclic movement of upper mantle materials: Miyamura 219-262
    radiogenic isotopes: Ozima 219-266
    relation to mantle: Shimazu 219-166
  exploration, drilling program: Hedberg 219-243
  general, deep seismic sounding: Kosminskaya 226-232
    petrophysical method of study: Frölich 223-230
  geochemical aspects, review: Vinogradov 221-196
  graben formation, crustal break-up: Illies 226-193
  magmas, origin, review: Osborn 216-215
  mid-ocean ridges, origin: Vening Meinesz 226-229
  oceanic, serpentinite generation: Hess 217-263
  origin, lanthanides in meteorites: Masuda 220-255
  research program: Afanas'yeva 218-109
  seismic study, amplitude curves of P-waves: Yanovskaya 218-62
  shifting, summary of Hapgood's theories: San Miguel 221-148
  structure and thickness: Research Group for Explosion Seismology 221-191
    Africa: Öcal 227-224
    Alberta: Cumming 223-229
      Conrad discontinuity: Kanasewich 226-228
    Alps: Peterschmitt 221-188
    Antarctic Ocean, Atlantic sector: Koryakin 218-174
    Antarctica: Demenitskaya 225-234
      Enderby Land: Ushakov 226-215
      Lützow-Holm Bay: Koryakin 225-213

Crust—Continued
  structure and thickness—continued
    Antarctica and Indian Ocean, earthquake wave: Dewart 225-235
    Arctic Basin: Volk 221-268
    Arctic Ocean: Dementskaya 224-242
    Asia: Bisztricsány 225-232
    Asia-Pacific Ocean transition zone: Rivosh 218-272
    Atlantic Ocean: Koryakin 223-177
      Bahamian Platform: Emiliani 219-245
      Mid-Atlantic Ridge: Le Pichon 219-246; Talwani 219-247
    Australia: Bolt 221-194
    Black Sea: Balavadze 220-250; Mindeli 221-189
    British Columbia: White 224-232
    British Isles: Agger 221-187
    California: Johnson 224-231; Mikumo 222-177
    Canada: Shimazu 224-201
    Canadian Arctic Archipelago: Sander 221-315
    Caribbean region: Barr 220-247
    Colorado Plateau: Roller 222-178
    Eurasia, seismic studies, review: Kosminskaya 224-234
    Europe: Bisztricsány 225-232; Payo Subiza 217-264
    Germany: German Research Group for Explosion Seismology 218-164; Strobach 218-165
    gravity determination: Grushinskiy 220-249
    gravity anomalies: Woollard 221-156
    Gulf of Mexico: Dehlinger 221-157
    Hungary: Balkay 218-166; Bendefy 223-156; Csomor 219-248; Gálfi 219-249; Mituch 222-329; Stegena 222-183; Szénás 222-182
    IGY studies, world: Kosminskaya 220-248
    Indian Ocean: Neprochnov 224-240
      Seychelles Bank: Davies 221-319
    Japan: Asada 218-170; Gorai 226-231; Hotta 221-192; Kaminuma 218-171
      earthquake distribution patterns: Mogi 218-54
      gravity analysis: Kanamori 218-172
      relation to geotectonics: Mizoue 218-118
    Lake Superior: Steinhart 218-311
    Lake Superior region: Mereu 224-104
    Maine: Suzuki 224-106
    model: Belousov 224-244
    Nevada: Johnson 224-231
    North Sea: Collette 221-186
    Northwest Territories: Findlay 222-180

Crust—Continued
  structure and thickness—continued
    Pacific basin to Nevada: Thompson 217-260
    Pacific-Antarctic Ridge: Adams 220-251
    Pacific Ocean, northwest margin: Belyayevskiy 219-252
    Poland: Wojtczak-Gadomska 227-226
    Rumania, gravity data: Socolescu 223-231
    Scandinavia: Crampin 217-124
    Sea of Japan: Kovylin 224-241
    short-period magnetic variations: Požaryski 226-252
    South America, gravity and structural profiles: Dragicević 218-145
    South Australia: Doyle 222-185
    Tonga-Fiji region: Hunkins 222-62
    transition zone: Gaynanov 221-267
    U.S.S.R.: Akhalbedashvili 220-103; Balavadze 221-190; Chekunov 218-318; Golenetskiy 219-100; Khalevin 223-233; Kosygin 218-169; Milanovskiy 223-232; Mil'shteyn 227-228; Pasechnik 218-168; Shechkov 218-167
      Altai: Masarskiy 216-212
      Baltic shield: Litvinenko 227-230
      Central Asia: Vol'vovskiy 227-134
      Crimea: Sollogub 219-250
      Kazakh S.S.R.: Antonenko 219-348; Moiseyenko 219-251, 222-184
      Kurile-Kamchatka region: Gaynanov 217-265
      northeastern: Rezanov 224-238
      planned deep drilling: Belyayevskiy 226-230
      Siberia and Far Eastern Region: Fotiadi 227-132
      Siberian platform: Tuyezov 227-227
      Turkmen S.S.R.: Kharikov 224-237
      Ukrainian S.S.R.: Subbotin 227-135
      West Siberian Lowland: Puzyrev 224-239
    United States: Hamilton 222-179; McEvilly 220-64
      Pacific Northwest: Dehlinger 225-221
      seismic studies: Pakiser 224-235
      western: Thompson 218-163
  transformation, continental to oceanic, North Atlantic: Sheynmann 225-160
Cuba, geophysical surveys, structural interpretations: Valencio 220-161
Cyprus, seismicity: Ambraseys 224-68
Czechoslovakia, age, mineralization of west Carpathian crystalline area: Kanto 222-12
  earth-current surveys: Grutorád 217-72; Hanzlík 220-51

- Czechoslovakia—Continued
  - earth-current surveys—continued
    - Slaný-Třebenice region: Hanzlík 218-40
  - earthquakes, 1962: Buben 225-72
  - electrical logging, surveys: Marušiak 219-146
  - electrical properties, sedimentary rocks: Kozel 219-150
  - electrical surveys, Havlíčkův Brod ore district: Gruntorád 220-171
  - geophysical surveys: Hanzlík 225-139
    - Carpathian basin: Beranek 224-169
    - Havlíčkův Brod ore district: Gruntorád 220-171
    - Nesvačilka borehole: Beránek 220-172
  - gravity surveys, Bohemian massif: Čuta 220-226
    - Carpathian Flysch: Doležal 225-198
    - Carpathian foreland: Bližkovský 225-199
    - eastern Slovakia: Šutor 225-197
    - Little Danube Plain: Ibrmajer 220-224
  - heat flow: Klír 227-209
  - magnetic properties, sedimentary rocks: Uhmann 219-292
  - magnetic surveys, epoch 1958.0: Kautzleban 220-297
    - Little Danube Plain: Ibrmajer 220-224
  - meteorites, catalog, National Museum: Tuček 216-30
    - review: Tuček 222-26
  - paleomagnetism, hydrothermal deposits: Krs 218-258, 219-298
    - Paleozoic, Mesozoic, and Cenozoic: Andreyeva 224-303
    - Tertiary: Hanuš 220-291
  - radioactivity, coal: Beneš 222-304
  - radioactivity logging surveys, siderite deposits: Těžký 225-297
  - thermal springs, Sokolov Basin: Jetel 221-362

D

- Deformation, cracks, behavior, high pressure and shear: Berg 226-323
  - diffusion creep, mantle: Gordon 223-153
  - dry rocks, triaxial compression tests: Mogi 221-338
  - marble, different strain rates: Ferreira 220-338
  - multilayers, viscous buckling and gravity instability theory: Biot 222-338
  - quartz, basal slip: Christie 220-337
    - experimental: Cater 220-336
    - tectonic, X-ray study: Volarovich 216-349
  - rocks, jack tests: Mazenot 223-340

- Deformation—Continued
  - rocks—continued
    - planar anisotropy effect: Donath 335-339
- Denmark, gravity surveys: Sorgenfrei 220-219
  - seismic surveys: Sorgenfrei 220-219
- Dominican Republic, age, radiocarbon dates: Tamers 226-15

E

- Earth, age, lead in feldspar: Tilton 223-239
  - dimensions, shadow during lunar eclipse: Simonenko 227-147
  - evolution, thermodynamics: Shimazu 217-259
  - figure: Antonyuk 222-125
    - equitorial ellipticity: Wagner 222-123
    - gravity measurement, Hungary: Renner 224-179
    - length of major axis: Veis 223-144
    - Molodenskiy's equation: Monin 223-147
    - normal field not applied: Marych 218-112
    - satellite measurements: Arias de Greiff 220-184; Sigl 217-205
    - theories: Gemael 221-142
    - third-order values: Monin 225-156
    - viscosity effects: Egyed 227-163
  - formation, mineralogical aspects: Uklonskiy 219-55
  - heat flow, review of existing measurements: Bullard 221-183
    - thermal history: Birch 222-169
  - history, Robert Hooke conception: Davies 222-119
  - interior, convection current hypothesis review: Brancazio 227-219
    - deformation: Pan 219-244
    - density-composition relation of rocks: Chayka 223-234
    - density variation: Clark 217-261
    - elasticity and viscosity: Takeuchi 219-257
    - finite deformation: Pan 216-217
    - genesis of crust and mantle: Masuda 220-255
    - lattice dynamics: Abderson 226-227
    - model: Machado 218-175
    - origin, monograph: Fraser 227-220
    - stress and strain, model study: Lomnitz 225-236
    - stresses, origin and distribution, review: Birch 225-230
  - isotopes, lead, evolution on continental scale: Patterson 218-186

- Earth—Continued
  - moment of inertia, Devonian: Runcorn 218-113
  - radius, ancient value: Hilten 222-265
  - rotation, energy transformations due to eccentricity of core: Barta 222-191
    - meteorological factors: Pavlov 226-123
    - solar control of irregularities: Eygenson 220-110
  - strength, hydrostatic equilibrium: Caputo 220-246
  - stress state, formulas: Sałustowicz 217-222
  - structure, long-period waves: Press 224-233
  - trace element abundances, chondritic Earth model: Taylor 219-241
- Earth-current exploration, absolute ellipses: Gugunava 226-103
  - areal method: Faradzhev 218-41
  - direction spectrography: Fournier 225-52
  - electromagnetic fields: Shakhsuvarov 225-53
  - ellipse directions: Tárczy-Hornoch 225-46
  - frequency sounding: Enenshteyn 225-54
  - geologic interpretation: Berdichevskiy 225-43
  - geomagnetic method: Hings 216-63
  - horizontally inhomogeneous media: Bryunelli 224-64
  - industrial interference: Faradzhev 218-43
  - interpretation using source field: Srivastava 220-46
  - magnetotelluric method: Miecznik 223-51
  - magnetotelluric method revised: Watanabe 226-100
  - methods, Czechoslovakia: Hanzlík 218-40
  - microvariations: Vladimirov 224-63
  - petroleum: Vozoff 220-47
  - principles: Wiese 220-49
  - profiling, extended frequencies: Berdichevskiy 226-101
  - quasi-linear polarization, analysis: Berdichevskiy 218-42
  - relative and absolute ellipses: Hanzlík 225-55
  - resistivity sounding procedures used: Fournier 220-50
  - skin effect: Kunetz 225-47
- Earth-current surveys, Arctic Ocean: Novysh 217-74
  - British Columbia: Hings 216-63
  - Bulgaria: Ritter 225-49
  - Czechoslovakia: Gruntorád 217-72; Hanzlík 220-51
    - Slaný-Třebenice region: Hanzlík 218-40
  - Germany: Thieme 225-48
- Earth-current surveys—Continued
  - Germany—continued
    - north of Berlin: Lengning 227-58
  - Hungary: Ádám 225-45; Csókás 225-50
  - Peru, crustal structures: Schmucker 224-62
  - Poland, short-period variation: Jankowski 227-59
  - U.S.S.R., Central Russian Basin: Bryunelli 223-49
    - Georgian S.S.R.: Bukhnikashvili 225-44
    - Russian platform: Yanovskiy 226-102
- Earth currents, anisotropy, calculation of: Ádám 216-61
  - basement conductivity, effects: Van'yan 219-64
  - conductivity, Dst variations: Rotanova 227-60
    - value and direction, relation to SSC: Ivanov 227-61
  - conductivity anisotropy: Ádám 222-45
  - field over an ideal conducting wedge: Kovtun 223-50
  - field recording, Germany: Wiese 219-59
  - general, state of research: Troitskaya 219-61
  - industrial noise: Rivin 222-46
  - instrumentation, calibration: Barsukov 225-57
    - East German apparatus: Porstendorfer 225-51
    - induction pick-up: Baranskiy 225-56
  - islands, effect on field: Swift 216-60
  - linear relationship between components: Untiedt 219-57
  - magnetotelluric, measurement at sea: McCann 226-98
  - magnetotelluric profiling, main interval of S: Yakovlev 216-62
  - micropulsations, simultaneous measurement at world stations: Komack 219-56
    - widely separated stations: Orange 222-44
  - mutual correlation method: Lutsenko 223-48
  - observations, Japan 1950-56: Kakioka Magnetic Observatory 218-44
    - Iceland: Garland 220-48
    - North Pole: Fonarev 223-47
    - U.S.S.R., Alushta station: Rokityanskiy 220-53
      - IGY: Troitskaya 220-52
      - Shatsk Station: Novysh 219-62
  - oceans, induced by variations of geomagnetic field Z-component: Ivanov 217-73
  - random functions theory: Bezruk 217-71
  - rapid variations: Troitskaya 217-75
    - Japan, 1963: Kakioka Magnetic Observatory 218-235
  - solar-diurnal variations: Vinogradov 219-63
  - spectrums, statistical and instantaneous: Baranskiy 222-47

Earth currents—Continued
  sunspot activity, lack of correlation: Schaaf 226-99
  tellurograms, analysis by method of true ellipses: Tkachev 219-60
    rectilinear analogy method: Shchitov 226-104
  vertical conductivity distribution, methods: Siebert 219-58
  z-component of SSC field: Ivanov 227-280
Earthquakes, accelerograms, statistical properties and excitation pattern: Tanabashi 226-120
  Africa, central, 1960: Wohlenberg 223-60
    crustal structure: Öcal 227-224
  aftershocks, alteration of wave velocity in hypocenter zones: Pshennikov 223-72
    formation of zone: Pshennikov 226-121
  Alaska, 1958: Gupta 220-68
    1964: Berg 219-65, 225-64; Donn 218-45; Malloy 217-76; Matthews 218-46; Northrop 222-49; Oakeshott 216-65; Press 220-79; Sater 217-79; Schmidt 225-66; Shannon and Wilson, Inc. 217-77, -78; Townshend 225-65; Vening Meinesz 218-47
      air waves: Donn 218-45
      Canadian wells: Scott 226-107
      deformation: Plafker 225-63
      effect on deltaic sediments: Reimnitz 223-57
      effects: Strum 227-64
      geomagnetic disturbance: Stacey 226-105
      glacial advance: Ragle 226-106
      ionospheric disturbances: Davies 223-56; Leonard 221-47
      seafloor uplift: Malloy 227-63
    1965, Rat Islands: Jordan 223-55
    water-well response in Texas: Miller 219-66
  Alberta, 1964, ground-water levels: Gabert 226-108
  aquifer systems, response to seismic waves: Cooper 227-68
  Australia, 1958-62, Snowy Mountains region: Cleary 222-64
  Azores, 1964 swarm: Machado 226-117
    February 1964: Machado 224-67
  California, 1963: Udias 222-48
    faulting: Oakeshott 222-73
    statistical distribution: Knopoff 220-59
  Chile, 1958: Lomnitz 225-71
    1960: Wada 219-71; Watanabe 225-69; Weischet 225-70
  China, Nanching, 1372-1644: Keimatsu 219-72
Earthquakes—Continued
  Colombia, 1961 summary: Ramirez 223-59
  Czechoslovakia, 1962: Buben 225-72
  deep-focus, New Hebrides region: Sykes 218-52
    traveltime curve, gradients: Bolt 226-116
    velocity section of mantle: Matveyeva 218-177
  displacements and strains, teleseismic distances: Press 223-69
  energy, Alaska 1964: Press 220-79
    depth function: Knopoff 223-70
    determined from seismic activity: Riznichenko 219-84
    dislocation model of release: Tiesseyre 216-81
    distribution with depth and number: Hédervári 220-87
    partition in focal region: Niazi 220-75
    propagating faults: Haskell 220-116
    strain release calculated: Båth 220-85
  engineering, buildings, dynamic rigidity: Bakradze 227-103
    buildings, stability: Shaginyan 227-104
      study of vibrations: Karapetyan 227-101
    Chile: Lomnitz 216-71
    computer model of buildings: Ward 225-79
    constructions, model study: Nazarov 227-95
    dams: Sinitsyn 221-88
      model, U. S. S. R., Nurek project: Napetvaridze 227-96
      stability: Lushnov 227-98; Sagdiyev 227-97; Seleznev 227-100; Sinitsyn 227-99
    foundation piers: Kharitonov 227-102
    grounds, deformational properties: Krasnikov 227-93
    microregionalization: Skorik 227-76
    overburden effect on underground constructions: Melikyan 227-94
    U. S. S. R., ground stability: Kasymov 227-78
    vibration of multistory buildings: Goldberg 222-63
  epicenters, automated determination: Kovrigina 216-96
    computer location in Basin and Range province: Ryall 220-77
    determination: Andreyev 216-89; Flinn 226-115
    New Hebrides: Lander 225-75

- Earthquakes—Continued
  - epicenters—continued
    - rectilinear epicentrals: Treskov 219-99
  - Europe, central Mediterranean, relation to fault movements: Aubouin 223-71
  - fault plane solutions, Arctic shocks, 1948-63: Lazareva 224-87
    - catalog: Fara 217-91
    - tectonic stresses in the Pacific Basin: Scheidegger 222-126
    - type of motion in crust and mantle: Ritsema 227-69
  - Fiji, 1953: Houtz 217-84
  - focal depth, calculation from wave spectrum: Sabitova 223-74
    - classification: Hédervári 220-86
    - energy-intensity relationship: Dzhanuzakov 223-73
    - methods of determination: Andreyev 216-89
  - focal mechanism, body forces: Burridge 220-118
    - summary: Scheidegger 216-79
    - surface waves: Toksöz 220-128
    - S-waves: Stauder 220-76; Udias 220-66, -67
    - U.S.S.R., Kurile-Kamchatka region: Udias 220-67
    - velocity variations near focus: Gurevich 216-87
  - focus, depth determination: Greensfelder 225-76
  - fracture theory, model study: Mogi 218-54
  - frequency, 11-year cycle: Sytinskiy 219-83
    - gravity field variation: Nesterenko 220-98
  - Galapagos Islands, 1935-61: Acharya 225-68
  - general, nontechnical review: Tazieff 217-94
    - popular lecture: Lynch 226-109
  - genesis, general, Japan: Matuzawa 221-66
  - glaciers, advance, Alaskan shock of 1964: Ragle 226-106
  - glaciers, earthquake-advance theory: Post 222-65
  - Grand Banks, 1929, cable breaks: Gupta 219-67
  - Greece, 1962, Irpinia: Cavallo 224-69
  - ground characteristics, types: Skorik 218-56
  - ground motion, detailed instrumental study: Shteynberg 221-67
    - weak earthquakes: Skorik 227-77
  - Hawaii, 1963: Koyanagi 217-80, 224-65
  - Hungary, 1951: Csomor 219-248
  - identification: Carpenter 219-70

- Earthquakes—Continued
  - India, 1949, Hindu Kush: Lehmann 220-60
  - Indonesia, 1957-58, summary: Indonesia Ministry of Air Communications 222-51
    - 1959, summary: Indonesia Ministry of Air Communications 222-52
    - 1960, summary: Indonesia Ministry of Air Communications 222-53
    - 1961: Indonesia Ministry of Air Communications 217-83
  - instrumentation, accelerogram analysis: Jenschke 220-70
    - angular error in installation: Bondarev 218-66
    - automated epicenter determination: Kovrigina 216-96
    - automatic seismograph controls: Mysh 219-117
    - broad-band, Russian: Arkhangel'skiy 219-101
    - calibration: Gostev 216-92
    - capacitance transducer: Rykov 219-103
    - device for calculating seismograms: Kolesnikov 219-102
    - digital data acquisition system: Smith 226-110
    - electrodynamic filters: Arkhangel'skiy 219-115
    - electrodynamic seismograph: Arkhangel'skiy 219-113
    - electrostatic memory: Fremd 219-109
    - epicenter seismic station: Ovsyannikov 219-116
    - filters: Zadro 225-83
    - fine recording: Suyehiro 221-70
    - galvanometers, critical resistance: Pavlov 223-83
      - reduction of natural frequency: Pavlov 216-93
    - gas lasers: Cook 222-66
    - intermediate magnetic recording: Melamud 219-114
    - Italy, Naples University: Quagliariello 225-84
    - magnetic recording: Preobrazhenskiy 219-107
    - magnification curves of seismograph: Perepelitsa 221-71
    - oscillograph: Borisevich 216-95, 219-106, 219-110
    - pen-writing recorder: Borisevich 219-104, -108; Mälzer 218-65
    - piezometric galvanometric recording: Fremd 219-112
    - Russian automatic station: Aksenovich 216-91
    - Russian auxiliary devices: Aksenovich 216-94
    - seismometers, calibration: Teikari 220-89

Earthquakes—Continued
- instrumentation—continued
  - slow motion tape recorder: Dibble 220-95
  - strain and pendulum seismographs combined: Romney 220-74
  - strong-motion for epicentral regions: Shnirman 219-105
  - time marker: Kolesnikov 219-118; Rozenberg 219-111
  - transformer: Rozenberg 216-97
- ionospheric disturbances, Alaska, 1964: Davies 223-56; Leonard 221-47
- Iran, 1962: Petrescu 218-49; Wu 227-67
  - 1962, phase velocity of Love waves: Kaminuma 219-78
- Japan, 1952-1960, Yoshino series, similarity of deformation: Nishimura 223-66
  - 1956: Hirasawa 220-65
  - 1963: Tanaka 217-82
    - Cape Echizen: Tsuruga Weather Station 224-81
    - Nakashibetsu: Nemuro Weather Station 224-82
  - 1964, Oga-oki, damage analysis: Nagumo 221-50
  - associated oscillations of magnetic field: Miyamoto 219-74
  - faults, left lateral displacement: Sugimura 226-118
  - microearthquakes, Mino district: Muramatu 223-75
- Kansas, relation to structure: Merriam 225-61
- landslides, U.S.S.R.: Khromovskikh 218-53
- local, ground deformation in Japan: Tanaka 223-67
- Madagascar, 1933-34: Poisson 221-49
  - 1961: Poisson 221-48
- magnetic field, change prior to volcanic eruption, Japan: Miyamoto 219-73
  - disturbance, Alaska shock of 1964: Stacey 226-105
    - Japan: Yoshimatsu 217-289
  - oscillations preceding shock: Miyamoto 219-76, -77
  - stress changes: Stacey 219-80
- magnetic properties, compression release: Nagata 220-283
- magnitude, calculation and data handling systems: Hofman 217-90
  - data sheet: Tocher 219-81
  - deep-focus: Katsumata 219-79
    - Rumania: Radu 223-63
  - equation for Budapest: Bisztricsány 218-50
  - frequency relations: Utsu 224-79

Earthquakes—Continued
- magnitude—continued
  - hydroseismic data: Vorhis 221-60
  - relation to surface fault formation: Otsuka 224-83
  - strong motion response spectra: Wiggins 217-89
  - surface wave duration: Bisztricsány 218-51
  - U.S.S.R., Caucasus: Ayvazishvili 220-101
- mechanism, deformation fields: Maruyama 217-160
  - elastic equilibrium change: Randall 217-140
  - elastic-wave equations: Roy 224-100
  - horizontal fault movement: Luk'yanov 217-93
  - Iran, 1962: Wu 227-67
  - Japan 1956: Hirasawa 220-65
  - plastic rupture: Leet 225-222
  - P-wave analysis: Kishimoto 224-86
  - review: Hodgson 224-84
  - S-wave data: Ferraes 224-85
  - volume change: Randall 217-141
- Mexico, IGY observations: Figueroa Abarca 217-81
- microearthquakes, India: DeNoyer 220-72
- model studies: Tavera 217-95
- Mongolia, 1957: Florensov 224-70,-75; Solonenko 224-71, -73, -74
  - 1957, geophysical surveys: Bulmasov 224-172
- near, seismological tables of Wellington Observatory: Eiby 221-64
- Nevada, 1852-1960: Slemmons 225-62
- New Zealand, 1958, summary: Wellington Seismological Observatory 222-54
  - 1959, summary: Wellington Seismological Observatory 222-55
  - 1960, summary: Wellington Seismological Observatory 222-56
  - 1963: Eiby 220-97
- North Carolina, October 28, 1963: MacCarthy 220-80
- Oregon, 1962: Dehlinger 223-54
- Pacific Ocean, floating platform (Flip) records: Northrop 219-68
- Peru, focal mechanism: Ochoa 219-85
- prediction, geomagnetic field observations: Stacey 225-77
  - measurement of slow movements of crust: Yurkevich 225-78
  - strain and tilt measurements: Takada 227-71
- response spectrums, soft clays, Mexico City: Bustamente 216-78
- Rumania, energy-magnitude-intensity relations: Constantinescu 223-62
  - Vrancea region, deep-focus: Radu 223-64
- seiches, excitation: McGarr 220-78

Earthquakes—Continued
source mechanism, spectrum of long period waves: Gupta 220-69
shaking table for simulated, engineering structures model testing: Toriumi 219-75
statistical distribution, causal relationships: Knopoff 220-59
strain release, mantle structure: Galanopoulos 220-84
stress analysis, Europe and Asia from fault plane solution: Scheidegger 217-92
stress release, U.S.S.R., Baikal area: Misharina 227-72
stresses in Earth, vertical displacements: Yurkevich 226-122
tectonic, in volcanic districts,Japan: Wada 218-358
traveltime curves, regional corrections: Berezhnova 221-57
triggering mechanism, tidal effects: Dix 218-55
earth tides: Knopoff 220-58
Turkey, 1964: Erentöz 227-66
U.S.S.R., 1957, Muy shock: Solonenko 225-74
1958, Kurile Islands: Gostev 219-97
1959, Caspian area: Islamov 219-94
Kamchatka: Balakina 219-90; Chemnykh 219-88; Goryachev 219-91; Khristoforov 219-92; Kondorskaya 219-89; Tishchenko 219-93
1961: Vvedenskaya 221-53
1962, Azerbaijan S.S.R.: Ragimov 222-50
Iturup Island: Solov'yev 221-54
1963: Khromovskikh 221-55
Georgia: Tabidze 220-100
English guide to Atlas: Crawford 219-87
Tbilisi seismic station: Akhalbedashvili 220-103
United States, 1962, summary: Lander 223-53
Virginia, 1727-1960: MacCarthy 220-81
October 28, 1963: MacCarthy 220-80
Washington, 1965: Oakeshott 227-62
West Indies, Seismic Research Unit: Robson 220-83
world, 1961-62: Rothé 220-82
1963: Lotze 223-52
Yugoslavia, 1963: Berg 227-65
Earth tides, earthquakes, triggering mechanism: Knopoff 220-58
general, symposium, Brussels, 1964: Melchior 218-67
ideas and techniques: Melchior 220-105
Earth tides—Continued
general—continued
review: Melchior 220-106
Germany, observations in flooded mine: Creytz 216-99
gravity anomalies, correlation: Groten 220-104
harmonic analysis: Balenko 222-74
least squares, analysis: Venedikov 217-133
measurement, laser beams: Newby 223-85
observations, Hungary: Oszlaczky 224-95
India: Balakrishna 218-68
U.S.S.R.: Balavadze 224-96; Pariyskiy 225-85
anomalies: Matveyev 220-109
IGY: Pariyskiy 220-111
IGY-IGC: Aksent'yeva 220-107
Poltava 1961: Aksent'yeva 220-108
Tbilisi: Balabadze 220-112
observations and research, review: Melchior 224-94
semidiurnal component, discrepancy between calculated and observed: Alsop 217-132
East Africa, seismicity: Sykes 220-61
Egypt, age, radiocarbon dates: Alessio 226-28
age, radiocarbon dates: Stuckenrath 226-25
Elastic properties, basic and ultrabasic rocks, U.S.S.R.: Golubev 221-96
calcite, aragonite transition: Gordon 217-139
diorite, experimental study: Goldsmith 224-112
grounds, reaction to explosions: Kharin 227-92
feldspar: Ryzhova 225-106; 226-136
igneous rocks, absorption and velocity: Levykin 224-114
in-situ measurement: Roberts 211-92
compared with theory: Hackett 221-93
iron ores, U.S.S.R.: Myachkin 221-97
oxides, bulk-modulus-volume relationship: Anderson 227-81
rocks, high hydrostatic pressure: Volarovich 216-108, -109
in-situ character: Richter 221-94
measurements in place: Wantland 225-105
methods of measurement, review: LeComte 222-91
research: Judd 225-334
shock compression: Ahrens 217-138
stress-strain curves: Cook 225-103
U.S.S.R., Tien Shan: Akhmatov 221-236
variation with depth: Stetyukha 219-130
viscoelasticity: Robertson 225-104

- Elastic properties—Continued
  - sedimentary rocks: Hurtig 221-91
    - velocity-petrography relationship: Hurtig 226-132
  - soils, in place: Nikolayev 216-112
- Elastic waves, acoustic logging, later arrivals: D'yachkova 226-137
  - amplitudes, Eurasian paths compared: Solov'yev 218-60
  - attenuation, crust: Press 216-102
    - fundamental regularities: Gurevich 217-152
    - glacial ice: Westphal 222-78
    - granular mediums: Savage 227-80
    - noise in deep boreholes: Sax 216-103
    - phenomena at atomic level: Howell 223-91
    - Pn: Frantti 224-105
    - rock specimens, high pressure: Levykin 216-110
    - sandstone and sands: Gardner 221-79
  - buried source problem, exact solution: Mitra 216-107
  - body, finite moving source: Hirasawa 224-97
  - converted, inverse problem: Puzyrev 226-133
  - coupling, thermo-viscoelastic solids: Sinha 219-120
  - diffracted, dynamic features: Teng 219-131
  - dislocations, propagation: Vvedenskaya 225-97
  - disturbances, layered medium containing a magnetic field: Sinha 220-114
  - dynamics, faults: Teng 218-304
    - structure-ground interaction: Kats 221-85
  - earthquake mechanism, elastic equilibrium change: Randall 217-140
  - elastic sphere, dipolar point source: Ben-Menahem 217-143
  - energy, explosions: Yershov 221-86
    - partition between refracted and reflected waves: Mayer 220-125
    - propagating faults: Haskell 220-116
  - explosive sources, displacement: Berg 225-93
    - underground workings: Shamin 221-90
  - faults, reflection and diffraction wavelets: Harper 221-74
  - first arrivals, explosions and earthquakes distinguished: Voyutskiy 218-75
    - rupture velocity: Savage 224-98
    - size of explosive charge: Tárczy-Hornoch 222-89
    - sources near free surface: Burridge 220-119
- Elastic waves—Continued
  - free oscillations of the earth, calculated: Jobert 218-57
  - frequency, reflection from transition layer: Levin 226-134
    - size of charge: Nersesov 216-111
  - general, nontechnical review: Bixby 217-162
  - generation, Lg-waves: Bose 221-80
    - volume change: Randall 217-141
  - head, attenuation in thin-layered media: Shamina 223-98
    - linear transition layer in a liquid: Nakamura 216-100
    - refracting medium: Chekin 223-97
  - impact source, free surface: Nikolayev 223-100
  - inhomogeneities, perturbation method: Herrera 220-124
  - interference, elastic inhomogeneous sphere: Buldyrev 226-126
    - statistical theory: Gol'tsman 223-96
  - Laplace transform, inverse: Longman 220-115
  - liquid sphere, shallow focus explosions: Alterman 222-81
  - longitudinal, displacement directions on free surface: Gvozdev 224-115
  - Love, absence of certain periods: Sarkar 219-123
    - attenuation: Obukhov 223-99
    - fluid-saturated porous layer: Paul 220-113
    - interference phenomena: Buldyrev 226-129
    - phase velocity for Iranian earthquake, 1962: Kaminuma 219-78
    - sandy layer: Paul 225-96
    - spectrum, variation with depth: Levshin 222-84
    - spherical model, variation with radial distance: Paul 227-85
    - torsional oscillations of spherical shell: Paul 225-94
  - mantle, anisotropy: Backus 226-124
    - emergence angles: Gershanik 227-87
    - Upper Mantle Project: Cumming 223-229
  - mine bumps, Czechoslovakia: Šimáně 225-95
  - minimum-phase, stratified absorptive earth: Sherwood 223-86
  - models, perforated, longitudinal waves: Petkevich 217-156
    - ultrasonic profiling, stratified section: Petkevich 222-90
  - mode-ray duality: Ben-Menahem 217-142
  - molten silicate, experimental study: Kumazawa 218-73
  - multichannel filtering: Wiggins 222-318
  - nuclear explosions, detection: Epstein 217-161

Elastic waves—Continued
- nuclear explosions—continued
  - SHOAL Volunteer Team Program: Weisbrich 223-90
  - variations at teleseismic distances: Willis 222-79
- P-waves, reflections from core: Bolt 222-83
- PcP phase, nuclear explosions: Buohbinder 224-107
- P_F-waves, velocity components: Maulik 219-124
- Pg and Sg velocities, Finland: Vesanen 218-71
- periods, Fourier analysis: Jeffreys 217-147
- physical nature, deep seismic sounding: Alekseyev 218-301
- plane, porous material in magnetic field: Sinha 227-84
  - propagation in soils: Heierli 224-113
- polarization, distortional waves in an isotropic medium: Stoneley 222-82
  - layered earth model: Nuttli 217-146
- propagation, angles of emergence: Mereu 224-104
  - compressional pulse in layered solid: Pekeris 226-125
  - crust, effect of layering: Mechler 222-87
  - crustal blocks under stress: Tuman 217-150
  - directivity function: Savage 222-75
  - elastic medium with axial magnetic field: Sinha 227-89
  - granitized and weathered rocks: Dubinchik 221-95
  - homogeneous media: Sinha 224-109
  - igneous rocks, absorption and velocity: Levykin 224-114
  - irregular infinite interface: Adams 220-121, -122, -123
  - Leningrad school work: Petrachen 226-130
  - low velocity channel: Maulik 222-76
  - medium with periodic structures: Onda 221-82
  - medium with variable velocity: Obolentseva 226-135
  - modal calculations: Dunkin 224-102
  - moving source, elastic halfspace: Abubakar 219-121, 222-88
  - sediments, Guadalupe Mohole site: Hamilton 223-89
  - seismic waves modeled: Petrashen' 217-151
  - semi-infinite medium: Vlaar 218-69
  - semi-infinite medium with transverse magnetic field: Sinha 227-88
  - shock waves: Duvall 224-111

Elastic waves—Continued
- propagation—continued
  - shock waves in solids: Davids 224-110
  - singular integrals: Longman 225-90; Papadopoulos 225-88, -89
  - sphere with mantle and core: Sato 221-81
  - time-dependent in shadow zone: Molotkov 226-128
- radial modes, compressible conducting fluid, core: Kraut 227-79
- radiation patterns, reciprocity theorem: Gupta 224-99
- ray theory, long-time response: Spencer 225-86
- Rayleigh, dispersion in stratified layers: Ohta 226-138
  - dispersive waves in elastic strata over rigid solid: Ohta 219-127
  - motion in elastic half-space: Sorge 221-75
  - propagation in two-layered anisotropic medium: Dutta 227-91
  - sediment thickness: McEvilly 223-87
  - step change in elevation: Mal 224-101
- reflected, irregular boundary: Deresiewicz 217-149
  - transition layer in liquid medium: Gupta 221-78
  - underwater, model: Barnard 218-74
  - various interfaces: Mayer 222-85
- refracted: Spencer 225-87
  - medium with vertical layer: Grechishnikov 223-104
  - thin high-velocity layers: Rosenbaum 223-88
  - various interfaces: Mayer 222-85
- rocks, destruction by dynamic loading: Parkhomenko 225-99
- seismic boundaries, roughness: Ryabinkin 225-100
- seismograms, theoretical: Smirnova 217-154
- seismograph response, longitudinal plane waves: Maaz 219-122
- SH-waves, elastic quarter space: Mitra 216-106
  - magneto-elastic: Abubakar 227-82
  - propagation in sphere: Alterman 226-127
  - spherical elastic layer: Yanson 225-98
  - surface displacement: Mitra 223-92
- shear, scattering by transeismic obstacles: Schwab 221-73
  - velocity distribution: Suzuki 224-106
- shock waves, nuclear explosions: Butkovich 220-129; Holzer 220-130
- source parameters, underground: Töksöz 216-101
- spectrum, explosions: Medvedev 221-84

- Elastic waves—Continued
  - spherical, reflection from inhomogeneous half-space: Chekin 223-95
  - spherical source: Hirasawa 219-128
  - spheroidal, homogeneous elastic sphere: Usami 217-159
  - S-pulse, deep-focus earthquakes: Otsuka 227-70
  - Stoneley, P_F phase: Ghosh 217-145
  - surface, explosion-generated: Bisztricsány 224-103
    - oceanic paths: Sykes 217-144
    - propagation in heterogeneous medium with a low velocity channel: Maulik 227-90
    - rigidly fixed lower surface: Paul 219-126
    - scatter by small perturbations: Herrera 217-137
    - vertical component: Bose 220-126
    - velocities calculation: Keylis-Borok 226-112
  - surface motion, Haskell-Thomson matrix method: Hannon 220-120
  - SV, crustal studies: Costain 224-108
  - tangential stresses, rectangular surface: Sur 223-93
  - T-phase, propagation in oceans: Bose 218-70
  - transmission time, long structures: Bogdanoff 225-91
  - traveltime, analytical calculation: Knopoff 226-111
    - layered mediums: Helbig 225-92
    - phase shifts: Kane 222-80
    - power-series: Bullen 222-86
  - twist-generated disturbance, medium with spherical cavity: Roy 227-83
  - velocity, compared with other physical properties: Ottlik 218-72
    - density of rocks: Berezkin 224-116
    - effect of saturation in sedimentary rocks: Avchyan 223-101; Shan'gin 223-105
    - Fourier transform method: Shima 220-117
    - frozen sand: Wacholz 216-341
    - granite: Aveline 226-131
    - longitudinal in rock specimens: Verzhbitskiy 216-113
    - overburden and pore pressure: Banthia 221-77
    - porous media: Schön 220-127
    - pressure effects: Gardner 221-76
    - rocks at high pressure: Volarovich 225-102
    - rocks in Uzbek, S.S.R.: Volin 217-155
    - rocks, ultrasonic study: Ganguly 217-158
      - ultrasonic study: Yaropolk 217-157

- Elastic waves—Continued
  - velocity—continued
    - saturated samples: Volarovich 223-102
    - sedimentary rocks: Gardner 221-76; Hurtig 221-91
      - porosity effect: Ozerskaya 225-101
      - U.S.S.R.: Afanas'yev 216-114
    - sediments: Bucker 218-295
    - serpentine, Puerto Rico: Birch 216-105
    - variation during compression: Taylor-Smith 219-125
    - variations with depth: Shablinskiy 221-83
  - wave fields: Smirnova 219-129
  - wedge-shaped media: Fuchs 223-94
- Elasticity, concrete blocks in sand: Bibanov 221-87
  - cratering studies, tracer technique: Diehl 219-132
  - deformation fields, earthquake mechanism: Maruyama 217-160
  - dislocations, body forces: Burridge 220-118
  - dynamic theory, vicinity of caustic: Yanovskaya 217-153
  - Earth, strains within: Takeuchi 222-77
  - elasto-plastic system, earthquake action: Korf 221-89
  - general, recording and analysis: McElheny 221-61
  - ice, Antarctic: Durynin 225-107
  - mine bumps, tiltmeter observations: Lin'kov 223-108
  - modulus, deep-sea sediment cores: Richards 216-340
  - piezoelectrical surveying, pegmatites: Sobolev 219-137
  - soils, second-order effects: Chao 223-103
- Electrical exploration, airborne, gondola interference: Vasil'yev 223-111
  - airborne, U.S.S.R.: Shuval-Sergeyev 224-136
  - alternating current: Zaborovskiy 220-141
    - review: Karandeyev 219-135
  - buried electrode and charged body methods: Redozubov 216-120
  - charged conducting body method: Gruntorád 217-165
  - conductivity anisotropy: Mann 225-109
  - conductivity spectra, ore deposits: Fraser 216-116
  - conductivity variation, horizontally: Meyer 218-82
  - configurations, trapezium-shaped: Borrmann 216-118
  - coring device, auxiliary method: Somov 221-103
  - cylindrical conductors, parameters: Pris 224-125

Electrical exploration—Continued

- dam foundations: Fröhlich 220-135
- dipole fields: Zakharov 219-138
  - anisotropic medium: Semenov 221-100
  - contacts at various dips: Vedrintsev 226-139
  - homogeneous conducting half-space: Gasanenko 223-112
- direct and alternating current methods, ore deposits: Semenov 227-115
- direct current, heterogeneous media: Stefanescu 223-123
  - three layers: Petrucci 220-136
- double rotating field method: Khomenyuk 224-139
- electrode potential, ore minerals: Sveshnikov 223-119
- electromagnetic fields: Kuznetsov 216-121
  - directional effect: Pris 225-113
  - great depth: Shakhsuvarov 225-53
- electromagnetic frequency sounding: Titlinov 224-131
- electromagnetic profiling, U.S.S.R.: Ivochkin 227-117
- elliptical polarization, conducting ore bodies: Tsemkalo 224-134
  - optimum frequencies: Tsemkalo 224-135
- expansion method, multiplicity of roots: Szaraniec 219-133
- field build-up curves: Ivanov 219-136
- finite grounded cable, parameter of medium: Veshev 223-115
- frequency selection, form of marker horizons: Gugunava 220-143
- frequency sounding: Enenshteyn 225-54
  - model, conducting wedge: Gasanenko 223-109
- general, textbook, Russian: Yakubovskiy 222-101
- ground water, complex geologic conditions: Dobrovol'skiy 220-150
- grounded dipole, wave zone: Van'yan 217-169
- horizontal cylindrical body, linear electrodes: Parasnis 220-132
- ice thickness: Rudakov 219-141
- induction: Borodayeva 219-139
  - airborne: Blazhkevich 225-118; Kotyuk 224-137
    - U.S.S.R.: Vasil'yev 223-113
  - amplitude-phase measurements: Yershov 224-146
  - apparatus: Rogachev 224-129
  - applications: Anders 221-113
  - ellipse of field: Tsemkalo 221-108
  - field generation: Svetov 224-124
  - frequency variation: Buchheim 221-115

Electrical exploration—Continued

- induction—continued
  - limitations of method: Tarkhov 224-145
  - low frequency: Vinogradov 224-132
  - modeling of low frequency: Dayev 224-121
  - nature: Chanturishvili 220-146
  - pyritic sandstones: Anderson 216-117
  - radiation resistance of horizontal loop: Negi 223-121
  - review: Yakubovskiy 224-119
  - secondary fields near conducting bodies: Kosenkov 224-122
  - small loop on surface: Bhattacharyya 216-115
  - theory: Gasanenko 223-114
  - theory and procedure: Kaufman 224-120
  - two-frequency apparatus: Musyuk 224-128
  - two-layer case: Anders 221-116
  - U.S.S.R.: Ploskikh 224-147
- industrial interference: Faradzhev 218-43
  - filtering: Kamenetskiy 216-122
- infinite rectilinear cable, normal field: Gasanenko 223-110
- infinitely long horizontal cylinders: Jain 217-163
- instrumentation, $\Delta V/I$ ratio measured directly: Shchitov 226-148
  - airborne: Belichenko 225-122; Blazhkevich 225-119; Goncharskiy 225-128; Kalashnikov 225-127, -130; Kuzovkin 225-124; Mizyuk 225-126; Zamikhovskiy 225-125
    - infinitely long cable: Kotyuk 226-144
  - amplifier: Shchitov 226-146; Zmudnikov 225-129
  - amplitude-phase variation method: Kochanov 224-126
  - attenuator: Zmudnikov 225-132
  - automatic compensators: Bulanov 218-87
  - Hungarian GE-type: Erkel 224-118
  - induction, U.S.S.R.: Karandeyev 224-127
  - infinitely long cable: Kalashnikov 224-138
  - measuring and processing: Karandayev 226-145
  - microvoltmeter: Frenkel' 226-149
  - millivoltmeter: Gupta Sharma 217-170
  - portable electromagnetic: Gupta Sharma 217-171
  - potentiometer: Shchitov 226-147
  - preamplifier: Kuzovkin 225-121
  - receiving antennas: Kuzovkin 225-120
  - transformers: Mizyuk 225-131
  - voltmeter: Kalashnikov 225-123
  - working frequency of pickups: Levchenko 219-134

- Electrical exploration—Continued
  - interference, use in direct prospecting: Bezruk 224-130
  - interpretation, complex sections: Blokh 223-120
    - nomogram: Frolov 226-143
  - karst areas, foundation studies: Early 220-133
  - low frequency fields, interpretation: Ďuratný 218-80
  - magnetotelluric, amplitude-phase methods: Moskvichev 225-117
    - analog model: Rankin 222-93
    - nonhomogeneous layer: Dmitreyev 225-114
    - nonhorizontally stratified mediums: Porstendorfer 222-100
  - mean gradient method, dimensions of body: Volchek 221-99
    - ore deposits: Gruntorád 220-138
  - metamorphic terranes: Genko 221-102
  - model studies, computer applications: Galbraith 222-117
    - Pb-Zn ores: Dizioğlu 227-114
  - permafrost areas, U.S.S.R.: Zuyev 216-129
  - petroleum, exploration: Vasil'yeva 222-121
  - piezoelectrical effect, pegmatites: Sobolev 219-137
    - quartz-bearing bodies: Volarovich 225-111
  - point source, vertical layer: Sakharnikov 223-117
  - potential method, theoretical solution of anticlinal structure: Mužijević 221-117
  - primary field, two coincident magnetic dipoles: Dikmarova 226-141
  - quinching field, pyrite deposit: Krylov 220-142
  - radiokip method: Rogachev 219-142
  - radio-reception mapping: Frolov 224-148
  - resistivity, 3-layer curves: Van der Hoeven 224-117
    - alluvium: Rabinovich 219-140
    - anomalies classified as to ore: Blokh 224-152
    - Cave detection method: Day 222-95
    - computer analysis: Shkabarnya 221-112; Van'yan 217-166
    - depth determination: Miecznik 220-140
    - engineer's guide: Tagg 227-110
    - frequency rejection filter: Collett 218-86
    - laboratory study: Sarma 218-85
    - low-frequency: Hanzlík 220-139; Veshev 223-116
    - observations: Koefoed 227-106
- Electrical exploration—Continued
  - resistivity—continued
    - Schlumberger method: Weber 227-112
    - surface of sphere: Rosa 220-137
    - transient response: Loeb 217-164
    - two- and four-electrode setups: Semenov 221-101
    - two mediums in a ridge: Khvitiya 220-145
    - underground workings: Sabo 220-149
    - vertical sounding: Abdullayev 221-110; Tarasov 221-98
  - self potential, anomalies due to inclined sheets: Paul 225-108
    - iron deposits: Tabagua 220-147
    - sulfide deposits: Becker 227-105
  - sounding curves, expansion method: Szaraniec 218-81
  - standard graphs, calculation: Dam 223-122
  - sulfides, U.S.S.R.: Ivochkin 223-118
  - technique, watershed studies: Burroughs 222-96
  - three-layered medium, low-frequency dipole: Andreyev 224-154
  - topographic correction: Chanturishvili 220-144
  - transient field, behavior: Frolov 225-112
    - buried source: Koroleva 224-149, -150
    - distortion of curves: Van'yan 225-115
    - late stage: Van'yan 218-84
    - thin-bedded medium: Van'yan 225-116
    - two dielectric halfspaces: Vlaar 218-78, -79
  - transient processes, accumulation of signal: Klyuchkin 224-144
    - depth of penetration: Sidorov 224-143
    - effect of surface deposits: Kamenetskiy 224-142
    - procedures: Kamenetskiy 224-141
    - review: Kovalenko 224-140
  - two-layer problem, numerical treatment: Weber 216-119
  - underground, ore bodies: Bondarenko 227-116
  - veins, vertical outcropping, long line electrodes: Parasnis 220-134
  - vertical electrical sounding: Frolovich 217-167, -168
    - inversion of curves: Anishchenko 227-118
    - moisture in rocks: Pichugin 218-83
  - vertical layer, anomaly above: Zakharov 224-123
  - vertical resistivity sounding, Hungary: Király 222-99
- Electrical logging, adjustment of records, same values for same lithology: Matuszak 220-152

- Electrical logging—Continued
  - automatic data processing: Guberman 219-327; Kulinkovich 217-173; Southwick 221-119
    - coordination of core data: Keener 226-166
    - current status: Finklea 226-159
    - dipmeter analysis: Matthews 226-164
    - field recording: Buckner 226-155
    - formation evaluation: Johnson 226-156
    - stratigraphic traps: Daskam 226-153
    - truck-mounted computer: Tixier 226-157
    - universal log: Breitenbach 226-161
    - well-site recording: Mullican 226-154
  - bauxite deposits: Sebestyén 222-107
  - clay determination: Vičánek 220-312
  - coal deposits: Grechukhin 224-163
    - Rumania: Voronca 219-147
    - U.S.S.R.: Makarov 227-127
  - correction for inhole dip: Stone 220-154
  - dipmeter, review: Salisch 218-99
  - dipmeter surveys, stratigraphic control: Gilreath 220-153
  - drilling mud, filtration: Breitenbach 226-160
  - dry-drilled wells, permafrost regions: Zuyev 226-177
  - education: Pirson 226-158
  - electromagnetic field, calculation: Kaufman 219-145
  - fluid saturation, reefs, western Canada: Glanville 226-170
  - formation evaluation, combined with core analysis: Gauntt 223-126; Granberry 223-125, -127
  - formation factor, salinity of pore solution: Kozel 225-133
  - general, factors governing efficiency: Edwards 226-165
  - ground water, movements: Matveyev 218-97
  - handbook, elementary: Moore 216-131
  - induction, amplitude-phase method: Veksler 224-158
    - apparatus: Aksel'rod 224-162; Alferov 224-161; Rogachev 224-129
    - choice of frequency: Kaufman 222-108
    - electrolytic modeling: Plyusnin 224-160
    - magnetic permeability effect: Kaufman 217-175
    - native copper: Bacon 223-124

- Electrical logging—Continued
  - induction—continued
    - nomograms: Kaufman 225-136
    - sonde characteristics: Plyusnin 224-157
    - strata of limited thickness: Kaufman 226-174
    - theoretical computations: Těžký 218-90
    - three-coil sondes: Izyumov 218-91
    - U.S.S.R., status: Plyusnin 224-159
  - instrumentation, cable design: Glushko 217-177
    - four-electrode sonde with baffle: Al'pin 216-132
    - inclinometer: Grechin 226-179
    - new, 1965: Canadian Petro Engineering 224-155
    - recording pen: Grechin 226-176
    - resistivity meter: Tsyba 226-180
    - Russian heat-resistant types: Gorbachev 218-96
    - small-gage inclinometer: Mernykh 226-178
    - surface resistivity meter: Polyakov 226-171
  - interpretation, projective and fluid migration: Prison 216-130
  - Israel, Lower Cretaceous: Aharoni 220-158
  - laterlog: Guyod 221-120
    - computer analysis: Gorbik 217-172
    - electrode inequality: Chukin 217-174
  - limestones, cavernous and jointed: Basin 217-176
    - microlog, fissure zones: Nechay 218-93
  - methods, Arkoma basin: Irvin 220-155
  - Michigan, amygdaloid copper: Schillinger 220-157
  - microlog, interpretation: Brylkin 218-94
  - oil and gas reserves: Vendel'shteyn 222-122
  - potential sondes: Per'kov 225-134
  - practice, log analyst: Towle 226-168
  - producing strata, control of flooding: Anpilogov 223-129
  - reservoir properties: Solomasov 226-175
  - resistivity, abnormal pressures: Wallace 226-167
    - asymptotic values of apparent resistivity: Al'pin 224-156
    - clay content, effect: Rumyantseva 227-126
    - coefficient of resistivity increment: Guzanova 226-173
    - continuous during drilling: Oil and Gas Journal 223-128
    - dipmeter survey, interpretation: Jizba 218-98
    - drilling mud invasion, water-oil contact: Orlinskiy 227-125

- Electrical logging—Continued
  - resistivity—continued
    - formation pressure: Hottman 226-169
    - fundamental problems: Al'pin 218-92
    - oil structures, outlining: Alekseyev 227-124
    - rocks containing emulsion: Kotov 217-178
    - structural-exploration drilling: Liadze 227-121
    - temperature and pressure effects: Polyakov 225-135
    - water saturation: Herman 226-172
  - sedimentary rocks, compilation from logs: Keller 222-103
  - self potential, drilling-mud effects: Anpilogov 218-95
    - India, Siwalik Formations: Singh 218-101
    - soft formations: Guyod 226-151
  - soils engineering: Guyod 219-148
  - surveys, Czechoslovakia: Marušiak 219-146
    - Japan, Ariake Coal Mine: Ariake Coal Mine Prospecting Section 218-324
    - Mississippi: Bicker 221-121
    - South Africa, crocidolite prospecting: de Villiers 222-106
    - U. S. S. R. : Kukhlev 217-180; Lykova 217-179
      - Aktyubinsk area: Avrov 220-159
      - Buzovny-Mashtaginsk: Patsevich 227-122
      - Kura Plain: Itenberg 227-120
      - Nekrasov field: Zanyukov 227-123
      - Podobass-Tutuyas depression: Gershanovich 224-164
      - Surgut stratigraphic drill hole: Nesmerov 216-133
      - West Siberian Lowland: Koshlyak 221-124
  - time-lapse logging: Murphy 221-118
  - water saturation: Grudkin 227-128
  - wettability, fluid saturation determination: Morgan 226-152
- Electrical properties, alternating fields, frequency: Tarkhov 224-165
  - argillaceous gels, conductivity: Cremers 222-109
  - conductivity, bound water in rock: Shishigin 221-125
  - feldspar, dielectric losses: Floys 220-160
  - instrumentation, two-pole shielded parametric installation: Zuyev 226-181
  - olivine, high temperature and pressure: Bradley 219-149
  - olivine-spinel transition, conductivity jump: Akimoto 219-253
- Electrical properties—Continued
  - piezoelectric symmetry: Parkhomenko 216-136
  - pressure and temperature effects: Parkhomenko 216-137
  - pressure effects: Volarovich 216-134
  - resistivity and permeability, frequency: Chelidze 224-166
  - rocks, Germany: Liessmann 222-110
    - low frequencies: Astrakhantsev 224-167
    - U. S. S. R., Tien-Shan: Akhmatov 221-236
  - sandy-clayey systems, saturating solutions: Rumyantseva 227-130
  - sedimentary rocks, compilation from electrical logs: Keller 222-103
    - Czechoslovakia: Kozel 219-150
  - seismoelectric effect, sedimentary rocks: Parkhomenko 218-102
  - tektites: Hoyte 223-30
  - temperature dependence: Roshkov 227-129
  - ultrasonic determination: Parkhomenko 216-135
- Electrical surveys, Australia, sulfides: Mirams 218-274
  - California, ground water: Zohdy 227-108
  - Czechoslovakia, Havlíčkův Brod ore district: Gruntorád 220-171
  - England, Mendip area caves: Oldham 227-113
  - Germany, coal deposits: Hurtig 218-88
    - nickel silicate deposits: Jubelt 221-114
  - Ghana, Ashanti and Western Regions: Cudjoe 223-286
  - Hungary, bauxite in Bakony Highlands: Szabadváry 222-97
    - crustal structure: Ádám 225-110
    - Transdanubia: Erkel 222-98
  - Illinois: Buhle 220-131
  - India, copper: Simha 218-106
    - damsites, Sharavati Valley Project: Banerjee 217-341
  - Italy, Calabria: Mosetti 216-127
    - northeast Friuli: Mosetti 216-128
  - Japan, resistivity, landslide phenomena: Takada 226-150
  - Kenya: Baker 218-154
  - Korea, Bongmyong graphite mine: Cho 227-119
  - Maine, Piscataquis and Somerset Counties, mineral prospects: Young 227-107
  - Mexico, limestone area: Bello 227-11
  - Michigan, amygdaloid copper: Schillinger 220-156
  - Mongolia, ground water: Szabadváry 218-89
  - Nevada, application to hydrogeology: Dudley 221-311

Electrical surveys—Continued
  New York, Adirondacks: Cantwell 216-123
  Oregon, deep resistivity measurements: Cantwell 222-94
  Puerto Rico, Mayagüez area, serpentinite, AMSOC hole: Zablocki 216-124
    nuclear plant foundation: Alonso 222-104
  South Africa, resistivity, brines: Schumann 222-105
  Switzerland, Orbe River Plain: Meyer de Stadelhofen 216-126, 221-123
    Rhône Plain: Meyer de Stadelhofen 216-125, 221-122
  Turkey, resistivity, ground water: Bierschenk 219-144
  U.S.S.R., Baltic area: Vasil'yev 223-113
    brines, cis-Carpathian: Sapuzhak 222-102
    central Asia: Allakhverdov 221-111
    chalcopyrite, Urals: Demidovtsev 224-133
    Chul'man depression: Mikunov 220-148
    Georgian S.S.R.: Tabagua 220-147
    ground water: Gaman 221-107
      Crimea: Golovtsyn 221-106
      Kama region: Frolovich 217-167
      karst areas, Crimea: Golovtsyn 221-104; Nazarov 226-142; Smol'nikov 221-105
      Kazakh S.S.R.: Akishev 220-151
    Kola Peninsula: Polyak 226-140
    magnetotelluric, Lovozero station: Yegorov 224-151
    nonmetallics: Khesin 219-143
    Perm region: Frolovich 217-168
    permafrost in Irkutusk A.S.S.R.: Zuyev 216-129
    polymetallic ores in Rudnyy Altai: Belash 221-109
    sulfides: Ivochkin 223-118
    Turkmen S.S.R.: Mil'shteyn 227-228
    Urals: Titlinov 224-131
    Ust-Yenesei basin: Gvizd' 224-153
  United States, Pacific Northwest: Cantwell 227-109
  Virginia, northern: Cantwell 216-123
  Washington, deep resistivity measurements: Cantwell 222-94
Elements, noble gases, terrestrial abundances: Jokipii 218-37
El Salvador, geophysical research 1920-61: Durr 217-185
England, age, granites, southwest: Miller 227-25

England—Continued
  electrical surveys, Mendip area caves: Oldham 227-113
  magnetic properties, sandstone: Chamalaun 216-254
  paleomagnetism, reversals, Iron Grit: Edwards 223-277
  radioactivity, Yorkshire-Derbyshire coalfield marine sediments: Knowles 227-316
Ethiopia, age, basalts: Grasty 219-11
  age, metamorphic rocks: Rogers 225-12
  geotectonics, Arabo-African Rift system: Mohr 218-117
  magnetic field, Sq diurnal variations: Gouin 218-230
Eurasia, paleomagnetism, general: Raven 227-287
Europe, age, glacial chronology: Rubin 218-4
  age, radiocarbon dates: Olsson 226-36
  crust, structure: Payo Subiza 216-264
  crustal, thickness: Bisztricsány 225-232
  crust and mantle, seismic studies, review: Kosminskaya 224-234
  geotectonics, recent deformation, Carpathians: Pintér 224-187
  gravity network, calibration line: Kneissl 227-192
    calibration line, adjustment: Solaini 218-136
    Catania-Hammerfest calibration line measurements: Mazzon 218-135
    Fundamental Gravity Net, adjustment method: Wolf 216-205
    measurements for errors: Mazzon 221-162
  paleomagnetism, Permian: Schwarz 224-300

F

Faroe Islands, gravity surveys: Saxov 217-246
Faulting, Appalachians, landward continuation of offshore fault: Drake 217-217
  body forces: Burridge 220-118
  Brevard zone, North Carolina: Reed 219-162
  Cabot fault, possible southwest extension: Straley 223-154
  California, San Andreas, Maricopa to Elizabeth Lake: Oakeshott 222-73
    San Andreas, southern: Crowell 222-72
  directional distribution, device for measuring on map: Egyed 218-110

Faulting—Continued
  global systems: Voronov 224-190
  gravity sliding, Nevada: Carlisle 224-181
  New Zealand, Alpine fault: Suggate 217-221
  overthrust, role of fluid pressure: Davis 223-150
  rate of movement, geomorphic evidence: Lensen 220-203
  San Andreas and Talaso-Fergona faults compared: Burtman 217-220
  stress states: Scheidegger 216-155
  stresses, model: Duda 223-107
  strike-slip, methods of measurement: Burtman 217-219
  thrusting, Applachians, Clinchport fault: Harris 224-184
  Utah, Wasatch fault zone: Bissell 222-68; Bryner 222-71; Buss 222-70; Marsell 222-67, -69
  wrench, orogenic zones: Mitchell-Thomé 217-218
Fiji, earthquakes, 1953: Houtz 217-84
Finland, earthquakes, 1962-64: Korhonen 220-90
  geodesy, Base networks: Kääriäinen 225-155
  geotectonics, recent deformation: Lisitzin 225-168; Sirēn 225-163
    recent deformation, bibliography: Okko 225-167
      Precambrian fault system: Härme 225-164
    recent deformation and Precambrian fracture system: Paarma 225-165
  gravity, networks: Kiviniemi 220-221
  gravity surveys: Honkasalo 225-196
  magnetic surveys, airborne, 1963: Geological Survey of Finland 219-307
    interpretation: Marmo 219-306
  seismic surveys, explosion seismology: Vesanen 218-71
    Obbnäs granite massif: Talvitie 220-330
  seismicity: Vesanen 218-48
    1957-62: Miyamura 220-88
    general: Penttilä 225-73
Florida, age, limestones: Broecker 225-6
  age, Pleistocene corals, thorium-radium methods: Osmond 223-3
  isotopes, carbon, ground water velocities: Hanshaw 222-195
Folding, crustal shortening, unrelated: Carey 219-170
  flow-type mechanics, discussion: Heidecker 223-334
Folding—Continued
  mechanism, competent granular layers: Williams 221-327
  origin: Belousov 219-171
  similar, types: Biot 222-337
  viscous buckling: Biot 222-338
Fracturing, brittle materials under compressive loading: Gramberg 222-339
  dry rocks, triaxial compression tests: Mogi 221-338
  rocks, dissimilar to metals and plastics: Austin 217-347
France, age, clay minerals: Bonhomme 227-20
  age, crystalline schists and pegmatite, Massif Central: Orliac 227-23
    granite: Deutsch 223-10; Roques 227-22
    lepidolite, Massif Central: Vialette 227-24
    uranium mineralization, Limouzat deposit: Durand 220-10
    uranium minerals and galena, Massif Central: Durand 227-21
  gravity surveys, Mont Dore massif: Coron 221-160
    Versailles-Beymes and Le Chardon (Vendée): Pham-Van-Ngoc 220-213
  magnetic surveys, Paris Basin: Tournier 217-311
  paleomagnetism, Pleistocene: Colin 227-284; Prévot 227-283
    Tertiary, Auvergne-Velay region: Roche 227-285
      Sancy Massif: Bobier 227-286
  radioactivity, granite: Coppens 227-319
  radioactivity logging surveys, Paris Basin: Bernard 220-313
  seismic surveys, Arras-Avesnes areas: Clément 220-323
    Herault-Causses volcanic field: Allègre 225-305
    Lake Geneva: Serruya 216-330
French Guiana, age, pegmatites: Allègre 221-2

G

Galapagos Islands, earthquakes, 1935-61: Acharya 225-68
General, automatic data processing, petroleum exploration: Rantz 227-149
  current student enrollment in geophysics: Henderson 219-157
  education, majors in geophysics: Henderson 227-154
  engineering, dams: Meisser 221-135
    trends in United States: Kiersch 221-136

General—Continued
  environmental sciences, problems and prospects: MacDonald 225-146
  geology, greater coordination of fields: Brundage 218-108
  geophysical modeling, computer application: Galbraith 222-117
  international cooperation: Minnaert 224-176
  inverse problems: Zidarov 227-183
  metric system, conversion tables to English system: Thompson 225-149
  oceanography, international cooperation, benefits: Revelle 224-174
  physical properties, rocks: Rzhevskiy 225-152
  physical sciences: Gamow 226-184
  reciprocity of sciences: Baranov 221-137
  satellites, review, 1957-65: International Geophysical Bulletin 225-147
  textbook, interpretation theory in applied geophysics: Grant 227-148
  transport equations, statistical properties: Scheidegger 227-146
Geodesy, arc lengths: Thomas 226-188
  base network, Finland: Kääriäinen 225-155
    Greenland: Hofmann 225-154
  Bruns' equitorial spheroid, flattening: Olberg 222-124
  dimensions and mass of Earth: Caputo 219-161
  ellipsoid, flattening: Olberg 227-156
    length of major axis: Veis 223-144
  general, Columbus group, 1960-64: Heiskanen 224-180
    current problems: Heiskanen 223-146
    data integration: Heiskanen 217-203
  inverse and direct problems, formulas: Sodano 223-145
  latitude and longitude, measurement, review: Markowitz 224-178
  latitude, nutation values and variation of period: Vicente 225-153
  normal heights, formulas for mountainous areas: Yeremeyer 220-182
  physical methods: Heiskanen 219-158
  plumb-line deflection: Antonyuk 222-125
Geodesy—Continued
  reference system, axes, satellite observations: Burša 220-183
  satellite and geometric methods: Zielinski 226-187
  satellite geodesy, textbook: Mueller 216-148
  satellites, figure of Earth: Airas de Greiff 220-184
    geometric and dynamic application: Mueller 217-204
    optimum use: Veis 220-181
  spherical harmonics, gravity anomalies: Moritz 219-159
  Switzerland, gravity network: Gassmann 216-149
Geophysical exploration, accidents, statistical examination: Richard 223-134
  aircraft positioning, photographic: Pleshivtsev 221-139
  carbonatites: Blyummer 221-130
  correlation technique: Anstey 220-175
  data analysis: Tukey 223-133
    information contained: Lossovskiy 221-138
  diamond pipes: Balakshin 218-105
  digital computer misuse: Steenland 216-142
  general, natural field methods, textbook: Constantinescu 223-139
    state of the art: Christie 221-132
    textbook: Fedynskiy 224-177; Mikov 223-140
    wireline logs, availability of information: Jeffries 218-100
  ground water, methods: Heinrichs 219-155
  instrumentation, radio range-finder: Bazhenov 216-145
  iron deposits: Krutikhovskaya 221-129
    methods: Leney 220-178
    new developments: Moberg 216-143
  isoanomaly-direction statistics: Kašpar 221-133
  marine, deep-sea vehicles: Park 223-137
    procedures: Shapirovskiy 222-113
  methods, review: Brant 227-153; Magnée 217-202
  mineral deposits, review: Kronberg 216-144
    sampling method: Razumovskiy 221-141
  petroleum, combined methods: Itenberg 225-151
    indirect methods: Meinhold 223-138
  physical properties of rocks, review: Kobranova 223-142
  Rumania, summary: Academia Republicii Populare Romîne 222-111

Geophysical exploration—Continued
  summary for 1963: Smith 218-103
  U.S.S.R. methods for oil and gas, 1959-62: Komarov 220-179
Geophysical logging, automatic data processing, electroscanner: Cotten 226-185
  automatic data processing, punched cards: Dakhnov 223-141
  coal deposits, U.S.S.R.: Rubtsova 216-147
  general, state of the art: Lehnert 221-134
  instrumentation, coupling: Grechin 226-186
  new uses, summary: Heise 227-150
  oil and gas reserves: Vendel'shteyn 222-122
  pH logging: Miroshnichenko 223-143
  surveys, U.S.S.R., karst reservoirs: Dakhnov 223-131
  training for log analyst, sources: Jeffries 227-152
  United States, review: Lehnert 218-111
  volume of trap, lateral drainage problems: Limes 227-155
  wireline logging, summary: Jeffries 227-151
Geophysical research, Alaska, Geophysical Institute activities 1963-64: Mather 219-156
  Australia, 1920-61: Jaeger 217-183
  Canada, 1963: Garland 216-141
  El Salvador, 1920-61: Durr 217-185
  Indonesia, 1920-61: Decker 217-186
  international cooperation: Minnaert 224-176
  Japan, 1921-61: Rikitake 217-187
  New Zealand, 1920-61: Robertson 217-189
  Norway, 1963, bibliography: Norway Geophysical Commission 224-175
  Philippines, 1920-61: Alcaraz 217-190
  problems depending on astronomical observations: Markowitz 224-178
  review, 1965: International Geophysical Bulletin No. 93 222-115
  solid-earth problems: Panel on Solid-Earth Problems 225-148; Tuve 222-114
  U.S.S.R., computers, Ural-l: Tsaregradskiy 216-146
    Ukraine S.S.R., 1960-62: Lebedev 220-180
Geophysical surveys, Antarctica: Desio 217-199
  Antarctica, 1963-64: Crary 219-153
    central: Kapitsa 219-154
    IGY and post-IGY results: Bentley 224-173
Geophysical surveys—Continued
  Antarctica—continued
    surface and subglacial relief: Belinskaya 226-183
  Austria, lower, molasse zone: Brix 220-165
  Australia, 1963-64: Whitten 225-145
    western Great Artesian Basin: Freeman 223-132
  Bolivia, Santa Cruz area: Lamb 220-167
  British Overseas Territories and Uganda: Makowiecki 220-162
  Canada, western, 1920-61: Jacobs 217-184
  China, ore deposits: Ku 218-107
  Cuba, structural interpretation: Valencio 220-161
  Czechoslovakia: Hanzlík 225-139
    Carpathian basin: Beranek 224-169
    Havlíčkův Brod ore district: Gruntorád 220-171
    Nesvačilka borehole: Beránek 220-172
  Great Britain, 1963 summary: Bullerwell 218-104
  Hawaii, 1920-61: Macdonald 217-192
  Hungary, Hungarian Basin: Szénás 224-170
  India, 1949-59: Kailasam 217-182
    sedimentary basins: Mathur 220-168
  Indonesia, petroleum: Jackson 221-131
  Italy, archeological sites, instrumentation: Linington 225-137
    Pescara to Gulf of Taranto: Carissimo 220-166
  Japan, Hokkaido Mine: Nobumoto 225-144
  Libya: Colley 220-164
  Malaya, 1920-61: Alexander 217-188
  Mediterranean Sea: Allan 220-163
  Mexico, Gulf of California: Spiess 227-131
  North Sea, southern: Bungenstock 220-169
  Oklahoma, limestone reef: Norden 217-181
  Pacific Ocean, 1920-61: Hamilton 217-193
    IGY and post-IGY review: Raitt 224-168
    north, 1920-61: Johnson 217-194
  Poland, northern, east-European platform structures: Skorupa 221-127
  Red Sea: Allan 220-163
  Solomon Islands, 1881-1961: Grover 217-195
  Spain, 1963: España Instituto Geológico y Minero 221-126
  Tchad Republic, Doba basin: Louis 216-140

Geophysical surveys—Continued
  Thailand, 1920-61: Buravas 217-191
  Turkey, 1935-62: M.T.A. Institute 220-170
  United States, 1964 activity: Oil and Gas Journal 223-136
  U.S.S.R., Amu Dar'ya basin: Šutor 225-140
    Azerbaijan, crustal study: Alizade 227-139
    Azov area: Sobakar' 219-152
    Central Asia: Amurskiy 225-142; Vol'vovskiy 227-134
    coal deposits, Pechora basin: Grechukhin 227-141
    Crimea: Al'bov 222-112; Sollogub 219-250
    diamond pipes: Balakshin 218-105
    ground water: Bogolyubov 221-128
    iron deposits: Krutikhovskaya 217-198, 227-142
    karst areas: Ivanov 220-173
    Kazakh S.S.R.: Bachin 227-138
      ground water: Anashin 227-143
    Kizlyar Gulf area: Nesmeyanov 225-141
    marine surveys: Vartanov 227-137
    ore deposits in Transbaikal: Lyakhov 216-139
    Perm Region: Shershnev 217-197
    polymetallic ores: Mustafabeyli 219-151
    Sea of Azov: Malovitskiy 227-145
    Siberia and Far East: Fotiadi 224-171, 227-132
    Tien Shan: Mel'kanovitskiy 227-133
    Ukrainian S.S.R.: Gerasimov 226-182; Subbotin 227-135
    Ural foreland depression: Yarosh 227-140
    Ustyurt: Garetskiy 225-143
    Volgograd-Saratov area: Kononkov 220-174
    West Siberian Lowland: Rostovtsev 227-136
    young platforms: Garetskiy 227-144
    Zeya-Bureya depression: Volkhonin 216-138
  world review, 1963: Engineering and Mining Journal 217-200; Oil and Gas Journal 223-135
Georgia, age, Elberton batholith: Ramspott 220-3
  magnetic surveys: Phillun 216-275
  seismic surveys, continental shelf: Antoine 227-337
Geosynclines, evolution: Khain 220-205
  geophysical characteristics: Borisov 222-131
Geotectonics, Antarctica, general: Klimov 226-195

Geotectonics—Continued
  Apennine-Alps junction, vortex effect: Wunderlich 222-128
  Appalachians, Clinchport fault: Harris 224-184
    reappraisal of structures: King 220-197
    role of basement in deformation: Rodgers 220-199
  block movement, craton, Ohio, evidence: Worthing 224-183
  Caribbean region, curvature of the Antilles: North 222-133
  continental drift, astronomical observations for modern movements: Shcheglov 219-180
    Baffin Island: Wilson 221-144
    classes of faults: Wilson 227-161
    mega-undation theory, North American shield: Bemmelen 225-161
    present as key to past: Runcorn 227-164
    Superior and Grenville orogenic belts: Dearnley 225-158
    symposium: Munyan 220-185
  continents and oceans, development: Kraus 216-164
  convection currents, Alaskan earthquake 1964: Vening Meinesz 218-47
    growing core: Runcorn 219-263
    inhibited by viscosity: Egyed 227-163
    tractions computed from gravity data: Runcorn 216-150
    turbulence: Wunderlich 216-151
  crustal buckling, experimental study: Ramberg 222-130
  crustal evolution, continental patterns: Tanner 223-151
    movement in mantle: Khain 217-208
    original granite crust: Ramberg 223-152
  crustal movements, before large earthquakes: Latynina 219-197
  crustal spreading, Iceland: Walker 226-192
  crustal thinning, geosynclinal subsidence: Hsu 224-182
  crust-upper mantle interaction, model study: Shimazu 219-166
  cycles, history of Earth: Fitch 225-157
  deformation, volume increases, models: Kirillova 226-194
  Ethiopia, Arabo-African Rift system: Mohr 218-117
  expanding earth, moment of inertia: Runcorn 218-113
    orogenic fold belts: Dearnley 225-159

Geotectonics—Continued
  expanding earth—continued
    physical basis: Egyed 218-114
    rate: Creer 221-143
  experiments, elastic and inelastic: Kvapil 216-159
  fault systems, global: Voronov 224-190
  faulting, Australia, Palmerville fault: de Keyser 222-134
  flow of rock masses, seismicity: Riznichenko 223-160
  folded belts, world review: Chebanenko 220-206
  foredeeps, Hungary: Wein 223-155
  gas dynamics, crustal movements: Kon'kov 219-214
  general, Upper Mantle Project program on tectonics: Goguel 226-191
  general principles: Matschinski 217-207
  geosynclines, central Africa: Swardt 220-201
    geophysical characteristics: Borisov 222-131
    Oregon: Dickinson 218-115
    processes: Khain 220-205
    regeneration, Argentina: Borrello 224-185
  graben formation, crustal break-up: Illies 226-193
  gravitational instability, salt and overburden: Biot 223-148
  gravity tectonics, Italy: Wise 219-163
  Greenland, tectono-magmatic evolution: Bridgwater 216-152
  irreversibility of processes: Pavlovskiy 217-206
  isostatic anomalies, types of tectonic movements: Chebanenko 227-167
  Japan, "green-tuff" movement: Matsumoto 221-150
    relation to crustal structure: Mizoue 218-118
    southeastern Shikoku: Yoshikawa 219-168
  Japanese island arcs, zonal arrangements: Matsuda 219-165
  lateral displacement, Texas: Muehlberger 225-162
  leveling operations, seasonal effects: Leont'yev 219-186
  mantle, crustal tectonics as key: Goguel 221-146
    effect on crustal tectonics: Bulin 221-310
  Mexico, Gulf of California, origin: Spiess 227-131
  model studies: Belousov 221-152
    crustal stresses: Osokina 217-209
  morphometric analysis: Volkov 219-173

Geotectonics—Continued
  New Zealand, Alpine Fault zone: Kupfer 220-204; Wellman 220-202
    mean height and hypsometric curve: Reilly 224-186
  oceanic ridges, dilation from fusion in convection current: Bott 227-162
    origin: Vening Meinesz 226-229
  orogenic arcs, force fields: Dubourdieu 221-149
  orogenic sequence, Alps: Bemmelen 227-165
  orogens, characteristics: Wunderlich 216-156
  overthrust faulting by gravity sliding, Nevada: Carlisle 224-181
  Pacific Ocean, principal distections: Scheidegger 222-126
    rotation: Havemann 219-164
  plutonism, spatial relations: Gilluly 223-149
  polar shift, causal factors: Bain 220-191
  quasigeoid, gravity anomalies and uplift: Razhinskas 219-200
  recent deformation, Alaska: Hicks 226-190
    Aleutian Trench: Matthews 218-46
    Baltic Sea area: Lesis 219-182
    Baltic Sea, north coast: Hyyppä 225-166
    California: Hudson 222-127
    Carpathians: Pintér 224-187
    Fennoscandia, bibliography: Okko 225-167
      use of gravity anomalies: Honkasalo 221-196
    Finland: Kääriäinen 225-155; Lisitzin 225-168; Sirēn 225-163
      Precambrian fault system: Härme 225-164
      Precambrian fracture system: Paarma 225-165
    geomorphic study: Kostenko 219-201
    geophysical fields and structural elements: Donabedov 219-199
    geophysical interpretation: Gzovskiy 219-179
    Japan: Fujii 227-169; Kasahara 221-151
    Mediterranean, Alpine chains: Aubouin 223-71
    methods of estimation: Gorelov 219-172
    moisture variation in soils: Pevnev 219-215
    Northwest Territories: Compton 222-132
      Melville Island: Henoch 221-147
    rates shown on maps: Sinyagina 219-178
    Scandinavia: Nikonov 219-195

- Geotectonics—Continued
  - recent deformation—continued
    - seismic regionalization: Gzovskiy 219-192
    - Shetland Islands: Flinn 218-116
    - U.S.S.R.: Astakhov 225-169; Gabriyelyan 219-174; Mattskova 219-181; Stovas 222-136
      - Apatity station: Panasenko 219-196
      - Armenia: Kazanchyan 219-187
      - Baskunchak salt dome: Pevnev 219-185
      - Carpathians: Gofshteyn 223-161
      - Caucasus: Dumitrashko 219-202; Liliyenberg 219-203; Rastvorova 219-204
      - Central Asia: Rantsman 219-212; Setunskaya 219-188
      - Crimea: Burshtar 224-188
      - Donets basin: Kon'kov 219-214
      - Dushanbe area: Ostrovskiy 219-194
      - Estonia: Zhelnin 219-183, -184
      - Kazan area: Nelidov 219-190
      - Kola Peninsula: Grave 219-208
      - Odessa area: Bashmanov 219-189
      - Russian platform: Bagrova 223-162; Tsygankov 219-207
      - Sayan: Krestnikov 223-158; Mitropol'skiy 224-189
      - Syr-Darya River basin: Skvortsov 219-211
      - Ternopol-Kurk leveling line: Gorelov 219-210
      - Ukraine: Sokoloskiy 219-209
      - Urals: Trifonov 219-205
      - Volga-Ural district: Rozhdestvenskiy 219-206
    - Virginia: Harrison 224-5
  - scaling relationships: Scheidegger 227-166
  - sea-level changes, post-glacial isostatic uplift: Schofield 216-162
  - secular movements, period and nature: Meshcheryakov 219-176
  - serpentine, experimental, tectonic implications: Raleigh 227-157
  - solar energy, accumulation in crust: Dmitriyev 219-175
  - stresses, contraction hypothesis: Sałustowicz 216-154
    - displacements: Scheidegger 216-155
    - formulas: Sałustowicz 217-222
  - subcrustal erosion, isostatic readjustment and sedimentation: Lagrula 216-157
  - Sun and Moon, gravitational effects: Belyankin 222-135
  - surface tilt, annual cycle: Bonchkovskiy 219-193
  - Taiwan, displacement of mantle: Ma 219-169
- Geotectonics—Continued
  - thermal convection, upper mantle: Shimazu 219-167
  - types of deformation, relation to stress and temperature: de Sitter 216-153
  - undation theory: Bemmelen 222-129
  - vertical movements, disruption of isostatic equilibrium: Artem'yev 223-159
    - earthquake prediction: Yurkevich 219-198
    - inherited along faults: Rikhter 219-213
    - nontectonic factors: Uspenskiy 219-191
    - subcrustal displacements: Lyustikh 219-178
  - worldwide correlation, Precambrian shield areas: Rao 222-13
  - zonal melting, formation of crust: Magnitskiy 218-119
- Geothermal energy, California: White 226-347
  - New Zealand: Banwell 220-244
  - theory and technology: Facca 226-222
  - United States: Kaufman 217-256
- Geothermal gradient, Alaska: Brewer 217-252
  - anomalies, gas wells: Afanas'yev 225-218
  - Argentina, Bahía Blanca region, thermal springs: Schoff 221-184
  - exploration tool, U.S.S.R.: D'yakonov 223-199
  - ground water, effect of movements: Kruglikov 219-237
  - Hungary: Bélteky 219-235
    - maps: Stegena 224-221
    - use for subsurface structure analysis: Erdelyi 222-175
  - instrumentation, continuous logging equipment: Simmons 222-170
  - Kenya: Baker 218-154
  - New Mexico: Byerly 225-214
  - New Zealand: Elphick 220-245
  - oil and gas fields, exploration guide: D'yakonov 227-210
  - South Africa: von Backström 222-171
  - technique, time required to reestablish borehole temperature: Kutasov 223-197
  - U.S.S.R., Azerbaijan S.S.R.: Tsaturyants 219-239
    - Baltic shield, ultra-deep borehole: Cheremenskiy 221-185
    - Carpathian foreland depression: Kutas 218-158
    - Caspian salt dome area: Pomarnatskiy 219-236
    - Caucasus region: Vlasova 218-159
    - oil fields: Plyushch 219-238
    - Sadonskiy ore deposit: Guriyev 223-198
    - Turkmen S.S.R.: Dzhibuti 216-209

Geothermal gradient—Continued
  U. S. S. R. —continued
    Ukraine S. S. R. : Potushanskiy 220-240
  Utah, Salt Valley anticline: Spicer 217-251
Geothermometry, calcite, lead-zinc deposits, Mississippi Valley: Erickson 227-214
  calcite-aragonite transformation: Davis 219-240
  $CaO-MgO-CO_2-H_2O$ system: Wyllie 224-228
  chalcopyrite-bornite systems, unmixing temperatures: Sugaki 227-217
  chemical thermodynamics in minerals: Ramber 220-235
  chlorites: Fawcett 223-205
  CO_2 solubility in saline solutions: Takenouchi 223-208
  diopside series, volcanic rocks, Japan: Aoki 217-258
  diopside-ackermanite: Kushiro 223-203
  granite and associated veins, Portugal: Clark 224-226
  indirect methods of estimating: Talpatra 226-226
  measurement, electrochemical method: Sato 227-216
  micas: Velde 223-207
  muscovite-chlorite-quartz assemblage: Fawcett 223-206
  nickel ore, Quebec, Marbridge deposit: Clark 227-215
  oxide system containing iron: Presnall 223-204
  pegmatites: Nikanorov 220-241
  pyroclastic flows, Japan: Yagi 218-161
  pyroxene: Yoder 223-201
  pyrrhotite, Canada: Card 217-257
    India: Gupta 220-243
    low-temperature: Clark 224-225; Sawkins 224-224
  quartz, Rumania: Savul 220-239
  quartz-calcite-mangnetite: O'Neil 218-162
  rhenium, variations in molybdenite: Petrulian 225-219
  Rumania: Pomîrleanu 227-218
  selenium, volcanic exhalations and sulfur deposits: Suzuoki 218-355
  sphalerite, U. S. S. R. : Borreswara Rao 224-227
  spurrite plus monticellite to merwinite plus calcite: Walter 225-220
  ZnS plus FeS: Kudenko 220-242
Germany, age, igneous rocks: Lippolt 227-30
Germany—Continued
  age—continued
    radiocarbon dates: Jacobshagen 219-16, 221-20; Schneekloth 217-22
  crustal structure, explosion seismology: German Research Group for Explosion Seismology 218-164
    gravity point program: Strobach 218-165
  earth current surveys: Thieme 225-48
    north of Berlin: Lengning 227-58
  electrical properties, rocks: Liessmann 222-110
  electrical surveys, coal deposits: Hurtig 218-88
  geophysical surveys, nickel silicate deposits: Jubelt 221-114
  gravity networks, Potsdam to Bad Harzburg: Grossmann 220-217
  gravity surveys, Mansfeld Trough: Hoyningen-Heune 226-200
    Münchberg gneiss: Wurm 224-205
    Nördlinger Ries: Jung 221-163
  isotopes, carbon and tritium age of groundwater: Münnich 216-220
  magnetic field, observations: Szymánski 225-251
  magnetic properties, Vogelsberg basalt flows: Angenheister 220-287
  magnetic surveys: Mundt 224-309
    case histories: Neumann 225-290
    eastern: Mundt 225-289
    Erzgebirge: Jäger 222-289
    iron deposits: Wawrzik 222-290
    micromagnetics: Berger 220-300
    results since 1951: Best 220-299
    Rhön foothills: Sonntag 220-298
    Saxony: Jubelt 221-256
    Thuringia, Erzgebirge: Adler 221-258
    Zerbst-Rosslau area: Weintritt 221-257
  meteorite craters, Nördlinger Ries: Mosebach 224-46
  radioactivity, coal, Dohlener basin: Cristoph 223-305
    fractured rocks: Aeckerlein 221-277
Ghana, electrical surveys, Ashanti and Western Europe: Cudjoe 223-286
  meteorite craters, age, Bosumtwi Crater: Die Umschau 226-41
Glaciation, Arctic basin, renewal of ice cover: Samoylenko 220-209
  cause, ice cover of Arctic Ocean: Donn 217-223
  general review: Shumskiy 220-208
  ice ages, freezing of Arctic Ocean: Donn 220-207

Glaciers, Alaska, Martin River, mode of flow in terminal zone: Reid 222-137
- Alaska, Muldrow Glacier, velocity of ice surges: Harrison 218-122
  - Taku, strain rate and velocity: Wu 218-121
- Antarctica, British research, review: Robin 223-163
  - ice-sheet regime, Wilkes Station area: Cameron 219-219
  - movement rates: Koerner 218-126
  - surface velocity measurement: Bull 225-172
  - Ross Ice Shelf, horizontal strain and absolute movement: Zumberge 219-220
- Austria, Gepatsch, seismic-refraction survey: Giese 225-174
- Axel Heiberg Island, flow rates, 1961-62: Müller 221-153
- base, phenomena at contact: Mukhopadhyay 227-178
- Canada, Athabasca: Savage 226-196
- deformation, Kansas, ice-push: Dellwig 227-179
- earthquake-advance theory: Post 222-65
- elastic properties, acoustic attenuation: Westphal 222-78
- electrical surveys, ice thickness: Rudakov 219-141
- foliation patterns and differential flow velocity: Rutter 227-173
- frequency response, Washington and Sweden: Nye 227-171
- fringed by mountains, profile and heat balance: Weertman 217-224
- general, summary of existing knowledge: Mellor 224-191
  - understanding of total phenomena: Kamb 216-167
- Greenland, Bersækerbræ, relation of surface flow and ablation: Friese-Greene 227-174
  - ice movement and thickness: Mock 224-195
  - measurement poles, HIRAN sites: Mock 224-194
  - radio echo sounding: Rinker 222-139
  - sampling technique: Langway 224-193
  - Thule lobe, surface movement study: Mock 225-173
- ice, elasto-plastic bending: Kheysin 219-218
  - isostatic equilibrium: Bushuyev 219-217
  - mechanics: Körner 216-168
  - plastic flow: Hayes 219-216
- ice sheets, profile and heat balance: Weertman 225-177

Glaciers—Continued
- India, Mt. Everest, tritium: Miller 227-176
- instrumentation, measurement of slip on bed: Ward 225-175
- internal friction: Kuroiwa 225-171
- movement, behavior and methods of study: Aliverti 217-225
  - calculation in ice sheets: Haefeli 225-178
  - channels of elliptic, rectangular, or parabolic cross-section: Nye 227-172
  - sliding over bedrock: Weertman 218-123
  - sliding theory: Weertman 218-125, 221-154
  - stability of circular cylindrical hole: Nye 222-138
  - variations, Spitsbergen: Wilhelm 225-179
- polar icecaps, thermal regime at base: Lliboutry 225-176
- radioactivity, rate of deposition: Ambach 224-322
- snow, physical properties, time effects: Hobbs 227-177
- strain rates, criteria for measurement in deep boreholes: Bader 224-196
- thickness, radio echo sounding: Bailey 218-77
- U.S.S.R., Kamchatka, Koryto Glacier, velocity: Tsvetkov 217-226
- United States, Teton Glacier, movement and thickness: Reed 224-192
- velocity, Athabasca Glacier: Paterson 218-124
- Washington, South Cascade, net budget and flow: Meier 227-170
- water-lubrication effect, Athabaska versus Saskatchewan Glaciers: Meier 227-175

Grand Banks, earthquakes, 1929, cable breaks: Gupta 219-67

Gravity, absolute value, determined by falling body method: Faller 227-180
- base networks, Catania-Hammerfest calibration line measurements: Mazzon 218-135
  - Europe: Mazzon 221-162
  - European Calibration Line, adjustment: Solaini 218-136
  - Finland: Kiviniemi 220-221
  - Germany, Potsdam to Bad Harzburg: Grossmann 220-217
  - Mexico: Monges Caldera 224-204
  - New Zealand: Cowan 220-233
  - pendulum and gravimeter adjustments: Morelli 217-239
  - West Pakistan: Ali 227-197
  - worldwide: Uotila 224-206

Gravity—Continued
decreasing constant, heat flow: Murphy 217-228
earthquakes, free oscillations of the Earth: Slichter 225-60
error theory: Moritz 224-208
general, Columbus group, 1960-64: Heiskanen 224-180
current problems: Heiskanen 223-146
International Gravity Bureau: Tardi 225-183
physical geodesy, methods: Heiskanen 219-158
IGY programs and results, review: Woollard 224-197
isostatic compensation, crustal model: Galushko 221-176
mantle, density minimum: Anderson 222-186
satellite observations, stability of orbits: Blitzer 227-181
shielding, observations during a solar eclipse: Slichter 222-140
surface of Earth, formula: Viswanathan 219-160
tidal corrections, 1965: Service Hydrographique de la Marine and Compagnie: Générale de Géophysique 218-137
tidal variations, Potsdam 1962: Byl 219-223
Gravity anomalies, analytical continuation: Golizdra 218-142
analytical method of interpretation: Alfano 225-188
Bouguer, point where correction is applied: Naudy 223-167
residual effect: Prakash 218-130
complex two-dimensional: Troshkov 221-166
continuation, upward, arrangement of stations: Moritz 216-174
upward, cylindrical coordinate system: Tsuboi 216-171
upward and downward: Moritz 216-173
convection currents in mantle: Coode 221-155
crust and mantle structure: Woollard 221-156
deep bodies: Yun'kov 221-175
deflections of the vertical, calculation by computer: Nagy 224-202
density determination: Berezkin 225-205
density to magnetization ratio: Polonskiy 221-170
depth determination: Carrozzo 220-214; Karatayev 222-147; Yarosh 221-180
diapiric folds, U.S.S.R., Azerbaijan: Tsimel'zon 227-204
Gravity anomalies—Continued
direction of magnetization, calculation: Vogel 223-283
Dirichlet and Neumann problems: Zidarov 218-131
dome structures, atlas of curves: Bulakh 225-210
theoretical curves: Bulakh 226-207
Earth model: Uotila 224-207
earth tides, correlation: Groten 220-104
elevation effects, isostasy: Yevseyev 227-202
fault in horizontal layer: Managadze 222-146
Faye reduction: Makarov 224-212
Fourier integral: Odegard 225-180
free-air, indirect interpolation: Orlova 222-143
frequency analysis, computers: Solov'yev 217-234
gradients, vertical and horizontal: Menaker 221-181
harmonic functions, external boundary value problems: Brovar 220-231
horizontal bodies, vertical components: Collette 223-168
inclined surfaces, interpretation: Kononkov 227-201
interpretation, Bouguer and multiple gravity isopach: Bible 216-197
convergence and divergence: Rao 223-169
optical integrator: Aubert 216-184
quantitative, derivative maps: Zagorac 220-212
simulators using light: Kántás 227-185
inverse problems: Zidarov 218-132, 220-229, 227-183
logarithmic potential theory: Strakhov 225-201
land uplift investigation, Fennoscandia: Honkasalo 225-196
local fields, position of center: Tarunina 224-215
logarithmic potential, integral transformation: Voskoboynikov 225-200
mass distribution, calculation: Dix 217-238
Gauss' theorem: LaFehr 222-141
matching method: Strakhov 218-128
modeling, electrically conducting paper: Mendelutsa 221-178
parabolic cylinder: Yun'kov 217-232, 221-182
potential fields, transformation: Strakhov 218-129
reduction, tables: Bhattacharji 217-236
regional and residual, computer application: Zilahi-Sebess 222-145

Gravity anomalies—Continued
  second derivatives: Pham-Van-Ngoc 220-213; Raspopov 223-189, -190, 225-202
    calculation: Beránek 220-225; Carrozzo 216-177
    systematic deviations: Martynova 221-171
  shape of bodies, curves: Shalayev 221-167
  statistical analysis: Hirvonen 216-172
  strength of Earth: Caputo 220-246
  surface structure in folded regions: Grigor'yants 217-231
  temperature-caused deformation: Zharkov 218-127
  topographic effects: Ladynin 227-207
  transformation: Beránek 221-164
  transformation of fields, frequency characteristics: Gladkiy 223-186
  two-dimensional, curve integrals: Micloveanu 225-194
    gravimetric sounding: Šumi 219-226
    least-squares interpretation: Corbató 223-165
  upward extension, double Fourier series method: Tsuboi 217-229
  vertical gradient, correction: Alfano 225-187
  vertical inclined layers: Haáz 224-211
  vertical step: Managadze 224-217
Gravity exploration, airborne, review: Nettleton 226-199
  automatic data processing: Karatayev 217-233
    data collection and reduction program: Heinrichs 222-142
    Lecolazet method: Sarycheva 217-235
    U.S.S.R.: Gladkiy 223-184
  base networks, procedure: Lapshov 219-224
  basement depth determination: Yeliseyeva 216-268
  boreholes, vertical gradient: Thyssen-Bornemisza 225-181, -182
  cave detection: Chico 226-198
  chromite, weak anomalies: Segalovich 226-204
  crustal thickness: Grushinskiy 220-249
  deep structure, density contrasts: Klushin 225-206
  deflection of vertical: Renner 218-147
  density determination: Linsser 227-184

Gravity exploration—Continued
  density determination, simultaneously with free-air field: Müller 216-176
  density of rocks, U.S.S.R.: Volodarskiy 216-179
  density of surface formations: Kurbatov 221-168
  distortions of calculations, line lengths on geographic maps: Kesel'man 224-216
  error propagation, high altitudes: Moritz 216-175
  forrested areas: Kholodok 226-212
  gas pools, U.S.S.R., West Siberian Lowland: Agul'nik 227-200
  geopotential numbers gravity-point distances: Ramsayer 226-216
  instrumentation, accuracy of Russian gravimeters: Romanyuk 216-186
    barograph: Dobrokhotov 216-195
    borehole gravimeter: Goodell 216-185
    error due to mirror of gravimeter: Tulin 216-193
    fiber gravimeter, marine: Panteleyev 223-181; Stroyev 223-182
    gimbals for cycloidal pendulum: Borisov 224-213
    marine gravimeter: Grushinskiy 225-211
    marine test-stand studies: Popov 222-167
    pendulum: Reichender 225-193
    pendulum with steady oscillations: Romanyuk 216-187
    thermometer, resistance: Tulin 216-189
    thermostats: Tulin 216-191
    thermostat temperature measurement: Tulin 216-188
    thermostat with continuous control: Tulin 216-192
    thermostat with relay control: Tulin 216-190
    zero drift calculated: Nikol'skiy 221-172
  interpolation, high elevations: Hirvonen 216-169
  least-squares techniques: Coons 216-198
  leveling, frequency of measurements: Levallois 220-215
  maps, convolution filtering: Byerly 223-166
  marine, computer system for gravity data at sea: Bernstein 218-140
    motion problems: Robson 219-221
    ocean currents: Grushinskiy 223-183
    reliability of damped instruments: Dehlinger 218-139

- Gravity exploration—Continued
  - marine—continued
    - Russian GAL gravimeters: Popov 216-194
    - sixth cruise of the Ob: Stroyev 219-222
    - testing range near Halifax, Nova Scotia: Goodacre 218-138
  - methods, helicopter: Kiselev 226-211
    - selection: Phillips 227-186
  - microgravimetric method, experimental survey: Ferris 223-172
  - petroleum, direct exploration: Berezkin 226-201
    - exploration: Vasil'yeva 222-121
  - platform areas, paleotectonic reconstructions: Faytel'son 224-214
  - plumbline deflection, mountainous region: Aronov 223-192
  - potential fields, analytical continuation: Golizdra 223-187
  - profile length, block structures: Kopnīn 220-230
  - regional geology: Andreyev 227-203
  - rock density, detailed surveys: Stepanov 218-133
    - determination: Serkerov 223-185
    - wave velocity data: Stupak 226-203
  - terrain correction: Dobes 220-223; Lozane Calvo 221-161; Makagonov 225-209; Pick 220-218; Slepak 216-183
    - borehole measurements: Lukavchenko 226-202
    - hilly areas: Ramsayer 218-134
    - map preparation: Pick 218-141
    - method: Lyubalin 226-213
    - mines and drill holes: Vashchilov 216-181
    - new method: Gołab 216-178
    - point interpretation: Manaker 216-180
    - residual error: Bernabini 217-230
    - simplified methods: Orlovskiy 221-174
    - two-dimensional relief forms: Malovichko 216-182
  - underground: Kazinskiy 220-232
    - ore bodies: Bondarenko 227-116
  - vertical gradient: Trommer 222-144
    - determined in a mine, India: Bhattacharji 217-237
    - measurement: Balashova 221-169
- Gravity field of the Earth, characteristics from gravity, anomalies: Pellinen 220-216
  - corrections to normal gravity, tables: Mueller 216-170
  - general, data integration: Heiskanen 217-203
- Gravity field of the earth—Continued
  - general review: Vajk 217-227
  - mantle, convection currents: Runcorn 216-150
  - model: Uotila 224-207
  - secular variations, core: Aczél 224-210
    - eccentricity of core: Pintér 224-209
  - tesseral coefficients: Anderle 223-164
- Gravity surveys, Alaska, Copper River Basin: Andreasen 217-242
  - Alaska, Gulkana Glacier: Ostenso 227-189
    - U. S. Geological Survey program: Barnes 222-161
  - Antarctic Ocean: Gaynanov 225-212
    - Atlantic sector: Koryakin 218-174
  - Antarctica: Lazarev 219-232
    - altitude factor: Frolov 223-188
    - continental shelf: Frolov 225-354
    - Enderby Land, interpretation: Ushakov 226-215
    - Fifth Soviet Antarctic Expedition 1959-60: Frolov 223-176
    - isostatic imbalance in Enderby Land: Gladun 217-250
    - Lützow-Holm Bay: Koryakin 225-213
    - marine measurements: Gladun 218-153
    - Mirnyy area: Stroyev 225-203
    - Third Soviet Antarctic Exposition, 1957-58: Frolov 223-175
    - West Ice Shelf: Tsukernik 218-152
  - Arctic Ocean, Arlis 2 ice island: Ostenso 222-162
    - Chukchi Cap and Abyssal Plain: Shaver 221-255
    - drifting station T-3: LeSchack 223-173
  - Atlantic Ocean: Koryakin 223-177
    - transition to continents: Koryakin 223-178
  - Australia, Canning Basin: Western Australian Petroleum PTY Limited 218-151
  - California: Brisbin 222-158; Chapman 222-157
    - Mount Wilson calibration range: Harrison 222-152
    - San Francisco Bay area, Bouguer map: Clement 220-211
  - Canada, Axel Heiberg Island glaciers: Becker 221-159
    - Beaufort Sea: Plouff 217-244
    - crustal structure: Shimazu 224-201
    - Jan. 1960-Dec. 1962: Hamilton 224-203
  - Chile: Dragicević S. 225-186
    - central: Dragicević S. 218-144

- Gravity surveys—Continued
  - Chile—continued
    - submarine trench and coast: Dragicević S. 218-145
  - China, Quemoy: Hsu 216-206
  - Colorado, San Luis Valley region: Karig 224-198
  - Czechoslovakia, Bohemian massif: Čuta 220-226
    - Carpathian Flysch: Doležal 225-198
    - Carpathian foreland: Blížkovský 225-199
    - eastern Slovakia: Šutor 225-197
    - Little Danube Plain: Ibrmajer 220-224
  - Denmark: Sorgenfrei 220-219
  - Europe, base network: Wolf 216-205
    - calibration line: Kneissl 227-192
    - Carpathians: Pintér 224-187
  - Faroe Islands: Saxov 217-246
  - Finland: Honkasalo 225-196
  - France, Mont Dore massif: Coron 221-160
    - Versailles-Beymes and Le Chardon (Vendée) areas: Pham-Van-Ngoc 220-213
  - Germany, Mansfeld Trough: Hoyningen-Heune 226-200
    - Münchberg gneiss: Wurm 224-205
    - Nördlinger Ries: Jung 221-163
  - Gulf of California: Harrison 225-184
    - northern end: Biehler 225-185
  - Gulf of Mexico, maps: Dehlinger 221-157
  - Hawaii: Woollard 222-159
  - Hungary, deflection of vertical: Renner 218-147
    - Hungarian Basin: Pintér 222-164
  - Iceland, mass deficiency in mantle: Bott 222-190
  - Illinois: Heigold 217-240
    - East Wapella oil pool: Ferris 223-171
    - reef structure: Coons 216-198
  - India, Central Asia: Marussi 218-149
    - central Brahmaputra Valley: Ratnam 218-150
    - Madras State, profile: Qureshy 219-231
    - vertical gradient: Bhattacharji 217-237
  - Indian Ocean, Agulhas Bank area: Graham 227-191
  - Irish Sea: Bott 217-245
  - Italy, Averno Lake: Oliveri del Castillo 225-191
    - Phlegrean region: Maino 225-190
    - Vesuvius: Imbò 225-189
    - Vulture volcano: Carrozzo 216-203
      - interpretation: Segre 216-204
  - Korea, Kyongin iron mine: Lee 227-198
  - Louisiana: Bible 216-197
  - Michigan: Hinze 217-241
    - reef structure: Coons 216-198

- Gravity surveys—Continued
  - Montana, Three Forks Basin: Davis 227-187
  - Nevada, East Range Fault extension: Cartwright 221-158
  - Nigeria, Niger Delta: Hospers 223-174
  - North Carolina, Concord quadrangle: Morgan 216-196
  - Northwest Territories, Devon Island icecap: Hyndman 222-163
  - Norway, Fen area: Ramberg 220-220
    - Slidre anomaly: Smithson 225-195
  - Nova Scotia, offshore: Canadian Mining and Metallurgical Bull. 217-243
  - oceanic areas, U. S. Naval Oceanographic Office: Garoutte 222-151
  - Ohio, Denmark oilfield: Ferris 223-172
  - Oregon: Berg 222-155
    - base network: Berg 226-197; Rinehart 224-199
    - Coast Range area: Bromery 216-201
    - Galice quadrangle: Kays 224-200
    - offshore calibration range: Rinehart 223-170
  - Pacific Ocean, Aleutian Trench: Peter 219-225
    - northwestern: Gaynanov 223-179; Gladun 223-180
    - off Oregon coast: Dehlinger 222-156
  - Poland, western, basement structures: Dąbrowski 221-165
  - Puerto Rico, Mayagüez area: Bromery 216-202
  - Rumania: Airinei 220-227, 227-194
    - central Moldova: Viscarion 219-228
    - Lake Sinoe area: Airinei 227-196
    - Muntenia: Airinei 227-195
    - Poiana Ruscăi: Stonenescu 219-227
    - Runculeţe sector: Airinei 222-165
    - salt domes: Airinei 220-228
    - Subcarpathians: Airinei 227-193
  - Solomon Islands: Woollard 222-159
  - South Africa: Smit 218-146
  - South America: Dragicević S. 218-145
  - South Dakota: Tullis 216-199
  - Texas: Bible 216-197
  - Turkey, Garzan-Germik oilfield: Sanlav 220-222
  - U. S. S. R., altitude control in Urals: Parkorukov 226-214
    - Armenian S.S.R., volcanic activity: Adzhimamudov 226-349
    - Azerbaijan S.S.R.: Tsimel'zon 226-205
    - Black Sea and Sea of Azov: Balavadze 221-190
    - Black Sea-Azov basin: Lebedev 226-310
    - cis-Caucasus, density of rocks: Volodarskiy 225-204
    - Central Asia: Marussi 218-149; Yudborovskiy 221-173
    - chalcopyrite in Urals: Yarosh 219-229
    - Chul'man depression: Mikunov 220-148

Gravity surveys—Continued
  U. S. S. R. —continued
    Crimea: Chekunov 226-206; Sollogub 226-309
    Estonia: Maasik 224-218
    iron deposits, Krivoy Rog basin: Pelyushenko 226-208
    iron ore deposits: Larionov 221-179
    Krivoy Rog basin: Pelyushenko 222-166
    Kura oil district: Tsimel'zon 225-208
    Monche and Chuna tundras, gabbro: Shkorbatov 223-191
    Nakhichevan A. S. S. R.: Tsimel'zon 227-208
    Novotsaritsa anomaly: Savitsina 227-205
    oil and gas structure: Berezkin 218-148
    Sakhalin: Sychev 227-206
    Saratov Trans-Volga: Kononkov 225-207
    Shindinsk platform: Puchkov 226-210
    Turgay depression: Bugaylo 217-247
    Ukraine S. S. R.: Yegorov 221-177
      gabbro masses: Yegorov 226-209
    Urals and Siberia: Surkov 219-230
    Yakutsk S. S. R.: Rabotnov 227-199
  United States, Bouguer gravity anomaly map: American Geophysical Union 220-210; Woollard 222-148
    control network, western: Woollard 222-149
    Great Salt Lake Desert and adjacent areas: Cook 216-200
    Pacific basin to Nevada: Thompson 217-260
    projects in northeast: Hill 222-153
    U. S. Coast and Geodetic Survey base network: Rice 222-150
    western: Case 222-160
    western and Hawaii: Oliver 222-154
  Washington, Blue Glacier: Corbató 227-188
    Seattle area, buried faults: Oakeshott 227-62
  West Africa, Niger Delta: Hospers 227-190
Great Britain, geophysical surveys, 1963 summary: Bullerwell 218-104
Greece, earthquakes, 1962, Irpinia, damage: Cavallo 224-69
Greenland, age, Caledonian rocks: Wager 219-6
  age, radiocarbon dates: McDowell 226-23
  age, tectono-magmatic evolution: Bridgwater 216-152
  cosmic dust, black spherule content of firn layers: Langway 225-26
Greenland, general, leveling network: Mälzer 225-150
  geodesy, base network: Hofmann 225-154
  glaciers, Bersæ̂kerbræ̂, relation of surface flow and ablation: Griese-Greene 227-174
    measurement poles, HIRAN sites: Mock 224-194
    movement and thickness, seismic studies: Mock 224-195
    radio echo sounding: Rinker 222-139
    sampling techniques: Langway 224-193
    Thule lobe, surface movement study: Mock 225-173
  radioactivity, Ilímaussaq intrusion: Hamilton 217-314
  seismic surveys, icecap, Site 2: Roethlisberger 227-340
  submarine geology, bottom topography, Disko Bugt: Petersen 218-338
Guatemala, volcanic activity, 40 year summary: Termer 221-352
  volcanic activity, Fuego Volcano: Schulz 220-353
Gulf of Aden, magnetic surveys: Allan 217-312
  seismicity: Sykes 220-61
Gulf of Alaska, sediments, distribution: Gershanovich 224-353
Gulf of California, canyons, Cape San Lucas area: Shepard 225-351
  magnetic surveys: Hilde 225-282
  structural history and evolution: Rusnak 225-350
  topography: Rusnak 225-349
Gulf of Mexico, crustal structure: Dehlinger 221-157
  gravity surveys: Dehlinger 221-157
  northeast, seismic surveys: Antoine 220-315
  seismic surveys, northern: Curray 217-335
    Sigsbee deep: Yáñez Correa 220-319
    Sigsbee Knolls: Nowlin 222-346
Gulf of Riga, acoustic sounding, geologic structure of southern: Ul'st 216-331
Gulf of Suez, magnetic surveys: Allan 217-312

H

Harmonic functions, values at junction of rectangular nets: Strakhov 220-176
Hawaii, age, radiocarbon dates, soil and shells: Ruhe 227-15
  earthquakes, 1963: Koyanagi 224-65

Hawaii—Continued
  earthquakes—continued
    January-March 1963: Koyanagi 217-80
  geophysical surveys, 1920-61: Macdonald 217-192
  gravity surveys: Woollard 222-159
  isotopes, strontium, basalt: Hamilton 223-240
    strontium, volcanic rocks: Powell 222-202
  paleomagnetism, Quaternary: Doell 226-257
    Recent lava flows: DuBois 219-297
  submarine geology, Hawaiian Ridge, landslides: Moore 221-340
  tsunami, Hilo Bay, gage system: Johnson 219-109
    research program: Cox 217-107
  volcanic activity, April-June 1963: Krivoy 223-347
    April-June 1964: Okamura 223-349
    Haleakala, age flows: Oostdam 223-346
    infrared survey: Fischer 216-357
    January-March 1963: Koyanagi 222-355
    January-March 1964: Koyanagi 223-348
    July-September 1963: Koyanagi 222-356
    Kilauea 1963: Peck 221-351
    October-December 1963: Oakmura 222-357
Heat flow, Alaska, McCall Glacier: Orvig 225-215
  Andaman Sea: Burns 217-255
  Antarctica, measurements: Zotikov 225-216
  Atlantic Ocean: Langseth 217-254; Nason 217-253
  budget, basins: Stegena 225-217
  California, Sierra Nevada, new drill hole: Mineral Information Service 219-233
  Canada, Arctic Archipelago: Law 226-218
    western, regional pattern: Anglin 226-217
  Caribbean Sea: Langseth 217-254; Nason 217-253
  Czechoslovakia: Klír 227-209
  Earth, review of existing measurements: Bullard 221-183
  gravity anomalies, temperature-caused deformation: Zharkov 218-127
  gravity constant decrease, effects: Murphy 217-228
  Hungary, Hungarian basin: Boldizsár 218-155
    mantle structure: Ádám 223-196
  India, Kolar gold field: Verma 222-176
Heat flow—Continued
  Japan: Ueda 218-160
  lunar and planetary, radiative transport: Kopal 224-223
  measurements, Lake Superior bottom sediments: Hart 224-219
  Mediterranean Sea: Nason 217-253
  Pacific Ocean, East Pacific Rise: Langseth 219-234
  Pacific Ocean floor off United States: Von Herzen 220-238
  Puerto Rico, AMSOC drill hole: Diment 216-207
  salt marsh peat, Massachusetts: Redfield 223-194, -195
  seismic boreholes, utilization for geothermal measurements: Mongelli 216-211
  source, core formation: Tozer 222-168
  tectonic environment, influence: Diment 223-193
  thermal conductivity of rocks, laboratory method: Marovelli 224-220
  U. S. S. R., Colchidian Lowland: Makarenko 224-222
    Kamchatka, hydrothermal processes: Averyev 226-220
    Mutsov Volcano: Polyak 225-360
    Ukrainian S. S. R.: Lyubimova 218-157
    validity of measurements: Diment 223-193
  Virginia: Diment 220-236
  well logging: Bird 226-224; Peacock 226-223
Hungary, crust, destruction from below: Szénás 222-182
  crust, structure: Bendefy 223-156
    structure, gravity and drilling data: Balkay 218-166
  crustal, structure, Hungarian Plain: Gálfi 219-249
    structure, magnetic and gravity surveys: Kruglyakova 224-236
    thickness: Csomor 219-248; Mituch 222-329; Stegena 222-183
  earth current surveys: Ádám 225-45; Csókás 225-50
  earth tides, observations: Oszlaczky 224-95
  earthquakes, 1951: Csomor 219-248
  electrical surveys, bauxite in Bakony Highlands: Szabadváry 222-97
    crustal structure: Ádám 225-110
    Transdanubia: Erkel 222-98
    vertical resistivity sounding: Király 222-99
  geophysical surveys, Hungarian Basin: Szénás 224-170
  geotectonics, role of foredeeps: Wein 223-155
  geothermal gradient: Bélteky 219-235

Hungary—Continued
  geothermal gradient—continued
    maps: Stegena 224-221
    use for subsurface structure analysis: Erdelyi 222-175
  gravity surveys: Renner 218-147
    figure of earth: Renner 224-179
    Hungarian Basin: Pintér 222-164
  heat flow, Hungarian basin: Boldizsár 218-155
  magnetic field, disturbance in 1957: Barta 218-233
    observations, 1950-62: Komáromy 222-223
      1950-63: Arzél 222-224
  mantle, heat flow: Ádám 223-196
  seismic surveys: Lányi 222-328; Mituch 222-329
  stress, underground openings: Horváth 218-327
  thermal waters: Frits 218-156

I

Iceland, age, molluscs on raised beaches: Einarsson 218-9
  age, peat: Einarsson 218-10; Kjartansson 218-11
    peat, C-12: Kjartansson 218-7
    peat and charcoal: Thorarinsson 218-8
  earth currents, observations: Garland 220-48
  geotectonics, crustal spreading: Walker 226-192
  gravity surveys, mass deficiency in mantle: Bott 222-190
  isotopes, strontium, igneous rocks: Moorbath 227-245
  magnetic properties, basalt: Watkins 224-289
  mantle, gravity deficiency: Bott 222-190
  paleomagnetism, Plio-Pleistocene: Wensink 217-307, 225-271
  volcanic activity: Thorarinsson 226-355
    crustal spreading: Walker 226-192
    plateau basalts: Rutten 226-335
    Surtsey: Anderson 223-351; Bauer 221-353; Serebryannyy 223-354; Stephens 223-352; Thorarinsson 223-353, 224-358
Idaho, age, tuffaceous rocks, Cache Valley: Williams 221-6
  gravity survey, northern Great Salt Lake Desert: Cook 216-200
  magnetic surveys: Meuschke 219-305; Mitchell 222-288
  radioactivity surveys: Bates 217-317
Illinois, electrical surveys: Buhle 220-131
  gravity surveys: Heigold 217-240
Illinois—Continued
  gravity surveys—continued
    East Wapella oil pool: Ferris 223-171
    reef structure: Coons 216-198
  radioactivity, water: Larson 225-291
Impact phenomena, stishovite, thesis: De Carli 219-44
Impactites, Australia: Taylor 227-48
  Australia, Henbury crater: Taylor 216-49
  glasses, baddeleyite, significance: El Goresy 226-92
  Ries basin, compared with moldavites: Engelhardt 225-30
  tektites, similarity: Taylor 224-49
India, age, metamorphic rocks: Tugarinov 227-32
  age, Precambrian shield zircons: Aldrich 224-17
    radiocarbon dates: Agrawal 216-22, 226-34
  earth tides, observations: Balakrishna 218-68
  electrical logging, self potential, Siwalik Formations: Singh 218-101
  electrical surveys, copper: Simha 218-106
    Sharavati Valley Project: Banerjee 217-341
  geophysical surveys, sedimentary basins: Mathur 220-168
  geothermometry, pyrrhotite: Gupta 220-243
  glaciers, Mt. Everest, tritium: Miller 227-176
  gravity survey, Madras State, profile: Qureshy 219-231
  gravity surveys, central Brahmaputra Valley: Ratnam 218-150
    vertical gradient: Bhattacharji 217-237
  heat flow, Kolar gold field: Verma 222-176
  magnetic properties, manganese minerals: Rao 217-304
  magnetic surveys, Brahmaputra Valley: Crompton 218-273
    copper: Simha 218-106
  meteorites, Muzzaffarpür ataxite: Murthy 216-34
  microearthquakes: DeNoyer 220-72
  paleomagnetism, Archean charnockites: Bhimasankaram 216-262
    negative anomalies on dolerite dikes: Singh 216-263
    Tertiary, Deccan traps: Bhimasankaram 222-271
  radioactivity surveys, oil: Aithal 217-319
  seismic surveys, dam sites, Sharavati Valley Project: Banerjee 217-341
    Ganga Valley: Singh 217-340

India—Continued
  seismic surveys—continued
    Ganga Valley—continued
      Uttar Pradesh: Varadarajan 218-322
    Gangetic Plains: Closs 218-323
    Punjab: Simha 217-342
Indian Ocean, age, basalt, Rodriguez Island: McDougall 223-18
  bathymetric map and text: Pepper 222-351
  bottom profile: Tressler 218-342
  crustal structure, earthquake waves: Dewart 225-235
    seismic survey: Neprochnov 224-240
  geomorphology: Kanayev 224-349
    northwestern: Belousov 224-350
  gravity surveys, Agulhas Bank area: Graham 227-191
  isotopes, strontium, Reunion and Rodriguez Islands: MacDougall 227-244
  magnetic surveys, Carlsberg Ridge: Matthews 226-271
  sediments, environment of deposition: Bezrukov 224-351
  seismic surveys, Carlsberg Ridge: Matthews 226-271
    Seychelles Islands: Davies 221-319
  Timor Sea, bathymetry: Van Andel 226-331
Indonesia, age, granite: Edwards 224-25
  earthquakes, 1957-58, summary: Indonesia Ministry of Air Communications 222-51
    1959, summary: Indonesia Ministry of Air Communications 222-52
    1960, summary: Indonesia Ministry of Air Communications 222-53
    1961: Indonesia Ministry of Air Communications 217-83
  geophysical research 1920-61: Decker 217-186
  geophysical surveys, petroleum: Jackson 221-131
  volcanic activity: Slavin 217-360
    Anak-Krakatau: Zen 226-341
    Gunung Merapi: Tjia 221-360
    Krakatoa, 1883: Furneaux 221-361
    Mt. Agung: Zen 226-342
Infrared surveys, Hawaii, volcanoes: Fischer 216-357
Iowa, magnetic survey, central: Henderson 219-304
Iran, earthquakes, 1962: Petrescu 218-49; Wu 227-67
  earthquakes, 1962, phase velocity of Love waves: Kaminuma 219-78
Iran—Continued
  seismic surveys, Persian Gulf: Mina 227-341
Irish Sea, gravity surveys: Bott 217-245
Isostasy, Antarctica: Ushakov 223-157
  Antarctica, crustal subsidence: Avsyuk 217-211
    processes: Voronov 225-170
  calculation, density contrast: Ledersteger 225-192
  crustal model, mass distribution: Galushko 221-176
  gravity anomalies, geologic factors: Borisov 217-212
  Iceland, post-Pleistocene recovery: Einarsson 218-9
  postglacial adjustments, Sweden: Florin 216-161
  recent deformation, Baltic Sea coast: Kliewe 216-160
  restoration of equilibrium, recent tectonics: Artem'yev 217-210
Isotopes, argon, Ar-40/He-4, degassing from Earth, model study: Turekian 227-231
  argon, meteorites, anomalous Ar-40: Fisher 224-29
  boron, ore deposits: Shergina 220-259
  bromine, meteorites: Wyttenbach 224-33
  carbon, age of groundwater: Münnich 216-220
    C-13 and C-14 in groundwater: Vogel 216-219
    comets: Stawikowski 220-44
    diamond: Vinogradov 227-237
    fractionation in natural gases: Colombo 223-235
    geologic occurrence: Maass 226-240
    ground water velocities, Florida: Hanshaw 222-195
    igneous rocks, U.S.S.R.: Lebedev 218-182
    limestone: Keith 219-270
    limestone and calcite: Galimov 220-260
    mollusk shells: Keith 219-269
    natural gas, U.S.S.R.: Vdovykin 218-181
    origin and evolution of petroleum: Silverman 218-179
    petroleum and natural gas: Lebedev 220-263
    radiocarbon date accuracy: Wood 218-180
    Recent marine sediments: Sackett 227-236
    sediments, South Atlantic: Sackett 222-196
    stalactites, U.S.S.R., Crimea: Galimov 227-238

Isotopes—Continued
  carbon—continued
    sulfur deposits, U.S.S.R.: Vinogradov 220-261
  chlorine, apatites: Morton 219-267
    Cl-36 by neutron capture: Goel 216-41
    cosmic-ray-produced: Perkins 223-236
  copper, variation in abundance ratio: Shields 219-268
  deuterium, biotite and hornblende phenocrysts: Friedman 218-183
    lake water, Antarctica: Ragatzkie 223-237
    Mohole core: Friedman 227-235
  heavy elements, meteorites: Murthy 219-41
  helium, escape from the Earth's atmosphere: MacDonald 227-233
  hydrogen, Antarctica firn: Epstein 222-199
    geologic occurrence: Maass 226-240
    waters from mountains, U.S.S.R.: Kraynova 223-238
  ionium-thorium, sedimentation rates, Atlantic Ocean: Goldberg 218-184
  iron, Odessa meteorite: Goel 220-18
  lead, evolution on continental scale: Patterson 218-186
    feldspars, Maryland: Doe 222-197
    general: Zanin 216-223
    geologic structures: Slawson 216-222
    "mantle lead": Tilton 223-239
    meteorites, origin: Starik 226-87
    microline, Texas: Zartman 220-258
    ore deposits: Brown 220-257
    Pb-210 in snow correlated with solar activity, Antarctica: Lambert 222-198
    rate of snow accumulation, Antarctica: Nezami 221-202
    U.S.S.R., Central Asia: Rabinovich 226-241
    variation with area: Zhirov 217-271
    volcanic origin and J-type anomalies: Houtermans 218-185
  lithium, meteorites: Krankowsky 219-34
    North America and Africa: Svec 224-247
  magnesium, mass-spectrometric determination: Ustinov 226-242
  mantle and crustal evolution: Ozima 219-266
  manganese, meteorites, Mn-53 by neutron activation: Millard 219-35

Isotopes—Continued
  meteorites, Peace River Chondrite: Taylor 216-28
  molybdenum, iron meteorites: Wetherill 216-40
  neon, atmosphere: Eberhardt 224-248
    fractionation: Rama 219-271
  noble gases, Bruderheim meteorite: Manuel 219-33
    origin, solar wind bombardment of cosmic dust: Tilles 223-243
    thucholite, anomalies: Bogard 219-272
    Yellowstone and Lassen National Parks: Mazor 224-249
  oxygen, amphiboles: Schwarcz 226-243
    ancient sea water: Weber 227-239
    Antarctica, ice cores: Gonfiantini 222-200
      firn: Epstein 222-199
    formulas for calculation: Dattner 225-238
    general: Bigeleisen 219-275
    geologic occurrence: Maass 226-240
    Jurassic belemnoids: Fritz 225-237
    limestones: Keith 219-270
    Mesozoic belemnites, U.S.S.R.: Naydin 218-188
    meteorites: Reuter 224-35; Taylor 224-36
    mollusk shells: Keith 219-269
    origin of dolomite: Epstein 218-187
    tektite origin: Taylor 219-47
  petroleum geology, application: Kirshfel'dt 223-244
  potassium, granite-shale contact, South Africa: Schreiner 224-250
  radium, marine shells: Blanchard 224-253
  radium and uranium, Italy, Vesuvius: Vittozzi 225-13
  rubidium, basalts: Masuda 221-200
    redistribution during metamorphism: Lanphere 219-273
  strontium, basalt: Masuda 221-200
    basalt, Hawaii: Hamilton 223-240
    carbonatites, Zambia: Powell 223-241
    dolerites: Heier 225-239
    Hawaiian volcanic rocks: Powell 222-202
    Indian Ocean, Reunion and Rodriguez Islands: MacDougall 227-244
    Ireland, igneous rocks: Moorbath 227-245
    ocean water, North Atlantic: Faure 222-203
    primeval Sr-87/Sr-86: Masuda 224-251

- Isotopes—Continued
  - strontium—continued
    - radiogenic, enrichment during metamorphism: Wasserburg 216-1
    - redistribution during metamorphism: Lanphere 219-273
    - St. Paul's Rocks: Hurley 217-270
    - Sierra Nevada plutonic province: Hurley 222-201
  - sulfur, African sulfide deposits, origin: Dechow 227-243
    - bacterial oxidation and reduction: Nakai 219-274
    - cosmic-ray-produced: Perkins 223-236
    - general: Bigeleisen 219-275
    - gold deposits, U. S. S. R.: Grinenko 222-204
    - isotopics ratios in Bruderheim and Peace River chondrites: Krouse 216-27
    - Japan, ratios in Yanahara ores: Shima 218-190
    - meteorites: Hulston 226-86
      - Orgueil: Monster 227-43
    - natural gas, U. S. S. R.: Pankina 218-189
    - source of mineralized silicic intrusives: Gross 227-242
    - sulfur deposits, U. S. S. R.: Vinogradov 220-261
  - thorium, ground water, U. S. S. R.: Dement'yev 222-205
    - Italy, Ischia, lava: Gasparini 225-240
    - natural waters: Kazachevskiy 220-262
    - sedimentation rate estimate: Miyake 227-240
    - Th-230/Pa-231 ratios, uranium ore, Colorado and Wyoming: Rosholt 227-241
  - tin, terrestrial and meteoritic: de Laeter 225-18
  - tritium, age of groundwater: Münnich 216-220
    - dynamic processes in oceans and atmosphere: Patin 222-206
    - ground water: Blavoux 221-203
      - Mexico: Molina Berbeyer 224-252
      - New Mexico: Reeder 217-272
    - Mt. Everest ice: Miller 227-176
    - South Africa, Kalahari desert groundwater age: Vogel 216-221
  - uranium, Italy, Ischia, lava: Gasparini 225-240
    - marine shells: Blanchard 224-253
    - marine waters: Blanchard 227-246
    - natural waters: Kazachevskiy 220-262
  - xenon, abundances: Pepin 227-234
    - meteorites: Rowe 220-17; Schaeffer 219-42

- Isotopes—Continued
  - xenon—continued
    - meteorites and natural gas: Clarke 220-24
    - Xe-129, degassing from Earth: Wasserburg 227-232
  - zircons, activation analysis of U, Th, Pb: Kosztolanyi 227-247
- Israel, electrical logging, Lower Cretaceous: Aharoni 220-158
- Italy, age, granite: D'Amico 226-42
  - age, igneous and metamorphic rocks: Chessex 217-19
    - radiocarbon dates: Alessio 226-28; Stuckenrath 226-25
  - electrical surveys, Calabria: Mosetti 216-127
    - northeast Friuli: Mosetti 216-128
  - geophysical surveys, archeological sites, instrumentation: Linington 225-137
    - archeological sites, methods: Linington 225-138
    - Pescara to Gulf of Taranto: Carissimo 220-166
  - geotectonics, gravity tectonics: Wise 219-163
  - gravity surveys, Averno Lake: Oliveri del Castillo 225-191
    - Phlegrean region: Maino 225-190
    - Vesuvius: Imbò 225-189
    - Vulture Volcano, interpretation: Segre 216-204
      - Lucania: Carrozzo 216-203
  - isotopes, Vesuvius: Vittozzi 225-13
  - magnetic field, bay disturbances, Italy: Simenon 225-247
    - lavas, Etna: Zeller 218-241
  - magnetic surveys, archeological sites: Linington 225-285, -286, -287
    - Vesuvius: Gasparis 225-288
    - Vulture Volcano, interpretation: Segre 216-204
      - Lucanio: Carrozzo 216-203
  - paleomagnetism, Triassic, dolomites: Chatterjee 222-274
    - Triassic-Tertiary: Boer 218-257
  - Upper Mantle Project: Giorgi 220-254
  - volcanic activity, Etna, magma source: Rittmann 218-351
    - Mount Vesuvius, prediction: Houtermans 218-185

J

- Japan, age, granites: Kawano 227-34
  - age, igneous rocks: Kawano 216-23
    - metamorphic rocks: Miller 217-24
      - Hida complex: Ohmoto 221-25
    - radiocarbon dates: Kanto Loam Research Group 221-26
  - crustal structure: Asada 218-170; Gorai 226-231

- Japan—Continued
  - crustal structure—continued
    - earthquake distribution patterns: Mogi 218-54
    - long 139° E.: Hotta 221-192; Research Group for Explosion Seismology 221-191
    - thickness, gravity analysis: Kanamori 218-172
      - Rayleigh wave velocity: Kaminuma 218-171
  - earth currents, observations, 1950-56: Kakioka Magnetic Observatory 218-44
    - rapid variations, 1963: Kakioka Magnetic Observatory 218-235
  - earthquakes, 1952-60, Yoshino series, similarity of deformation: Nishimura 223-66
    - 1956: Hirasawa 220-65
    - 1963: Tanaka 217-82
      - Cape Echizen: Tsuruga Weather Station 224-81
      - Nakashibetsu: Nemuro Weather Station 224-82
    - 1964, Oga-oki, damage analysis: Nagumo 221-50
    - genesis and related phenomena, general study: Matuzawa 221-66
    - microearthquakes, Mino district: Muramatu 223-75
    - oscillations of magnetic field preceding: Miyamoto 219-74
    - volcanic, Hakone, pre-earthquake change in magnetic field: Miyamoto 219-73
    - volcanic districts: Wada 218-358
  - electrical surveys, resistivity, landslide phenomena: Takada 226-150
  - faults, Atera, left lateral displacement: Sugimura 226-118
  - geophysical research 1921-61: Rikitake 217-187
  - geophysical surveys, Hokkaido Mine: Nobumoto 225-144
  - geotectonics, "green-tuff" movement: Matsumoto 221-150
    - recent deformation: Kasahara 221-151
      - Toyama River Plain: Fujii 227-169
    - relation to crustal structure: Mizoue 218-118
    - southeastern Shikoku: Yoshikawa 219-168
    - zonal arrangements of arcs: Matsuda 219-165
  - geothermometry, pyroclastic flows: Yagi 218-161
    - volcanic rocks: Aoki 217-258
  - heat flow: Ueda 218-160
  - isotopes, sulfur, ratios in Yanahara ores: Shima 218-190

- Japan—Continued
  - magnetic field, earthquake effects: Yoshimatsu 217-289
    - observations, epoch 1960.0: Utashiro 221-228
      - Kakioka Observatory, 1962: Kakioka Magnetic Observatory 217-293
      - nuclear explosion effect: Yamaguchi 217-292
    - rapid variations, 1963: Kakioka Magnetic Observatory 218-235
  - magnetic properties, Kamaishi iron and copper deposits: Ueno 218-251
    - pyroclastic flow: Suzuki 218-250
    - Kasamatu chondrite: Miyashiro 217-46
    - Tomita chondrite: Miyashiro 217-45
  - microseisms, observations at Tokyo 1962: Ikegami 219-315
  - paleomagnetism, ash falls, Oshima Volcano: Yukutake 224-302
    - geologic history: Gorai 226-259
    - Paleozoic: Minato 227-292
    - Recent, ash-fall tuffs, Oshima Volcano: Yukutake 224-301
    - Tertiary and Quaternary: Domen 219-299
  - radioactivity surveys, Tsukuba area, airborne: Sano 222-313
  - seismic surveys, electrical logging surveys, Ariake Coal Mine: Ariake Coal Mine Prospecting Section 218-324
    - Niigata Prefecture: Nagumo 216-333
      - Nakanokuchi: Nagumo 216-332, -333
  - seismicity, regionalization, 1959-63: Isono 224-80
    - summary: Gorai 226-119
  - submarine geology, canyons and Sagami Trough: Shepard 218-343
    - Osaka Bay, sonic survey: Hayakawa 216-354
    - southern Japan Sea: Sato 220-350
  - tsunami, 1900-60: Iida 217-97
    - Chilean earthquake May 1960: Takahasi 217-102
    - evaluation of protective measures: Horikawa 217-121
    - Iturup earthquake October 13, 1963: Hatori 221-69
    - Miyagi-Enoshima observatory records: Takahasi 217-98
    - Sanriku Coast: Watanabe 217-104
    - warning system: Wadati 217-110
  - Upper Mantle Project program: Takahashi 218-173
  - volcanic earthquakes, Aso Volcano: Kikuchi 218-357
  - volcanic activity, Aso Volcano: Taneda 218-360; Wada 218-358

Japan—Continued
  volcanic activity—continued
    characteristics and origin of magma: Gorai 226-360
    Hakone Volcano: Kuno 226-334
    halides in volcanic gases: Sugiura 226-359
    Miyakejima: Isshiki 226-332; Minakami 226-339
      1962: Seismological Section, J.M.A. 220-357
      1962 eruption and seismic energy release: Tanaka 220-359
      1962 seismic activity: Seismological Section, J.M.A. 220-358
    Mt. Asama, relation to spring water temperature: Sekiya 224-359
    Mt. Fuji, history: Machida 219-360
    Mt. Yaké: Morimoto 226-333
    On-take Volcano: Matsumoto 218-359
    Oshima Volcano, guidebook: Geological Survey of Japan 223-358
    Tokati Volcano: Yokoyama 226-338
    Yaksugatake volcanic chain, history: Kawachi 221-356
Jordan, age, radiocarbon dates: Tamers 226-15
Jupiter, interior temperature: Peebles 227-57

K

Kansas, age, Precambrian rocks: Cole 221-5
  age, schist: Scott 220-5
  glaciers, deformation by ice-push: Dellwig 227-179
  magnetic properties, Precambrian rocks: Cole 221-5
  seismicity, summary: Merriam 225-61
Katanga, age, granites: Monteyne-Poulaert 220-8
Kenya, electrical surveys: Baker 218-154
  geothermal gradient: Baker 218-154
Kerguelen Island, magnetic field, observations, 1959-61: Schlich 223-268
  magnetic field, observations, 1962: Schlich 223-270
Korea, electrical surveys, Bongmyong graphite mine: Cho 227-119
  gravity surveys, Kyongin iron mine: Lee 227-198
  magnetic properties, basalt, Yeoncheon and Pohang districts: Kim 227-291
  magnetic surveys, Kyongin iron mine: Lee 227-198
Korea—Continued
  magnetic surveys—continued
    Seong Dont iron mine: Baag 227-312

L

Labrador, age, anorthosites: Morse 216-8
Lake Superior, seismic surveys, crustal structure: Steinhart 218-311
Libya, geophysical surveys: Colley 220-164
Linear approximations theory, geophysical interpretation: Karatayev 217-201
Louisiana, gravity surveys: Bible 216-197
  sea-level fluctuations, 7000-3650 yr B.P.: Coleman 217-11

M

Madagascar, age, molybdenite: Allègre 224-18
  earthquakes, 1933-34: Poisson 221-49
    1961: Poisson 221-48
Magellan Straits, seismic surveys: Ludwig 222-317
Magmas, alkaline, genesis: Bailey 223-210
  basalt, genesis: Davis 223-223; Kushiro 223-215; Yoder 223-214
    pyroxene fractionation: Tilley 223-217
  depth of source, montecellite and akermanite as indicators: Kushiro 223-211
  formation, Japan and Hawaii: Kuno 219-261
  mantle, region of generation: Masuda 218-176
  melilite-bearing basalts, conditions of formation: Kushiro 223-213
  source, crust and mantle: Rittmann 221-197
Magnetic anomalies, analytical extension: Golizdra 218-142; Kharitonov 221-246; Strakhov 221-248
  angle of magnetization, plate-shaped bodies: Glazunova 223-299
  continental rocks, recognition: Ostenso 220-293
  density to magnetization ratio: Polonskiy 221-170
  depth determination: Afanas'yev 221-244; Pyatnitskiy 220-303; Yarosh 221-180
    aeromagnetic data: Borisov 223-288
    ferruginous rocks: Tyapkin 226-261
    inflection points on curves: Gusev 223-298

- Magnetic anomalies—Continued
  - depth determination—continued
    - methods: Giret 220-296
  - dike-like bodies: Powell 227-294
  - dikes, interpretation: Gay 217-309
  - direction of magnetization: Menaker 221-181
    - calculation: Vogel 223-283
  - Dirichlet and Neumann problems: Zidarov 218-131
  - field of the Earth, effect on: Raspopov 218-234
  - frequency analysis, computers: Solov'yev 217-234
  - inclined prism: Moo 227-295
  - interpretation, charts: Aubert 217-310
    - convergence and divergence: Rao 223-169
    - vertical gradient of ΔT: Pudovkin 222-243
  - inverse problem: Zidarov 218-132
    - crustal and mantle structure: Zidarov 220-229
  - isoanomaly-direction statistics: Kašpar 221-133
  - isometric, interpretation: Solov'yev 216-269
  - local fields, position of center: Tarunina 224-215
  - matching method: Strakhov 218-128
  - ore-bearing and nomore-bearing: Solov'yev 221-251
  - parabolic cylinder: Yun'kov 221-182
  - potential fields, analytical continuations: Golizdra 223-187
    - transformation: Strakhov 218-129
  - second vertical derivative: Raspopov 223-189, -190; 225-202
  - separation into local and regional: Kuznetsov 220-302
  - shape of bodies, curves: Shalayev 221-167
  - two-dimensional: Troshkov 221-166
    - angle of magnetization: Solov'yev 224-310
    - optimun filtering: Vasil'yev 226-264
  - two vertical layers: Krasovskiy 221-245
  - two-layered sphere and cylinder: Veynberg 221-249
  - vertical dimensions ΔT(z) and Z(z) functions: Larionov 218-261
  - zones of linearly increasing magnetization: Logachev 223-300
- Magnetic exploration, airborne, review: Nettleton 226-199
  - amplitude effects, nomograms: Krasovskiy 221-247
  - automatic data processing: Henderson 216-276; Karatayev 217-233
    - U.S.S.R.: Gladkiy 223-184
- Magnetic exploration—Continued
  - basement depth determination: Yeliseyeva 216-268
  - continental rocks, recognition: Ostenso 220-293
  - depth determinations, discontinuities: Karatayev 222-147
  - distortion of calculations, line lengths on geographic maps: Kesel'man 224-216
  - Earth's field potential, calculation from vertical intensity: Mauersberger 216-266
  - faults, offset of anomalies: Krasovskiy 226-262
  - gradient measurements: Hood 225-275
  - instrumentation, airborne proton MP-121: Thomas 222-293
    - Askania magnetometers, tests: Klegwegt 222-294
    - cesium vapor magnetometer: Giret 227-313
    - marine proton magnetometer: Uyeda 217-313
    - pocket magnetometer: Nikitskiy 216-271
    - Polish proton magnetometer: Jankowski 225-250
    - proton magnetometer, Japan: Komai 222-295
    - selective frequency channel: Vavilin 222-296
  - interpretation, conversion of direction of polarization: Damnjanović 221-250
    - optical integrator: Aubert 216-184
  - maps, convolution filtering: Byerly 223-166
    - statistical treatment: Mundt 216-267
  - marine, exploration for petroleum: Giret 227-296
  - metamorphic terranes: Genko 221-102
  - methods, air and ground surveys combined: Barono 222-276
  - mountain regions, aerial methods: Mitroshin 223-297
  - petroleum exploration: Vasil'yeva 222-121
  - platform areas, plaeotectonic reconstructions: Faytel'son 224-214
  - remanent magnetization, dipping dike equation: Hood 220-295
  - statistical models: Gol'tsman 226-300
  - sulfides, negative anomalies: Bondarenko 226-263
  - terrain effects, calculation: Khesin 226-260
- Magnetic field of the Earth, adiabatic invariants: Kaufman 223-252
  - anomalies, effect on vertical gradient: Raspopov 218-234

Magnetic field of the Earth—Continued
  aurora, relation to Kp in Germany: Schröder 223-257
  chorus relation to geomagnetic activity: Tokuda 224-269
  conjugate areas, auroral zone: Wescott 218-205
    low latitudes: Wescott 218-207
    middle latitudes: Wescott 218-206
  conjugate region, electron precipitation: Brown 221-210
  constant part, study of: Pochtarev 219-282
  cosmic-ray flux, composition: Signer 223-254
    energy transfer to magnetosphere: Mogilevskiy 217-276
    general: Mustel' 218-203
    injection to terrella: Osborne 217-275
    interaction, model experiment: Kawashima 220-267
    K-indices: Vsekhsvyatskiy 220-280
    lunar and planetary tails: Bowen 218-202
    model study: Fukushima 225-257
    origin and effects: Lequeux 219-279
    surface magnetic indices: Hirshberg 226-247
  daily variations: McCann 226-98
  declination, variations in Spitsbergen: Kowalczuk 216-249
  disturbances, 11-year cycle: Ol' 224-281
    27-day cycle, corpuscular streams and solar M-region: Obayashi 222-232
      cosmic-ray intensity: Mori 218-218, 222-234
      solar plasma streams: Sano 222-235
    auroras: Fel'dshteyn 217-280
    bays: Pudovkin 225-253
      Italy: Simeon 225-247
    current systems at high latitudes: Oguti 218-221
    diurnal distribution of irregular: Nikol'skiy 218-226
    harmonic analysis of $S_a(k)$: Mishin 217-277
    irregular: Pudovkin 225-254
    isotropic waves from nuclear detonation: Kato 218-222
    meteor effect: Marochnik 219-286
    recurrent, relation to solar activity: Nojima 222-240
    relation to aurora: Walker 218-212
    relation to M-regions, 1961-63: Sinno 222-239
    relation to solar activity: Goh 222-238
    relation to solar plasma velocity: Ondoh 222-236

Magnetic field of the Earth—Continued
  Earth-ionosphere resonance, influence of magnetic field: Wait 224-265
  earthquakes, change prior to volcanic eruption, Japan: Miyamoto 219-73
    Japan: Yoshimatsu 217-289
    oscillations preceding, Japan: Miyamoto 219-74, -77
    prediction: Stacey 225-77
    stress changes: Stacey 219-80
  electrojet, auroral, model: Boström 218-204
    H and Z components and position: Osborne 218-227
    India: Maynard 221-209
  experimental studies, effect of high-altitude nuclear explosions: Selzer 227-257
  field changes at Earth's surface: Ferris 223-259
  field expansion, excentric octupole: Alvarez 224-266
  fields at the poles, review: Nagata 218-208
  general, satellite observations: Kertz 225-249
    analysis through oceans: Bretschneider 221-345
  geomagnetic anomaly, F2-layer: Rao 218-228
  geomagnetic time, midnight: Montbriand 225-246
  hydromagnetic disturbances, electron precipitation: Barcus 222-211
  hydromagnetic dynamo, model: Braginskiy 227-274
  hydromagnetic emissions, conjugate poknts: Troitskaya 216-227
    low latitudes: Tepley 224-257
  hydromagnetic motions, definition and applications: Hines 224-258
  hydromagnetic waves, gyrating proton stream: Neufeld 224-260
    structure: Tamao 218-219
    whistlers: Obayashi 221-205
  instrumentation, band-suspension balance: Bazhenov 216-251, -252
    diamagnetic gaussmeter: Mendelsohn 223-275
    digital recording proton precession magnetometer system: Wold 217-296
    field recording station: Fanselau 226-251
    induction coils: Baranskiy 222-227
    proton, Antarctica: Shneyer 219-287
    submarine platform for magnetic instruments: Alldredge 221-216

Magnetic field of the Earth—Continued
  intensity, GM counter telescope system: Balasubrahmanyan 223-245
    satellite altitudes: Heuring 218-201
  interplanetary: Stern 218-197
    asymmetries, polar cap absorption: Haurwitz 226-244
  ionospherics, latitude dependence: Laaspere 219-288
  K_p, lunar phases, no correlation: Michel 216-224
    planetary index: Michel 216-225
  lunar effects: Bartels 218-192, 220-270; Stolov 218-191
    tidal oscillations, equatorial stations: Rastogi 221-222
  magnetic diffusion, conducting mantle: Smylie 222-207
  magnetic noon, definition: Lebau 222-221
  magnetic stability, determination for paleomagnetic purposes: Kruglyakova 222-268
  magnetohydrodynamic wake of Moon: Ness 220-265
  magnetohydrodynamic waves, propagation: Poeverlein 218-195
  magnetopause boundary, shock wave: Corday 221-211
  magnetosphere, boundary: Frank 218-200; Rossow 223-255; Sen 224-259; Slutz 218-199; Spreiter 222-218
    electron distribution at $5R_e$: Frank 222-208
    electron intensities near boundary: Frank 218-198
    geomagnetic hollow, shape and position: Downs 222-217
    injection of low energy particles: Apparao 224-272
    interplanetary plasma penetration: Alfvén 227-255
    model of particle trajectories: Speiser 222-212
    rapid motion of outer boundary: Konradi 222-209
    review: Obayashi 222-230
    structure and dynamics: Axford 227-254
    tail: Axford 221-208; Dessler 216-229
      length: Dungey 222-213
      shape: Ness 226-245
    VLF emissions: Brice 224-263
  marine observations, corrections: Roden 221-217
  meteor effects: Chapman 225-264; Watkins 225-265
  micropulsations, 0.1-10 cps range: Jacobs 227-259

Magnetic field of the Earth—Continued
  micropulsations—continued
    amplitude and period: Rokityansksya 222-256
    amplitude regularities: Bol'shakova 222-257
    amplitudes: Mal'tseva 224-280
    auroral and geomagnetic: Victor 226-246
    characteristics, 0.3 to several hundred seconds range: Heirtzler 227-260
    conjugate stations: Wright 227-258
    dynamic characteristics: Pope 227-248
    frequency spectrum: McNicol 217-283
    Pc: Bol'shakova 222-260
    pearl-type: Jacobs 216-231; Yanagihara 222-231
    satellite and ground measurements related: Kato 222-214
    sensitivity of recording apparatus: Bol'shakova 222-259
    stability and frequency: Bol'shakova 222-258
    transmission in ionosphere: Greifinger 223-253
  morphology, comprehensive review: Yanovskiy 218-193
  neutral sheet, ring current theory: Wentworth 225-245
  observations, 1962-63: Geophysical Institute 216-235
    Antarctica: Afanas'yeva 220-282; Avsyuk 225-261; International Geophysical Bulletin 225-241; Tarasov 225-262
      1959: Larzillière 223-271; Shneer 225-260
      1959-61: Schlich 223-269
      Byrd Observatory 1960: Coast and Geodetic Survey 218-229
      New Lazarev: Kochi 218-237
      time variations: Behrendt 226-249
    Arctic Ocean: Milyayev 221-230; Raspopov 222-250
    Australia, Sq variations: Winch 218-236
      1964: Burrows 223-249
    Axel Heiberg Island: Fraser 221-214
    calculation of hourly values, IBM program: Jobert 223-272
    Canada, 1948-61: Clark 216-245
      1960-62: Evans 221-215
      Agincourt: Onhauser 216-241; Ross 227-265
      Agincourt 1947-48: Ross 224-286
      Agincourt 1949: Ross 224-287
      Agincourt 1962: Onhauser 216-247

Magnetic field of the Earth—Continued
- observations—continued
  - Canada—continued
    - Alert Observatory: Darker 216-243
    - Baker Lake 1959: Andersen 224-285
    - Meanook Observatory: Cook 216-242, -244, -246
    - Resolute Bay Observatory, 1959: Loomer 216-239
    - Resolute Bay Observatory, 1960-62: Loomer 216-248
    - Victoria Observatory: Caner 216-240
  - epoch 1945.0 to 15th order: Fanselau 219-278
  - epoch 1955: Adam 218-240
  - Ethiopia, Sq diurnal: Gouin 218-230
  - Guam Magnetic Observatory 1961: U.S. Coast and Geodetic Survey 227-253
  - Hungary, 1950-62: Komáromy 222-223
    - 1950-63: Aczél 222-224
    - 1957: Barta 218-233
  - Iceland: Garland 220-48
  - Japan, 1960.0: Utashiro 221-228
    - 1962: Kakioka Magnetic Observatory 217-293
  - Kerguelen Island: Schlich 223-268
    - 1962: Schlich 223-270
  - Mexico, 1963: Observatorio Magnético Central de Teoloyucan 227-266
  - Norway, 1962: Gjellestad 223-267; Norske Inst. Kosmisk Fysikk 218-231
  - nuclear explosion effect, Japan: Yamaguchi 217-292
  - Pakistan, Quetta Observatory, 1961: Pakistan Meteorological Service 217-294
    - 1962: Pakistan Meteorological Service 217-295
  - Poland, 1964: Kalinowska 218-232, 225-252
  - Poland and Germany: Szymánski 225-251
  - Rumania, 1961, character figures: Constantinescu 227-270
    - solar diurnal variation, anomaly: Soare 227-271
  - South Atlantic magnetic anomaly: Bostrom 223-247; Pieper 223-246
  - Spain: Cardús 221-221
  - Spitsbergen: Kowalczuk 217-291
  - transitory variations: Fontaine 221-219
  - U.S.S.R.: Ben'kova 222-245
    - 1957-59: Babushnikov 220-273
    - 1957-61: Tsymburskaya 220-271

Magnetic field of the Earth—Continued
- observations—continued
  - U.S.S.R.—continued
    - 1960-61: Storozhinskiy 220-274
    - disturbance field: Tsymburskaya 220-272
    - Irkutsk: Mishin 219-284
    - Murmansk: Logimov 225-256
- observatories, Canada, Meanook Observatory: Jackson 216-236, -237, -238
- ocean effects, Mediterranean and French mainland measurements compared: Schlich 222-220
- ocean waves, induced fields: Fraser 224-262; Warburton 216-250
- origin, magnetohydrodynamic exploration: Agostinelli 218-196
  - radial dipoles: Jacobs 217-273
- origin and evolution of life: Sagan 223-273
- parameters, reduction of mean daily to mean monthly: Adam 222-248
- perturbations, Sq, SD, and "slow oscillations": Mayaud 224-273
- plasma dynamics, adiabatic invariants: Lucke 216-228
- popular summary: Beiser 219-289
- potential, integral equation: Mauersberger 221-223
  - spherical coordinates: Kalinin 217-278
- psychiatric ward behavior: Friedman 223-274
- pulsations, continuous, mechanism: Saito 218-220
  - exosphere: Kitamura 227-268
  - form index of magnetograms: Binaghi 220-269
  - Japan, 1963: Kakioka Magnetic Observatory 218-235
  - long-period, sense of rotation: Kato 219-281
    - southern high latitudes: Sato 227-264
  - pc: Vinogradov 222-252; Yaremenko 220-275
  - pc and pi: Kato 221-226
  - pc 1: Laurent 223-264
  - pc 3, index and relation to solar M-region: Saito 222-233
  - pc 5: Kato 222-228
    - mechanism: Kato 222-226
  - pearl-type: Borosoukov 223-262; Sedova 220-276
  - preceding earthquake: Miyamoto 219-76
  - relation to latitudinal dependence of M-region: Saito 227-269
  - seasonal distribution: Verõ 223-256
  - short-period: Mal'tseva 222-253; Shchepetnov 222-255; Van'yan 222-251

Magnetic field of the Earth—Continued
- pulsations—continued
  - SPP: Troitskaya 222-247
- quadrupole moment tensor, geometric structure: Kilczer 222-222
- radar echoes, hydromagnetic source mechanism: Keys 222-219
- reversals, intensity: Irving 219-277
- ring currents: White 223-250
  - internal and external parts: Grafe 224-275
  - mathematical treatment: Ray 217-274
  - secular changes: Forbush 224-254
  - variations in the geomagnetic daily mean: Grafe 216-226
- rotating cosmic bodies, interactions: Treskov 219-283
- secular variations, 1940-62: Cain 227-249
  - analytical representation: Adam 227-275
  - cause within Earth: Petrova 224-277
  - convection in core: Vening Meinesz 218-194
  - correlation with core, geoid, and gravity field: Egyed 222-225
  - South America: Slaucitajs 227-267
  - westward drift: Adam 222-242
- solar activity, annual variation: Romanchuk 220-281
  - corpuscular geoactivity: Eygenson 220-278
  - flare effects, relativistic flares: Subrahmanyan 218-213
  - International Years of the Quiet Sun: Dodson 223-260
  - ionospheric disturbances: Schminder 224-276
  - magnetic fields: Jäger 225-248
  - prediction: Eygenson 220-279
  - secular cycle: Eygenson 220-277
- solar eclipses, associated activity: Clark 221-213
  - pulsations: Tauer 217-290
- spatial structure, anomalous field: Pudovkin 227-277
- spherical harmonic analysis: Fougere 223-251
- sporadic E, diurnal variation: Huang 221-207
- Sq currents, observation: Davis 227-251
- Sq variations, asymmetry: Sabben 221-212
  - effective equator: Onwumechilli 218-209
  - irregular deviations: Fatkullin 218-223

Magnetic field of the Earth—Continued
- stability, closed magnetosphere: Sonnerup 221-204
- storms, Antarctic region, associated F_2-region disturbances: Sato 227-261
  - auroras, energy source: Akasofu 216-233
    - associated effects, review: Piddington 223-258
  - correlation between N and S hemispheres: Ondoh 224-268
  - cosmic-ray intensity, decrease in stratosphere: Charakhch'yan 222-241
  - electron precipitation, geographic distribution: Bertin 221-220
  - energy, distance to corpuscular stream: Afanas'yeva 222-249
  - energy source, stable auroral red arc: Cole 222-210
  - families, cosmic-ray flux bursts: Afanas'yeva 218-225
    - relation to solar corpuscular streams: Afanas'yeva 217-287
  - February 11, 1958: Nagai 217-288
  - hydromagnetic discontinuity propagation: Namikawa 222-229
  - irregular part of field, theory: Afanas'yeva 227-273
  - lunar phase, no correlation: Davidson 216-232
  - magnetic tail, correlation of activity: Ness 227-252
  - polar, conjugacy between north and south: Nagata 224-271
  - polar disturbances: Korobkova 224-284
  - recurrent, cause: LaPointe 223-261
  - recurrent phenomena: LaPointe 221-218
  - review: Matsushita 217-285
  - solar activity, auroras: Schröder 223-265
    - heliographic longitude: Guss 217-284
    - July 3, 1957: Lebeau 217-286
  - sudden commencement, forecasting: Ondoh 224-270
    - magnetograms and tellurograms compared: Ivanov 222-254
    - origin: Nishida 222-237
    - pearl-type micropulsations: Heacock 221-206
  - sudden commencement and DS fields: Sano 224-267
  - variations, review: Sugiura 227-256
  - Z-component of SSC field, anomalies: Ivanov 227-280
- sudden impulses, polarization: Bowling 218-211

Magnetic field of the Earth—Continued
  theory, comprehensive review: Yanovskiy 218-193
  trapped protons, South Atlantic magnetic anomaly: Zmuda 223-248
  variations, 1-20 cycles range: Kleymenova 223-266
    Alert anomaly: Rikitake 226-250
    Alfvén wave decay: Gul'bel'mi 224-278
    annual: Mishin 221-229
    Arctic: Milyayev 224-282
    auroral zone electron precipitation: Campbell 218-216
    comprehensive review: Yanovskiy 218-193
    daily: Mishin 227-272
      contributions of UT: Yudovich 217-279
      periodicity: Nikol'skiy 218-224
    electric fields in magnetosphere: Maeda 218-214
    electromagnetic induction theory: Rotanova 219-285
    equatorial, relation to electrojet: Godivier 224-274
    geographic distribution, Antarctic region: Rourke 227-262
    high-frequency range: Kleymenova 224-279
    horizontal field, periodic: Pai 216-234
    H-variations of -SI: Sano 217-281, -282
    interplanetary space: Sarabhai 219-280
    L: Nodia 222-246
    long period: Cox 220-264
    long period oscillatory, high latitudes: Sato 221-224
    low velocity layer in mantle: Coode 220-268
    lunar daily: Matsushita 224-256
    lunar effect: Bartels 218-192; Stolov 218-191
    negative SI: Sano 218-217
    ocean swells: Maclure 219-276
    ocean-wave induced: Weaver 222-216
    pc: Kato 221-225
    Pc and Pt, 27-day: Rokityanskiy 222-261
    plasma densities: Saito 221-227
    polar region: Zhigalov 224-283
    power spectrum density: Davidson 218-210
    Q-index, Antarctic region: Rourke 227-263
    quiet daily: Matsushita 224-255
    rapid, registration: Clerc 223-263
    review: Troitskaya 217-75
    short period: Skrynnikov 225-255

Magnetic field of the Earth—Continued
  variations—continued
    short period—continued
      application to crustal structure interpretation: Požaryski 226-252
    simultaneous in Antarctic and Arctic: Milyayev 225-263
    solar control of yearly mean SQ(H) at Alibag: Yacob 224-264
    solar wind: Hines 222-215; Poeverlein 224-261
    Sq: Fatkullin 222-244
      localization in E-region: Fatkullin 227-279
    transient on island: Rikitake 218-215
  vertical distribution, calculations: Adams 227-276
  VLF emissions, magnetic activity: Yoshida 226-248
  whistlers, dispersion anomaly: Carpenter 227-250
    low latitude: Kokubun 225-259; Tsuruda 225-258
  world maps, epoch 1960: Al'tschuler 227-278
  Years of the Quiet Sun, calendar 1964-65: Comitato Geofisico Internazionale 218-239
    progress, 1964: Beynon 218-238
    solar activity, January 1964-March 1965: International Geophysical Bulletin 225-244
    United States program, 1965: International Geophysical Bulletin 225-242, -243
Magnetic logging, dip determination: Ponomarev 218-262
  instrumentation, susceptibility: Andreyev 226-274; Avdonin 226-276; Grechin 226-275
  nuclear, field tests: Gamson 221-272
  susceptibility: Kal'varskaya 227-314
Magnetic properties, andesites, fault zone, magnetic anisotropy: Ozima 224-291
  basalt, flow structure detection, susceptibility anisotropy: Brown 219-291
    Germany, Vogelsberg basalt flows: Angenheister 220-287
    Iceland: Watkins 224-289
    Korea, Yeoncheon and Pohang districts: Kim 227-291
    U.S.S.R.: Bol'shakov 218-245
  basic and ultrabasic rocks, U.S.S.R.: Golubev 221-96
  chrysoberyl: Santoto 220-284
  cleaning, low temperature technique: Ozima 218-247
  compression release, earthquakes: Nagata 220-283

Magnetic properties—Continued
  copper-nickel ores, U.S.S.R.: Ilayev 221-235
  dolerite, India: Singh 216-263
  ferrite-chromite series: Tsushima 217-300
  garnet, ferromagnetic resonance in yttrium iron type: Okada 217-297
    yttrium and cesium types: Villers 218-242
    U.S.S.R., Magadan batholith: Nayborodin 226-253
      northeastern: Pecherskiy 227-290
      stability: Pecherskiy 219-294
  granitized and weathered rocks: Dubinchik 221-95
  granulates, time effects in reversals: Hellenthal 220-286
  hematite, single crystals: Flanders 225-266
    synthetic crystals: Tasaki 217-299
  igneous rocks, distribution of parameters: Komarov 227-289
  ilmenite-hematite solid solutions: Jefferson 220-285
  instrumentation, demagnetizing: Avchyan 225-274
    kappameter: Korchagin 221-237
    Russian apparatus: Nikitskiy 216-259
    sediments, measurement of depths of 100 m: Shapovalov 226-255
    shape and size of magnets: Veynberg 221-233
  intensity, instability: Khramov 218-252
  iron ores, magnetite content: Grebnev 224-295
  iron-titanium oxide, magneto-crystalline anisotropy and magnetostriction: Syono 218-249
  $KMnF_3$, $KCoF_3$, and $KNiF_3$ solid solutions: Hashimoto 217-298
  lavas, Etna, Sicily: Zeller 218-241
  lightning-induced: Dutt 227-282; Roeser 217-303
  magnetite, domain structure: Bogdanov 225-267; Hanss 216-255; Vlasov 218-244
    powder: Parry 221-232
    remanence, self-reversing and recovery at low temperatures: Ozima 224-290
    solid solution of jacobsite: Kolesnikov 224-293
    temperature changes: Pascu 222-266
  manganese minerals: Chelishvili 219-293; Rao 217-304
  metamorphic rocks, Antarctica: Karasik 225-268

Magnetic properties—Continued
  methods, induced and remanent: Haáz 218-243
  natural remanent magnetization, phases carrying: Fuller 216-253
  ore deposits, Japan: Ueno 218-251
  partial thermoremanent magnetization: Chamalaun 216-254
  phenomenological considerations: Fröhlic 216-258
  Precambrian rocks, Kansas: Cole 221-5
  pyroclastic flow, Japan: Suzuki 218-250
  pyroxenes, ferromagnetic inclusion: Mikhaylova 224-296
  pyrrhotite, magnetocrystalline anisotropy: Sato 218-248
  remanent magnetization, sandstones: Collinson 222-264
  reversed magnetization, thermomagnetic: Bol'shakov 218-245
  rocks, magnetic fabric: Fuller 219-290
    textbook: Nagata 227-281
    U.S.S.R., Tien Shan: Akhmatov 221-236
  sandstone, England: Chamalaun 216-254
  sedimentary rocks, Czechoslovakia: Uhmann 219-292
  self-reversal, synthetic sediments: Vlasov 218-253
  serpentinite, Puerto-Rico: Cox 216-260
  shales, U.S.S.R., Khadum horizon: Smirnova 223-282
  spinel-type oxides: Löffler 216-257
  state of rocks at time of formation: Fröhlich 216-256
  submarine lavas: Ade-Hall 221-231
  susceptibility, basalt flows, Nevada: Sargent 224-288
    frequency dependence in weak fields: Vincenz 222-263
  symmetry and magnetism: Birss 223-278
  thermoremanent magnetization, origin: Ozima 222-262
  titanomagnetites, basalt, reversal: Schult 226-254
  ultramafic rocks: Moskaleva 224-294
    U.S.S.R.: Shkorbatov 218-246
  unstable, laboratory viscosity: Zhilyayeva 224-292
  viscous magnetization, laboratory study: Sholpo 221-234
  $xFe_2TiO_4\cdot(1-x)Fe_3O_4$, magnetocrystalline anisotropy: Syono 217-301, -302
Magnetic surveys, Alaska, Copper River Basin: Andreasen 217-242
  Antarctic Ocean, Atlantic sector: Koryakin 218-174

Magnetic surveys—Continued
- Antarctica, Greerson Oasis: Voronov 219-311
  - McMurdo Sound area: Robinson 216-281
  - Mirnyy area: Stroyev 225-203
  - Schirmacher Ponds area: Dmitriyev 226-273
  - Western Ice Shelf: Tsukernik 219-312
- Arctic Ocean: Volk 221-268
  - Chukchi Cap and Abyssal Plain: Shaver 221-255
- Arizona, Globe-Miami district airborne: Jespersen 221-253
- Atlantic Ocean, continental margin off Iberian Peninsula: Black 224-308
  - Grand Banks: Hood 226-268
  - linear anomaly from Newfoundland to Florida: Watkins 222-277
  - Mid-Atlantic Ridge: Heirtzler 227-309
  - northwest floor: Heirtzler 221-254
  - Puerto-Rico Trench: Geddes 216-277; Van Voorhis 218-268
- Australia, sulfides: Mirams 218-274
- Belgium, Grand-Halleux massif: Graulich 223-284
  - Remagne region: Evrard 216-280
- Bermuda, Plantagenet Bank: Young 225-283
- Canada, Hudson Bay: Hood 218-267
  - James Bay lowland: Canadian Mining and Metallurgical Bulletin 224-307
- Continental Shelf, South Africa: Oguti 218-269
- Czechoslovakia, epoch 1958.0: Kautzleban 220-297
  - Little Danube Plain: Ibrmajer 220-224
- Finland, airborne, 1963: Geological Survey of Finland 219-307
  - interpretation: Marmo 219-306
- France, Paris Basin: Tournier 217-311
- Georgia: Phillun 216-275
  - Savannah River Plant: Petty 219-301
- Germany: Mundt 224-309
  - case histories: Neumann 225-290
  - eastern: Mundt 225-289
  - Erzgebirge: Jäger 222-289
  - iron deposits: Wawrzik 222-290
  - micromagnetics: Berger 220-300
  - nickel silicate deposits: Jubelt 221-114
  - results since 1951: Best 220-299
  - Rhön foothills: Sonntag 220-298
  - Saxony: Jubelt 221-256
  - Thuringia and Erzgebirge: Adler 221-258
  - Zerbst-Rosslau area: Weintritt 221-257

Magnetic surveys—Continued
- Ghana, Ashanti and Western Regions: Cudjoe 223-286
- Gulf of Aden: Allan 217-312
- Gulf of California: Hilde 225-282
- Gulf of Suez: Allan 217-312
- Idaho: Meuschke 219-305; Mitchell 222-288
- India, Brahmaputra Valley: Crompton 218-273
  - copper: Simha 218-106
- Indian Ocean, Carlsberg Ridge: Matthews 226-271
- Iowa, central: Henderson 219-304
- Italy, archeological sites: Linington 225-285, -286, -287
  - Vesuvius: Gasparis 225-288
  - Vulture volcano: Carrozzo 216-203; Segre 216-204
- Korea, Kyongin iron mine: Lee 227-198
  - Seong Dong iron mine: Baag 227-312
- Maine: Boynton 218-263, -264, -265, -266; Bromery 216-272; Henderson 216-273; Mattick 219-300; Meuschke 216-274; Young 227-107
- Michigan: Hinze 217-241
  - Upper Peninsula: Case 224-305
- Minnesota: Bath 225-280, 226-265
  - east-central: Bath 219-303
  - Lake Washington anomaly: Sims 225-281
  - west-central: Bath 227-297
- Montana, Square Butte, computer analysis: Henderson 216-276
  - Three Forks Basin: Davis 227-187
- Nevada, Antler Peak quadrangle: Mabey 224-306
  - Esmeralda and Nye Counties: Philbin 227-298, -299
  - Nye County: Philbin 227-300, -301, -302, -303, -304, -305, -306, -307
- New Jersey: Philbin 225-276, -277, -278, -279
- New York: Balsley 222-278, -279, -280, -281, -282, -283, -284, -285, -286; Philbin 225-277, -278, -279
- New Zealand: Cullington 220-304
- New Zealand and south: Christoffel 224-315
- Norway, Malm, iron-ore mine: Logn 221-259
- Ohio: Bromery 219-302; Philbin 222-287
- Ontario, Croker Island pluton, Lake Huron: Card 226-267
  - Lake Huron area: Nwachukwu 226-266
- Oregon, Albany-Newport area, airborne: Bromery 220-294

- Magnetic surveys—Continued
  - Oregon— continued
    - Coast Range area: Bromery 216-201
  - Pacific Ocean, Aleutian Trench: Peter 219-225
    - transition zone: Gaynanov 221-267
    - west of Lower California: Krause 226-269
  - Pennsylvania, western, adjoining Ohio-West Virginia-Maryland: Beck 221-252
  - Philippine Islands, Lammin iron deposits: Fernandez 219-310, 226-272
  - Portugal, offshore of Tagus River: Allan 225-284
  - Puerto Rico, Mayagüez area: Dennis 216-278
    - serpentinite mass: Griscom 216-279
  - Rumania, Iacobdeal and Dealul lui Manole granitic massif: Airinei 227-310
    - Lake Sinoe area: Airinei 227-196
    - Metaliferi Mountains: Romanescu 218-271
    - Moldavia: Airinei 223-285
    - Poiana Ruscăi: Stoenescu 219-227
    - Răzoare, Delineşti, Ciungani areas: Cristescu 220-301
    - Runculeţe sector: Airinei 222-165
  - Saskatchewan, Shaunavon area: Colin 227-308
  - South Carolina, Savannah River Plant: Petty 219-301
  - Tasmania, Hampshire iron ore deposit: Jack 222-292
  - Turkey, iron deposits: Özelci 218-270
  - U. S. S. R., Aldan shield: Krasnov 221-265
    - Aral region: Golub 221-261
    - Arctic regions: Levin 223-296
    - Armenian S. S. R., volcanic activity: Adzhimamudov 226-349
    - Asia-Pacific Ocean transition zone: Rivosh 218-272
    - Belozersk anomalies: Pelyushenko 221-270
    - Caspian basin: Sytina 223-292
    - Caucasus: Mustafabeyli 221-266
    - diamond deposits of Yakutia: Loshchakov 219-309
    - Far Eastern Region: Andreyev 223-302
    - iron deposits: Larionov 221-179
      - Angara: Polonskiy 221-263
    - Kamchatka volcanoes: Rivosh 221-355; Shteynberg 226-270
    - Kazakh S. S. R., volcano remnants: Donskikh 221-264
    - Khatanga Basin: Levin 224-313
- Magnetic surveys—Continued
  - U. S. S. R. —continued
    - Kola Peninsula: Palitsyn 223-289
    - Kurile-Kamchatka region: Tulina 223-301
    - Kursk Magnetic Anomaly: Vaynshteyn 221-269
    - map of anomaly field: Simonenko 223-287
    - Mugodzhar Range: Komissarov 223-295
    - rare metal deposits: Benevolenskiy 219-308
    - Saratov Trans-Volga: Kononkov 225-207
    - Shindinsk platform: Puchkov 226-210
    - Siberian platform: Bulina 221-262
    - Tatar A. S. S. R.: Kukun 223-290
    - tectonic analysis: Simonenko 227-311
    - Timan-Pechora region: Zalipukhin 223-293
    - Turgay depression: Bugaylo 217-247; Komissarov 223-294
    - Turkmen S. S. R.: Glazunova 221-260
    - Ukrain S. S. R., gabbro masses: Yegorov 226-209
    - Ural-Pai-Khoi region: Zagorodnov 223-291
    - Urals and Siberia: Surkov 219-230
    - Ust-Yenisei region: Volk 224-314
    - Ustyurt: Inogamov 224-311
    - West Siberian Lowland: Fotiadi 222-291; Kiselev 224-312
    - vertical and inclined layers: Haáz 224-211
- Maine, crustal structure, seismic study: Suzuki 224-106
  - magnetic surveys: Boynton 218-263, -264, -265, -266; Bromery 216-272; Henderson 216-273; Mattick 219-300; Meuschke 216-274; Young 227-107
- Malaya, geophysical surveys, 1920-61: Alexander 217-188
- Malaysia, age, general listing: Snelling 220-11
- Manitoba, seismic surveys, Red River Floodway: Hobson 216-329
- Mantle, bibliography, Academy of Sciences, U. S. S. R.: Akademiya Nauk SSSR, Biblioteka Instituta Fiziki Zemli 217-267
  - composition: Machado 218-175
    - alpine ultramafics: Hamilton 225-229
    - aluminous enstatites: Skinner 223-222
    - analysis of meteorites compared with rocks: Shima 219-255
    - anisotropy of elastic wave: Kumazawa 219-258

Mantle—Continued
  composition—continued
    enstatite-pyrope: MacGregor 223-221
    ferrosilite stability: Lindsley 223-225
    K/Rb ratio: Gast 220-253
    olivine rich in volatiles: Egyed 224-245
    primary inhomogeneities, accumulation process by coagulation theory: Safronov 225-223
    rutile-like silica in C-zone: Stishov 225-224
    soliqueous: Leet 225-222
    terrestrial heat flow: Horai 219-260
    ultrabasic rocks in kimberlite: Bobriyevich 226-237
    upper, model: Shimozuru 221-198
      spinel peridotites: Boyd 223-219
    ways of study: Sheynmann 221-199
  convection currents, polar wandering: Vening Meinesz 220-195
  deformation, diffusion creep: Gordon 223-153
  density, compressibility calculations: Moser 226-234
  density and composition: Birch 216-216
  density of minerals, refraction index: Anderson 222-187
  density variations, isostasy: Gurariy 217-266
  differentiation, experimental studies: Bell 223-224
  elastic properties, heterogeneity, earth-tide observations: Pariyskiy 225-85
  elastic waves, anisotropy: Backus 226-124
    emergence angles: Gershanik 227-87
  electrical properties, olivine: Bradley 219-149
  Eurasia, seismic studies, review: Kosminskaya 224-234
  evolution, radiogenic isotopes: Ozima 219-266
    relation to crust: Shimazu 219-166
  gravity anomalies, convection currents: Coode 221-155
  Hungary, heat flow: Adám 223-196
  Iceland, gravity deficiency: Bott 222-190
  isotope ratios, distribution: Shima 219-254
  Japan, Upper Mantle Project: Takahashi 218-173
  Lake Superior, seismic survey: Steinhart 218-311
  lead, isotopes: Tilton 223-239
    source: Masuda 218-176

Mantle—Continued
  low velocity layer, magnetic field variations: Coode 220-268
    United States: Dowling 220-63
  magma generation, Japan and Hawaii compared: Kuno 219-261
    system enstatite-pyrope: Boyd 223-220
  magma pockets: Shimozuru 223-228
  M-discontinuity, depth, calculation: Rakhimova 226-236
  melting curve: Clark 217-261
  Mohole project, review: Cromie 217-268
  olivine-spinel transition: Akimoto 222-188
    conductivity jump: Akimoto 219-253
    experimental results: Akimoto 219-256
  origin, lanthanides in meteorites: Masuda 220-255
  potassium-rubidium ratio, Hawaiian basalts: Taubeneck 219-242
  pyrolite model studies: Ringwood 223-218
  seismic model, upper shadow zone: Riznichenko 225-227
  seismic waves, attenuation: Kovach 220-57
    Love wave dispersion: Ivanova 221-62
  selective melting, high-alumina magmas: Hamilton 216-214
  serpentinite generation: Hess 217-263
  structure, Alberta: Cumming 223-229
    gravity anomalies: Woollard 221-156
    nuclear explosions: Carder 220-252
    strain release of earthquakes: Galanopoulos 220-84
    U.S.S.R.: Mil'shteyn 227-228
    United States: McEvilly 220-64
  tectonics, crustal tectonics as key: Goguel 221-146
  thermal convection: Shimazu 219-167
  trace element abundances, chondritic Earth model: Taylor 219-241
  U.S.S.R., Kurile-Kamchatka region: Tulina 223-301
    Pamir-Hindu Kush: Lukk 225-233
  United States, basalt-eclogite transition: Pakiser 224-230
  upper, composition, magmatic evidence: Rittmann 221-197
    composition, oceanic basalts: Engel 227-222

Mantle—Continued
  upper—continued
    density minimum: Anderson 222-186
    geochemical aspects, review: Vibogradov 221-196
    model: Belousov 224-244
    physical properties on basis of tectonophysics: Gzovskiy 227-223
    program: Afanas'yeva 218-109
    regions of abnormal crust-mantle relations from surface wave dispersion: Santo 219-259
  Upper Mantle Project, definition and philosophy: Belousov 224-243
    Italian program: Giorgi 220-254
    Mohole: Lill 227-221
    review: Belousov 226-235
    tectonics: Goguel 226-191
  velocity section, computer analysis: Matveyeva 218-177
  viscosity: Takeuchi 219-257
Mars, atmosphere, ozone-layer concept rejected: Marmo 223-43
  color variations, radiation produced: Smoluchowski 223-46
  general, comprehensive reivew: Richardson 225-41
  internal composition: Kovach 225-42
  internal structures: Lyttleton 221-44
  organic matter, detection method: Hovis 223-45; Hunt 223-44
  revised ephemeris: Vaucouleurs 218-39
  surface, composition: Draper 224-55; Rea 224-58; Van Tassel 218-38
    composition, reflection spectra: Sagan 224-57
    infrared reflectivity, laboratory study: Hovis 224-56
  surface features: Leighton 227-55
  surface relief, nonorogenic: Fitch 227-56
Maryland, isotopes, lead in feldspars: Doe 222-197
  radioactivity surveys: Bromery 216-303
Massachusetts, age, Outer Cape Cod, shells: Zeigler 216-4
  age, radiocarbon dates: Ogden 226-22
  heat flow, salt marsh peat: Redfield 223-194, -195
  seismic surveys, Boston Harbor: Edgerton 224-330
Mediterranean Sea, geophysical surveys: Allan 220-163
  geotectonics: Yemel'yanov 224-354
  heat flow: Nason 217-253
Mediterranean Sea—Continued
  seismic surveys, off Nice: Muraour 221-316
  submarine geology, review: Bourcart 227-350
Mercury, diameter and density: Camichel 221-46
  interior, temperature: Plagemann 220-43
  rotation: Peale 225-40; Pettengill 225-39
Meteorite craters, ancient, identification: Beals 217-52
  Australia, Henbury Craters: Hodge 225-28
    Henbury crater impact glass: Taylor 216-49
  Canada, Deep Bay, New Quebec, Carswell Lake: Innes 222-33
    Precambrian Shield: McKean 222-34
  Canadian Shield, evidence for origin: Dence 222-35
  Germany, Nördlinger Ries: Mosebach 224-46
  Ghana, origin inconclusive: Smit 216-50
  ore minerals in glass, Ries and Bosumtwi craters: El Goresy 219-46
  origin, Barringer's contributions: Barringer 222-32
  Quebec, Clearwater Lakes: Dence 225-27
    New Quebec crater: Currie 226-93
  Sudbury Basin, suggested impact origin: Dietz 219-45
  Sweden, Lake Niem, coesite: Svensson 223-26
  U.S.S.R., Potomsk Upland: Portnov 217-44
Meteorites, age, chondrites, Urey-Craid groups: Eberhardt 219-40
  age, cosmic-ray exposure ages: Lipschutz 222-19; Schaeffer 219-43
    Indarch: Schaeffer 219-42
    Rb-Sr, stony: Pinson 224-32
    relationship to classification: Keil 216-38
  Bondoc, radioactivity: Cressy 225-19
  bromine, neutron activation analysis: Wyttenbach 224-33
  Bruderheim, noble gases: Manuel 219-33
  Campo del Cielo hexahedrite and strewnfield, Argentina: Cassidy 227-41
  Canyon Diablo, mass calculated: Cook 219-32
    variations among specimens: Heymann 219-31
  carbon, abundance in chondrites: Moore 225-20

Meteorites—Continued
carbon compounds, Cold Bokkeveld: Duchesne 216-44
carbon-bearing, mineral composition: Vdovykin 217-39
carbonaceous matter, electron microscopy: Vinogradov 224-43
catalog, falls and finds during 1953-62: Krinov 217-42
Chassigny, composition and structures: Jérémine 224-42
chlorine, Cl-36 by neutron capture: Goel 216-41
  neutron activation analysis: Gunten 224-34
chondrites, amphoteric, He, N, and Ar content: Heymann 227-35
  chemical analysis: König 219-22
  Fe-Si-Mg relationship: Ahrens 227-44
  origin: Suess 219-38
  petrological and compositional relations: Craig 219-39
  textural characteristics: Dodd 227-37
chondrules, element analysis: Schmitt 223-21
  glass in Chainpur: Fredriksson 227-40
  mineralogy and structure: Grigor'yev 216-39
  origin: Frederiksson 217-28
cohenite, not high pressure indicator: Lovering 219-25
  pressure indicator: Ringwood 224-39
collections, American Museum of Natural History: Mason 220-26
composition, analysis compared with rocks: Shima 219-255
  Fe in Cu of stony: Duke 224-28
  Na/K in chondrites: Ahrens 219-26
  solar atmosphere compared: Pottasch 217-32
  stony, U.S.S.R.: D'yakonova 217-38
  Zr/Hf ratio in stoney: Merz 219-27
cosmic-ray induced tracks, olivine: Maurette 219-19
Czechoslovakia, catalog, National Museum: Tuček 216-30
  review: Tuček 222-26
density in space: Babadzhanov 220-27; Kruchinenko 220-29; Nazarova 220-28
fall orbits, relation to classification of asteroid orbits: Bradford 223-27
falls, non-randon aspects of frequency: Brown 219-37
fission tracks, extinct Pu-244: Fleischer 224-30

Meteorites—Continued
fluorine, chondrites: Reed 219-24
fractionation, solid diffusion: Levin 219-18
gallium, chondrites, content: Greenland 227-38
general: Hawkins 223-19
geologic past: Die Unschau 226-85
Ghubara, diamond not present: Lipschutz 225-22
Goose Lake, throw-out from Canyon Diablo: Cook 224-41
heat-treated, artificial damage: Buchwald 224-40
hexahedrites, origin, North America: Henderson 226-84
Holbrook chondrite, opaque minerals: Smyshlyayev 217-37
impact contamination: Mueller 219-20
impact, frequency variation with latitude: Halliday 222-22
impact glasses, Australia: Taylor 227-48
India: Keil 220-25
iron, atoms, ionic character in Orgeuil and Cold Bokkeveld: Gérard 216-43
  cooling rate and parent planets: Wood 220-20
  electron probe analysis: Reed 224-37
  electron probe microanalysis: Reed 224-38
  oxidization of high nickel phase: Lovering 220-19
isotopes, anomalous Ar-40: Fisher 224-29
  Fe-60 in Odessa: Goel 220-18
  heavy elements: Murthy 219-41
  lithium in stoney: Krankowsky 219-34
  O-18: Reuter 224-35; Taylor 224-36
  radiogenic and cosmogenic: Sobotovich 217-33
  sulfur: Hulston 226-86
  tin: deLaeter 225-18
  xenon: Clarke 220-24; Rowe 220-17
Jajh deh Kot Lalu, electron probe analysis: Keil 225-21
Kasamatu chondrite, Japan: Miyashiro 217-46
Lake Murray, Oklahoma, Early Cretaceous fall: Graffham 216-26
lead, Earth's initial chondritic material: Masuda 216-42
luminescence, enstatite achondrites: Derham 216-37
  pyroxenes: Reid 220-22
magnetic spherules, Paleozoic salt deposits: Mutch 217-49

Meteorites—Continued
manganese, Mn-53 by neutron activation: Millard 219-35
Manitouwabing, new Canadian siderite: Know 222-23
mesosiderites, Australia, Meekatharra: McCall 227-45
metallic phases, abundance of elements: Yavnel' 217-34
reaction to shock and temperature changes: Maringer 217-31
meteor rates, dependence on lunar phase: Davidson 216-45
molybdenum, isotopes in irons: Wetherill 216-40
Mössbauer analysis, iron in stoney: Sprenkel-Segel 219-28
Muonionalusta iron, Finland, additional finds: Wickman 216-32
Murray carbonaceous chondrite, analysis: Fredriksson 222-21
Muzzaffarpür ataxite, India: Murthy 216-34
Nakhla, pyroxene (nakhlite): Kvasha 217-35
nickel, distribution: Duke 222-20
noble metals, abundances: Baedecker 222-25
Nuevo Laredo, uranium and thorium content: Morgan 223-20
opaque minerals, Norton County and Staroye Pes'yanoye: Yudin 217-36
reflection determination: Koritnig 221-34
ore deposits, origin: Gross 224-45
organic matter: Duchesne 221-33
abiotic origin: Hayatsu 218-25
contamination: Anders 218-24
experimental contamination eliminated: Tasch 217-47
high-molecular compounds: Vinogradov 218-26
optical activity: Hayatsu 226-90
Orgueil: Mueller 223-28; Schulz 221-30
organized elements, size distribution: Claus 217-48
Orgueil, sulfur isotopes: Monster 227-43
origin, as small bodies: Arnold 225-23, -24
chemical and isotopic data: Starik 226-87
Moon: Urey 221-29
orbital elements: Arnold 219-36
review of evidence: Anders 223-25
summary: Levin 226-89
Owrucz, Poland: Pokrzywnicki 218-22
pallasites, origin: Wahl 221-31
Peace River chondrite: Folinsbee 217-29
argon retention: Baadsgaard 216-29

Meteorites—Continued
Peace River chondrite—continued
isotopes determined from gamma-radiation: Taylor 216-28
radioactivity: Taylor 217-30
petrography, English translation of Tschermak's tretise: Tschermak 216-36
petroleum, extra-terrestrial origin: Briggs 220-45
plagioclase, associated compositional variations: Mason 223-23
platinum metals, concentration: Nichiporuk 219-30
polished sections, large area: Gorbunova 217-43
radioactivity, cosmic-ray produced: Nordemann 221-32
France, Granès: Nordemann 227-46
half life of Ti-44: Lipschutz 220-21
rare gases, primordial, abundance patterns: Signer 227-42
research, recent studies: Due Rojo 219-20
silicon, neutron activation analysis: Vogt 224-31
solar system origin: Fesenkov 217-69
stony, minor constituents: Ramdohr 223-24
sulfur, isotopics ratios in Bruderheim and Peace River chondrites: Krouse 216-27
Sweden, Karlstad event of 1822 not meteoritic: Geijer 216-31
tantalum, abundance: Ehmann 220-23
terrestrial and lunar flux: Hartmann 225-25
Tomita chondrite, Japan: Miyashiro 217-45
Tunguska, forest fire possibilities: Kurbatskiy 217-41
orbit: Fesenkov 217-40
seismic and atmospheric waves: Martin 224-44
U.S.S.R., bolide of June 5, 1960: Fedchun 216-33
ureyite, new sodium-chromium silicate: Frondel 227-39
Vaca Muerta, particle tracks: Fleischer 223-22
weathering, chondrites: Shima 218-23
Webster County, Missouri, new iron: Read 222-24
Widmanstätten structure, electron probe analysis: Short 227-36
Woolgorong chondrite, Australia: McCall 216-35
Zaysan carbonaceous chondrite, U.S.S.R.: Kolesov 222-27
Zenda Wisconsin: Read 216-25
zircon, Toluca and Vaca Muerta: Marvin 217-27

Meteorites—Continued
  zirconium abundances, chondrites: Erlank 219-23
    nucleosynthesis: Schmitt 219-29
Meteors, distribution, near Earth: Keay 216-46, -47
  distribution, relationship to other small bodies: Terent'yeva 222-43
  flight parameters, Kiev 1959: Krivutsa 222-30
  general: Hawkins 223-19
    U.S.S.R., research during IGY and IGC: Tsesevich 220-30
  increase in count in 1963: Ellyett 218-28; McIntosh 218-27
  mass, changes during flight: Sandakova 222-29
  orbits, heliocentric elements: Dem'yanenko 222-31
  rate of infall, lunar phase: Rao 226-91
  Tunguska, anti-matter content: Cowan 226-88
Mexico, age, molybdenite: Allègre 224-18
  age, radiocarbon dates: Bender 226-40
    wood: Mitchell 221-14
  earthquakes, IGY observations: Figueroa Abarca 217-81
  electrical surveys, limestone area: Bello 227-111
  geophysical surveys, Gulf of California, origin: Spiess 227-131
  gravity, base networks: Monges Caldera 224-204
  gravity surveys, Gulf of California: Harrison 225-184
  isotopes, tritium, groundwater: Molina Berbeyer 224-252
  magnetic field, observations, 1963: Observatorio Magnético Central de Teoloyucan 227-266
  magnetic surveys, Gulf of California: Hilde 225-282
  radioactivity, Lourdes spring waters: Stretta 225-292
  seismic surveys, Coasta de Nayarit: Curray 225-304
    history of exploration of Faja de Oro: Figueroa Huerta 220-317
    northeastern, summary: Coffin Otero 222-325
    northern Gulf: Phillips 225-302
  seismicity: Figueroa Abarca 216-68
    maps: Merino y Coronado 224-66
Michigan, age, radiocarbon dates: McDowell 226-23
  electrical logging, amygdaloid copper: Schillinger 220-157
  electrical surveys, amygdaloid copper: Schillinger 220-156
  gravity surveys: Hinze 217-241
    reef structure: Coons 216-198
Michigan—Continued
  magnetic surveys: Hinze 217-241
    Upper Peninsula: Case 224-305
Microseisms, Black Sea, storms: Kostina 220-305
  Bulgaria, sources: Rijikova 222-300
  deep-well measurements, attenuation with depth: Douze 216-309
  head waves, crystalline basement: Ivanova 219-313
  hurricane "Hilda," period: de Bremaecker 224-317
  observations, Tokyo 1962: Ikegami 219-315
  ocean bottom and land compared: Bradner 216-282
  origin, Scandinavian Peninsula: Santo 219-316
  oscillator theory, origin and properties: Strobach 224-316
  pressure transmission, ocean bed: Maulik 221-273
  propagation, SOFAR channel: Bose 222-299
  recording, procedure: Lin'kov 223-303
  short-period, structure: Vinnik 219-314
  spectrum, California: Haubrich 222-298
    stationarity: Haubrich 222-297
    various grounds: Skorik 221-274
  structure, 4- to 6-second: Vinnik 227-315
  U.S.S.R., Barents Sea and Sea of Okhotsk: Dolbilkina 222-301
Mid-Atlantic Ridge, age, Ridt Zone basalts: Muir 222-348
Minnesota, age, Andre bog samples: Cushing 217-12
  magnetic surveys: Bath 225-280, 226-265
    east-central: Bath 219-303
    Lake Washington anomaly: Sims 225-281
    west-central: Bath 227-297
Mississippi, age, radiocarbon dates: McDowell 226-23
  electrical logging, surveys: Bicker 221-121
  radioactivity logging, surveys: Bicker 221-121
Missouri, meteorites, Webster County, new iron: Read 222-24
Mohole project, Guadalupe site, sediment samples: Carroll 217-355; Murata 217-356
  program: Lill 227-221
  review: Cromie 217-268
  site near Hawaii: Offshore 222-189
Mohorovičić discontinuity, Japan, depth: Kanamori 218-172
  phase-change hypothesis, contradicted: Kushiro 223-216

- Mohorovičić discontinuity—Continued
  - Rumania, map: Socolescu 223-231
  - United States, relation to basalt-eclogite transition: Pakiser 224-230
- Moment of inertia, earth, Devonian: Runcorn 218-113
- Mongolia, earthquakes, 1957: Florensov 224-70, -75; Solonenko 224-71, -73, -74
  - electrical surveys, ground water: Szabadváry 218-89
  - geophysical surveys, Gobi-Altay earthquake area, 1957: Bulmasov 224-172
  - seismicity: Florensov 224-76; Solonenko 224-72
- Montana, age, Boulder bathylith, time for emplacement: Knopf 218-1
  - gravity surveys, map: Davis 227-187
  - magnetic surveys, map: Davis 227-187
    - Square Butte, computer analysis: Henderson 216-276
- Moon, Alphonsus crater, red patch confirmed: Moore 217-66
  - atmosphere, interaction with solar wind: Michel 220-34
  - convection, surface bulge: Fielder 217-67
  - craters, catalog: Hawkins 224-54
    - diameter-depth relations: Warner 225-35
    - distribution: Marcus 221-41; Miller 223-32
    - density: Moore 217-62
    - remnants of ancient: Moore 225-34
    - secondary, formation mechanism: Roberts 223-36
    - systematic distribution: Baldwin 216-55
  - eclipse, position: Atkinson 225-37
  - erosion, alkali metal volatilization: Naughton 227-54
    - Browning motion of dust: Berg 219-52
  - exploration, history of development: Moore 223-37
  - general, history of study: Kelley 220-32
    - nature and exploration: Branley 216-56
    - popular account: Kopal 218-33
  - gravity field, moment of inertia and potential: Goudas 218-31
    - surface harmonics: Goudas 221-40
  - heat flow: Krotikov 220-38
  - infrared emission, study program: Watson 217-61
  - inhomogeneity, upper layer near surface: Troitskiy 217-68
- Moon—Continued
  - isothonal map, construction and use: Hackman 217-60
  - Kilombe crater, Kenya, compared: McCall 222-39
  - librations: Jeffreys 225-31
  - luminescence, Aristarchus crater: Flamm 223-38
    - dark side: Kopal 224-52
    - effect of meteorite impact: Geake 219-53
  - lunar slope measurements, photometric technique: Wilhelms 217-59
  - magnetic field, shield from cosmic ray flux: Aronowitz 219-48
  - mapping, radar, Ohio State University: News in Engineering 218-32
  - maria, origin: Gilvarry 216-57
  - meteorites, origin of: Urey 221-29
  - orbital path, dust clouds: Morris 217-63
  - origin, Earth-Moon distances: Alfvén 222-37
  - permanent shadow area, percent of total: Warner 217-65
  - photoelectric photometry: Wildey 219-51
  - photometric data, computer analysis: Miesch 217-64
  - radar measurements, corner reflection: Alley 223-33
  - radio emission, maria and continental regions: Losovskiy 225-36
  - shape, gravity field and strength: Caputo 227-53
  - surface, albedo: Sytinskaya 220-39
    - brightness and polarization measurements: Gehrels 220-36
    - colors: Coyne 221-38
    - composition, alpha-scattering: Loomis 227-52
    - dust layer absent: Nininger 216-51
    - lateral discontinuities, colorimetry: Rackham 224-51
    - model, smooth and dust free: Gehrels 221-43
    - nature of: Levin 220-37
    - physical nature from Ranger 7 photos: Lewis 218-34
    - physical properties, simulated magma: Dobar 223-34
    - radar backscatter measurements: Beckmann 223-31
    - Ranger-7 pictures: California Institute Technology Jet Propulsion Laboratory 222-38; Die Unschau 226-96; International Geophysical Bulletin No. 88 219-49; Shoemaker 219-50
    - small-scale structure: Glaser 224-53

Moon—Continued
  surface—continued
    volcanic ash cover: Sharonov 223-41
  surface features, acoustical modeling: Hayre 227-51
    Caramuel crater: Moore 225-32
    contour maps, derivation: Goudas 221-42
    domes: Pither 220-35
    evolution in Theophilus-Altai area: Firsoff 225-33
    experimental shock crater lips: Roberts 223-35
    lineaments on Mare Humorum: Salisbury 223-39
    processes: Eimer 226-95
    "Soviet Mountain Range" descredited as relief: Whitaker 216-52
    spectral observations: Hunt 216-54; Kozyrev 224-38
  temperature, surface: Mertz 220-33
  thermal anomalies, total eclipse: Saari 221-39
  uniformitarianism: Bülow 223-40
  volcanism, dark strip on close photograph: O'Keefe 216-53
Morocco, age, molybdenite: Allègre 224-18
  seismicity, Agadir area: Ambroggi 223-61

N

Narragansett Bay, seismic surveys: Edgerton 217-334
Nebraska, age, radiocarbon dates: Ogden 226-22
Nepal, age, general listing: Bordet 227-33
Neptune, mathematical models: Reynolds 219-54
Netherlands, isotopes, carbon, groundwater: Vogel 216-219
  seismic surveys, coal deposits: Riel 222-321
Nevada, age, radiocarbon dates, mummy: Orr 224-10
  crustal structure: Johnson 224-231
  earthquakes, 1852-1960: Slemmons 225-62
  electrical surveys, application to hydrogeology: Dudley 221-311
  geotectonics, overthrust faulting: Carlisle 224-181
  gravity and seismic surveys: Thompson 217-260
  gravity survey, northern Great Salt Lake Desert: Cook 216-200
    East Range Fault extension: Cartwright 221-158
Nevada—Continued
  magnetic properties, susceptibility, basalt flows: Sargent 224-288
  magnetic surveys, Antler Peak quadrangle: Mabey 224-306
    Esmeralda and Nye Counties: Philbin 227-298, -299
    Nye County: Philbin 227-300, -301, -302, -303, -304, -305, -306, -307
  seismic surveys, application to hydrogeology: Dudley 221-311
    northern, hydrology studies: McGinnis 221-312
New England, radioactivity survey: Popenoe 218-282
Newfoundland, age, basalt: Clifford 226-9
  age, orogenies: Williams 221-12
New Guinea, age, radiocarbon dates: Green 226-21
New Hebrides, earthquakes, deep-focus: Sykes 218-52
  earthquakes, epicenters: Lander 225-75
  volcanic activity: Priam 226-344, -345; Williams 226-354
New Jersey, age, gneiss below Coastal Plain sediments: Southwick 217-10
  magnetic surveys: Philbin 225-276, -277, -278, -279
  seismicity: Isacks 220-62
New Mexico, geothermal gradient: Byerly 225-214
  isotopes, ground water, Roswell basin: Reeder 217-272
  radioactivity surveys: MacKallor 218-283
    GNOME test site: MacKallor 220-311
New South Wales, paleomagnetism, Permian: Robertson 227-293
  volcanic activity, Pliocene Mount Warning volcano: Solomon 221-358
New York, age, radiocarbon dates: McCallum 226-30
  electrical surveys, Adirondacks: Cantwell 216-123
  magnetic surveys: Balsley 222-278, -279, -280, -281, -282, -283, -284, -285, -286; Philbin 225-277, -278, -279
  radioactivity survey, east-central: Popenoe 218-282
New Zealand, age, Quaternary volcanic events: Healy 220-16
  earthquakes, 1958, summary: Wellington Seismological Observatory 222-54
    1959, summary: Wellington Seismological Observatory 222-55

New Zealand—Continued
  earthquakes—continued
    1960, summary: Wellington Seismological Observatory 222-56
    1963: Eiby 220-97
    Wellington Observatory seismological tables: Eiby 221-64
  geophysical research 1920-61: Robertson 217-189
  geotectonics, Alpine Fault zone: Kupfer 220-204; Wellman 220-202
    mean light and hypsometric curve: Reilly 224-186
  geothermal energy: Banwell 220-244
  geothermal gradient: Elphick 220-245
  gravity network: Cowan 220-233
  magnetic surveys: Christoffel 224-315; Cullington 220-304
  seismicity, time trends in the activity pattern: Vere-Jones 200-96
  specific gravity, rocks: Hatherton 220-234
  thermal springs, geysers: Benseman 226-221
  volcanic activity, Raoul Island: Healy 221-359
Nigeria, age, Older Granites: Truswell 218-12
  gravity surveys, Niger delta: Hospers 223-174
  submarine geology, continental margin: Allen 218-340
North America, age, glacial versus pluvial chronology: Rubin 218-4
  age, Tertiary volcanics and floras: Evernden 216-3
  meteorites, hexahedrites, origin: Henderson 226-84
North Carolina, earthquakes, October 28, 1963: MacCarthy 220-80
  geotectonics, Brevard fault zone: Reed 219-162
  gravity surveys, Concord quadrangle: Morgan 216-196
  radioactivity surveys, Heglar prospect: Sundelius 219-319
North Dakota, earth current surveys, sunspot activity: Schaaf 226-99
North Pole, earth currents, measurements: Fonarev 223-47
North Sea, crustal structure: Collette 221-186
  geophysical surveys, southern: Bungenstock 220-169
  seismic surveys: Bungenstock 226-302
    crustal structure: Collette 221-186
Northern Rhodesia, age, general listing: Snelling 221-16
  age, igneous and metamorphic rocks: Snelling 217-17
    igneous and metamorphic rocks, review: de Swardt 217-18
Northwest Territories, age, granites: Ross 226-8
  age, phyllite: Stevens 216-11
    radiocarbon dates: Craig 226-10; Henoch 221-147; Johnston 224-16
  gravity surveys, Devon Island icecap: Hyndman 222-163
  recent deformation: Compton 222-132
    Melville Island: Henoch 221-147
Norway, age, general listing: Broch 225-14
  geophysical research 1963, bibliography: Norway Geophysical Commission 224-175
  gravity surveys, Fen area: Ramberg 220-220
    Slidre anomaly: Smithson 225-195
  magnetic field, observations, 1962: Gjellestad 223-267; Norske Inst. Kosmisk Fysikk 218-231
    Malm, iron-ore mine: Logn 221-259
  microseisms, origin: Santo 219-316
  paleomagnetism, Tertiary: Storetvedt 221-240
  seismic surveys, Maurangerfjord and Hardangerfjord: Cone 218-316
  volcanic activity, Beerenberg Volcano on Jan Mayen: Fitch 218-350
Norwegian Sea, Faroe Channel, topography: Harvey 225-352
Nova Scotia, age, volcanic rocks: Cormier 226-7
  gravity surveys, offshore: Canadian Mining and Metallurgical Bulletin 217-243
  seismic survey, continental shelf near Sable Island: Berger 227-338
Nuclear explosion, cratering, distribution of ejecta: Carlson 222-92
  detection: Carpenter 219-70; Epstein 217-161
    first arrivals: Scheidegger 217-148; Voyutskiy 218-75
  elastic waves: Butkovich 220-129
    attenuation in upper continental crust: Press 216-102
    dispersion, European paths: Payo Subiza 217-264
    mechanism: Toksöz 220-128
    PcP phases: Buchbinder 224-107
    peak pressures: Holzer 220-130
    source parameters: Töksöz 216-101
    traveltimes, mantle structure: Carder 220-252
    variations at teleseismic distances: Willis 222-79
  geomagnetic field, wind components: Yamaguchi 217-292

- Nuclear explosions—Continued
  - ocean-bottom recording, Pacific Ocean: Schneider 216-76
  - underground, spalling of the Earth's surface: Eisler 218-76
- Nutation, diurnal, effect of structure of core: Vicente 217-134
  - period, apparent bifurcation: Fedorov 217-136
    - latitude variations: Vicente 225-153
    - motion spectrum: Yashkov 217-135

O

- Ocean basins, crustal structure, block pattern: Demenitskaya 224-242
  - evolution, cyclical nature: Miyamura 219-262
  - relation to continental masses: Ostenso 218-120
- Ohio, age, radiocarbon dates: Forsyth 227-11; Ogden 226-22
  - age, wood: Garner 224-6
  - geophysical surveys, petroleum, Trempealeau dolomite: McCarthy 223-130
  - geotectonics, regional block movement of craton: Worthing 224-183
  - gravity survey, Denmark oilfield: Ferris 223-172
  - magnetic survey, Findlay area: Bromery 219-302
- Oklahoma, age, basement rocks, southern: Ham 222-2
  - electrocal logging, Arkoma basin: Irvin 220-155
  - geophysical surveys, limestone reef: Norden 217-181
  - meteorites, Lake Murray, Early Cretaceous fall: Graffham 216-26
  - seismic surveys: Laing 218-312
- Ontario, age, igneous and metamorphic rocks: Grant 217-14
  - age, metamorphic rocks: Boutcher 223-7
    - Sudbery area: Fairbairn 226-6; Faure 220-6
  - magnetic field, observations, Agincourt Observatory: Ross 227-265
  - magnetic surveys, Croker Island pluton, Lake Huron: Card 226-267
    - Lake Huron area: Nwachukwu 226-266
  - paleomagnetism, Precambrian dikes: Strangway 217-305
  - seismic surveys, Kirkland Lake area: Hobson 216-328
  - stress conditions, McIntyre mine: Carter 222-342
- Oregon, age, radiocarbon dates: Fryxell 221-9
  - earthquakes, 1962: Dehlinger 223-54
  - electrical surveys, deep resistivity measurements: Cantwell 222-94
  - geotectonics, geocynclinal theory: Dickinson 218-115
  - gravity surveys: Berg 222-155
    - base network: Berg 226-197; Rinehart 224-199
    - Coast Range area: Bromery 216-201
    - Galice quadrangle: Kays 224-200
    - offshore calibration range: Rinehart 223-170
  - magnetic surveys, Albany-Newport area, airborne: Bromery 220-294
    - Coast Range area: Bromery 216-201
  - paleomagnetism, Miocene: Watkins 224-298, 225-270
  - volcanic activity, Crater Lake: Byrne 223-350
- Orogeny, continents, spatial relationship: Dott 226-189
  - expanding earth, orogenic fold belts: Dearnley 225-159
  - mechanism: Orowan 217-213
  - sequence, Alps: Bemmelen 227-165
  - volcanism, time of activity: Matsumoto 216-158

P

- Pakistan, magnetic field, observations, Quetta Observatory 1961: Pakistan Meteorological Service 217-294, -295
- Pacific Ocean, age, corals: Thurber 225-11
  - age, radiocarbon dates: Nayudu 216-15; Romankevich 224-27
    - sediments: Baranov 223-9; Starik 226-75
  - crustal structure, East Pacific Rise: Engel 216-213
    - northwest margin: Belyayevskiy 219-252
    - Pacific-Antarctic Ridge: Adams 220-251
    - Tonga-Fiji region: Hunkins 222-62
    - transition zone: Gaynanov 221-267
  - earthquakes, floating platform (Flip) records: Northrop 219-68
  - geophysical research 1920-61: Hamilton 217-193
  - geophysical surveys, IGY and post-IGY review: Raitt 224-168
    - north, 1920-61: Johnson 217-194
  - geotectonics, rotation: Havemann 219-164
  - gravity surveys, Aleutian Trench: Peter 219-225

Pacific Ocean—Continued
  gravity surveys—continued
    northwestern: Gaynanov 223-179; Gladun 223-180
    off Oregon coast: Dehlinger 222-156
  gravity and seismic surveys: Thompson 217-260
  heat flow, East Pacific Rise: Langseth 219-234
    off United States: Von Herzen 220-238
    San Diego to Hawaiian Islands: Rhea 220-237
  magnetic surveys, Aleutian Trench: Peter 219-225
    south of New Zealand: Christoffel 224-315
    transition zone: Gaynanov 221-267
    west of Lower California: Krause 226-269
  mantle, surface wave dispersion data: Santo 219-259
  paleomagnetism, Quaternary: Harrison 218-259
  seismic surveys, Bering Sea and Aleutian Ridge: Shor 219-341
    central subbottom profile: Heath 227-351
  submarine geology, basalt near Hawaii: Moore 220-346
    cores, Tertiary sediments: Riedel 217-358
    Davis Seaknoll off California: Palmer 223-344
    Gulf of Alaska, sediment cores: Nayudu 219-358
    Mohole project, core: Carroll 217-355; Murata 217-356
    off California: Krause 218-336
    rock from deep-sea trenches: Petelin 224-352
    Rodriguez Seamount: Palmer 221-342
    San Diego to Hawaiian Islands: Rhea 220-237
    San Diego Trough: Hand 218-334
  topography, charts, Russian: Udintsev 220-349
    eastern, bathymetry off Oregon, Washington, and Vancouver Island: McManus 217-357
    Japanese continental shelf: Gorai 226-330
    Mendocino Ridge: Krause 219-357
    North Macquarie Ridge: Brodie 227-352
    sea floor north of New Guinea: Krause 220-352
    South China Sea: Haile 220-351
  tsunamis, observation, instrumentation: Vitousek 217-108
  volcanology, thermal waters and volcanic emanations, bibliography: White 217-359

Paleomagnetism, Archean, India, charnockites: Bhimasankaram 216-262
  archeomagnetism, time scale of secular variations: Belshé 225-273
  ash falls, Japan, Oshima Volcano: Yukutake 224-302
  Cenozoic, India: Singh 216-263
    U.S.S.R.: Pospelova 221-243
  continental drift: Nairn 220-289
    absolute-age data: Creer 227-159, -160
  Cretaceous, California: Grommé 226-256
  Czechoslovakia, hydrothermal deposits: Krs 219-298
  Devonian-Carboniferous contact, U.S.S.R.: Aparin 221-241
  England, reversals, Iron Grit: Edwards 223-277
  exsolution effects: Ade-Hall 223-276
  general: Wilson 225-269
    Eurasia: Raven 227-287
    review: Janák 219-295
  general listing: Irving 222-272
    U.S.S.R.: Kochegura 221-242
  geotectonics, hypotheses evaluated: Van Hilten 222-275
  hydrothermal minerals: Czechoslovakia: Krs 218-258
  Indian Ocean, Heard Island: Irving 226-258
  instrumentation, a magnetic and noninductive furnace: Gondet 222-267
  instrumentation, spinner-magnetometer design: Doell 220-288
  Japan, geologic history: Gorai 226-259
  Jurassic, Antarctica, Dronning Maud Land: Blundell 218-260
  Mesozoic, Czechoslovakia: Andreyeva 224-303
    Rumania: Costa-Foru 223-280
  Paleozoic, Czechoslovakia: Andreyeva 224-303
    Japan: Minato 227-292
  Permian, Europe: Schwarz 224-300
    New South Wales: Robertson 227-293
    Rhodesia, Karroo dolerites: McElhinny 225-272
    Rumania: Pătraşcu 223-279
    Turkey, northwestern: Gregor 227-288
    West Virginia: Helsley 219-296
  phosphorite, paleolatitudinal distribution of ancient deposits: Sheldon 217-308
  Plio-Pleistocene, Iceland: Wensink 217-307, 225-271
  pole determination, compensating field: Khramov 218-252

Paleomagnetism—Continued
  Precambrian, Canada: Christie 218-5; Robertson 217-306
    Quebec-Ontario: Strangway 217-305
    western United States: Runcorn 216-261
  problems and applications, review: Bucha 218-254
  Quaternary, California: Dalrymple 226-5
    France: Colin 227-284; Prévot 227-283
    Hawaii: Doell 226-257; DuBois 219-297
    Japan: Domen 219-299; Yukutake 224-301
    Pacific Ocean: Harrison 218-259
    Spain, basalt flows: Guardia 222-273
    Tristan da Cunha: Blundell 218-255; Creer 218-256
  reversals, dikes and country rock: Raja 221-239
    rate: Harrison 218-259
    self-reversal in synthetic sediments: Vlasov 218-253
  review: Koks 216-264
    significance to study of upper mantle: Thellier 221-238
  Silurian, Pennsylvania: Irving 222-270
    United States, Appalachian: Irving 222-270
  stability of rocks: Kruglyakova 220-292
  technique, plastic caps for globes: Hospers 216-265
  tectonic problems: Krs 220-290
  Tertiary, Columbia plateau: Watkins 222-269
    Czechoslovakia: Andreyeva 224-303; Hanuš 220-291
    France: Bobier 227-286; Roche 227-285
    India, Deccan traps: Bhimasankaram 222-271
    Japan: Domen 219-299
    Norway: Storetvedt 221-240
    Oregon: Watkins 224-298, 225-270
    Scotland: Raja 221-239
    U.S.S.R.: Ismail-Zade 224-304
  Triassic, Italy, dolomites: Chatterjee 222-274
    Pennsylvania: Beck 224-299
    U.S.S.R.: Komarov 223-281
  Triassic-Tertiary, Italy: Boer 218-257
Papua, seismic surveys, Turama River area: Australasian Petroleum Company Proprietary Ltd. 222-327
Pennsylvania, magnetic surveys, western, basement relief: Beck 221-252
  paleomagnetism, Triassic: Beck 224-299; Irving 222-270
Peru, age, radiocarbon dates: McCallum 226-30
  earth-current surveys, crustal structure: Schmucker 224-62
  earthquakes, focal mechanism: Ochoa 219-85
Phase equilibria, aluminous enstatites: Skinner 223-222
  CaO-MgO-CO_2-H_2O: Wyllie 224-228
  chlorites: Fawcett 223-205
  clinoenstatite, high-low: Perrotta 223-226
  diopside-ackermanite: Kushiro 223-203
  diopside-forsterite-pyrope: Davis 223-223
  diopside-silica: Schairer 223-202
  enstatite-pyrope: MacGregor 223-221
  iron, effect of pressure on melting: Sterrett 222-194
  jadeite melting relations: Bell 223-224
  micas: Velde 223-207
  muscovite-chlorite-quartz assemblage: Fawcett 223-206
  olivine-spinel transition: Akimoto 222-188
  oxide system containing iron: Presnall 223-204
  pyroxene: Yoder 223-201
  quartz-coesite transition: Kitahara 218-178
Philippines, geophysical research, 1920-61: Alcaraz 217-190
  magnetic surveys, Lammin iron deposits: Fernandez 219-310, 226-272
Physical properties, rocks, automatic data processing: Szalai 222-120
  rocks, exploration, review: Kobranova 223-142
    general: Rzhevskiy 225-152
    statistical analysis: Zhogolev 221-140
Planets, abundance in universe: Young 222-42
  atmosphere: Fjeldbo 226-97
  logarithmic order: Allen 216-58; Sreekantath 216-59
  origin, period of rotation: Alfvén 224-61
  rotation, origin: Artem'yev 223-42
  terrestrial, parameters: Vaucouleurs 218-36
  volcanic activity, spectral observations: Kozyrev 224-38

- Plasticity, deep-sea sediment cores: Richards 216-340
  - ice, stress-strain relations: Higashi 218-331
  - single crystals: Nabarro 217-349
- Poland, age, radiocarbon dates, Hel Peninsula: Baczyk 216-19
  - crustal structure: Wojtczak-Gadomska 227-226
  - earth-current surveys, short-period variations: Jankowski 227-59
  - geophysical surveys, northern, east-European platform structures: Skorupa 221-127
  - gravity surveys, western, basement structures: Dabrowski 221-165
  - magnetic field, observations: Kalinowska 218-232, 225-252; Szymánski 225-251
  - meteorites, Owrucz: Pokrzywnicki 218-22
  - radioactivity logging, density profiling: Roman 218-288
  - seismic surveys, Carpathian Foreland: Łaski 218-317
    - western basement structures: Dąbrowski 221-165
- Polar wandering, cause: Bilinskiy 220-196
  - climatic evidence, Arctic Ocean ice-free: Ewing 220-190
  - mantle convection currents: Vening Meinesz 220-195
  - paleomagnetic evidence: Deutsch 220-186; Runcorn 220-187
  - Precambrian stromatolites as indicators: Nordeng 220-192
- Polynesian Islands,tsunamis, Chilean earthquake, May 1960: Cox 217-103
- Portugal, geothermometry, granite and associated veins: Clark 224-226
  - magnetic surveys, offshore of Tagus River: Allan 225-284
- Pressure, measurement in place, instrumentation: Griswold 221-328
- Puerto Rico, electrical surveys, nuclear plant foundation: Alonso 222-104
  - geophysical surveys, Mayagüez area, serpentinite: Zablocki 216-124
  - gravity surveys, Mayagüez area: Bromery 216-202
  - heat flow, AMSOC drill hole: Diment 216-207
  - magnetic surveys: Dennis 216-278; Griscom 216-279
  - strength, serpentinite: Handin 216-337; Robertson 216-336
- Puerto Rico—Continued
  - thermal properties, serpentine: Diment 216-208

Q

- Quebec, age, base of Middle Ordovician: Poole 217-2; Rickard 217-1, -3
  - age, metamorphic rocks: Rickard 225-10
    - radiocarbon dates, Appalachian region: Gadd 221-11
      - Lake St. John area: Lasalle 227-16
    - syenite: Philpotts 216-9
  - meteorite craters, Clearwater Lakes: Dence 225-27
  - paleomagnetism, Precambrian dikes: Strangway 217-305

R

- Radioactivity, air, radionuclides measured: Perkins 217-316
  - argon, half life: Stoenner 223-304
  - atmosphere, Australia, airborne observations: Warburton 226-280
  - basalt, gamma spectrum: Lauterbach 221-276
  - bauxite, neutron activation analysis: Tatár 222-305
  - beryllium, content in ores: Yegorov 216-289
  - chemical analysis, alpha particles: Patterson 222-306
  - coal, Czechoslovakia: Beneš 222-304
    - Germany, Dohlener basin: Cristoph 223-305
  - crust, cosmic-ray induced: Gorshkov 220-310
  - elements, methods of analysis: Shashkin 221-279
  - fossil wood, Utah: Jedwab 216-283
  - Germany, fractured rocks: Aeckerlein 221-277
  - granite: Baillet 227-317
    - distribution: Baillet 227-318
    - France: Coppens 227-319
    - U. S. S. R.: Magdiyev 221-278
  - Greenland, Ilímaussaq intrusion: Hamilton 217-314
  - ground water, U. S. S. R.: Gutsalo 220-307
  - igneous rocks, Sweden, Alnö area: Eckermann 216-284
  - instrumentation, alpha spectrometer: Tuzova 223-307
    - alpha-particle spectrometer: Lenin 216-291
    - coating of scintillation chamber: Musin 223-306

Radioactivity—Continued
  instrumentation—continued
    counters for absolute intensities of X-ray: Metchnik 218-278
    ionization chamber signals: Gromtsev 216-293
    underwater vehicle: Bunker 221-275
  iron ore, assay by β-ray scattering: Umarov 218-275
  lava, Vesuvius: Vittozzi 226-278
  marine sediments, England, Yorkshire-Derbyshire coalfield: Knowles 227-316
  metamorphic rocks, Th, U, and K decrease with increasing grade: Heier 220-306
  meteorites, Bondoc: Cressy 225-19
    cosmic-ray produced: Nordemann 221-32
    France, Granès: Nordemann 227-46
  Mexico, Lourdes spring waters: Stretta 225-292
  neutron-neutron, statistical analysis: Rezanov 216-295
  niobium, neutron activation analysis in ores: Ricq 216-285
  ore deposits, ore analysis: Posik 221-281
  ore samples, spectral distribution: Balashev 216-288
  potassium, quantitative determination in place: Sokolov 216-287
    energy of gamma-ray: Robinson 218-277
  radon emanation, swampy areas: Mitov 216-290
  radon leakage, minerals: Venkatasubramanian 217-315
  rainwater, radon content: Banerji 219-318
  rare-earth ores, method of determination: Filippova 221-282
  rhenium, half life: Brodzinski 225-293
  samples of hand-specimen size, applications: Lauterbach 220-308
  sands and clays, radiologic properties: Lehmann 216-294
  sea water, Atlantic Ocean, Black and Caspian Seas: Alfimov 220-309
    uranium and thorium series: Moore 218-276
  sedimentary rocks, U.S.S.R.: Nesterenko 226-279
  soils, radon diffusion: Schroeder 219-317
  tantalum neutron activation analysis, ores: Ricq 216-285
  technique, alpha counting with X-ray emulsions: Suvorov 216-292

Radioactivity—Continued
  technique—continued
    measurement in place of water: Jennings 222-302
  thorium, quantitative determination in place: Sokolov 216-287
  uranium, quantitative determination in place: Sokolov 216-287
    ores, bulk sampling: Bolotnikov 216-286
      measurement in place: Bondarev 221-280
  Venezuela, application to geologic problems: M. Lopez 222-303
  water, Illinois: Larson 225-291
  wood, 18th century material, C-14 and sunspot activity: Stuiver 226-277
Radioactivity exploration, activation analysis, X-ray on ores: Florkowski 225-296
  boron, field assaying: Baranov 218-281
  carbonatite deposits, methods: Mochul'skiy 216-299
  detailed interpretation method: Matolín 218-280
  equipment, Russian cross-country vehicle: Ugarov 216-300
  gamma spectrum, field method: Mochul'skiy 216-297
  general review: Zeuch 218-279
  glaciers, rate of deposition: Ambach 224-322
  instrumentation, alpha-beta analyzer: Yakubovich 221-287
    alpha-impulse chamber: Nazarov 221-286
    density and chemical composition: Vakhtin 222-311
    multiplier tubes: Gubanov 216-301
    power supply: Dzhugov 226-295
    universal filtering: Kval'vasser 216-302
  natural gamma field in air, spectrometric study: Gregory 227-320
  neutron, airborne: Filippov 227-321
  petroleum, exploration: Vasil'yeva 222-121
    natural gas, anomalies: Gottikh 224-320
    scintillometer surveying: Aithal 217-319
    structures, applicability: Sikka 221-283
  phosphorites: Sheldon 217-318
  rock analysis, inelastic scatter of neutron-gamma rays: Shreyder 216-298
  uranium, airborne granitic rocks: Boltneva 222-314
Radioactivity logging, automatic data processing: Guberman 219-327; Kulinkovich 219-326

Radioactivity logging—Continued

- automatic data processing—continued
  - activation logging: Wainerdi 226-283
  - universal log: Evans 226-287
- bauxite deposits: Sebestyén 222-107
  - activation logging: Sen'ko-Bulatnyy 226-294
- boron, deposits in potassium-magnesium salts: Fel'dman 218-286
- carbonate reservoirs, neutron method: Guberman 219-330
- cased holes, combination of methods: Raymer 226-284
- clay determination: Vičánek 220-312
- coal deposits: Feytel'man 219-338; Grechukhin 224-163
  - ash content: Utkin 223-309
  - density, relationship to ash content: Gorin 226-292
  - Rumania: Voronca 219-147
  - U.S.S.R.: Makarov 227-127
- density, dual-spacing device: Wahl 221-284
  - gamma scatter: Artsybashev 221-288
  - Poland: Roman 218-288
- direct and inverse problems: Guberman 219-323
- gamma, borehole diameter, effect: Khaykovich 216-306
  - coal deposits: Gryzlov 216-296
  - copper-nickel ores: Yakubson 219-333
  - ore deposits: Ivashchenko 216-304
  - quantitative interpretation: Serikov 223-310
  - salt muds, U.S.S.R.: Akhmadeyeva 216-305
  - uranium ores: Kolesov 216-307
- gamma-gamma, interpretation: Lubyanskiy 224-327
  - physical basis: Tittman 222-307
  - technique and interpretation: Andrássy 224-324
  - water-wells: Sebestyén 224-325
- gamma-ray attenuation, porosity evaluator: Evans 226-288; Harms 226-289
- gamma-ray transmission, modeling: Blinova 219-328
- gas saturation, neutron method: Guberman 219-329
- general, recent development as of 1965: Jurkiewicz 225-295
- handbook, elementary: Moore 216-131
- instrumentation, charge absorbed by condensers: Gorskiy 219-336

Radioactivity logging—Continued

- instrumentation—continued
  - delayed coincidence: Avzyanov 219-339
  - error from nonlinearity: Ivankin 218-287
  - gamma-logging sonde: Liszt 222-308
  - gamma-ray: Bogdanovich 219-335
  - reliability at high temperatures: Gorskiy 219-334
  - resolving power: Guberman 219-337
  - Russian RK-60-L high sensitivity apparatus: Popov 224-326
  - safety device for handling neutron source: Broshnivskiy 226-296; Parshin 226-297
  - X-ray tubes for sondes: Ab 216-308
- interpretation, projective and fluid migration: Pirson 216-130
- iron deposits, iron content of ores, U.S.S.R.: Ochkur 226-291
- lignite, quality determination: Tatár 222-309, -310
- limestones, cavernous and jointed: Basin 217-176
- mineral deposits: Shirokov 219-322
- models: Allen 227-325
- Mössbauer effect, isotope identification: Aleksandrov 219-331
- neutron, distribution: Kozachok 221-289
  - fluid invasion, effects: Allen 225-294, 226-286
  - gas storage reservoirs: Diekmann 224-323
  - lifetime log: Buckner 226-290; Little 223-308; Youmans 221-285, 226-285
  - model study: Kaipov 225-299
  - nonstationary diffusion: Polyachenko 218-285
  - porosity: Dyad'kin 218-284
  - statistical characteristics: Guberman 226-293
  - thermal: Guberman 219-332
- oil and gas reserves: Vendel'shteyn 222-122
- ore deposits, heavy element content: Artsybashev 217-320
- porosity, clay content of sandstones: Hossin 226-163
  - interpretation: Hossin 219-320
- production logging: Connolly 226-162
- reservoir properties: Solomasov 226-175
- soft radiation, Poland: Kalitiuk 225-298
- surveys, Czechoslovakia, siderite deposits: Těžký 225-297

Radioactivity logging—Continued
  surveys—continued
    France, Paris Basin: Bernard 220-313
    Mississippi: Bicker 221-121
    U.S.S.R.: Kukhlev 217-180; Nesterenko 226-279
      Central Asia: Morgunov 221-290
      Volgograd region: Pestrikov 225-300
      West Siberian Lowland: Koshlyak 221-124
  temperature effects: Koshevnikov 219-324
  theory, age approximations: Kozhevnikov 219-325
    basic problems: Alekseyev 219-321
  time-lapse logging: Murphy 221-118
Radioactivity surveys, Alabama, Marion County: MacElvain 222-312
  Algeria, phosphate: Bollo 222-315
  Antarctica, snow: Picciotto 224-321
  Arizona, gamma-ray spectrometer, copper deposits: Moxham 227-322
  Brazil, Central Tucano Basin: Haynes 224-319
  California: Books 224-318
    Point Arguello: Guillou 226-282
  Colombia, La Cira oilfield: Trapp 227-323
  District of Columbia region, map: Neuschel 226-281
  Idaho: Bates 217-317
  India, oil: Aithal 217-319
  Japan, Tsukuba area, airborne: Sano 222-313
  Maryland: Bromery 216-303
  New England: Popenoe 218-282
  New Mexico: MacKallor 218-283
    GNOME, test site: MacKallor 220-311
  New York: Popenoe 218-282
  North Carolina, rare earths in quartz gangue: Sundelius 219-319
  Texas: MacKallor 218-283
  Turkey, phosphorites: Sheldon 217-318
  U.S.S.R., Perm Region, oilfields: Orlov 227-324
    Ural foreland downwarp: Khursik 217-196
Red Sea, geophysical surveys: Allan 220-163
  seismicity: Sykes 220-61
Réunion Island, volcanic activity, 1964: Aubert de la Rüe 223-357
Rhodesia, paleomagnetism, Karroo dolerites: McElhinny 225-272
Rumania, age determinations, Bucharest Institute for Atomic Physics: Bunescu 223-12; Soroiu 223-11
  crustal structure, M-discontinuity, map: Socolescu 223-231
  earthquakes, magnitude of deep focus, Vrancea region: Radu 223-63
    Vrancea region, deep-focus: Radu 223-64
  electrical logging, summary: Voronca 219-147
  geologic thermometry: Pomîrleanu 227-218
    quartz: Savul 220-239
  geophysical exploration, summary: Academia Republicii Populare Romîne 222-111
  gravity surveys: Airinei 220-227
    Bouguer map: Airinei 227-194
    central Moldova: Visarion 219-228
    Lake Sinoe area: Airinei 227-196
    Muntenia: Airinei 227-195
    Poiana Ruscăi: Stoenescu 219-227
    salt domes: Airinei 220-228
  magnetic field, 1961, character figures: Constantinescu 227-270
    solar diurnal variation, anomaly: Soare 227-271
  magnetic surveys, Iacobdeal and Dealul lui Manole granitic massif: Airinei 227-310
    Lake Sinoe area: Airinei 227-196
    Metaliferi Mountains: Romanescu 218-271
    Moldavia: Airinei 223-285
    Răzoare, Delineşti, Ciungani areas: Cristescu 220-301
  paleomagnetism, Mesozoic: Costa-Foru 223-280
    Permian and Permo-Carboniferous: Pătraşcu 223-279
  radioactivity logging, summary: Voronca 219-147
  seismicity, characteristic parameters: Constantinescu 223-62
    Vrancha district: Constantinescu 223-65
  structural analysis, Subcarpathians: Airinei 227-193

S

St. Paul's Rocks, isotopes, strontium: Hurley 217-270
Saskatchewan, age, pitchblende, Beaverlodge: Stevens 216-10
  creep, salt: Barron 222-343
  magnetic surveys, Shaunavon area: Colin 227-308

- Saskatchewan—Continued
  - seismic surveys, mapping evaporites: Surjik 218-313
- Saturn, interior temperature: Peebles 227-57
- Saudi Arabia, age, general listing: Snelling 220-11
- Scandinavia, crust, thickness: Crampin 217-124
  - geotectonics, recent deformation: Nikonov 219-195
- Scotland, age, granite, Skye: Long 219-13
  - age, igneous and metamorphic rocks: Brown 227-28; Evans 227-26
    - igneous rocks: Evans 219-12; Harris 221-18
      - Isle of Skye: Moorbath 224-19
      - St. Kilda Islands and Rockall Island: Miller 227-27
    - metamorphic rocks: Evans 221-17; Harper 216-17
  - earthquakes, Eskdalemuir seismological station: Truscott 221-72
  - paleomagnetism, Tertiary dikes: Raja 221-239
- Sea of Japan, crustal structure, seismic surveys: Kovylin 224-241
- Sea-level, fluctuations, 7000-3650 yr B. P., Louisiana: Coleman 217-11
- Seamounts, Atlantic Ocean, continental margin off Iberian Peninsula: Black 224-308
  - newly discovered: Sea Frontiers 223-345
- Seismic exploration, Boomer and Pinger sonar systems: Van Reenan 219-340
  - boreholes, nomogram: Neunhofer 221-296
    - transmitted waves: Kefeli 226-307
  - coal deposits, longitudinal wave velocities: Schwaetzer 223-329
  - computer processing, review: Grau 220-326
  - controlled direction reception: Brandt 221-297
  - correlation direction reception: Voyutskiy 226-306
    - composite curves: Yemshanov 223-319
    - filtering: Ryabinkin 223-311
    - wave parameters: Nakhamkin 226-304
  - correlation recording method: Voyutskiy 222-334
  - critical-angle effects: Poley 220-321
- Seismic exploration—Continued
  - datum corrections, glacial drift: Patterson 218-292
  - deconvolution techniques, reduction of instrumental distortion: Labrouste 217-326
  - deep seismic sounding, interference in long cables: Potap'yev 220-334
    - physical nature of waves: Alekseyev 218-301
    - shape of explosive charge: Afonin 226-314
  - differential normal moveout, automatic data processing: Schneider 225-301
  - diffracted waves, spectrum: Oblogina 226-303
  - faults, dynamics of waves: Teng 218-304
  - filtering: Toporskaya 224-343
    - directional and wide-band velocity: Jackson 222-316
    - fan: Fail 217-323
    - phase-distortionless: Domenico 221-292
  - first arrivals, instrument effects: Hagedoorn 216-312
  - Fourier transforms, analysis of transitory waves: García Rojas 222-324
  - frequency analysis: Olszak 220-328
  - frequency distortion, borehole geophone: Voronin 220-333
  - frequency spectrum, variation with distance: Huang 218-299
  - general, correlation with geology: Eguía Huerta 217-322
    - fundamental problems: Berzon 219-343
  - geophone distortion, compensation: O'Brien 227-326
  - geophone grouping: Inogamov 216-325
    - asynchronous accumulation of signals: Chichinin 224-335
    - choice of parameters: Rudakov 217-331
    - signal-to-noise ratio improvement: Basurto García 217-321
    - synchronous accumulation of signals: Voyutskiy 224-334
  - geophone parameters, field determination: Palmer 220-322
  - ghost arrivals, elimination: Schneider 216-311
  - grouping, geophone and shots: Rudamov 218-308
    - structure of wave field: Vasil'yev 224-333
    - triangular functions: Vedernikov 218-320
  - ice sheets, V. H. F. radar apparatus: Ice 222-323

Seismic exploration—Continued
  impact source, free surface: Nikolayev 223-100
  impulse pressure in water, generation: Samarin 222-335
  industrial interference, compensator: Gurevich 225-326
  instrumentation, amplifier, output cascade: Polshkov 226-305
    amplifier for galvanometer: Khomenyuk 216-318
    automatic gain control: Wacholz 217-344
    delta modulation system: Thompson 221-293
    device for computer input: Alferov 224-342
    Dyna-Pulse unit: Oil and Gas Journal 223-332
    frequency characteristics of a channel: Polshkov 216-323
    hydronamic oscillator: South African Mining and Engineering Journal 217-345
    hydrodynamic oscillator: Gudimovich 217-346
    Laser device for noise control: Oil and Gas Journal 223-333
    LaserScan: Canadian Petro Engineering 222-322
    magnetic recording: Fedorenko 223-326
    magnetic tape recorder: Bádonyi 222-331
    magnetic tape recording system: Schempf 221-298, -299
    magnetron transducers: Lin'kov 223-323
    pneumatic sound source: Ewing 217-343
    portable stomper: Muzylev 223-325
    reproducing device: Voskoboynik 221-322
    Russian SPM-16 modified pickup: Maksimov 218-305
    sparker: Caulfield 221-295
    sonar system, short pulse for submarine work: Yules 226-301
    summarizer attachment: Lebedev 219-347
    vibrometer: Tokmakov 219-349
  interference, directional properties: Makhamkin 217-329
    random functions: Nakhamkin 217-328
    ship singing: Latter 227-329
    suppression of multiple reflections: Watson 221-294
  interpretation, complex regions: Abdullayev 221-110
    construction of sections: Rikhter 227-335

Seismic exploration—Continued
  interpretation—continued
    difference between seismograms, shots of different intensity: Zav'yalov 226-316
    frequency analysis: Ádám 224-331
  interval velocity, computation: Sattlegger 227-327
  inverse problems, statistical solution: Rastrigin 226-298
  inverse three-dimensional problem, diffracted waves: Borodulin 221-303
  kinetic corrections, computer programming: Klugman 225-321
  magnetic recording: Młynarski 220-332
  mantle structure: Bulin 221-310
  marine, comprehensive review: Zverev 223-327
    controlled directional reception, U.S.S.R.: Serdovol'skiy 216-315
    model study: Barnard 218-74
    recording refracted waves: Kogan 216-317
    shear velocity in ocean: Bucker 218-295
    sonar techniques: Hersey 218-298
    summary of technique: Geneslay 227-331
    transducer velocity, effects: Hurdle 218-296
  methods, computer use: Canadian Petro Engineering 218-297
    recording techniques: Limón 218-294
    U.S.S.R., southwest margin of Russian platform: Zavyalov 226-315
  mines, hammer method: Oelsner 223-330
  modeling, computer applications: Galbraith 222-117
  multichannel filtering: Wiggins 222-318
  noise, attenuation with depth: Douze 216-309
    causes: Olhovich 218-293
  recording, filtering: Polshkov 225-320
  reflection, absorption and reflection coeficients: Kuznetsov 225-317
    analysis, horizontal stacking: Zagst 227-332
    automatic filtering: Drozdov 218-310
    body waves: Khudobina 225-322
    combined methods: Zav'yalov 226-317
    curvature of reflecting boundaries: Marek 220-331
    curved boundaries: Boganik 224-340
    digital filtering: Enright 223-331

- Seismic exploration—Continued
  - reflection—continued
    - elimination of interference: Rudakov 217-330
    - error in effective velocity: Boganik 224-341
    - impulsional seismograms of multiple reflections: Bois 222-326
    - interpretation using ellipses: Gassaway 218-290
    - massive spatial sounding: Samoylyuk 221-302
    - multiple reflection elimination: Savit 227-330
    - multiples: Eytingon 225-314; Ivanova 225-311, -312; Mikhaylova 225-310; Yepinat'yeva 225-308, -309, -313, -315, -316, -318
    - near-surface reflector, effect: Kunetz 217-324
    - near surface shots: Lavyant 220-335
    - nonspecular reflecting boundaries: Napalkov 223-312
    - pinching-out layers: Grin' 221-300
    - ray diagrams: Demidenko 218-309
    - reflecting plane, determination of: Tárczy-Hornoch 227-328
    - roughness, effective period: Yemshanov 223-318
    - roughness of boundaries: Yemshanov 223-317
    - shallow horizons: Sokolov 224-338
    - shifting shot points: Kovalevskiy 224-337
    - stacking technique: Pratt 227-333
    - vertical traveltime curves: Rudnitskiy 221-304
    - wave type from seismogram: Smirnova 223-324
  - refraction, accuracy: Krylov 219-346
    - anisotropic overburden: Helbig 220-320
    - bi-level recording: Singh 217-340
    - converted waves: Hall 216-310
    - curvature of boundaries: Krylov 219-345
    - crystalline basement: Shcherbakova 225-327
    - form and amplitude of waves: Alfano 225-306
    - Gardner's method: Młynarski 221-309
    - late arrivals: Kilényi 222-330
    - ore deposits: Volin 217-333
    - theoretical analysis: Donato 220-327
    - velocities in crust: Shablinskiy 221-83
    - velocity-depth functions: Ádám 218-300; Levin 216-319
- Seismic exploration—Continued
  - regional velocity gradient, normal moveouts: Knox 218-291
  - rock density, wave velocity data: Stupak 226-203
  - sediment thickness, Rayleigh waves: McEvilly 223-87
  - seismograms, correlation analysis: Lukashin 221-307
    - kinematic correction: Rapoport 218-307
    - optical analysis: Jackson 221-291
    - surface and near-surface effects: Gal'perin 217-332
  - signals, displacement, influence of noise: Gol'din 222-333
    - enhancement, Optimum Wide-Band Vertical Stack method: Canadian Petro Engineering 218-297
    - noise elimination: Gutíerrez G. 220-318
    - recognition, algorithm for computer: Naimark 226-299
  - signal-to-noise ratio: Junger 218-289
  - soils, elastic properties: Nikolayev 216-112
  - source direction, correlation records: Kozlova 216-322
  - statistical models: Gol'tsman 226-300
  - Stoneley waves, ocean sediments: Bucker 218-295
  - technique, watershed studies: Burroughs 222-96
  - traveltime curves, anisotropic media: Gassmann 219-342
    - analytical calculation: Knopoff 226-111
    - power series in inverse problem: Levin 225-324
    - velocity estimates: Urupov 225-319
    - velocity increase with depth: Levin 216-320
  - ultrasonic method, coal seams: Gumanyuk 219-344
  - velocity determination, numerical averaging methods: Shcherbakov 220-329
    - reflection traveltime curves: Perel'man 216-316
  - velocity laws, calculation, "Sigma method": Pérez Ruiz 227-334
  - vertical seismic profiling: Demidenko 221-301; Gal'perin 218-306
  - vibrator technique: Militzer 217-325
  - Vibroseis system: Maass 217-327
  - wave spectrums, charge weight: Rybak 221-305
  - wave velocities, factors: Petkevich 221-306
    - fracturing effects: Shan'gin 223-322

- Seismic exploration—Continued
  - wave velocities—continued
    - upper part of section: Kulichikhina 216-313
  - weight-drop method, U.S.S.R.: Druzin 227-336
  - wide-angle reflections, crustal studies: Mituch 224-332
  - wide-band recording, advantage over filtering: Khudzinskiy 218-302
- Seismic surveys, Alaska, Anchorage: Bush 217-337
  - Alaska, Killick-Itkillick area: Patton 217-336
  - Algeria, Zarzaitine oilfield: Claracq 220-325
  - Alps, crustal structure: Peterschmitt 221-188
  - Antarctica, Bransfield Strait: Cox 218-325
    - errors in interpretation: Kapitsa 225-330
    - Queen Maud Land: Dieterlé 221-326
    - West Ice Shelf, subglacial topography: Tsukernik 218-152
  - Arctic Ocean, continental shelves: Moore 218-315
    - resonances in seismic noise: Milne 220-316
  - Atlantic Ocean, Barracuda Fault: Paitson 218-314
    - Georges Bank: Roberson 217-338
    - Mid-Atlantic Ridge: Le Pichon 219-246
    - Puerto Rico outer ridge: Knox 222-319
    - western: Clay 220-314
  - Austria, Gepatsch Glacier: Giese 225-174
    - Vienna basin, techniques: Kapounek 220-324
  - Black Sea: Mindeli 221-189
  - British Columbia: White 224-232
    - offshore: Oilweek 221-313
  - California, continental margin, acoustic reflection: Curray 227-339
    - ground water: Zohdy 227-108
    - Owens Valley: Pakiser 218-143
  - Canada, Arctic Archipelago: Sander 221-315
    - Axel Heiberg Island glaciers: May 221-314
  - Denmark: Sorgenfrei 220-219
  - Finland, explosion seismology: Vesanen 218-71
    - Obbnäs granite massif: Talvitie 220-330
  - France, Arras-Avesnes areas: Clément 220-323
    - Herault-Causses, volcanic field: Allègre 225-305
- Seismic surveys—Continued
  - France—continued
    - Lake Geneva: Serruya 216-330
    - offshore from Nice: Muraour 221-316
  - Georgia, continental shelf: Antoine 227-337
  - Greenland, icecap, Site 2: Roethlisberger 227-340
  - Gulf of Mexico, northeast: Antoine 220-315; Curray 217-335
    - Sigsbee deep: Yáñez Correa 220-319
  - Hungary: Lányi 222-328; Mituch 222-329
  - India, dam sites, Sharavati Valley Project: Banerjee 217-341
    - Ganga Valley: Singh 217-340; Varadarajan 218-322
    - Gangetic Plains: Closs 218-323
    - Punjab: Simha 217-342
  - Indian Ocean: Neprochnov 224-240
    - Carlsberg Ridge: Matthews 226-271
    - Seychelles Bank: Davies 221-319
  - Iran, Persian Gulf: Mina 227-341
  - Italy, archeological sites: Linington 225-307
  - Japan, Ariake Coal Mine: Ariake Coal Mine Prospecting Section 218-324
    - Niigata Prefecture: Nagumo 216-332, -333
  - Lake Superior: Steinhart 218-311
  - Magellan Straits: Ludwig 222-317
  - Manitoba, Red River Floodway, refraction: Hobson 216-329
  - Massachusetts, Boston Harbor: Edgerton 224-330
  - Mediterranean Sea, off Nice: Muraour 221-316
  - Mexico, Coasta de Nayarit: Curray 225-304
    - Faja de Oro, history: Figueroa Huerta 220-317
    - northeastern, summary: Coffin Otero 222-325
    - northern Gulf of California: Phillips 225-302
  - Narragansett Bay: Edgerton 217-334
  - Netherlands, coal deposits: Riel 222-321
  - Nevada, application to hydrogeology: Dudley 221-311
    - hydrology studies: McGinnis 221-312
  - North Sea: Bungenstock 226-302
    - crustal structure: Collette 221-186
  - Norway, Maurangerfjord and Hardangerfjord: Cone 218-316
  - Nova Scotia, continental shelf near Sable Island: Berger 227-338

Seismic surveys—Continued
  Oklahoma: Laing 218-312
  Ontario, Kirkland Lake area: Hobson 216-328
  Pacific basin to Nevada: Thompson 217-260
  Pacific Ocean, Bering Sea, and Aleutian Ridge: Shor 219-341
    central subbottom profile: Heath 227-351
  Papua, Turama River area: Australasian Petroleum Company Proprietary Ltd. 222-327
  Poland: Wojtczak-Gadomska 227-226
    Carpathian Foreland: Łaski 218-317
    western, basement structures: Dąbrowski 221-165
  Saskatchewan, mapping evaporites: Surjiķ 218-313
  Sea of Japan, crustal structure: Kovylin 224-241
  South Australia, 1963-64 summary: Seedsman 225-329
  Switzerland, Lake Geneva: Serruya 216-330
  Turkey, Garzan-Germik oilfield: Sanlav 220-222
  U.S.S.R., Azerbaijan S.S.R.: Khenkina 221-324
    Baltic depression: Levchenko 225-325
    Baltic shield: Litvinenko 227-230
    Belozersk iron deposits: Kalyuzhnaya 226-311
    Black Sea: Garkalenko 226-312
    Black Sea-Azov basin: Lebedev 226-310
    Black Sea basin: Nikiforuk 223-328
    Caspian basin: Zavalishin 223-320
    Caspian Sea: Akhundov 223-315; Lebedev 224-344; Sterlyagova 216-314; Zhivoderov 216-324; Znamenskiy 223-313
    Ciscaucasus: Kozlov 216-321; Kumpan 221-321
    Crimea: Chekunov 226-206; Sollogub 226-309
    Dnieper-Donets depression: Benderskiy 221-323; Guterman 226-313
    greenstone belt of Urals: Shmakov 216-327
    Gulf of Riga, acoustic: Ul'st 216-331
    Kazakh S.S.R.: Antonenko 219-348
    Kuybyshev area: Rikhter 224-339
    Rostov Region and Kalmut A.S.S.R.: Troyanskiy 216-326

Seismic surveys—Continued
  U.S.S.R.—continued
    Rudnyy Altay: Kefeli 218-321
    Russian platform: Pomerantseva 225-323; Shopin 221-320
    Siberia, forested areas: Kondrashov 227-343
    Siberian platform: Tuyezov 227-227
    Tadzhik, S.S.R.: Ramazanova 223-316
    Tatar A.S.S.R.: Vedernikov 218-320
    Turgay depression: Kulubekov 217-248
    Turkmen S.S.R.: Kharikov 224-237; 225-328; Mil'shteyn 227-228; Yemshanov 223-314
    Ukraine S.S.R.: Chekunov 218-318; Mikhaylov 227-342
    Upper Kama region: Frolovich 217-339
    Ural foreland downwarp: Khursik 217-196
    Urals, southern: Shul'ts 223-321
    wave velocity in rocks: Volin 217-155
    West Siberian Lowland: Kiselev 224-312; Puzyrev 224-239; Umperovich 221-325
    Zeya-Bureya basin: Shcherbakova 218-319
  United States, Great Lakes region: Steinhart 224-329
    Transcontinental Geophysical Survey: Healy 225-302
  Yugoslavia, "Orlovat" structural region: Dragašević 221-317
    Vojvodina region: Simin 221-318
Seismic waves, absorption, local earthquakes: Khalturin 216-85
  amplitude, curves for body waves: Vaňek 217-127
  attenuation, body waves: Kozlov 218-61
    faults: Ragimov 226-308
    fundamental regularities: Gurevich 217-152
    mantle: Anderson 222-59; Kovach 220-57
    noise in deep boreholes: Sax 216-103
    phenomena at atomic level: Howell 223-91
  converted body, amplitudes calculated: Zhigal'tsev 216-90
  converted SP, deep focus, Afghanistan: Pachadzhanova 223-81
  core, shells: Adams 217-269
  crustal reflections: Sanford 225-59
  crustal studies: Bisztricsány 225-232
  diffraction, core: Tuve 224-89
  directivity function: Savage 222-75
  dispersion, crustal thickness: Shechkov 218-167

Seismic waves—Continued
- energy, calculated and actual compared: Rautian 216-84
- filtering, three-dimensional arrays: Burg 216-75
- first motion, rupture velocity: Savage 224-98
- free oscillations of the Earth: Slichter 225-60
  - calculated: Jobert 218-57
  - earth tide observations, 1960: Wirth 223-78
  - Kurile Islands shock of 1963: Alsop 217-125
  - review of studies, pre-1960: Sato 220-91
    - since 1960: Takeuchi 220-92
  - rotational splitting: Gilbert 226-113
  - vertification from long-period waves: Press 224-233
- frequency, shift to audible range: Frantti 222-60
  - spectrum, variation with distance: Huang 218-299
- fronts: Adlung 224-93
- general, radiation, transmission, attenuation: White 222-57
- ground-coupled air waves: Donn 218-45
- high-frequency, northeastern United States: Willis 216-77
- Hindu Kush, 1949: Lehmann 220-60
- identification, computer program: Gel'chinskiy 218-63
- Lg-waves, generation: Bose 221-80
- longitudinal, dynamic characteristics: Shamina 221-65
- long-period, source parameters: Ben-Menahem 225-58
  - surface waves, Chilean earthquakes: Saito 220-94
    - summary: Yamaguchi 220-93
- Love, leaking modes: Ghosh 216-80
  - upper mantle structure: Ivanova 221-62
- low-velocity channel, traveltime curves: Dowling 220-63
- mantle, United States: McEvilly 220-64
  - P-waves, extracted from noise: Backus 216-74
- model study: Petrashen' 217-151
- normal modes, body waves: Brune 220-71
- ocean-bottom recording, Pacific Ocean: Schneider 216-76
- P- and S-wave generation: Enescu 223-79
- P-waves, amplitude curves: Yanovskaya 218-62
  - dynamics in mantle: Yanovskaya 218-64
  - period increase with depth of focus: Solov'yev 223-80

Seismic waves—Continued
- period, increase with distance: Sikharulidze 220-102
- polarization, layered earth model: Nuttli 217-146
  - transverse onsets: Richter 218-58
- ray studies, core: Bullen 224-90
- Rayleigh, dispersion: Bolt 221-194
  - dissipation: Tryggvason 222-58
- response spectrums, soft clays, Mexico City: Bustamente 216-78
- signal enhancement, three-component detectors: Shimshoni 216-73
- small arrivals, detection: de Bremaecker 220-73
- spectral composition, calculation: Khalturin 216-82
- spectrum, anomalies, resonance, U.S.S.R.: Zhigal'tsev 216-83
  - Kamchatka earthquakes: Belotelov 218-59
- Stoneley, P_F phase: Ghosh 217-145
- stopping phase, seismogram: Savage 222-61
- surface, dispersion in South Pacific: Hunkins 222-62
  - higher modes: Crampin 221-63
  - oceanic paths: Sykes 217-126
  - phase velocities of higher modes: Crampin 217-124
  - quality factor: Yamakawa 224-91
  - relation to channel waves: Båth 223-76
  - review: Dopp 223-77
- S-waves, shadow zone: Richter 224-92
- tables, Wellington Observatory: Eiby 221-64
- T-phases, Alaskan shocks: Northrop 222-49
- traveltime power-series: Bullen 222-86
- velocity, anomalies in focal zone: Kondratenko 216-86
  - anomaly in Ural Mountains: Pasechnik 218-168
- vibrations, lower modes: O'Kelly 220-56
- weak earthquakes, dynamic features of records: Sedova 216-88

Seismicity, Alaska: Davis 216-66
- Algeria: Grandjean 216-70
- Antarctica, 1964: Crary 219-82
  - aseismicity due to ice cover: Voronov 221-59
  - map: Kogan 224-78
- Arabian Sea: Sykes 220-61
- Arctic: Sykes 225-67
- Australia, Snowy Mountains region, 1958-62: Cleary 222-64
- Bulgaria, Kyrdzhali damsite: Medvedev 227-75
- Canada, west coast: Milne 216-67

- Seismicity—Continued
  - Canada—continued
    - western: Milne 223-58
  - Central America: Schultz 216-69
  - Chile: Lomnitz 217-85
  - Cyprus: Ambraseys 224-68
  - East Africa: Sykes 220-61
  - Finland: Penttilä 225-73; Vesanen 218-48
    - 1957-62: Miyamura 220-88
    - 1962-64: Korhonen 220-90
  - flow of rock masses: Riznichenko 223-160
  - frequency, 11-year cycle: Sytinskiy 219-83
  - Greenland, aseismicity due to ice cover: Voronov 221-59
  - Gulf of Aden: Sykes 220-61
  - Japan, regionalization, 1959-63: Isono 224-80
    - summary: Gorai 226-119
  - Kansas: Merriam 225-61
  - maps, compilation by summation method: Riznichenko 223-68
  - Mexico: Figueroa Abarca 216-68; Merino y Coronado 224-66
  - microregionalization, focal distances, calculation: Kats 227-74
  - Mongolia: Florensov 224-76; Solonenko 224-72
  - Morocco, Agadir area: Ambroggi 223-61
  - New Jersey: Isacks 220-62
  - New Zealand, time trends in the activity pattern: Vere-Jones 220-96
  - Pacific Ocean, Pacific-Antarctic Ridge: Adams 220-251
  - Red Sea: Sykes 220-61
  - regionalization, geographical and seismic: Flinn 226-114
    - procedure: Gubin 224-88
    - recent tectonic movements: Florensov 221-56
  - relation to earthquake mechanisms, review: Hodgson 224-84
  - Rumania, characteristic parameters: Constantinescu 223-62
    - Vrancha district: Constantinescu 223-65
  - Spain: Shenkareva 217-86
  - Turkey: Őcal 219-86
  - U. S. S. R., Carpathians: Gofshteyn 223-161
    - Caucasus: Anan'in 221-52
    - Crimea: Aronovich 220-99
    - Far Eastern Region: Poplavskaya 219-98
    - intensity-magnitude relation: Skorik 217-88
    - Kazakh S. S. R.: Kazanli 219-95
    - map: Arkhangel'skaya 227-73
    - Stanovoy Range: Solonenko 219-96
    - Tadzhik S.S.R.: Bune 221-51
- Seismicity—Continued
  - U. S. S. R.—continued
    - Tien Shan: Gorbunova 216-72
    - Trans-Caucasus: Gabriyelyan 219-174
    - Turkmen S. S. R.: Mil'shteyn 224-77
    - variations with time: Mamadaliyev 217-87
  - United States, western: Saint-Amand 216-64
  - Utah, Wasatch Fault zone: Marsell 222-67
  - world, 1961-62: Rothé 220-82
    - strain rebound characteristics: Hédervári 221-58
- Seismographs, calibration, rapid method: Barr 217-130
  - electromagnetic, communication network theory: Dopp 217-131
    - magnification curves: Chakrabarty 217-129
    - response characteristics: Chakrabarty 217-128
  - installation, angular error: Bondarev 218-66
- Seismology, bibliography, 1963: Langill 223-84
  - bibliography, engineering seismology: Hollis 216-98
  - computer location of epicenters, Basin and Range province: Ryall 220-77
  - general, Eskdalemuir seismological station, Scotland: Truscott 221-72
    - mathematics of seismology used in tracking space vehicles: Bowers 220-177
    - recording and analysis: McElheny 221-61
    - Seismological Society America history: Byerly 220-54
    - structure and methods, review: Keylis-Borok 224-328
  - U. S. S. R., status, 1963: Pomeroy 219-69
- Seychelles Islands, age, granite, relation to African coast: Baker 220-9
- Shetland Islands, geotectonics, recent: Flinn 218-116
- Solar system, elements, abundance near atomic weight 90: Clayton 218-35
  - origin, capture of material from diffuse star: Woolfson 220-40
    - model: Jokipii 218-37
    - review: Burman 220-41
  - uranium and thorium abundance: Hoyle 220-42
- Solomon Islands, geophysical surveys, 1881-1961: Grover 217-195
  - gravity surveys: Woollard 222-159

South Africa, age, igneous and metamorphic rocks: Allsopp 219-10
  electrical logging surveys, crocidolite prospecting: de Villiers 222-106
  electrical surveys, resistivity, brines: Schumann 222-105
  geothermal gradient, Riemvasmaak hot spring: von Backström 222-171
  gravity surveys: Smit 218-146
  isotopes, potassium, granite-shale content: Schreiner 224-250
   tritium, groundwater: Vogel 216-221
  magnetic survey, Continental Shelf: Oguti 218-269
  rock strength, research activities: Hoek 225-341
  seismic exploration, instrumentation, water hammer: South African Mining and Engineering Journal 217-345
  thermal springs, Kaap Province: Visser 222-174
   Riemvasmaak hot spring: von Backström 222-171
   Transvaal: Kent 222-172; von Backström 222-173
    Klein-Tshipise hot spring: Kent 222-360
South America, age, radiocarbon dates: Tamers 226-15
  continental drift, relation to deep-focus earthquakes: Harrington 220-188
  electrical logging, continuous dipmeter: Salisch 218-99
South Australia, geophysical surveys, 1963-64: Whitten 225-145
  seismic surveys, 1963-64 summary: Seedsman 225-329
South Dakota, age, radiocarbon dates: Steece 224-8
  gravity surveys: Tullis 216-199
South Shetland Islands, volcanic activity, Los Copahues: Casertano 226-337
Southern Rhodesia, age, igneous rocks: Allsopp 220-7
South-West Africa, continental drift, evidence: Martin 217-214
Spain, age, igneous and metamorphic rocks: Capdevila 227-18
  age, igneous rocks, Costa Brava: Chessex 227-19
   radiocarbon dates: Delibrias 221-19
  geophysical surveys, 1963: España Instituto Geológico y Minero 221-126
Spain—Continued
  magnetic field, observations: Cardús 221-221
  paleomagnetism, Quaternary basalt flows: Guardia 222-273
  seismicity: Shenkareva 217-86
Specific gravity, air-dry rocks, variations: Bugaylo 217-249
  rocks, New Zealand: Hatherton 220-234
  variation with depth: Stetyukha 219-130
Spitsbergen, age, shell and peat: Feyling-Hanssen 225-15
  glaciers, flow variations: Wilhelm 225-179
  magnetic field, declination variation: Kowalczuk 216-249
   observations: Kowalczuk 217-291
Statistics, rank correlation coefficient: O'Brien 222-116
Strain, rocks, energy: Emery 225-338
Strength, blast effects: Müller 221-336
  brittle fracture, experimental studies: Brace 225-336
   photoelastic investigations: Bombolakis 226-325
  clay, stress-strain, predictability: Ladanyi 226-327
  deep-sea sediment cores: Richards 216-340
  dynamic structural geology, review: Donath 216-338
  ground, "stochastic" theory of movement: Berry 220-340
  high hydrostatic pressure, bending method: Stakhovskaya 216-345
   torsion method: Tomashevskaya 216-346
  high pressure and temperature, X-ray study: Volarovich 216-348
  ice, Antarctica, applicability to other rocks: Reid 219-356
   glacial movement: Aliverti 217-225
   low stations: Dooley 219-355
  instrumentation, resistance strain gauges: Gustkiewicz 216-344
  joints, effect on shear strength: Rocha 221-331
  layered systems, selective buckling of composite: Ramberg 226-324
  marble, different strain rates: Ferreira 220-338
  mine rocks, Canadian government mechanics program: Hardy 219-354
  mine workings, rock mechanics: Liegeois 223-339; Menzel 225-333

Strength—Continued
- modulus of elasticity, Leda clay, Ontario: Bozozuk 218-326
  - methods for determination: Cannaday 217-350
- permafrost, determined from acoustic velocity: Wacholz 216-341
- pressure distribution, discontinuum: Krsmanovic 221-334
- quartz, experimental deformation: Carter 220-336
- quartz from meteorite craters, shock deformation: Bunch 219-353
- rock mechanics, classification of rocks: Coates 225-331
  - mining problems: Fischer 220-341
  - state of tension: Dymek 216-343
- rocks, anisotropic, variation and deformational behavior: Donath 225-339
  - comprehensive review: Protod'yakonov 222-336
  - deformation: Morlier 221-330
  - effect of cracks on compressibility: Walsh 219-350, -352
  - failure under dynamic compressive loading: Clark 225-340
  - in situ testing, Yugoslavia: Kujundžić 223-337
  - linear compressibility: Brace 219-351
  - research activities, South Africa: Hoek 225-341
  - unaxial compressive, method: Hobbs 216-334
- sandstones, Athabasca oil sands: Hardy 216-339
- sea ice: Assur 225-335
  - Antarctic: Serikov 225-337
  - growth of salt ice crystals: Assur 218-330
- sedimentary rocks, layered: Chenevert 226-326
- sediments, continental slope off New England: Richards 218-328
- serpentinite, high pressure and temperature, Puerto Rico: Handin 216-337
  - Puerto Rico: Robertson 216-336
- shear, laboratory tests on calcareous rocks: Krsmanović 221-333
  - tapered-sample method: Volarovich 216-347
- snow-ice, laboratory tests: Stearns 223-336
- stress-strain, orthotropic relations: Wane 223-335
- stressed rock masses, test galleries: Pacher 221-335
- structural effects: Döring 221-332

Strength—Continued
- tensile methods: Hobbs 221-329
- till, field and laboratory tests, Canada: Klohn 226-328
- unconsolidated material: Stötzner 221-337

Stress, anomalies, isallo stress lines, exploration tool: Scheidegger 227-86
- circular tunnels: Sirieys 216-342
- faulting, model: Duda 223-107
- high pressure and temperature, X-ray study: Volarovich 216-348
- internal, solid bodies: Uhlmann 225-332
- measurement, curved jack technique: Jaeger 225-343
  - photoelastic stressmeter modifications: Roberts 223-338
- measurement in place: Merrill 225-342; Potts 225-344; Roberts 211-92
  - circular hole: Friahurst 220-339
  - determination method: Bjerkan 221-339
- measurement program, Sullivan mine, British Columbia: Sullivan Staff 222-341
- mines, experimental study: Smith 222-340
  - McIntyre Mine, Ontario: Carter 222-342
  - monitoring station: Panek 217-351
  - rock pressures at Ruth, Nevada: Wisecarver 217-352
- rocks, directions, determination from petrofabric: Friedman 225-345
  - research: Judd 225-334
  - resolution by stereographic projection: Goodman 216-335
- underground openings, Hungary: Horváth 218-327
  - model studies: Adler 217-348

Submarine geology, Alaskan Shelves: Dietz 218-337
- Aleutian Ridge, Adak Canyon: Perry 223-343
- Antarctic Ocean, continental shelf topography: Frolov 225-354
  - continental slope and floor: Koblents 219-359
- Arctic Ocean, sediments: Lapina 224-355
- Atlantic Ocean, Bermuda Rise, origin: Engelen 222-347
  - bottom sediments: Svirenko 220-348
  - continental margin southwest of English Channel: Hadley 221-343
  - continental shelf off South Carolina: Cazeau 216-353

- Submarine geology—Continued
  - Atlantic Ocean—continued
    - Drake Passage-Scotia, Sea-South Sandwich Trench: Goodell 217-354
    - Georges Bank: Roberson 217-338
    - Kane basin: Uchupi 226-329
    - magnetic and bathymetric profiles: Avery 223-342
    - metamorphic rocks and structures off southwest England: Phillips 220-347
    - Mid-Atlantic Ridge: Andel 223-341; Pratt 220-344
    - Plateau topography: Pratt 221-341
    - rock samples from the Mid-Atlantic Ridge: Nicholls 218-339
    - South Sandwich Trench: Heezen 225-353
    - Sohm and Hatteras abyssal plains: Pratt 224-345
    - south, tephra in cores: Nikovich 217-353
    - Straits of Florida, bathymetry: Hurley 218-333; Jordan 220-342
    - topography: Il'in 227-353
    - Virgin Rocks, Grand Banks of Newfoundland: Lilly 220-343
  - Bering Sea, relief of bottom: Udintsev 224-356
    - sediments: Lisitsyn 224-357
  - California, La Jolla Submarine Canyon, bathymetric chart: Buffington 218-335
  - Canada, Axel Heiberg Island area: Müller 221-347
    - St. Lawrence River and Gulf: Nota 227-345
  - deep-sea cores and Pleistocene record: Ericson 222-352
  - East Antarctic shelf, profile: Koblents 225-355
  - echo sounding, depth corrections: Gruzinov 222-353
  - European arctic and subarctic seas, bottom topography: Lee 218-341
  - Faroe Channel, topographic chart and profiles: Harvey 225-352
  - general: Unesco Intergovernmental Oceanographic Commission 227-347
    - history and scope: Cloud 225-348
    - history of development: Manten 225-347
    - physical properties of sea, summary: Bretschneider 221-345
  - geophysical exploration, procedures: Shapirovskiy 222-113

- Submarine geology—Continued
  - geophysical techniques and results, review: Talwani 227-344
  - geotectonics, Eurasia: Udintsev 224-348
  - Greenland, bottom topography, Disko Bugt: Petersen 218-338
  - Gulf of Alaska, sediments: Gershanovich 224-353
  - Gulf of California, Cape San Lucas area, canyons: Shepard 225-351
    - structural history and evolution: Rusnak 225-350
    - topography: Rusnak 225-349
  - Gulf of Mexico, Sigsbee Knolls: Nowlin 222-346
  - Indian Ocean, bathymetric map and text: Pepper 222-351
    - bottom profile: Tressler 218-342
    - geomorphology: Kanayev 224-349
    - northwestern, geomorphology: Belousov 224-350
    - sediments: Bezrukov 224-351
    - Timor Sea, bathymetry: Van Andel 226-331
  - instrumentation: Hayakawa 216-354
    - nuclear sediment-density probe: Keller 227-346
    - seismic recording buoys: Francis 216-355
    - sideways facing asdic: Gaskell 227-348
  - Japan, Osaka Bay, sonic survey: Hayakawa 216-354
    - southern Japan Sea: Sato 220-350
    - submarine canyons and Sagami Trough: Shepard 218-343
  - manganese nodules, ore deposits: Rotter 224-347
    - origin: Bonatti 220-345
  - Mediterranean Sea, geotectonics: Yemel'yanov 224-354
    - review: Bourcart 227-350
  - Nigerian continental margin: Allen 218-340
  - north of New Guinea: Krause 220-352
  - offshore platform, data measurements from: Gaskell 227-349
  - Pacific Ocean, basalt near Hawaii: Moore 220-346
    - bathymetry off Oregon, Washington, and Vancouver Island: McManus 217-357
    - charts, Russian: Udintsev 220-349
    - Davis Seaknoll off California: Palmer 223-344
    - Hawaiian Ridge, landslides: Moore 221-340
    - Japanese continental shelf, topography: Gorai 226-330

Submarine geology—Continued
  Pacific Ocean—continued
    La Jolla Fan Valley: Moore 222-345
    Mendocino Ridge, topography and lithology: Krause 219-357
    North Macquarie Ridge, morphology: Brodie 227-352
    off California: Krause 218-336
    rock from deep-sea trenches: Petelin 224-352
    Rodriguez Seamount: Palmer 221-342
    San Diego Trough: Hand 218-334
    South China Sea, topography: Haile 220-351
    Tertiary sediment cores: Riedel 217-358
  radioactivity measurements, vehicle: Bunker 221-275
  recent studies, review: Stride 218-332
  Red Sea, Atlantis and Discovery Deeps, hot salty water: Fye 222-349; Swallow 222-350
  research, systematic approach: Peter 225-346
  review, general: Long 221-344
    scientific results: Ewing 221-346
  seamounts, newly discovered: Sea Frontiers 223-345
  sediment strength, Pacific Ocean, Guadalupe Mohole site: Hamilton 216-351; Moore 216-352
  sediments, rare-earth elements: Wildeman 224-346
  textbook: Shepard 216-350
  topography, ocean floor: Zhivago 227-355
    spatial relations: Il'in 227-354
  valleys, types: Shepard 222-344
  volcanic ash deposits, correlation, Gulf of Alaska: Nayudu 219-358
Swaziland, thermal springs: Spargo 226-219
Sweden, age, radiocarbon dates: Berglund 224-20; Engstrand 226-33; Florin 224-22; Hörnsten 217-23; Lundqvist 224-21; Olsson 226-36
  age, review of radiocarbon investigations in the Baltic region: Fromm 216-18
  glaciers, Storglaciären, frequency response: Nye 227-171
  isostatic adjustments of shoreline: Florin 216-161
  meteorite craters, Lake Niem, coesite: Svensson 223-26
  radioactivity, igneous rocks of Alnö area: Eckermann 216-284
Switzerland, age, granites, zircons of Alpine belt: Bertrand 227-29
  age, igneous and metamorphic rocks: Chessex 217-19; Pasteels 222-10
    metamorphic rocks: Grünenfelder 222-11
    Rotondo granite: Jäger 217-21
  electrical surveys, Orbe River Plain: Meyer de Stadelhofen 216-126, 221-123
    Rhône Plain: Meyer de Stadelhofen 216-125, 221-122
  geodesy, status and problems: Gassmann 216-149
  seismic surveys, Lake Geneva: Serruya 216-330

T

Taiwan, age, metamorphic rocks: Yen 216-24
  geotectonics, displacement of mantle: Ma 219-169
Tanganyika, age, volcanic rocks: Fleischer 222-9
Tasmania, magnetic surveys, Hampshire iron ore deposit: Jack 222-292
Tchad Republic, geophysical surveys, Doba basin: Louis 216-140
Tektites, aerodynamic flight, australite strewn field: Lieske 217-54
  aerodynamically sculptured, Texas: King 217-53
  age, australites: Gill 226-94
    cosmic-ray exposure age: Fleischer 222-36
    fission-track method, stability of tracks: Fleischer 222-18
    Ivory Coast: Die Umschau 226-41
    simultaneous with natural glasses: Fleischer 221-37
  coesite: Walter 221-35
  composition, differences: Taylor 221-36
    iron and manganese: Greenland 224-48
    K/Rb ratios: Pinson 225-29
    X-ray fluorescence analysis: Rose 217-58
  Czechoslovakia, new fields and finds: Vorob'yev 217-56
  electrical resistivity: Hoyte 223-30
  impact glass, similarity: Taylor 224-49
  origin: Hutchinson 217-55
    chemical and isotopic data: Starik 226-87
    moldavites: Engelhardt 225-30
    oxygen isotope studies: Taylor 219-47
    trace elements similar to Earth's: O'Keefe 217-57

Tektites—Continued
- review: Von Koenigswald 224-50
- structure, lunar ash flow: O'Keefe 227-49
- tantalum, abundance: Ehmann 220-23

Texas, age, igneous and metamorphic rocks: Zartman 222-3
- age, lake carbonates: Reeves 227-12
  - metamorphic rocks, Llano Uplift: Zartman 224-7
- earthquakes, water-well response from Alaskan shock: Miller 219-66
- geotectonics, lateral displacement: Muehlberger 225-162
- gravity surveys: Bible 216-197
- isotopes, microcline, Texas: Zartman 220-258
- radioactivity surveys: MacKallor 218-283

Thailand, geophysical surveys, 1920-61: Buravas 217-191

Thermal properties, feldspar, conductivity: Sass 227-212
- instrumentation, thermoelectric device: Khan 216-210
- limestone measurements, new steady-state apparatus: Khan 227-211
- rocks, two-alpha method of measurement: Yakovlev 223-200
- sandstone measurements, new steady-state apparatus: Khan 227-211
- sedimentary rocks, conductivity: Hurtig 227-213
- serpentine, Puerto Rico: Diment 216-208

Thermal springs, Czechoslovakia, Sokolov Basin: Jetel 221-362
- Hungary: Frits 218-156
- New Zealand, geysers: Benseman 226-221
- South Africa, Kaap Province: Visser 222-174
  - Riemvasmaak hot spring: von Backström 222-171
  - Transvaal: Kent 222-172; von Backström 222-173
    - Klein-Tshipise hot spring: Kent 222-360
- Swaziland: Spargo 226-219

Thermoluminescence, quartz rocks, relative age: Puchkov 224-229
- theory and application: Medlin 226-225

Thermometers, continuous logging equipment: Simmons 222-170

Tristan da Cunha, age, basalt: Miller 219-9
- paleomagnetism, Quaternary: Blundell 218-255; Creer 218-256

Tristan da Cunha—Continued
- volcanic activity: Harris 226-336
  - 1962 expedition: Baker 218-348; Gass 218-346; Holdgate 218-349

Tsunami, attenuation, diffusion and absorption: Munk 217-101
- dissipation by tidal currents: Groves 219-119
- energy, estimation: Iida 217-114
  - vertical displacement at source: Iida 217-123
- generation, circular source area experiment: Takahasi 217-119
  - L-shaped canals: Momoi 221-68
- Hawaii, Hilo Bay, gage system: Johnson 217-109
- heights, distant and near earthquakes: Iida 217-105
  - theoretical calculations: Momoi 217-122
- hydrodynamic problems: Sretenskiy 225-80
- Japan, 1900-60: Iida 217-97
  - Chilean earthquake May 1960: Takahasi 217-102
  - evaluation of protective measures: Horikawa 217-121
  - Iturup earthquake of Oct. 13, 1963: Hatori 221-69
  - Miyagi-Enoshima observatory records: Takahasi 217-98
  - Sanriku Coast: Watanabe 217-104
- linear theory: Keller 217-113
- mathematical analysis, around small islands: Webster 217-120
- model study, U.S.S.R., Second Kurile Strait: Grigorash 225-82
- Pacific Ocean, instrumentation: Vitousek 217-108
- Polynesian Islands, Chilean earthquake, May 1960: Cox 217-103
- prediction methods: Zetler 217-112
- propagation, rotating basin: Voyt 225-81
- rectangular bay, growth: Nakano 217-106
- reflection, bottom of variable depth: Kajiura 217-117
- research, Hawaii Institute Geophysics program: Cox 217-107
- review: Cox 217-96
- small-scale modeling: Perry 217-118
- U.S.S.R., occurrence and warning system: Lavrentyev 217-99
- velocities, energy dissipation: Harleman 217-116
- Wake Island, March 1957, source motion: Van Dorn 217-100
- warning spectra: Lomnitz 217-111

Tsunami—Continued
  warning system, Japan: Wadati 217-110
  wave generation, laboratory study: Wiegel 217-115
Turkey, earthquakes, 1964: Erentöz 227-66
  electrical surveys, resistivity, ground water: Bierschenk 219-144
  geophysical surveys, 1935-62: M.T.A. Institute 220-170
  gravity surveys, Garzan-Germik oilfield: Sanlav 220-222
  magnetic surveys, iron deposits: Özelci 218-270
  paleomagnetism, Permian, northwestern: Gregor 227-288
  radioactivity surveys, phosphorites: Sheldon 217-318
  seismicity: Öcal 219-86
  volcanic activity, summary: Blumenthal 225-358

U

Uganda, electrical and magnetic surveys 1963: Makowiecki 220-162
U.S.S.R., age, eclogite, xenoliths in kimberlite: Firsov 223-17
  age, folded basement, Ustyurt: Garetskiy 223-14
    general listing, Azov area: Ivantishin 226-62
      Central Asia: Krylov 226-57
      Urals: Harris 226-53; Ovchinnikov 226-54
      Yenisei range: Volobuyev 226-52
    granites: Baratov 218-21; Gorokhov 216-21, 218-19; Yablokov 218-14
      Carboniferous-Permian boundary: Khamrabayev 226-58
      Kazakh, S.S.R.: Laverov 223-15
      Krivoy Rog area: Tugarinov 223-13
      Mongolia: Li 226-82
      northeastern: Firsov 225-16
    ground water, Volga area: Mitrofanov 226-81
    igneous and metamorphic rocks: Pap 219-17; Tugarinov 218-20
      Aldan region: Firsov 226-51
      Karelia and Ukraine: Sobotovich 226-78
      Siberian platform: Tugarinov 221-22
      Ukraine S.S.R.: Burkser 226-72
    igneous rocks: Laverov 218-13; Stern 222-4
      Armenian S.S.R.: Bagdasaryan 226-59
      Kazakh S.S.R.: Satpayev 226-48
    mafic rocks, Kola Peninsula: Gerling 226-70
    manganese minerals, Kazhikh S.S.R.: Chukhrov 221-21
U.S.S.R.—Continued
  age—continued
    metamorphic rocks: Cherdyntsev 218-17; Kononov 226-67
      Baikal area: Yashchenko 226-80
      Bug area: Yaroshchuk 226-65
      Karelia: Yashchenko 220-12
      Ukraine S.S.R.: Boyko 226-64
    methods: Shcherbakov 226-43
    pegmatites, Aldan shield: Voskresenskaya 221-23
      eastern Sayan: Milovskiy 221-24
    phlogopite: Firsov 224-23
    Precambrian rocks: Semenenko 226-61
      time scale: Harris 226-79
      Ukrainian shield: Polovinkina 220-13
      Ukraine S.S.R.: Ivantishin 226-63; Shcherbak 226-66, -69
    radiocarbon dates: Butomo 226-29
      mammoth and rhinoceros: Heintz 224-24
      Mghinsk marine beds: Starik 216-20
      Siberia: Alekseyev 223-16
    sedimentary rocks, Kazakh S.S.R.: Rozenkrants 226-55
      Krivoy Rog and Kazakh S.S.R.: Bibikova 226-76
    standard samples: Znamenskiy 226-44
  crustal structure: Akhalbedashvili 220-103
    Altai: Masarskiy 216-212
    Baltic shield: Litvinenko 227-230
    Black Sea and Sea of Azov: Balavadze 221-190
    central Asia: Vol'vovskiy 227-134
    Crimea: Sollogub 219-250
    general: Milanovskiy 223-232
    Kazhakh S.S.R.: Antonenko 219-348; Moiseyenko 219-251, 222-184
    Kurile-Kamchatka region: Gaynanov 217-265
    northeastern: Rezanov 224-238
    planned deep drilling: Belyayevskiy 226-230
    Siberia: Kosygin 218-169
    Siberia and Far Eastern Region: Fotiadi 227-132
    Siberian platform: Tuyezov 227-227
    subhorizontal layering: Khalevin 223-233
    Turkmen S.S.R., seismic surveys: Kharikov 224-237
    Ukrainian S.S.R.: Subbotin 227-135
    Urals: Pasechnik 218-168
    West Siberian Lowland: Puzyrev 224-239
  crustal thickness: Golenetskiy 219-100
    Eurasia: Shechkov 218-167
    Ukrainian S.S.R.: Chekunov 218-318

U.S.S.R. —Continued
  density, sedimentary rocks of Cis-Caucasus: Volodarskiy 216-179
  earth-current surveys, Central Russian basin: Bryunelli 223-49
    Georgian S.S.R.: Bukhnikashvili 225-44
    Russian platform: Yanovskiy 226-102
  earth currents, observations, Alushta station: Rokityanskiy 220-53
    observations, Shatsk Station: Novysh 219-62
      IGY: Troitskaya 220-52
  earthquakes, 1957, Muy shock: Solonenko 225-74
    1958, Kurile Islands: Gostev 219-97
    1959, Caspian area: Islamov 219-94
      Kamchatka: Balakina 219-90; Chemnykh 219-88; Goryachev 219-91; Khristoforov 219-92; Kondorskaya 219-89; Tishchenko 219-93
    1961: Vvedenskaya 221-53
    1962, Azerbaijan: Ragimov 222-50
      Iturup Island: Solov'yev 221-54
    1963: Khromovskikh 221-55
      Georgia: Tabidze 220-100
    Atlas, English guide: Crawford 219-87
    engineering, ground stability: Kasymov 227-78
    landslides: Khromovskikh 218-53
    magnitude, Caucasus: Ayvazishvili 220-101
    stress release, Baikal area: Misharina 227-72
    Tbilisi seismic station: Akhalbedashvili 220-103
  earth tides, observations: Balavadze 224-96
    observations, anomalies: Matveyev 220-109
      IGY: Pariyskiy 220-111
      IGY-IGC: Aksent'yeva 220-107
      Poltava 1961: Aksent'yeva 220-108
      Tbilisi: Balavadze 220-112
  elastic properties, iron ores: Myachkin 221-97
  electrical logging, induction, status: Plyusnin 224-159
  electrical logging surveys: Kukhlev 217-180; Lykova 217-179
    Aktyubinsk area: Avrov 220-159
    Buzovny-Mashtaginsk: Patsevich 227-122

U.S.S.R. —Continued
  electrical logging surveys—continued
    Kura Plain: Itenberg 227-120
    Nekrasov field: Zanyukov 227-123
    Podobass-Tutuyas depression: Gershanovich 224-164
    Surgut stratigraphic drill hole: Nesmerov 216-133
    West Siberian Lowland: Koshlyak 221-124
  electrical surveys, airborne: Shuval-Sergeyev 224-136
    Baltic area: Vasil'yev 223-113
    Central Asia: Allakhverdov 221-111
    chalcopyrite, Urals: Demidovtsev 224-133
    Chul'man depression: Mikunov 220-148
    Cis-carpathian: Sapuzhak 222-102
    Crimea, karst: Nazarov 226-142
    Georgian S.S.R.: Tabagua 220-147
    ground water: Gaman 221-107
      Crimea: Golovtsyn 221-106
      Kazakh S.S.R.: Akishev 220-151
    induction tests in Transbaikalia: Ploskikh 224-147
    instrumentation, U.S.S.R.: Karandeyev 224-127
    Kama region: Frolovich 217-167
    karst areas, Crimea: Golovtsyn 221-104; Smol'nikov 221-105
    Kola Peninsula: Polyak 226-140
    nonmetallics: Khesin 219-143
    Perm region: Frolovich 217-168
    permafrost, Yakutsk A.S.S.R.: Zuyev 216-129
    polymetallic ores in Rudnyy Altai: Belash 221-109
    sulfides: Ivochkin 223-118
    Turkmen S.S.R.: Mil'shteyn 227-228
    Urals: Titlinov 224-131
    Ust-Yenesei basin: Gvizd' 224-153
  geophysical logging surveys, karst reservoirs: Dakhnov 223-131
  geophysical research, Ukraine S.S.R., 1960-62: Lebedev 220-180
  geophysical surveys, Amu Dar'ya basin: Šutor 225-140
    Azerbaijan, crustal study: Alizade 227-139
    Azov area: Sobakar' 219-152
    Central Asia: Amurskiy 225-142
    coal deposits, Pechora basin: Grechukhin 227-141
    Crimea: Al'bov 222-112
    diamond pipes: Balakshin 218-105
    ground water: Bogolyukov 221-128
    iron deposits: Krutikhovskaya 217-198, 227-142
    karst areas: Ivanov 220-173
    Kazakh S.S.R.: Bachin 227-138
      ground water: Anashin 227-143

U.S.S.R.—Continued
  geophysical surveys—continued
    Kizlyar Gulf area: Nesmeyanov 225-141
    marine surveys: Vartanov 227-137
    oil and gas, 1959-62: Komarov 220-179
    ore deposits in Transbaikal: Lyakhov 216-139
    Perm Region: Shershnev 217-197
    polymetallic ores: Mustafabeyli 219-151
    Sea of Azov: Malovitskiy 227-145
    Siberian and Far East: Fotiadi 224-171
    Tien Shan: Mel'kanovitskiy 227-133
    Ukrainian S.S.R.: Gerasimov 226-182; Subbotin 227-135
    Ural foreland depression: Yarosh 227-140
    Ustyurt: Garetskiy 225-143
    Volgograd-Saratov area: Kononkov 220-174
    West Siberian Lowland: Rostovtsev 227-136
    young platform: Garetskiy 227-144
    Zeya-Bureya depression: Volkhonin 216-138
  geotectonics, recent deformation: Astakhov 225-169; Gabriyelyan 219-174; Mattskova 219-181; Stovas 222-136
    recent deformation, Apatity station: Panasenko 219-196
      Armenia: Kazanchyan 219-187
      Baltic Sea area: Lesis 219-182
      Baskunchak salt dome: Pevnev 219-185
      Carpathians: Gofshteyn 223-161
      Caucasus: Dumitrashko 219-202; Liliyenberg 219-203; Rastvorova 219-204
      Central Asia: Rantsman 219-212; Sentunskaya 219-188
      Crimea: Burshtar 224-188
      Donets basin: Kon'kov 219-214
      Dushanbe area: Ostrovskiy 219-194
      Estonia: Zhelnin 219-183, -184
      Kazan area: Nelidov 219-190
      Kola Peninsula: Grave 219-208
      Odessa area: Bashmanov 219-189
      Russian platform: Bagrova 223-162; Tsygankov 219-207
      Sayan: Mitropol'skiy 224-189
      Syr-Darya: Skvortsov 219-211
      Ternopol-Kurk leveling line: Gorelov 219-210
      Ukraine: Sokolovskiy 219-209
      Urals: Trifonov 219-205
      Volga-Ural district: Rozhdestvenskiy 219-206
      western Sayan:Krestnikov 223-158

U.S.S.R.—Continued
  geothermal gradient, Azerbaijan S.S.R.: Tsaturyants 219-239
    Baltic shield, ultra-deep borehole: Cheremenskiy 221-185
    Carpathian foreland depression: Kutas 218-158
    Caspian salt dome area: Pomarnatskiy 219-236
    Caucasus region: Vlasova 218-159
    oil fields: Plyushch 219-238
    Sadonskiy ore deposit: Guriyev 223-198
    Turkmen S.S.R.: Dzhibuti 216-209
    Ukrainian S.S.R.: Potushanskiy 220-240
  geothermometry, sphalerite: Borreswara Rao 224-227
  glaciers, Kamchatka, Koryto Glacier, velocity: Tsvetkov 217-226
  gravity surveys, Armenian S.S.R., volcanic activity: Adzhimamudov 226-349
    Azerbaijan S.S.R.: Tsimel'zon 226-205, 227-204
    Black Sea-Azov basin: Lebedev 226-310
    Black Sea and Sea of Azov: Balavadze 221-190
    Central Asia: Marussi 218-149
    Chul'man depression: Mikunov 220-148
    ciscaucasus, density of rocks: Volodarskiy 225-204
    Crimea: Chekunov 226-206; Sollogub 226-309
    Estonia: Maasik 224-218
    iron deposits: Larionov 221-179
      Krivoy Rog basin: Pelushenko 226-208
    Krivoy Rog basin: Pelyushenko 222-166
    Kura oil district: Tsimel'zon 225-208
    Monche and Chuna tundras, gabbro: Shkorbatov 223-191
    Nakhichevan A.S.S.R.: Tsimel'zon 227-208
    Novotsaritsa anomaly: Savitsina 227-205
    oil and gas structure: Berezkin 218-148
    Sakhalin: Sychev 227-206
    Saratov, Trans-Volga: Kononkov 225-207
    Shindinsk platform: Puchkov 226-210
    Turgay depression: Bugaylo 217-247; Kulubekov 217-248
    Ukrainian S.S.R.: Yegorov 221-177
      gabbro masses: Yegorov 226-209
    Urals, altitude control: Parkorukov 226-214
      chalcopyrite: Yarosh 219-229
    Urals and Siberia: Surkov 219-230

- U.S.S.R. —Continued
  - gravity surveys—continued
    - West Siberian Lowland, gas pools: Agul'nik 227-200
    - Yakutsk S.S.R.: Rabotnov 227-199
  - heat flow, Colchidian Lowland: Makarenko 224-222
    - Kamchatka, hydrothermal processes: Averyev 226-220
    - Ukrainian S.S.R.: Lyubimova 218-157
    - validity of measurements: Diment 223-193
  - isotopes, carbon, igneous rocks: Lebedev 218-182
    - carbon, natural gas: Vdovykin 218-181
      - stalactites, Crimea: Galimov 227-238
    - hydrogen, waters from mountains: Kraynova 223-238
    - lead, Central Asia: Rabinovich 226-241
    - oxygen, Mesozoic belemnites: Naydin 218-188
    - sulfur, gold deposits: Grinenko 222-204
      - natural gas: Pankina 218-189
    - thorium, ground water: Dement'yev 222-205
  - magnetic field, observations, 1957-59: Babushnikov 220-273
    - observations, 1957-61: Tsymburskaya 220-271
      - 1960-61: Storozhinskiy 220-274
      - disturbance field: Tsymburskaya 220-272
      - Irkutsk: Mishin 219-284
      - L-variations: Benkova 222-245
      - Murmansk: Loginov 225-256
  - magnetic properties, basalt: Bol'shakov 218-245
    - copper-nickel ores: Ilayev 221-235
    - granite, Magadan batholith: Nayborodin 226-253
      - northeastern: Pecherskiy 227-290
    - granitic rocks: Pecherskiy 219-294
    - Khadum horizon: Smirnova 223-282
    - manganese ores: Georgian S.S.R.: Chelishvili 219-293
    - ultramafic rocks: Shkorbatov 218-246
  - magnetic surveys, Aldan shield: Krasnov 221-265
    - Aral region: Golub 221-261

- U.S.S.R. —Continued
  - magnetic surveys—continued
    - Arctic regions: Levin 223-296
    - Asia-Pacific Ocean transition zone: Rivosh 218-272
    - Belozersk anomalies: Pelyushenko 221-270
    - Caspian basin: Sytina 223-292
    - Caucasus: Mustafabeyli 221-266
    - Central Asia: Marussi 218-149; Yudborovskiy 221-173
    - diamond deposits of Yakutia: Loshchakov 219-309
    - Far Eastern Region: Andreyev 223-302
    - iron deposits: Larionov 221-179
      - Angara: Polonskiy 221-263
    - Kamchatka volcanoes: Rivosh 221-355; Shteynberg 226-270
    - Kazakh S.S.R., volcano remnants: Donskikh 221-264
    - Khatanga Basin: Levin 224-313
    - Kola Peninsula: Palitsyn 223-289
    - Kurile-Kamchatka region: Tulina 223-301
    - Kursk Magnetic Anomaly: Vaynshteyn 221-269
    - map of anomaly field: Simonenko 223-287
    - Mugodzhar Range: Komissarov 223-295
    - rare metal deposits: Benevolenskiy 219-308
    - Saratov Trans-Volga: Kononkov 225-207
    - Shindinsk platform: Puchkov 226-210
    - Siberian platform: Bulina 221-262
    - Tatar A.S.S.R.: Kukun 223-290
    - tectonic analysis: Simonenko 227-311
    - Timan-Pechora region: Zalipukhin 223-293
    - Turgay depression: Bugaylo 217-247; Komissarov 223-294
    - Turkmen S.S.R.: Glazunova 221-260
    - Ukrainian S.S.R. gabbro masses: Yegorov 226-209
    - Ural-Pai-Khoi region: Zagorodnov 223-291
    - Urals and Siberia: Surkov 219-230
    - Ust-Yenisei region: Volk 224-314
    - Ustyurt: Inogamov 224-311
    - West Siberian Lowland: Fotiadi 222-291
  - magnetotelluric surveys, Lovozero station: Yegorov 224-151
  - mantle, elastic heteroteneity, earth-tide observations: Pariyskiy 225-85
    - Pamir-Hindu Kush: Lukk 225-233

U.S.S.R.—Continued
- meteorite craters, Potomsk Upland: Portnov 217-44
  - Zaysan carbonaceous chondrite: Kolesov 222-27
- microseisms, Barents Sea and Sea of Okhotsk: Dolbilkina 222-301
  - head waves from crystalline basement: Ivanova 219-313
- paleomagnetism, Cenozoic: Pospelova 221-243
  - Devonian-Carboniferous contact U.S.S.R: Aparin 221-241
  - extrusive rocks of Far East: Kochegura 221-242
  - Tertiary: Ismail-Zade 224-304
  - Triassic: Komarov 223-281
- physical properties, basic and altrabasic rocks: Golubev 221-96
  - granitized and weathered rocks: Dubinchik 221-95
  - rocks, Tien Shan: Akhmatov 221-236
- radioactivity, Caspian Sea, water: Alfimov 220-309
  - granites: Magdiyev 221-278
  - ground water: Gutsalo 220-307
  - sedimentary rocks: Nesterenko 226-279
- radioactivity logging surveys: Kukhlev 217-180; Nesterenko 226-279
  - Volgograd region: Pestrikov 225-300
  - West Siberian Lowland: Koshlyak 221-124
- radioactivity surveys, Central Asia: Morgunov 221-290
  - Perm Region, oilfields: Orlov 227-324
- radiometric surveys, Ural foreland downwarp: Khursik 217-196
- seismic surveys, Azerbaijan S.S.R.: Khenkina 221-324
  - Baltic depression: Levchenko 225-325
  - Belozersk iron deposits: Kalyuzhnaya 226-311
  - Black Sea: Garkalenko 226-312
  - Black Sea-Azov basin: Lebedev 226-310
  - Black Sea basin: Nikiforuk 223-328
  - Caspian basin: Zavalishin 223-320; Zhivoderov 216-324; Znamenskiy 223-313
  - Caspian Sea: Akhundov 223-315; Lebedev 224-344; Sterlyagova 216-314
  - Ciscaucasus: Kozlov 216-321; Kumpan 221-321
  - Crimea: Chekunov 226-206; Sollogub 226-309

U.S.S.R.—Continued
- seismic surveys—continued
  - Dnieper-Donets depression: Benderskiy 221-323; Guterman 226-313
  - Great Lakes region: Steinhart 224-329
  - greenstone belt of Urals: Shmakov 216-327
  - Kazakh S.S.R.: Antonenko 219-348
  - Kuybyshev area: Rikhter 224-339
  - Rostov Region and Kalmut A.S.S.R.: Troyanskiy 216-326
  - Rudnyy Altay: Kefeli 218-321
  - Russian platform: Pomerantseva 225-323; Shopin 221-320
  - Siberia, forested areas: Kondrashov 227-343
  - Tadzhik S.S.R.: Ramazanova 223-316
  - Tatar A.S.S.R.: Vedernikov 218-320
  - Turgay depression: Kulubekov 217-248
  - Turkmen S.S.R.: Kharikov 225-328; Mil'shteyn 227-228; Yemshanov 223-314
  - Ukrainian S.S.R.: Chekunov 218-318; Mikhaylov 227-342
  - Upper Kama region: Frolovich 217-339
  - Ural foreland downwarp: Khursik 217-196
  - Urals, southern: Shul'ts 223-321
  - wave velocity in rocks: Volin 217-155
  - West Siberian Lowland: Umperovich 221-325
  - Zeya-Bureya basin: Shcherbakova 218-319
- seismicity, Caucasus: Anan'in 221-52
  - Crimea: Aronovich 220-99
  - Far Eastern Region: Poplavskaya 219-98
  - intensity-magnitude relation: Skorik 217-88
  - Kazakh S.S.R.: Kazanli 219-95
  - map: Arkhangel'skaya 227-73
  - Stanovoy Range: Solonenko 219-96
  - Tadzhik S.S.R.: Bune 221-51
  - Tien Shan: Gorbunova 216-72
  - Trans-Caucasus: Gabriyelyan 219-174
  - Turkmen S.S.R.: Mil'shteyn 224-77
- seismology, status, 1963: Pomeroy 219-69
- tsunami, model study of Second Kurile Strait: Grigorash 225-82
  - occurrence and warning system: Lavrentyev 217-99

U. S. S. R.—Continued
  volcanic activity, Avachinskaya: Shteynberg 218-353
    Avachinskaya group, geophysical study: Steinberg 226-358
    Kamchatka, hydrothermal processes: Averyev 226-220
      magnetic surveys: Rivosh 221-355; Shteynberg 226-270
    Klyuchevskaya: Basharina 218-354; Sirin 218-352
    Mt. Elbrus: Vlodavetz 225-359
    Mutsov Volcano: Polyak 225-360
United States, age, Lake Lahontan-Lake Bonneville: Broecker 225-8
  age, Precambrian, midwestern: Bradbury 225-7
    Precambrian, southwestern: Wasserburg 227-13
    radiocarbon dates: Bender 226-40; Östlund 226-19
      Rocky Mountain region: Randall 221-6
    sulfides, southeastern: Kinkel 225-5
    uranium, veins, conterminous: Walker 220-2
  crust, basalt-eclogite transition and structure: Pakiser 224-230
  crustal structure: McEvilly 220-64
    cross section: Hamilton 222-179
    Pacific: Dehlinger 225-221
    seismic studies: Pakiser 224-235
    western: Thompson 218-163
  earthquakes, 1962 summary: Lander 223-53
  electrical surveys, Pacific Northwest: Cantwell 227-109
  geophysical surveys, activity during 1964: Oil and Gas Journal 223-136
    ground water: Heinrichs 219-155
  geothermal energy: Kaufman 217-256
  gravity surveys, Bouguer gravity anomaly map: Woollard 222-148
    control network, western: Woollard 222-149
    projects in northeast: Hill 222-153
    U. S. Coast and Geodetic Survey base network: Rice 222-150
    western: Case 222-160
    western and Hawaii: Oliver 222-154
  mantle, low-velocity channel: Dowling 220-63

United States—Continued
  mantle—continued
    structure: McEvilly 220-64
  paleomagnetism, Precambrian, western: Runcorn 216-261
    Silurian, Appalachian: Irving 222-270
    Tertiary, Columbia plateau: Watkins 222-269
  seismic surveys, Transcontinental Geophysical Survey: Healy 225-302
  seismicity, western: Saint-Amand 216-64
Uranus, mathematical models: Reynolds 219-54
Utah, age, biotite: Marvin 224-11
  age, radiocarbon dates: McDowell 226-23
    radiocarbon dates, Lakes Bonneville and Lahonton: Kaufman 227-14
    tuffaceous rocks, Cache Valley: Williams 223-6
  crustal structure: Roller 222-178
  faulting, Wasatch Fault zone: Bissell 222-68; Bryner 222-71; Buss 222-70; Marsell 222-67, -69
  geothermal gradient, Salt Valley anticline: Spicer 217-251
  gravity survey, northern Great Salt Lake Desert: Cook 216-200
  radioactivity, fossil wood from Temple Mountain: Jedwab 216-283
  seismicity, Wasatch Fault zone: Marsell 222-67

V

Venezuela, radioactivity, application to geology, summary: M. Lopez 222-303
Venus, interior, composition: Kovach 225-42
  magnetic field, Mariner 2 measurements: Neugebauer 222-41; Smith 220-40
  surface, materials, microwave phase effect: Pollack 224-59
    roughness and reflectivity: Karp 221-45
Viet Nam, age, igneous rocks: Polevaya 226-50
Virginia, age, peat and shells, Chesapeake Bay entrance: Harrison 224-5
  earthquakes, 1727-1960: MacCarthy 220-81
    October 28, 1963: MacCarthy 220-80
  electrical surveys, northern: Cantwell 216-123

Virginia—Continued
  heat flow: Diment 220-236
Volcanic activity, Arabia, recent: Gass 221-354
  Asia, lavas, comparisons of histories and prehistoric: Taneda 216-359
  Atlantic Ocean, Surtsey Island, new volcano: Thorarinsson 216-358
  Azores, Capelinhos, 1962: Forjaz 220-356
    Capelinhos Volcano, sounds: Richards 218-345
    history of recent: Zbyszewski 223-356
    La Palma: Machado 220-355
    submarine: Machado 226-357
  California, Mt. Lassen, 1915: Macdonald 225-356
  Chile, geyser field west of Tatio: Zeil 227-357
    Láscar system: Casertano 225-357
    Los Copahues: Casertano 226-337
    Pait'oushan: Denisov 221-357
  Costa Rica, Irazú: Branson 220-354; Coen 227-356
  Guatemala, 40 year summary: Termer 221-352
    Fuego Volcano: Schulz 220-353
  Hawaii, April-June 1963: Krivoy 223-347
    April-June 1964: Okamura 223-349
    Haleakala, age of flows: Oostdam 223-346
    infrared survey: Fischer 216-357
    January-March 1963: Koyanagi 222-355
    January-March 1964: Koyanagi 223-348
    July-September 1963: Koyanagi 222-356
    Kilauea 1963: Peck 221-351
    October-December 1963: Okamura 222-357
  Iceland, Surtsey: Anderson 223-351; Bauer 221-353; Serebryannyy 223-354; Thorarinsson 223-353, 226-355; Stephens 223-352; Thorarinsson 224-358
  Indonesia: Slavin 217-360
    Mt. Agung: Zen 226-342
    Anak-Krakatau: Zen 226-341
    Gunung Merapi: Tjia 221-360
    Krakatoa, 1883: Furneaux 221-361
  Italy, Etna, magma source: Rittmann 218-351
    Mount Vesuvius, prediction: Houtermans 218-185

Volcanic activity—Continued
  Japan, Aso: Taneda 218-360
    characteristics and origin of magmas: Gorai 226-360
    Hakone Volcano: Kuno 226-334
    halides in volcanic gases: Sugiura 226-359
    Miyakejima: Isshiki 226-332; Minakami 226-339
      1962: Seismological Section, J.M.A. 220-357
      1962 eruption and seismic energy release: Tanaka 220-359
      1962 seismic activity: Seismological Section, J.M.A. 220-358
    Mt. Asama, relation to spring water temperature: Sekiya 224-359
    Mt. Fuji, history: Machida 219-360
    Mt. Yaké: Morimoto 226-333
    On-take Volcano: Matsumoto 218-359
    Oshima Volcano, guidebook: Geological Survey of Japan 223-358
    Tokati Volcano: Yokoyama 226-338
    Yatsugatake volcanic chain, history: Kawachi 221-356
  Moon and planets, spectral observations: Kozyrev 225-38
  New Hebrides: Priam 226-344, -345; Williams 226-354
  New South Wales, Mount Warning shield volcano, Pliocene: Solomon 221-358
  New Zealand, Raoul Island: Healy 221-359
  Norway, Beerenberg Volcano on Jan Mayen: Fitch 218-350
  Oregon, Crater Lake: Byrne 223-350
  Réunion Island, 1964: Aubert de la Rüe 223-357
  South Shetland Islands: Casertano 226-337
  Tristan da Cunha: Harris 226-336
    1962 expedition: Baker 218-348; Gass 218-346; Holdgate 218-349
  Turkey, summary: Blumenthal 225-358
  U.S.S.R., Armenian S.S.R., geophysical fields: Adzhimamudov 226-349
    Avachinskaya: Shteynberg 218-353
    Avachinskaya group, geophysical study: Steinberg 226-358
    Kamchatka, hydrothermal processes: Averyev 226-220
      magnetic surveys: Rivosh 221-355; Shteynberg 226-270
    Klyuchevskaya: Basharina 218-354; Sirin 218-352
    Mt. Elbrus: Vlodavetz 225-359
    Mutsov Volcano: Polyak 225-360
  Washington, Mt. Ranier, 1965: Daneš 222-354
  West Indies, prediction: Robson 220-83

Volcanic activity—Continued
  world summary, 1962-63: Volcanological Society of Japan 218-344
  world review, 1963: Lotze 223-52
Volcanic earthquakes, Hawaii, January-March 1963: Koyanagi 222-355
  Hawaii, July-September 1963: Koyanagi 222-356
    October-December 1963: Okamura 222-357
  Japan, Mount Aso: Kikuchi 218-357; Wada 218-358
Volcanology, ashfall, location of eruptive center: Knox 226-348
  areal volcanism, characteristics: Karapetyan 226-350
  carbonatite and kimberlite eruptions, temperature conditions: Bailey 223-359
  cinder cones, internal structure: Sirin 218-352
  classification, dynamic: Gèze 226-340
  electrical phenomena: Anderson 223-351
  faulting, stresses around magma body: Robson 226-343
  fracturing, mechanisms: Machado 226-356
  gases analysis, field method: Elskens 226-346
  gases, effusion process, S/Se ratio: Suzuoki 218-355
    temperature and pressure: Shteynberg 218-353
  geosynclines, time of activity: Matsumoto 216-158
  general, conference, Kamchatka, 1964: Lebedinskiy 223-360
    status in 1962: Maldonado-Koerdell 220-360
  geochemistry, Tristan da Cunha; Baker 218-347
    volcanic products: Markhinin 221-350
  geophysical techniques of study: Evrard 227-358
  infrared surveys, prediction of eruptions: Fischer 216-357
  magma chambers, seismic evidence for location: Zen 221-348
  magnetic field of the earth, change prior to volcanic eruption, Japan: Miyamoto 219-73
  modern techniques of study, review: Rittmann 218-351
  observatories, standardization: Eaton 226-353; Minakami 226-351; Neumann van Padang 226-352
Volcanology—Continued
  Pacific basin, review: White 217-359
  plateau basalts, Iceland: Rutten 226-335
  prediction: Taneda 216-359
    composition of gases: Surnina 221-349
  research, England: Volcanological Research Committee 227-360
  solar radiation, decrease since 1963, dust from Mt. Agung: Flowers 222-359
    effects of Mt. Agung eruption: Moreno 222-358
  sublimates, magmatic source: Iwasaki 218-356
  uniformitarianism, pillow lavas and ignimbrites: Gass 227-359
  world-wide belts, analysis: Tatsch 216-356

W

Wake Island, tsunami, March 1957, source motion: Van Dorn 217-100
Washington, age, peat, scabland flooding: Fryxell 216-7
  age, radiocarbon dates: Crandell 224-12
    radiocarbon dates, Mt. Rainier: Crandell 221-8
      Pleistocene chronology: Armstrong 223-5
    wood and peat: Mullineaux 221-7
  earthquakes, 1965: Oakeshott 227-62
  electrical surveys, deep resistivity measurements: Cantwell 222-94
  glaciers, South Cascade, frequency response: Nye 227-171
    South Cascade, net budget and flow: Meier 227-170
  gravity surveys, Blue Glacier: Corbató 227-188
    Seattle area, buried faults: Oakeshott 227-62
  volcanic activity, Mt. Ranier, 1965: Daneš 222-354
West Africa, gravity surveys, Niger Delta: Hospers 227-190
West Indies, Seismic Research Unit, earthquakes and volcanic activity prediction: Robson 220-83
West Virginia, paleomagnetism, Permian: Helsley 219-296
Wisconsin, age, radiocarbon dates: Kowalski 226-26
  meteorites, Zenda: Read 216-25
Wyoming, age, igneous rock: Ferris 218-3
  glaciers, Teton Glacier:Reed 224-192

Wyoming—Continued
  isotopes, Th-230/Pa-231 ratios, uranium ore: Rosholt 227-241

Y

Yugoslavia, earthquakes, 1963: Berg 227-65
  gravity survey, Ulcinj Plain: Šumi 219-226
  seismic surveys, Vojvodina region: Simin 221-318
    "Orlovat" structural region: Dragašević 221-317
  strength, rock, in situ testing: Kujundžić 223-337
Yukon, age, volcanic ash, radiocarbon dates: Stuiver 223-8

Z

Zambia, isotopes, strontium, carbonatites: Powell 223-241

ERRATA IN ABSTRACTS

216-275, p. 57 (January)
First line should read "Philbin, P. W., Petrafesco, F. A., and Lang, C. L."

218-6, p. 171 (March)
First line should read "Dyck, W., and Fyles, J.G."

221-190, p. 476 (June)
First line should read "Balavadze, B. K., and Mindeli, P. Sh."

221-359, p. 514 (June)
First line should read "Healy, J[ames], Lloyd, E. F., Banwell, C. J., and Adams, R. D."

222-121, p. 550 (July)
First line should read "Vasil'yev, V. G., ed."

222-186, p. 563 (July)
Line 5 should read "$d(\ln v_S)/d(\ln \rho) > 0$."

223-173, p. 645 (August)
First line should read "LeSchack, Leonard A."

223-268, p. 667 (August)
Read "223-268" instead of "23-268."

225-114, p. 807 (October)
First line should read "Dmitriyev, V. I."

225-265, p. 837 (October)
First line should read Watkins, C. D."

225-322, p. 849 (October)
Read "converted waves" instead of "body waves" throughout the article

227-Index, p. 1027 (December)
Letter L, line seven should read "Lee, H.K ----- 198"

227-Index, p. 1028 (December)
Letter O, line five should read "Ocal, Nevzat ----- 224"

☆ U. S. GOVERNMENT PRINTING OFFICE : 1967 253-567/7

U. of ILL. LIBRARY
MAR 1 - 1967
CHICAGO CIRCLE